



AGRICULTURAL RESEARCH INSTITUTE
PUSA

PROCEEDINGS
OF THE
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.
1830—1847.

PRINTED FOR THE SOCIETY,
AND SOLD AT THEIR HOUSE IN HANOVER SQUARE.
LONDON:
MESSRS LONGMANS, GREEN, READER, AND DYER,
PATERNOSTER ROW.
PARIS: LEIPZIG:
M. J. ROTHSCHILD, M. J. ROTHSCHILD,
13, RUE SAINT ANDRÉ DES ARTS 11, QUERSTRASSE.

1866.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET

CONTENTS.

	Page
List of the Names of Contributors, from 1830 to 1847, with the Titles of and References to the several Articles con- tributed by each	i
Index of Species described and referred to, 1830 to 1847	97

LIST OF THE NAMES

CF

CONTRIBUTORS.

FROM 1830 TO 1847.

*With the Titles of and References to the several Articles contributed
by each.*

	Page
ABBOTT, Captain JAMES.	
Notes on the Wild Antelope of Khaurison (<i>Antelope saga</i> , Pall.)	1811, 70
ABBOTT, KEITH EDWARD, Corr. Memb.	
Letter on various Zoological Subjects, accompany- ing a Collection of <i>Birds</i> , formed by him in the neigh- bourhood of Trebizond	1831, 50
Letter accompanying a Collection of additional species of <i>Birds</i> from the same locality	1831, 133
Letter accompanying a Collection from Trebizond and Erzeroun, presented by	1835, 89
Letter announcing a donation of Birds' Skins from Erzeroun	1837, 70
ADAMS, ARTHUR, R N.	
Notes on certain Molluscous Animals	1847, 19
Description of a New Species of <i>Pulgora</i>	1847, 83
PROC. ZOO. SOC. INDEX, 1830-17.	1

ADAMSON, REV. J., CORR. MEMB.

- Letter acknowledging the receipt of the Society's
'Transactions' at the South-African Literary and
Scientific Institution 1837, 15

AGASSIZ, PROFESSOR LOUIS, FOR. MEMB.

- On the Anatomy of the Genus *Lepidosteus*, with
Descriptions of two New Species 1834, 119
- Views of the Affinities and Disposition of the *Cy-
prinidae* 1835, 149

ALEXANDER, THOMAS.

- Presentation of nineteen specimens of Stuffed Birds
from Van Diemen's Land 1844, 64

ALLEN, WILLIAM, CAPT., R.N., CORR. MEMB.

- On a Collection of Objects of Zoology, made in the
Interior of Africa, and presented by... 1834, 45
- On some Drawings of *Fishes* of the river Quorra,
made by 1834, 147

ALLIS, T.

- On the mode of attachment of the *os furcatum* to
the *sternum* in various Gallatorial and Natatorial
Birds .. 1835, 151
- Letter addressed to Mr. Gould respecting the Scle-
rotic Ring in the *Podargus* 1837, 67

ARNOLD, J. B.

- Letters on the Naturalization of *Sea-Fishes* in a
Lake chiefly supplied with fresh water..... 1830-1, 126

BACHMAN, REV. JOHN, D.D., CORR. MEMB.

- Monograph of the Species of Squirrel inhabiting
North America 1838, 85

BAILLON, M.

Letter relating to several Birds described by him in
the Memoirs of the Society of Emulation of Abbeville 1839, 124

BALFOUR, JOHN OSBORNE.

Austrian Birds' Skins, presented by 1815, 21

BALL, ROBERT, late Secretary to the Royal Zoological
Society of Ireland.

On the *Bradypus didactylus*.. . . . 1814, 93

On *Felis melanura* 1811, 128

BANCROFT, EDWARD N., M.D., Corr. Memb

On several Fishes of Jamaica 1830-1, 131

BARNES, MRS.

Note on the Rearing of a Species of Humming-
bird.† 1831, 33

BARRY, Dr. MARTIN, of Edinburgh.

Exhibition of a living specimen of the *Proteus an-
guinus* 1837, 107

BARTLETT, A. D.

On a New British Species of the Genus *Anser*
(*Anser phænicopus*) 1839, 2

Description of a New Species of *Fuligula* ... 1817, 48

BELCHER, Capt., R N.

Account of a Collection of *Fishes* from the Atlantic
Coast of North Africa, presented by..... 1830-1, 145

Note on the Length of the Peduncle of the *Penta-
lasmus striata*, Leach..... 1833, 120

Exhibition of a collection of *Birds* from the West
Coast of South America, collected by ... 1839, 115

Letter from.. . . . 1811, 19

	Page
BELL, THOMAS, F.R.S., F.G.S., F.Z.S.	
Account of a pair of living Acouches (<i>Dasyprocta acouchy</i> , Ill.)	1830-1, 6
Characters of two New Genera of Reptiles	1833, 98
Observations on the Neck of the <i>Three-toed</i> Sloth (<i>Bradypus tridactylus</i> , Linn.)	1833, 99
Characters of a New Genus of <i>Freshwater Tortoise</i> (<i>Cyclemys</i>)	1834, 17
Observations on the Genus <i>Cancer</i> of Dr. Leach (<i>Platycaercinos</i> , Latr.), with Descriptions of three New Species	1835, 86
On <i>Microhynchus</i> , a New Genus of Triangular Crabs	1835, 88
Account of the <i>Crustacea</i> of the Coasts of South America	1835, 169
Observations on the Genus <i>Galictis</i> , and the Description of a New Species (<i>Galictis allamandi</i>)	1837, 45
BENNETT, EDWARD TURNER, Secretary to the Society.	
Characters of a New Species of <i>Polyborus</i> ?	1830-1, 13
On the History and Synonymy of <i>Cereopsis novæ-hollandiæ</i> , Lath.	1830-1, 26
Characters of a New Species of Deer (<i>Cervus humilis</i>)	1830-1, 27
Description of a young Nyl-ghau (<i>Antelope picta</i> , Pall.)	1830-1, 37
Characters of a New Species of Spider-Monkey (<i>Ateles frontalis</i>)	1830-1, 38
Observations on a Collection of Fishes from the Mauritius, presented by Mr. Telfair, with characters of New Genera and Species	1830-1, { 59 61 126 165
On the <i>Vultur auricularis</i> , Daud.	1830-1, 66

BENNETT, EDWARD TURNER (*continued*).

Characters of two Species of Mammalia (one constituting a new genus) from Sierra Leone.	1830-1, 109
Observations on a Collection of Fishes formed during the voyage of H. M. S. 'Chanticleer,' with	
Characters of two New Species	1830-1, 112
Characters of a New Species of <i>Pterois</i>	1830-1, 128
Characters of New Genera and Species of Fishes from the Atlantic Coast of Northern Africa, presented by Captain Belcher, R.N.	1830-1, 146
Characters of a New Species of Otter (<i>Lutra</i> , Erxl.) and of a New Species of Mouse (<i>Mus</i> , L.), collected in Chili by Mr. Cuming	1832, 1
Characters of New Species of Fishes, collected by Mr. Cuming	1832, 1
Characters of a New Genus of <i>Lemuridae</i> , presented by Mr. Telfair.	1832, 20
Characters of a New Genus of <i>Rodent Mammalia</i> , from Chili, presented by Mr. Cuming	1832, 46
Characters of two New Species of the Genus <i>Mus</i> , L., collected by Col. Sykes in Dukhun	1832, 121
On several skins of <i>Mammalia</i> from Algoa Bay	1832, 122
Characters of two New Species of Hedgehog (<i>Eri-naecus</i> , L.) from the Himalayan Mountains	1832, 123
Characters of several New Species of <i>Fishes</i> , from Ceylon, presented by Dr. Sibbald	1832, 182
Characters of two New Species of <i>Fishes</i> , from the Mauritius, presented by Mr. Telfair	1832, 184
Characters of a New Species of Hedgehog (<i>Eri-naecus</i> , L.), from South Africa, collected by Mr. Steedman	1832, 193
Characters of a New Species of Antelope (<i>Antelope mhorr</i>), presented by E. W. A. Drummond-Hay, Esq.	1833, 1

BENNETT, EDWARD TURNER (*continued*).

Characters of a New Species of <i>Aphrophora</i> (<i>Aphrophora goudoti</i>) from Madagascar, presented by C. Telfair, Esq.	1833, 12
On a Specimen of an <i>Antelope</i> , probably the young of <i>Antelope cervicapra</i> , Pall., presented by C. Telfair, Esq... ..	1833, 12
Characters of New Species of <i>Fishes</i> from the Mauritius, presented by C. Telfair, Esq.	1833, 32
Characters of New Species of <i>Mammalia</i> from California	1833, 39
Notice of a New Genus of Viverridous Mammalia from Madagascar, presented by Charles Telfair, Esq.	1833, 46
On the Family of <i>Chinchillulæ</i> , and on a New Genus referable to it	1833, 57
Characters of two New Species of <i>Monkeys</i> in the Society's Collection	1833, 67
Characters of a New Species of <i>Cat</i> (<i>Felis</i> , Linn.) from the Continent of India, presented by J.M. Heath, Esq... ..	1833, 68
Characters of a New Species of <i>Lemur</i> (<i>Lemur rufigrons</i>)	1833, 106
Characters of a Species of <i>Monkey</i> (the <i>Malbranch</i> of Buffon) hitherto confounded with the <i>Simia fauinus</i> , Auct.	1833, 109
On several Animals recently added to the Society's Menagerie	1833, 118
Observations on the Genus <i>Cryptoprocta</i>	1834, 13
Observations on a Species of <i>Paradoxurus</i> , probably <i>Paradoxurus prehensilis</i> , Gray, presented by Lord Fitzroy Somerset	1834, 33
On several Animals recently added to the Society's Menagerie	1834, { 41 110

	Page
BENNETT, EDWARD TURNER (<i>continued</i>).	
Characters of New Species of Fishes, collected by Lieutenant Allen, R.N., in Western Africa . . .	1834, 45
On a Specimen of the <i>Manis temminckii</i> , Smuts., from South Africa, forming part of the collection of Mr. Steedman.....	1834, 81
On a New Species of Kangaroo . . .	1834, 151
Observations on the <i>Brush-tailed Kangaroo</i> (<i>Macropus penicillatus</i> , Gray) . . .	1835, 1
Remarks on some <i>Mammalia</i> from Travancore, including a New Species of <i>Herpestes</i> (<i>Herpestes vitticollis</i>)	1835, 66
On a second Species of <i>Lagotis</i> (<i>Lagotis pullipes</i>)	1835, 67
Observations on several <i>Mammalia</i> from Trebizond and Erzeroun, including a New Species of <i>Rat</i> (<i>Mus latipes</i>) and of <i>Marmot</i> (<i>Citellus xanthoprimum</i>) . .	1835, 89
Characters of several previously undescribed Fishes from Trebizond ..	1835, 91
Character of a Species of <i>Pseudorurus</i> ..	1835, 118
Character of a Species of <i>Acanthurus</i> . . .	1835, 119
Character of a New Species of Crocodile (<i>Crocodilus leptorhynchus</i>) . . .	1835, 128
On a remarkable <i>Pteropine Bat</i> from the Gambia	1835, 149
On a New Species of <i>Ctenomys</i> , Blauy, and on other <i>Rodents</i> collected near the Straits of Magellan by Capt. P. P. King, R.N.	1835, 189
Characters of several <i>Fishes</i> from the Isle of France	1835, 206
Remarks upon a series of the Indian Antelope (<i>Antelope cervicapra</i> , Pall.)... ..	1836, 31
On the <i>Brush-tailed Kangaroo</i> (<i>Macropus penicillatus</i> , Gray)	1836, 41

BENNETT, FREDERICK DE BELL, CORR. Memb.

On the Larynx of the Albatross (<i>Diomedea exulans</i> , Linn.)	1833,	78
On the Light emitted by a Species of <i>Pyrosoma</i> ..	1833,	79
Notes on the Anatomy of the <i>Spermaceti Whale</i> (<i>Physeter macrocephalus</i> , Lac.)	1836,	127
On the Natural History of the <i>Spermaceti Whale</i> (<i>Physeter macrocephalus</i>)	1837,	{ 37 39
On Marine <i>Noctilucae</i>	1837,	{ 50 51

BENNETT, GEORGE, M.D., of Sydney, F.Z.S.

On the Generation of the <i>Kangaroo</i> and <i>Ornithorhynchus</i> , &c.	1833,	82
On the Habits of a Species of <i>Horned Pheasant</i> (<i>Tragopan temminckii</i> , Gray)	1834,	33
On the Habits of the <i>King Penguin</i> (<i>Aptenodytes patagonica</i> , Gm.)	1834,	34
On a Wound inflicted by a <i>Pelican</i> on its own breast	1834,	49
Characters of a New Species of <i>Bat</i> from New Holland, collected by	1834,	52
On the Natural History and Habits of the <i>Ornithorhynchus paradoxus</i> , Blum.	1834,	141
On the Nasal Gland of the Wandering Albatross (<i>Diomedea exulans</i> , Linn.)	1834,	151
Notice of an Animal called <i>Gumar</i> by the Australians	1835,	2
Notes relating to the Habits of the <i>Spermaceti Whale</i> , and to a large species of <i>Grampus</i> , called the <i>Killer</i>	1836,	53
Observations on a Species of <i>Glaucus</i> , referred to <i>Glaucus hexapterygius</i> , Cuvier	1836,	113
Observations on Phosphorescence of the Ocean, made during a voyage from England to Sydney . .	1837,	1
Observations on <i>Physalia pelagica</i>	1837,	43

	Page
BENSON, W. H.	
Observations on a Collection of <i>Land</i> and <i>Fresh-water Shells</i> formed in the Gangetic Provinces of India	1834, 89
Notes on the Importation of a Living <i>Certhium telescopium</i> , Brug.	1834, 91
BETE, Capt., and BRETON, WILLIAM II., Lieut. R.N., Corr. Memb.	
Donation of <i>Birds</i> from Swan River	1836, 85
BIBRON, M.	
Observations on some British specimens of the genus <i>Triton</i>	1838, 23
Observations on the Ravages of the <i>Limnoria terebrans</i>	1838, 66
BICHENO, J. E.	
Letter accompanying the Donation of a Skin of the Burral Sheep from the Himalaya Mountains	1838, 79
BIDWELL, C. B.	
Letter from	1839, 57
Letter from, relating to the <i>Hippopotamus (Hippopotamus amphibius)</i>	1839, 76
BIGG, II.	
On a species of <i>Bee</i> from the Brazils, found living on splitting a log of peach-wood containing its comb	1834, 118
BLACKETT, CHARLES P., F.Z.S.	
Letter from, relating to the parent stock of the Domestic Dog	1841, 9
BLYTH, EDWARD, CORR. MEMB.	
On the Osteology of the <i>Great Auk (Alca impennis)</i>	1837, 122
Observations on the Structure of the Feet of the <i>Trogonidae</i>	1838, 20

BLYTH, EDWARD, Corr. Memb. (*continued*).

Remarks on the Plumage and Progressive Changes of the Crossbill and Linnet	1838, 115
Exhibition of the Skull of a Cumberland Ox, pre- sented a remarkable development of the Horns	1838, 120
Monograph of the Species of the Genus <i>Ovis</i> . . .	1840, 12
Exhibition of a pair of Horns of the <i>Rass</i> of Pamir, and also of the Horns of a new species of Wild Sheep from Little Tibet	1840, 61
On the Species of the Genus <i>Ovis</i>	1840, 62
Exhibition of Drawings of various Quadrupeds, chiefly collected by Mr. Vigne in Little Tibet, and Observations upon them.	1840, 79
Letter from	1841, 63
Abstract of a Letter from, relating to various spe- cies of Birds which are found both in India and Eu- rope	1842, 93

BOASE, Dr. H.

On two Species of Fishes taken in Mount's Bay, Cornwall	1833, 114
--	-----------

BOJER, W., Corr. Memb

Letter on the Habits, &c., of <i>Cryptoprocta ferox</i> , Benn.	1834, 13
--	----------

BONAPARTE, CHARLES LUCIEN.

Exhibition of a Lithographic Print of the <i>Gigantic</i> <i>Salamander</i>	1837, 96
On the Habits of the <i>Long-tailed Trogon</i> (<i>Trogon</i> <i>resplendens</i> , Gould)	1837, 101
Description of New or interesting Birds from South America and Mexico	1837, 108
Description of a New Species of Bat.	1847, 115
(See CANINO AND MUSIGNANO, The Prince of)	

BREWSTER, Sir DAVID.

- Letter from, relating to the Colouring-matter of
certain Land-shells from the Philippine Islands . . . 1841, 16

BRIDGES, THOMAS, Corr. Memb.

- [illegible]

BRODERIP, WILLIAM J, F R.S., F.Z.S.

- | | | |
|---|-------|--|
| <p> Characters of New Species of <i>Mollusca</i> and <i>Con-</i>
 <i>chifera</i>, collected by Mr. Cumming. </p> | 1832, | { 25
50
104
124
173
194 |
| <p> Characters of New Species of <i>Mollusca</i> and <i>Con-</i>
 <i>chifera</i>, collected by Mr. Cumming </p> | 1833, | { 4
52
82 |
| <p> Descriptions of some New Species of Cuvier's fa-
 mily of <i>Brachopoda</i> </p> | 1833, | 121 |
| <p> Characters of New Genera and Species of <i>Mollusca</i>
 and <i>Conchifera</i>, collected by Mr. Cumming </p> | 1831, | { 2
13
35
47
114
148 |
| <p> Descriptions of New Species of <i>Calyptæudæ</i> </p> | 1834, | { 13
35 |
| <p> Description of a New Genus of <i>Gasteropoda</i> (<i>Scu-</i>
 <i>tella</i>) </p> | 1834, | 47 |
| <p> On <i>Clavagella</i>, with Characters of New Species .. </p> | 1834, | 115 |
| <p> Description of some Species of <i>Chama</i> </p> | 1834, | 148 |

	Page
BURTON, E., of the Museum of the Army and Medical Department at Chatham.	
Description of a <i>Ratelus</i> from India	1835, 113
Description of a Species of <i>Agriopus</i> , Cuv.	1835, 116
Characters of several <i>Birds</i> from the Himalayan Mountains	1835, 152
Description of a New Species of <i>Pipra</i>	1836, 113
Description of a New <i>Kingfisher</i> (<i>Ceyx microsoma</i>), and a Female Specimen of <i>Caprimulgus monticolus</i> . .	1837, 89
 BURTON, H.	
Characters of a New Species of the Genus <i>Mon-</i> <i>acanthus</i> , Cuv.	1834, 121
 CADELL, —.	
Donation of a Skin of <i>Brulypus tridactylus</i>	1844, 167
 CAMPBELL, H. BRUCE.	
Note on a White Variety of the <i>Blackbird</i> (<i>Turdus</i> <i>merula</i> , Linn.), presented by him	1835, 105
 CAMPBELL, Col. PATRICK, Corr. Memb.	
Letter respecting the probability of procuring some White Elephants for the Menagerie	1838, 119
 CANINO AND MUSIGNANO, The Prince of.	
Description of a New Species of Bat,	1847, 115
(See BONAPARTE, C. L.)	
 CANTOR, THEODORE, M.D., Corr. Memb.	
Notice of the <i>Hamadryas</i> , a Genus of Hooded Scr- pents with poisonous fangs and maxillary teeth . . .	1838, 72
Observations on Marine Serpents	1838, 80
On Indian Serpents	1839, { 31 49

CANTOR, THEODORE, M.D., Corr. Memb. (*continued*).

On the Production of Isinglass from certain Indian Fishes	1839, 115
Letter from, relating to <i>Ursus syriacus</i> , &c... ..	1840, 46
Letter from, containing a list of a Collection of Shells from Chusan, presented to the Society	1842, 124

CARLISLE, SIR A.

On a Specimen of <i>Labrus maculatus</i> , Bl., taken on the British Coast, presented by	1830-1, 17
--	------------

CARY, HON. BYRON.

Note on a large Specimen of the Gallapagos Island Tortoise	1834, 113
--	-----------

CHAMBERS, R.

On a simple method of taking Impressions of Feathers upon Paper	1837, 36
On the Habits and Geographical Distribution of Humming-Birds	1837, 37

CHARLESWORTH, EDWARD.

Remarks upon the Mode of Reparation in the animal of the Argonaut	1837, 81
Exhibition of a Bone, supposed to be the Spine of some species of Ray or Shark	1839, 60
Exhibition of the Nest and Eggs of the Crossbill (<i>Loxia curvirostra</i>)	1839, 60
Exhibition of a young Shell of the <i>Nautilus pompilius</i>	1839, 123
On the Habits of the <i>Bassaris astuta</i> , Licht., and of the <i>Ascomys mexicanus</i> of the same author . . .	1841, 60

CHILDREN, J. G.

On Specimens of the <i>Phytotomu bloxhami</i> , Childr., collected by Mr. Cumming in Chili.....	1832, 3
---	---------

CHRISTY, W., Jun.

- Note on the Position of the *Mammae* in the *Coyne*
 (*Myopotamus coypus*, Comm.) 1835, 182

CLARK, Dr.

- Letter from 1815, 1

CLARKE, C.

- Notes, contained in a Letter, relating to a Bird
 called in Cuba "The Musician" 1810, 153

COFFIN, Mr., Commissary-General.

- Observations on the Habits of the Woodcock 1811, 79

COLDSTREAM, Dr.

- On the *ova* of *Sepia officinalis*, Linn. 1833, 86

COLEMAN, E.

- On the propensity of Domesticated *Quadrupeds* to
 destroy their young when suffering under a deficiency
 of milk 1830-1, 57

COLLIE, A.

- On the Pouch of the *Frigate-bird* (*Trachypetes*
aquilus, Vieill) 1830-1, 62

COOK, Captain.

- On a Collection of *Birds*, from the south of Europe,
 presented by 1830-1, 96

COOPER, W. D.

- Notes relating to the Habits of the *Bassaris astuta*,
 communicated by 1812, 10

COTTON, Rev. W.

- Letter from, addressed to Professor Owen, on the
 Remains of a Gigantic Bird in New Zealand..... 1843, 1

COX, JOSEPH COX, F.Z.S.

Observations on the Treatment of the <i>Sylviadae</i> in captivity	1830-1,	13
On the Preservation of a proper Temperature for Exotic Animals	1830-1,	18
On <i>prolapsus uteri</i> in Sheep	1830-1,	37
On Atmospheric Causes as influencing the Health of Exotic Animals kept in confinement in England ..	1832,	33
On the Circumstances which modify the Existence of Animals in Northern Regions	1833,	87
Notice of a living <i>Mocking-bird</i> (<i>Turdus polyglottus</i> , Linn.) in his possession	1833,	111
Notice of a White Variety of the <i>Common Sparrow</i> (<i>Passer domesticus</i> , Briss.) ..	1835,	106

COX, DR.

Letter from.....	1841,	63
------------------	-------	----

CUMING, HUGH, CORR. MEMB.

Characters of New Species of <i>Mammalia</i> , <i>Birds</i> , and <i>Fishes</i> , collected by	1832,	1
Characters of New Species of <i>Stomapodous Crustacea</i> , collected by	1832,	5

Characters of New Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by ..	1832,	25 50 101 113 121 173 194
--	-------	---

Characters of a New Genus of <i>Rodent Mammalia</i> , presented by	1832,	46
--	-------	----

Characters of New Species of <i>Cypraea</i> , chiefly collected by	1832,	181
--	-------	-----

	Page
CUMING, HUGH, Corr. Memb. (<i>continued</i>).	
Characters of New Species of <i>Mollusca</i> and <i>Con-</i>	1833, {
<i>chifera</i> , collected by	
Characters of New Genera and Species of <i>Mollusca</i>	1834, {
and <i>Conchifera</i> , collected by	
Characters of New Genera and Species of <i>Mol-</i>	1835, {
<i>lusca</i> and <i>Conchifera</i> , collected by	
Characters of New Genera and Species of <i>Crus-</i>	1835, {
<i>tacea</i> , collected by	
Letter accompanying a donation of Skins from Ma-	1837, {
nilla	
On the Habits of some Species of Mammalia from	1838, {
the Philippine Islands	
Letter from.	1839, {
Letter, relating to Specimens sent to the Society .	1840, {
Exhibition of some Specimens of Quadrupeds from	1840, {
Malacca	
Descriptions of New Species of <i>Scalaria</i> , by G. B.	1814, {
Sowerby, jun., collected by	

CUMING, HUGH, CORR. Memb. (*continued*).

Descriptions of New Species of <i>Columbella</i> , by G.	
B. Sowerby, from the collection of	1844, 48
Descriptions of New Species of <i>Tellina</i> , by Sylvanus	1841, {
Hanley, collected by	
<i>Marginellæ</i> collected by	1841, {
	72 96
Descriptions of New Species of <i>Triton</i> , by Lovell	
Reeve, collected chiefly by	1841, 110
Descriptions of New Species of <i>Arica</i> , by Lovell	
Reeve, from the cabinet of	1841, 123
Bats collected in the Philippine Islands, and presented to the Society by	1845, 3
New Species of <i>Donax</i> , in the collection of	1845, 14
Description of New Species of <i>Helix</i> and a New <i>Glandina</i> , by Dr. L. Pfeiffer, in the collection of . .	1845, 38
Descriptions of New Species of Land-shells, by Dr. L. Pfeiffer, in the collection of	1845, 43
Description of Eighty-nine New Species of <i>Mitra</i> , by Lovell Reeve, chiefly from the collection of . . .	1845, 45
Descriptions of Twenty-two New Species of Land-shells by Dr. L. Pfeiffer, in the collection of . . .	1845, 63
Descriptions of Six New Species of <i>Achatinella</i> , by Dr. L. Pfeiffer, in the collection of	1845, 89
New Species of <i>Ostrea</i> , in the collection of	1845, 105
Description de quelques nouvelles Nérîtes Fluviales, by M. C. A. Recluz, du cabinet de	1845, 122
Descriptions of Fourteen New Species of <i>Helix</i> , by Dr. L. Pfeiffer, in the collection of	1845, 123
Descriptions of Thirty-six New Species of <i>Helix</i> , by Dr. L. Pfeiffer, in the collection of	1845, 126

CUMING, HUGH, Corr. Memb. (*continued*).

Descriptions of a New <i>Trochus</i> and of Eighteen New Species of <i>Littorina</i> , by Dr. Philippi, in the collection of	1845,	138
Descriptions of Thirty New Species of <i>Helicea</i> , by Dr. L. Pfeiffer, in the collection of	1846,	23
Description of Twenty New Species of <i>Helicea</i> , by Dr. L. Pfeiffer, in the collection of	1846,	37
Description of Nine New Species of <i>Helicea</i> , by Dr. L. Pfeiffer, in the collection of	1846,	41
Descriptions of Forty New Species of <i>Haliotes</i> , by Lovell Reeve, from the collection of	1846,	53
Descriptions of Fifty-four New Species of <i>Mangelia</i> , by Lovell Reeve, from the collection of	1846,	59
Descriptions of New Species of <i>Chama</i> , by Lovell Reeve, communicated by	1846,	117

CUNNINGHAM, ALLAN.

On the Habits of the <i>Apteryx</i> (<i>Apteryx australis</i>)	1839,	63
--	-------	----

CURTIS, J.

On a Species of Bee (<i>Trigona</i> , Jur.) from South America	1834,	118
Characters and Description of a New Genus of <i>Melolonthidæ</i> (<i>Ancistrosoma</i>)	1835,	18
On a Species of Moth found inhabiting the Galls of a Plant, near Monte Video	1835,	19

CUST, SIR EDWARD, F.Z.S.

Letter from, relating to a Species of <i>Holothuria</i> from the Island of Porto Rico	1841,	1
---	-------	---

CUVIER, FREDERICK, For Memb.

Letter on several subjects of Zoological interest .	1830-1,	57
Notice on <i>Ctenomys</i> , <i>Octodon</i> , and <i>Poephagomys</i> .	1835,	123
Memoir on the Genera <i>Dipus</i> and <i>Gerbillus</i>	1836,	141

DANIELL, GEORGE, F.Z.S.

On the Habits and Economy of two British Species
of Bats 1834, 129

DANIELL, W., R.A.

Exhibition of numerous Drawings of *Antelopes*, &c ,
made by his Brother 1832, 24

DARWIN, CHARLES, M.A., F.R.S., F.G.S., F.R.G.S.,
F.Z.S.

Remarks upon the Habits of the Genera *Geospiza*,
Camathynchus, *Cactornis*, and *Certhidea* of Gould . 1837, 49

DAVY, JOHN, M.D., F.R.S.

Measurements of the Blood-Corpuscles of some
Fishes and of a Humming-Bird 1816, 26

Note on the early Generative Power of the Goat .. 1847, 71

DENNY, H.

Letter addressed to N. A. Vigors, Esq., M.P., no-
ticing the capture of a male specimen of the Snowy
Owl at Selby 1837, 45

DENNY, WILLIAM.

Remarks on the Geographical Distribution of Birds
in the West Indies 1847, 36

DERBY, EDWARD, 13TH EARL OF, K.G., President of
the Society.

Letter on the Breeding of the *Sandwich Island*
Goose (*Bernicla sandvicensis*, Vig.) 1834, 41

Letter on the Breeding of several *Birds* in his
Menagerie at Knowsley 1834, 81

Letter, relating to some Crosses, which have taken
place among the Animals in his Menagerie 1840, 33

DERBY, EDWARD, 13TH EARL OF, K G (*continued*).

Letter from	1841, 63
Letter from, relating to the hatching and rearing of two young Fire-backed Pheasants and four young Rheas in his Menagerie	1842, 131
Letter from, relating to the hatching some Rheas, &c.	1842, 147
Notice of a valuable Collection of Quadrupeds and Birds, presented by	1842, 196
Exhibition of two living specimens of <i>Hypsiprymnus</i> , by order of	1843, 73
Extract of a Letter from	1844, 123
Letter from, on the Parturition of <i>Bettongia</i>	1844, 163
Observations on Struthionine Birds in the Menagerie at Knowsley	1847, 5
On a Hybrid Swan. Communicated by	1847, 97

DESJARDINS, JULIEN.

Abstract of the Proceedings of the 'Société de l'Histoire Naturelle de l'île Maurice,' to the 24th of August 1830	1830-1, 45
Abstract of the 'Proceedings of the Société d'Histoire Naturelle de l'île Maurice,' pendant la 2 ^{de} Année	1832, 111
Abstract of the Third Report of the 'Proceedings of the Société d'Histoire Naturelle de l'île Maurice'	1833, 117
Letter accompanying a Collection of Objects of Zoology, chiefly <i>Mammalia</i> and <i>Birds</i> , from the Mauritius	1834, 57
Zoological Labours of the Natural History Society of Mauritius, fourth and fifth years	1835 { 204 205
Letter from, accompanying a Memoir of the late Charles Telfair, Esq, Corr. Memb Z. S	1837, 15
Letter from	1838, 119

DICKSON, EDWARD DALZELL, M.D., Corr. Memb.		Page
Letter from.	1842,	177
Letter from.	1844,	153
Letter from, containing an offer to present to the Society five Birds of Carthage	1845,	13
DICKSON, EDWARD DALZELL, and ROSS, H. J., Corr. Membs.		
Notes accompanying a Collection of Buds from Erzeboom	1839 {	{ 119 130
Numerous specimens presented by, exhibited	1842,	197
Letter from, accompanied by a donation of Buds' Skins	1844,	61
DILLWYN, L. W.		
On the Capture of a Specimen of <i>Labrus maculatus</i> , Bl, in Swansea Bay	1830-1,	35
DODD, GEORGE, M.P., F.Z.S.		
Exhibition of a fine specimen of the Wiry-haired Wolf or Deer-hound	1844,	122
DOHERTY, Lieut.-Colonel.		
Letter relating to the Chimpanzee and Hippopo- tamus	1838,	119
DOUBLEDAY, EDWARD, F.L.S., Secretary of the Ento- mological Society, &c., &c.		
On some Undescribed Species of <i>Lepidoptera</i> in the Society's Collection	1847,	58
DOWN and CONNOR, the Bishop of.		
On the Habits of a Philantomba Antelope (<i>Anti- lope philantomba</i> , Ogilby) whilst in confinement	1839,	27

	Page
DRUMMOND-HAY, Col. H. M., 42nd R.H., Corr. Memb.	
New Species of <i>Corvus</i> , discovered by	1846, 43
DUGMORE, Rev. H.	
Note respecting a <i>Sea-Eagle</i> (<i>Haliaetus albicilla</i> , Sav.), in the possession of Licut.-Col. Mason, of Neeton Hall, near Swaffham, Norfolk	1836, 49
ELLIOTT, WALTER, F.Z.S.	
Notice of Eight Species of <i>Mice</i> and <i>Rats</i> collected by him in India	1835, 108
Letter from, accompanied by a number of Skins of Animals from the Neilgherry Hills and the Carnatic	1844, 81
ELLIS, H.	
On a Collection of Birds from Africa, presented by	1830-1, 92
EWER, WALTER.	
List of a Collection of Birds from India, presented by	1842, 92
Exhibition of Specimens presented by	1843, 35
EXTON, T. C., F.Z.S.	
Some account of a Hybrid Bird, between the Cock Pheasant (<i>Phasianus colchicus</i> , Linn.) and the Grey Hen (<i>Tetrao tetrix</i> , Linn.)	1835, 62
Notice of some Osteological Peculiarities in different Skeletons of the Genus <i>Sus</i>	1837, 23
Catalogue of a Collection of Birds from Malaya, with Descriptions of the New Species	1839, 100
FALCONER, HUGH, M.D., F.R.S., F.Z.S., and Captain CAUTLEY.	
Communication on the <i>Colossochelys atlas</i>	1844, 54
Conclusion of Paper on the <i>Colossochelys atlas</i>	1844, 84

FAYRER, Capt., R.N.

On the Migration of *Birds* between the Coasts of
Scotland and Ireland 1830-1, 145

Letter from, accompanied by two specimens of
Strix nyctea 1844, 19

FAYRER, R. J., Lieut., R.N.

Letter from, accompanying some specimens of the
Biche de Mer, or *Trepang* 1846, 67

FIENNES, Hon. TWISSELTON, F.Z.S.

On a Hybrid between a Male *Pintail* and a *Common*
Duck 1830-1, 158

FITTON, EDWARD.

Note on the *White-winged Crossbill* (*Loxia leucoptera*) 1845, 91

FOLLIOTT, G.

On a Collection of *Birds* from North America, presented by 1834, 14

FORBES, Professor EDWARD.

On the Species of *Nææia* inhabiting the Ægean Sea 1843, 75

FORRESTER, JOSEPH JAMES, K.C.V.V.

Letter from, with donation of specimens of Insects,
Echini, &c. 1844, 164

Letter from 1844, 167

Letter from, accompanying a donation of three specimens of *Salamandra maculosa*, Bp. 1845, 11

Donation of two Specimens of *Salamandra*, a Tree Frog, and a *Scolopendra cingulata* 1845, 18

FOX, G. T.

- Exhibition of a Specimen of the *Agama cornuta* of
Harlan 1840, 12

FOX, Mr.

- Exhibition of some Birds from Iceland 1839, 49

FRANKLIN, Major JAMES.

- Catalogue of *Birds* collected on the Ganges between
Calcutta and Benares, and in the Vindhyan Hills, be-
tween the latter place and Gwah Mundelah, on the
Neibudda, with Characters of the New Species 1830-1, 114

FRASER, LOUIS, Corr Memb.

- On a New Species of *Corythae* 1839, 34
Descriptions of two New Species of Birds from the
Island of Luzon (*Phaenopneuste evermanni* and *Anas*
luzonica) 1839, 111
Characters of New Species of *Humming-birds* . . 1840, 14
On some New Species of the Genus *Agilodorhynchus* . 1840, 22
On some New Species of Birds from the Collection
of the Earl of Derby 1840, 59
Letter from 1841, 97
Exhibition of New Species of Quadrupeds collected
at Fernando Po 1842, 124
On some New Species of Birds from Fernando Po 1842, 141
On some New Species of Birds collected in the Niger
Expedition 1842, 144
On two New Species of Birds from Western Africa
belonging to the Genera *Struthio* and *Pittua* . . 1842, 189
Exhibition of a Specimen of the *Galago senegalensis*
and Description of a New Species of *Shrew* from Fer-
nando Po. 1842, 200
On some New Species of Birds from Fernando Po. 1842, 141
On eight New Species of Birds from Western Africa 1843, 16

FRASER, LOUIS, CORR. MEMB. (*continued*).

On a New <i>Rhinolophus</i> and four New Species of <i>Birds</i> from Western Africa	1843, 25
On <i>Birds</i> from Western Africa	1843, 34
On <i>Cricetomys gambianus</i> and various Species of <i>Birds</i> from Western Africa	1843, 51
On two specimens of <i>Manis</i>	1843, 53
Description of <i>Perdix bonhami</i>	1843, 69
On the Collection of <i>Birds</i> brought to England by Mr Bridges	1843, 108
Descriptions of Three New Species of <i>Birds</i>	1844, 37
Exhibition of <i>Birds' Skins</i> presented by E. D. Dick- son, Esq., H. J. Ross, Esq., Corr. Memb., and Capt. Thomas Graves, R.N.	1844, 64
Description of <i>Lophyrus victoria</i>	1844, 136
On <i>Birds</i> from Chili, and Description of <i>Leptopus</i> <i>mitchellii</i>	1844, 157
Exhibition of two <i>Birds</i> from Chili	1845, 1
Exhibition of <i>Birds' Skins</i> , presented to the Society by Lieut -Col. Owen, K.C.A., from Oporto	1845, 13
Descriptions of three New Species of <i>Birds</i> in the Society's Collection.	1845, 16

FREMELY, J., Lieut, R.N.

Letters from	1839, { 57 169
Letters from	1840, { 131 153 180
Letter from	1842, 1
Exhibition of a Collection of <i>Fishes</i> from Brazil, presented by	1842, 9

FRESNAYE, LE BARON F. DE.

On the Situation which the Genus <i>Upupa</i> should occupy in the Classification of <i>Birds</i>	1840, 124
---	-----------

FRIEND, Lieut, M.C.

- On two New Species of *Mammalia* from New Holland, presented by 1830-1, 149

FRY, EDWARD.

- On the Osteology of the *Active Gibbon* (*Hylobates agilis*) 1846, 11
- On the Relation of the *Edentata* to the Reptiles, especially of the Armadillos to the Tortoises 1846, 72
- Note on the Circulation of the Blood of *Crocodilus lucius* 1847, 116

FULLER, AUGUSTUS ELLIOTT, F.Z.S.

- A letter relating to the Breeding of Woodcocks (*Scolopax rusticola*) in Sussex 1839, 111

FULLER, DEVEREUX.

- Report on certain experiments on the Feeding of Carnivorous Mammalia 1832, 49
- Report on the Period of Gestation of the Puma (*Felis concolor*) 1832, 62

FULLER, E, F.Z.S.

- Notice of the rearing of two Hybrids from a Barn-door Hen, having a cross from a Pheasant and a Pheasant Cock 1836, 84

GARNER, R.

- On the Anatomy of the *Lamellibranchiate Conchiferous Animals* 1836, 12

GASKOIN, J. S, F.Z.S.

- Descriptions of New Species of *Cypræa* 1835, 198
- On New Species of *Cypæa* 1843, 23
- Descriptions of three New Species of *Cypræa* . . 1846, 23

GEOFFROY, SAINT-HILAIRE.

Reflections on Dr. Weatherhead's communication respecting the <i>Ornithorhynchus</i>	1833, 15
On the Abdominal Glands of the <i>Ornithorhynchus</i>	1833, 28
New Observations on the Nature of the Abdominal Glands of the <i>Ornithorhynchus</i>	1833, 91
On the Structure and Use of the Monotrematic Glands, and particularly on those Glands in the <i>Cetacea</i>	1834, 26

GERVAIS, P, and JULES VERREAUX, Corr. Memb.

On a New Genus of Marsupial Animals (<i>Tarsipes</i> <i>rostratus</i>)	1842, 1
(See also VERREAUX et GERVAIS)	

GILBERT, JOHN.

Letter from, describing the Habits of some Mam- malia and Aves of Western Australia	1844, 33
Birds collected by	1844, { 55 103
Death of	1846, 79

GLENCON, MAURICE, Gamekeeper to the Earl of Shannon.

On a Hybrid Swan	1847, 97
----------------------------	----------

GORDON, A.

Letter begging the Society's acceptance of two Au- stralian Quadrupeds, which have been described in the Society's 'Proceedings'	1838, 149
--	-----------

GOSSE, PHILIP H.

New Species of Land-shells, collected by	1845, 137
Brief Notes on the Habits of <i>Noctilio mastivus</i>	1847, 105

	Page
GOUDOT, M	•
Letter from, to C Telfair, Esq, on a remarkable Phenomenon observed in Madagascar	1833, 11
GOULD, JOHN, F R S., F L S., F Z S	
On a New Species of Wagtail (<i>Motacilla</i> , L.)	1832, 129
On a New Species of Woodpecker (<i>Picus</i> , L) .	1832, 139
On a Collection of Birds from the Orkneys .	1832, 189
On specimens of <i>Phasianus lineatus</i> , Lath., pre- sented by G. Swinton, Esq.	1833, 13
Characters of a New Species of Toucan (<i>Pteroglossus</i> <i>ulocomus</i>)	1833, 38
Characters of a New Genus of Insessorial Birds	1833, 57
On a specimen of Hornbill (<i>Buceros caratus</i> , Lath.) living in the Society's Gardens	1833, 61
Characters of three New Species of Toucan (<i>Ram- phastos</i> and <i>Pteroglossus</i>)	1833, 69
Characters of a New Species of Dove (<i>Columba prin- ceps</i> , Vig)	1833, 78
Characters of a New Species of <i>Malurus</i> , Vieill. .	1833, 106
Description of the Female of <i>Trogon pavoninus</i> , Spix	1833, 107
Characters of a New Species of Toucan (<i>Ptero- glossus castaneotus</i>)	1833, 119
Characters of a New Species of Woodpecker (<i>Picus</i> <i>flaviventer</i>)	1833, 120
Characters of a New Species of <i>Eurula nris</i> (<i>Eury- laimis lunatus</i>)	1833, 133
On a Collection of Birds from North America, pre- sented by Mr. Folliott	1834, 14
Characters of three New Species of <i>Trogon</i> in the Collection of the Society	1834, 25
Character of a New Species of Plover (<i>Vanellus</i> , L.), collected by Lieut. Allen in Western Africa	1834, 45

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On a collection of <i>Birds</i> formed by Mr. Abbott in the neighbourhood of Trebizond	1834, 50
Characters of the Genera and Species of the Family <i>Ramphastidæ</i> , Vig.	1834, 72
On a Collection of <i>Birds</i> from Nepaul, presented by B. H. Hodgson, Esq.	1834, 115
On a second Collection of <i>Birds</i> from the neighbourhood of Trebizond	1834, 133
Characters of a New Species of Toucan	1834, 147
Exhibition of a living <i>Red-billed Toucan</i> (<i>Ramphastos erythrorhynchus</i> , Gm.)	1835, 21
Characters of several New Species of <i>Trogon</i>	1835, 29
Characters of a New Genus of <i>Merulidæ</i> (<i>Ianthocincla</i>)	1835, 47
On New Species of Toucans (<i>Ramphastidæ</i> , Vig.)	1835, 49
Catalogue, with Remarks, of some <i>Birds</i> from Trebizond.	1835, 90
Notice of a Collection of <i>Birds</i> from Travancore	1835, 92
Characters of New <i>Toucans</i> and <i>Aracaris</i> (<i>Ramphastidæ</i> , Vig.), with a Synoptic Table of the Species of the Family	1835, 156
Characters of several New Species of <i>Insectorial Birds</i> , including a New Genus (<i>Stenorhynchus</i>)	1835, 185
Characters of some New Species of <i>Birds</i> in the Society's Collection	1836, 5
On a New Genus of <i>Birds</i> , <i>Kittacincla</i>	1836, 7
Exhibition of <i>Trogon resplendens</i> and <i>Trogon parvulus</i>	1836, 12
Characters of some New <i>Birds</i> in the Society's Collection, including two New Genera, <i>Paradornis</i> and <i>Actinodrya</i>	1836, 17

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

Exhibition of <i>Birds</i> from North Africa, presented to the Society by Sir Thomas Reade, with other specimens sent by M. Temminck to Mr. Gould	1836,	59
Characters of two New Species of <i>Birds</i> constituting a New Genus, <i>Aplonis</i>	1836,	73
Characters of a New Species of <i>Ortyx</i> from Mexico and two New Species of <i>Zosterops</i> from New South Wales	1836,	75
Characters of some New Species of <i>Birds</i> belonging to the Genera <i>Tamatia</i> and <i>Cursorius</i>	1836,	80
Characters of some New Species of <i>Birds</i> from Swan River	1836,	85
Exhibition of <i>Birds</i> allied to the <i>European Wren</i> , with characters of new species	1836,	88
Characters of New Species of <i>Birds</i> from New South Wales	1836,	104
Characters of three New Species of <i>Strix</i>	1836,	140
Exhibition of the specimens figured in the first part of Mr. Gould's work, on the 'Australian Birds,' with characters of the new species	1836,	142
Remarks on a group of Ground Finches from Mr. Darwin's Collection, with characters of the new species	1837,	4
Exhibition of Australian Birds from his own Collection, and characters of new species	1837,	{ 7 88
Observations on the Raptorial Birds in Mr. Darwin's Collection, with characters of the new species	1837,	9
Exhibition of the Fissirostral Birds from Mr. Darwin's Collection, and characters of the new species	1837,	22
Characters of New Species of Australian <i>Birds</i>	1837,	24
On a New <i>Rhea</i> (<i>Rhea darwini</i>) from Mr. Darwin's Collection	1837,	35

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On a New Species of <i>Ortyx</i> from the Collection of the late Mr. David Douglas, and a New Species of the Genus <i>Podargus</i> from Java	1837,	42
Exhibition of some rare European Birds received from M. Temminck	1837,	48
Remarks on the Common British Wagtail (<i>Motacilla yurrellii</i>)	1837,	{ 73 78
Exhibition of Mr. Darwin's Buds, and description of a new species of Wagtail (<i>Motacilla leucopsis</i>) from India	1837,	77
Characters of New Birds in the Society's Collection	1837,	79
Description of a New Goldfinch (<i>Carduelis burtoni</i>) from the Museum at Fort Pitt, Chatham . .	1837,	90
Observations on the Rapacious Birds of Australia and the adjacent Islands	1837,	96
Description of a New Genus (<i>Amblypterus</i>) among the <i>Caprimulgidae</i> , and characters of New Birds from Australia.	1837,	105
Observations upon a small collection of Birds from Erzeroum, with characters of the New Species	1837,	126
Characters of a New Grouse (<i>Lyrurus derbianus</i>) from the Collection of the Earl of Derby	1837,	132
Characters of a New Genus (<i>Seiocoins</i>) of Australian Birds	1837,	133
Characters of a large number of New Species of Australian Birds	1837,	138
On two New Species of Birds from Australia, belonging to the Genus <i>Phalotis</i>	1838,	24
Letter from Van Diemen's Land, accompanied with descriptions of some new Australian Birds .	1839,	139
On Five New Species of Kangaroos	1840,	92
PROC. ZOOLOGICAL SOCIETY, 1830-17.		3

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On the "Run" or Playing-house constructed by the Satin Bird (*Ptilonorhynchus holosericeus*), and on a similar structure formed by the *Chlamydera maculata* of Australia 1840, 94

On the Brush Turkey (*Talegalla latham*) of New South Wales 1840, 111

On some New Species of Australian Birds 1840, 113

On the Habits and Characters of *Leipoa ocellata*, a New Genus of Birds from Swan River, allied to the Brush Turkey of New South Wales 1840, 126

Descriptions of two New Species of Australian Birds 1840, 126

On two New Species of Kangaroos (*Macropus maculatus* and *M. brachyotis*) from Swan River 1840, 127

Descriptions of New Birds from Australia 1840, { 147
159
169

Observations on *Dasyurus maugei* and *D. viverrinus* of Geoffroy, and description of a New Species 1840, 151

Description of a New Species of *Hypsiprymnus* 1840, 178

Description of a New Species of *Himantopus* from New Zealand 1841, 8

On a New Species of *Hypsiprymnus* from King George's Sound 1841, 14

On the Habits of the Lyre-bird (*Menura superba*) 1841, 41

Exhibition of a Specimen of the *Apteryx australis* 1841, 70

Exhibition of Skulls of a New Species of Kangaroo 1841, 77

Descriptions of four New Species of Kangaroos 1841, 80

Characters of a New Species of Goose nearly allied to *Nettion coromandelianus* 1841, 89

Characters of a New Genus and Species of *Anatidæ* 1841, 95

On a New Species of *Petrogale*,—*P. inornata* 1842, 5

On some New Species of Australian Mammals 1842, 10

On New Species of Birds from Australia 1842, 17

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

Characters of a New Species of <i>Perameles</i> , and a New Species of <i>Dasyurus</i>	1842, 41
On two New Species of Kangaroo (<i>Petrogale concinna</i> and <i>Halmaturus binoc</i>)	1842, 57
Characters of two New Species of Australian <i>Halcionidae</i>	1842, 72
On a New Species of Hawk belonging to the Genus <i>Elanus</i>	1842, 80
<i>Elanus scriptus</i> , Gould	1842, 80
On two New Genera of Buds belonging, one to the Family <i>Sylviadæ</i> , and the other to the Family <i>Psittacidæ</i>	1842, 111
On two New Species of Australian Birds belonging to the Genera <i>Astur</i> and <i>Lobivanellus</i>	1842, 113
Descriptions of thirty New Species of Buds from Australia	1842, 131
On a New Species of Parrot belonging to the Genus <i>Coryphæus</i>	1842, 165
On various New Species of <i>Ortyx</i>	1842, 181
On two New Species of Birds, from the Collection formed by Captain Sir Edward Belcher, R.N., during the Voyage of H. M. S. 'Sulphur' (<i>Pteroglossus erythropygus</i> and <i>Pterocles personatus</i>)	1843, 15
On a New Australian Heron (<i>Ardea rectirostris</i>)	1843, 22
On the Habits of <i>Leipoa</i>	1843, 81
On a New Species of Kangaroo Rat	1843, 81
Descriptions of nine New Species of Birds collected during the recent Voyage of H.M.S. 'Sulphur'	1843, 103
On <i>Diomedea chlororhynchos</i>	1843, 107
Descriptions of four New Species of <i>Ortyx</i>	1843, 132
On some New Species of Toucans	1843, 147
Description of <i>Atrichia clamosa</i>	1844, 1

GOULD, JOHN, F R S , F.L.S., F.Z.S. (*continued*).

On New Species of Western Australian Birds	1844, 5
Descriptions of three New Species of <i>Halmaturus</i> and <i>Lagorchestes</i>	1844, 31
Exhibition of a series of Birds from Australia, col- lected by Mr. Gilbert and himself	1844, 55
Exhibition and characters of a number of Animals, &c , transmitted from Australia by Mr. Gilbert	1844, 103
Description of <i>Podiceps australis</i>	1844, 135
On three New Species of Birds from China , and on a small Mammal and New Grallatorial Bird from Western Australia	1845, 1
Descriptions of a New Trogon and seven New Birds from Australia	1845, 18
Descriptions of four New Species of Birds from Australia	1845, 62
Description of a New Tern	1845, 76
Descriptions of five New Species of Mammals	1845, 77
Descriptions of three New Species of Birds from Australia	1845, 80
On the Genus <i>Anous</i> , Leach	1845, 103
Descriptions of two New Birds from New South Wales	1845, 104
On a New Species of <i>Nyctibius</i>	1846, 1
Descriptions of eleven New Species of Australian Birds	1846, 18
Descriptions of three New Species of the Family of <i>Trochilidae</i>	1846, 44
Descriptions of six New Species of Birds	1846, 67
Letter addressed to, detailing the circumstances of the death of Mr. John Gilbert	1846, 79
Descriptions of two New Species of Australian Birds	1846, 83

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On twenty New Species of <i>Trochilidae</i> or Humming-birds	1846, 85
Descriptions of three New Australian Birds	1846, 106
Descriptions of New Species of Australian Birds	1847, { ¹ 31
Drafts of an arrangement of the <i>Trochilidae</i> , with descriptions of some New Species	1847, { ⁷ 16 94
Notes on some rare Birds from New Zealand and Australia	1847, 50
On a New Species of <i>Apteryx</i>	1847, 93

GRANT, ROBERT EDMOND, M.D., F.R.S. L. & E., F.L.S., F.G.S., M.W.S., F.Z.S., Prof. Zool. & Comp. Univ. Coll. Lond.

On the Nervous System of <i>Beroë pileus</i> , Lam., and on the Structure of its Cilia	1833, 8
On <i>Ianthina vulgaris</i> , Lam., and <i>Veella limbosa</i> , Lam.	1833, 14
On a New Species of <i>Sepiolo</i> (<i>Sepiolo stenodactyla</i>) from the Mauritius, presented by C. Telfair, Esq.	1833, 42
On the Structure of the Heart and Distribution of the Blood-vessels of the large <i>Indian Tortoise</i> (<i>Testudo indica</i> , Linn.)	1833, 43
On the Cranium of the <i>Round-headed Grampus</i> (<i>Delphinus globiceps</i> , Cuv.)	1833, 65
On the Cloaca of the Female <i>Condor</i> (<i>Sarcorhamphus gryphus</i> , Dum.)	1833, 78
On the Anatomy of <i>Loligopsis guttata</i> , Grant, and <i>Sepiolo vulgaris</i> , Leach	1833, 90

GRAY, G. R., F.L.S.

Letter from, containing Observations upon the Species of <i>Tetraogallus</i>	1842, 105
On two New Genera of <i>Certhiæ</i>	1847, 6

GRAY, JOHN EDWARD, Ph D., F.R.S., F.L.S., F.R.G.S.,
F.Z.S., Keeper of the Zoological Collections at the
British Museum.

On the Identity of the *Ctenodactylus massoni*, Gray,
with the *Mus gundi*, Rothm. 1830-1, 50

On the Frequency of the *Natter-jack* of Pennant
(*Rana rubeta*, Linn.) on the Commons in the neigh-
bourhood of London . 1830-1, 61

On two Species of the Genus *Rhyachæa*, Cuv. 1830-1, 62

On the *Vultur angolensis*, Lath 1830-1, 67

Characters of three New Genera, including two New
Species of *Mammalia* from China 1830-1, 94

Characters of a New Genus of *Freshwater Tortoise*
from China 1830-1, 106

Observations on the Animal (*Ocythoe*) found in
the Shells of the Genus *Argonauta* 1830-1, 107

Characters of a New Genus of *Mammalia*, and of a
New Genus and two New Species of *Lizards*, from
New Holland . 1832, 39

On the Specific Distinction of *Mus giganteus*,
Hardw., and *Mus setifer*, Horsf. . 1832, 40

On the Animal of the Genus *Antipathes* 1832, 41

On the Family of *Fireuridae* and its Generic Sub-
divisions, with an Enumeration of the Species of *Pa-
radoeurus*, and characters of several new ones . 1832, 63

Characters of several New Species of *Cypræa*, chiefly
collected by Mr. Cuming . . . 1832, 184

On the Reproduction of *Cirripeda* 1833, 115

On the Torpidity of some Marine *Gasteropodous*
Mollusca 1833, 116

On the Emission of a Glutinous Thread by the Ani-
mal of *Rissoa parva* 1833, 116

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Characters of a New Genus of Bats (*Brachyphylla*),
obtained by the Society from the collection of the late
Rev. Lansdown Gulding 1833, 122

Characters of a Species of *Bulbus* in the collection
of Mr. Adamson 1833, 123

Characters of a New Genus of Radiata (*Ganymeda*) 1834, 15

Note on the Conveyance from the Mauritius to
England of two living specimens of *Cerithium arma-*
tum, Brug. 1834, 22

Character of a New Species of Bat (*Rhinolophus*,
Geoff) from New Holland 1834, 53

Characters of several New Species of *Freshwater*
Tortoises (*Emys*) from India and China 1834, 53

Note on the *Cistudo beali*, Gray, referred to the
Genus *Emys* 1834, 54

Notice of Two Varieties of *Cistudo amboimensis*, Gray 1834, 54

Characters of New Species of Shells 1834, { 57
63

Characters of a New Genus of Mollusca (*Nanna*) 1834, 58

Enumciation of the Species of the Genus *Terebra*,
with Characters of many hitherto undescribed . . . 1834, 59

Characters of Two New Genera of Reptiles (*Geo-*
emyda and *Gehyra*) 1834, 99

Observations on the *Red Piper*, regarded as a Variety
of the Common Species (*Pipera beirs*, Daud) . . . 1834, 101

Arguments in favour of the parasitic Nature of the
Animals found in the Shells of the Genus *Argonauta*,
Linn. 1834, 120

Characters of two New Species of Sturgeon (*Acir-*
penser, Linn) 1834, 122

Characters of a New Genus of Reptiles (*Lialis*) from
New South Wales 1834, 134

Note on the *New Holland Ibis* of Dr. Latham . . 1834, 135

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Observations on two Species of Freshwater Tortoises	1834, 135
Characters of an Australian <i>Toad</i> (<i>Bombinator australis</i>)	1835, 57
On the Genera distinguishable in <i>Echinus</i> , Lam. .	1835, 57
Characters of a New Genus of <i>Corals</i> (<i>Nidalia</i>)	1835, 59
On the <i>Coral</i> known as the <i>Glass Plant</i> (<i>Hyalonema sieboldi</i> , Gray)	1835, 63
Characters of two New Genera of <i>Corals</i> (<i>Erina</i> and <i>Anthopora</i>)	1835, 85
Notice of a Collection of <i>Mice</i> and <i>Rats</i> formed in India by Mr. Elliott, of two New Species of <i>Partridges</i> ; of several undescribed <i>Shells</i> , and of a <i>Coral</i> incrusting Shells	1835, 108
Memon on the Genus <i>Moschus</i> , Linnæus, with Descriptions of two New Species . . .	1836, 63
Observations upon the tufts of hair observable upon the posterior Legs of the Genus <i>Cerrus</i> , as a character of that group, and as a means of subdividing it into natural sections	1836, 66
Characters of New Species of <i>Mammalia</i> in the Society's Collection, with remarks on the Dentition of the <i>Carnivora</i> , and upon the value of the characters used by M. Cuvier to separate the <i>plantigrade</i> from the <i>digitigrade Carnivora</i>	1836, 87
Remarks upon the Habits of the Cuckoo	1836, 104
On a Peculiarity in the Structure of the Ligament in some Bivalve Shells	1836, 104
Remarks upon a specimen of <i>Argonauta</i> , with an <i>Ocythoe</i> from the Cape of Good Hope	1836, 121
Exhibition of the Horn of a supposed New Species of Deer, with remarks upon the enlargement of the Eggs of <i>Buccinum undatum</i>	1837, 45

GRAY, JOHN EDWARD, Ph.D., F R S., &c. (*continued*)

On a New Species of Paradoxure (<i>Paradoxurus derbianus</i>), with remarks on some <i>Mammalia</i> recently purchased by the British Museum, and characters of the New Species	1837, 67
Remarks on the Boring of <i>Patella</i> and <i>Pholas</i> , and exhibition of a drawing of a New Species of <i>Tetrapterus</i> (<i>T. herschellii</i>)	1837, 101
Revision of the Genus <i>Soerex</i> , Linn.	1837, 123
General Arrangement of the <i>Reptilia</i>	1837, 131
Description of a New Fox (<i>Vulpes dorsalis</i>) from Senegal, and exhibition of a very young specimen of the <i>Genetta senegalensis</i> , Geoff	1837, 132
Revised Arrangement of the Ophidians	1837, 135
On a New Species of Perameles	1838, 1
On two New Species of Bats, a New <i>Mamus</i> , and a Species of the Family <i>Hystriaculæ</i>	1843, 20
On some Species of Bats from Jamaica	1843, 50
Exhibition of specimens of <i>Mammalia</i> from Coban, Central America	1843, 79
Description of a New Rat from South Australia	1847, 5
Characters of six New Genera of Bats not hitherto distinguished	1847, 14
An account of <i>Palolo</i> , with a description	1847, 17
Description of a New Species of <i>Amphioxus</i> from Borneo	1847, 35
Observations on the Skull of <i>Phascalomys combatus</i>	1847, 41
Description of a New Genus of <i>Emydæ</i>	1847, 55
On the Genera of the Family <i>Chitonidæ</i>	1847, { 63 126
Description of some New Genera and Species of <i>Asteriadæ</i>	1847, 72
On the Finner Whales, with a description of a New Species	1847, 88

	Page
GRAY, JOHN EDWARD, Ph.D , F.R.S , &c. (<i>continued</i>).	
Description of a New Lizard	1847, 96
Note on a Hybrid Swan . . .	1847, 97
On the Porcupines of the Older or Eastern Con- tinent, with descriptions of some New Species	1847, { 97 128
Additional Observations on the Cetacea of the Bri- tish Islands	1847, 117
List of the Genera of Recent Mollusca, their Sy- nonyms and Types	1847, 129
GREEN, Capt.	
Note describing a specimen of the Barn-door Hen, which had assumed the Cock plumage . . .	1836, 49
GUISL, W. V.	
Letter from	1841, 72
GULLIVER, GEORGE, F.R.S., F.Z.S.	
Observations on the Muscular Fibres of the Œso- phagus and Heart in some of the Mammalia . . .	1839, 124
Notes on the Ova of <i>Distoma hepaticum</i> , and on cer- tain Corpuscles obtained from the Genera <i>Cysticercus</i>	1840, 30
Observations on the Blood-corpuscles of the Snowy Owl and Passenger Pigeon	1840, 42
On the Blood-corpuscles of the <i>Crocodylidae</i> .	1840, 131
On the Blood-corpuscles of the Common Para- doxus, <i>Paradoxurus bondar</i> , and some other allied species	1840, 154
Observations on the Blood-corpuscles of the Order <i>Feræ</i>	1841, 42
On the Blood-corpuscles of Marsupial Animals	1841, 49
Observations on the Muscular Fibres of the Œso- phagus and Heart in some of the Vertebrate Animals	1842, 63
Observations on the Semen and Seminal Tubes of Mammalia and Birds	1842, 95

GULLIVER, GEORGE, F.R.S., F.Z.S. (*continued*).

On the Blood corpuscles of the Ibex of Candia (<i>Capra caucasica</i> , Guld)	1842, 107
On the Blood-corpuscles of the British Ophidian Reptiles, and Observations on the Blood-corpuscles of other Oviparous <i>Vertebrata</i>	1842, 108
On the Blood-corpuscles of some of the <i>Struthionidæ</i>	1842, 110
Additional Measurements of the Blood-corpuscles or Red Particles of Mammalia and Birds	1842, 190
On the Blood-corpuscles of the Stanley Musk Deer	1843, 66
Additional Measurements of Blood-corpuscles of Mammalia and Aves, &c.	1844, 7
On the Blood-corpuscles of the <i>Bradypus didactylus</i> , &c	1844, 95
Additional Measurements of the Blood-corpuscles of Mammalia and Aves	1844, 145
On the Size of the Red Corpuscles of the Blood in the Vertebrata, with copious Tables of Measurements	1845, 93
Note on the Spermatozoa of the Polar Bear (<i>Ursus maritimus</i>)	1846, 11
Note on the Size of the Blood-corpuscles of Birds, with Measurements by Dr. Davy of the Blood-cor- puscles of some Fishes and of a Humming-bird	1846, 26
Note on the Red Corpuscles of the Blood of the Memna Deer	1847, 13
Note on the Spermatozoa, and on the Elevator Muscles of the Penis, of the Indian Elephant	1847, 105

HALL, MARSHALL, M.D., F.Z.S.

On a particular Function of the Nervous System	1832, 190
Notes of Experiments on the Nerves in a Decapitated <i>Turtle</i>	1834, 92

HALLAM, Col.

Letter on a singular Race of *Pigs* 1833, 16

HAMILTON, HAMILTON, H. E., H.B.M. Minister at Rio.

Letter announcing a donation of a Chilian Eagle.. 1837, 67

HANCOCK, J., M.D.

On the *Lantern-fly*, and some other *Insects* of Guiana 1834, 19

HANLEY, SYLVANUS.

Descriptions of four New Species of Bivalve Shells
belonging to the Genera *Solen*, *Psammobia*, and *Cy-
therea* 1842, 122

On five New Species of *Donax*, also a New Species
of *Mya* 1843, 5

On five New Species of *Solen* and *Mesodesma* . . . 1843, 101

Descriptions of New Species of *Mytilacea*, *Amphi-
desma*, and *Odostomia* 1844, 14

Descriptions of New Species of *Tellina*, collected
by H. Cuming, Esq. } 1844, { 59
140
146
164

Descriptions of New Species of *Cytherea* 1844, 109

Descriptions of New Species of *Cyrena*, *Venus*, and
Amphidesma 1844, 159

Descriptions of three New Species of Shells, be-
longing to the Genus *Artemis* 1845, 11

Descriptions of six New Species of *Donax*, in the
collection of H. Cuming, Esq. 1845, 14

Descriptions of two New Species of *Donax* 1845, 17

Descriptions of three New Species of Bivalve Shells
of the Genera *Cytherea* and *Venus* 1845, 21

Descriptions of New Species of *Ostrea*, in the col-
lection of Hugh Cuming, Esq. 1845, 105

HARDWICKE, Major-Gen. T., F.Z.S.

- Description of a New Species of the Genus *Numida*,
Linn., from Western Africa 1834, 52

HARLAN, Dr.

- On the Structure of the Heart, &c., in the *Pike-headed Alligator* (*Allygator mississippiensis*) 1833, 82
- On a New Species of *Meriones* (*M. microcephalus*) 1839, 1

HARRIS, Major W. S.

- On a New Species of Antelope 1838, 1
- Communication on the Natural History and Zoology
of Abyssinia 1844, 3

HARVEY, J. B., Corr. Memb.

- Notes on a Collection of *Shells* and *Crustacea*,
formed on the South Coast of Devonshire..... 1834, 28
- Notes on the Habits of *Caryophylla smithii*, Biod. 1835, { 4
113
- Letters accompanying Collections of *Corallines*,
Fishes, &c., from the South Coast of Devon . } 1835, { 113
154
- On the Opercula of *Serpula tubularia* and *Vermilia*
triquetra, regarded by Turton as Species of *Patella*.. 1835, 128
- Note upon the Thickening of the Lip of *Rostellaria*
pes pelecani, Lam. 1836, 46
- Letter referring to a collection of Marine Produc-
tions, including a specimen of *Capros aper*, Lacép.,
and a new species of *Tubularia* (*T. gracilis*, Harv.),
collected on the South Coast of Devonshire, and pre-
sented by the Writer to the Society . . . 1836, 54
- Notice of the occurrence of four Specimens of *Ve-*
lella limbosa, Lam., on the Beach at Teignmouth . 1836, 79
- Exhibition of *Fossils* from Devonshire, and some
Species of *Ophiura* and *Asterias* from that coast 1836, 104

HARVEY, J. B., Corr. Memb. (*continued*).

Note respecting a Specimen of the <i>Electric Ray</i> caught at Teignmouth	1836, 109
Letter accompanying a donation of <i>Radiata</i> and Fish	1837, 79
Exhibition of some Specimens belonging to the Genera <i>Siphunculus</i> and <i>Asterias</i> , and notice of the occurrence of the Red-band Fish (<i>Cepola rubescens</i>) near Teignmouth	1838, 45
Vote of Thanks to	1838, 76
Exhibition of a Collection of Shells, Sponges, &c , presented by	1839, 172
Letters from	1841, { 72 97
Exhibition of two New Species of Marsupial Ani- mals, presented by	1842, 47
Letter from	1843, 123

HAY, E. W. A. DRUMMOND, Corr. Memb.

Letter accompanying a Present of several Living Animals from the Empire of Morocco	1830-1, 145
Characters of a New Species of <i>Antelope</i> , pre- sented by	1833, 1
Letter on several Subjects in Zoology	1833, 97

HAY, G. W. H.

Notes on a Collection of Birds from Tangiers	1840, 133
--	-----------

HEARNE, JOHN, F.Z.S.

Letter on various Zoological Subjects relating to the Island of Hayti	1834, 25
Letter accompanying a Present of several Living Animals from the Island of Hayti	1834, 110
Notice of a Collection of <i>Bird-skins</i> , formed by him in Hayti	1835, 105

HEARNE, JOHN, F.Z.S. (*continued*).

- Notice of a Specimen of *Solenodonta*, obtained by
him in Hayti 1835, 105

HEATH, J. M.

- On two Species of *Bats*, accompanying a large col-
lection of Birds from Madras, presented by 1830-1, 113
- Characters of a New Species of *Cat*, forming part
of a collection of *Mammalia*, *Birds*, and *Reptiles*
presented by 1833, 68

HEMING, —.

- Note on a Remarkable Dilatation at the Base of
the Lower Jaw and Upper Part of the Throat in the
Swift (*Cypselus apus*, Ill.) 1834, 92

HENNING, Lieut., R.N.

- Note addressed to Col. Sykes mentioning the cap-
ture of an *Albatross* by means of a hook 1836, 63

HERON, Sir ROBERT, Bart., M.P., F.Z.S.

- Notes on the Habits of the *Pea-fowl*; on a Change
of Colour in the Plumage of the Black Poland Cock;
and on the Longevity of two *Water Tortoises* 1835, 54
- Note on the History of a *Black Swan* 1835, 107
- Note on the Habits of the *Kangaroos* 1835, 187
- Extraordinary instance of want of Sagacity in a Dog 1835, 188
- Notes on the Breeding of *Curassows* at Stubton 1836, 1
- Notes relating to a young *Kangaroo* 1840, 59
- Notes relating to the Breeding of Gold-fishes 1841, 42
- Observations on the Eggs and Young of the *Rhea*, &c. 1841, 79
- Letters on the *Jerboas* which have produced young
in his collection 1844, 123
- Note on the Genus *Crax* 1846, 67

HILL, RICHARD, F.Z.S.

Letter from, relating to the Nests of the Birds of Jamaica	1841, 69
Letter, accompanied by a donation of Birds' Skins from Jamaica	1844, 1
Description of a Seal found on a Shoal, south of Jamaica	1846, 80

HINDS, RICHARD BRINSLEY, R.N.

On New Species of Shells collected by Capt. Sir Edward Belcher, R.N., C.B.	1843, 17
On New Species of <i>Triphoris</i> in the collection of H. Cuming, Esq.	1843, 22
Description of New Species of <i>Pleurotoma</i> , <i>Clavatu-</i> <i>tula</i> , and <i>Mangelia</i> from the collection of Sir Edward Belcher, R.N., C.B.	1843, 36
On New Species of <i>Cancellaria</i>	1843, 47
On New Species of <i>Corbula</i> and <i>Potamomya</i>	1843, 55
On New Species of <i>Neæra</i>	1843, 75
On New Species of <i>Nucula</i>	1843, 97
Descriptions of New Species of <i>Scalaria</i> and <i>Murex</i> , from the collection of Capt. Sir Edward Belcher, R.N., C.B.	1843, 124
On New Species of <i>Terebra</i>	1843, 149
Synopsis of the Genus <i>Terebra</i>	1843, 159
Descriptions of New Species of <i>Triton</i> , <i>Solarium</i> , and <i>Corbula</i>	1844, 21
Descriptions of <i>Marginellæ</i> collected during the voyage of H.M.S. 'Sulphur,' and by H. Cuming, Esq.	1844, 72
Descriptions of New Species of <i>Ringicula</i> and <i>Neæra</i> , from the cabinets of Sir E. Belcher and Hugh Cum- ing, Esq.	1844, 96
Description of a New <i>Solarium</i>	1844, 158

HODGKINSON, E.

- Account of a Specimen of *Gulo barbarus*, L., presented by 1830-1, 74

HODGSON, BRYAN HOUGHTON, Corr. Memb.

- Description and Characters of the *Chiru Antelope* (*Antilope hodgsonii*, Abel) 1830-1, 52

- Characters and Descriptions of New Species of *Mammalia* and *Birds* from Nepaul 1832, 10

- Letter on various subjects in Zoology 1833, 105

- Characters of a New Species of *Perdix* 1833, 107

- Further Illustrations of the *Antilope hodgsonii*, Abel 1833, 110

- Description and Characters of the *wild Dog* of Nepâl 1833, 111

- Letter in relation to a Collection of Living *Birds* forwarded by him from Nepaul for the Society's Menagerie 1834, 9

- Letter on various Zoological Subjects, with Additional Observations on the *Chiru Antelope* (*Antilope hodgsonii*, Abel) 1834, 80

- Letter on the Distinction between the *Ghôrâl* (*Antilope goral*, Hardw.) and *Thâr* (*Antilope thar*, Hodgs.) 1834, 85

- On the *Mammalia* of Nepaul 1834, 95

- On the Characters of the *Jhâral* (*Capra jhâral*, Hodgs.) and of the *Nâhôr* (*Ovis nâhôr*, Hodgs.), with Observations on the Distinction between the Genera *Capra* and *Ovis* 1834, 107

- Notice of a Collection of *Birds* from Nepaul, presented by 1834, 115

- Further Account of the *Chiru Antelope* (*Antilope hodgsonii*, Abel) 1835, 3

- On some *Scolopacidae* of Nipâl 1836, 7

- On the Lachrymal Sinus in *Antilope thar*, and *Cervus aristotelis* 1836, 39

HODGSON, BRYAN HOUGHTON, Corr. Memb. (*continued*).

Notice of seven Species of <i>Vespertilionidæ</i> observed in the central region of Nepâl	1836, 46
Description of a New Species of <i>Cervus</i> (<i>C. barhaiya</i> , Hodgs.)	1836, 46
On Nepalese Birds	1845, 22
On a New Genus of <i>Suidæ</i> and a New Species of <i>Taxidea</i>	1847, 115

HOLDSWORTH, Rev. R.

On a Specimen of the Umbrina (<i>Sciæna aquila</i> , Cuv.) taken on the South Coast of Devon	1830-1, 112
--	-------------

HOPE, Rev. FREDERICK WILLIAM, F.Z.S.

Characters of several New Genera and Species of <i>Coleopterous Insects</i>	1833, 61
Observations on the Ravages of the <i>Limnoria tere-</i> <i>brans</i>	1838, 66
Monograph of W. S. MacLeay's Coleopterous Genus <i>Euchlora</i>	1839, 65
On the <i>Stenochoridæ</i>	1840, 46
Monograph on the Coleopterous Family <i>Phyllo-</i> <i>phoridæ</i>	1842, 73

HORSFIELD, THOMAS, M.D., F.Z.S., Keeper of the
Hon. East-India Company's Museum.

Observations on two Species of <i>Bats</i> from Madras, one of them new, presented by Mr. Heath	1830-1, 113
On the Specific Distinction of <i>Viverra rasse</i> , Horsf., and <i>Viverra indica</i> , Geoffr.	1832, 22
Exhibition of Mr. McClelland's Collection of Indian Mammalia and Birds	1838, { 157 167
Communication to the Society of Mr. McClelland's List of Mammalia and Birds collected in Assam	1839, 146

HOY, BARLOW.

On the *Hylurgus pumperda*, Lath. 1830-1, 126

HUNT, JAMES, Head Keeper of the Society's Menagerie.

Notes on the Changes of Plumage in several Species
of *Birds* in the Society's Gardens 1833, 9

Note on the Breeding of the *Passenger Pigeon* (*Ectopistes migratorius*, Swains.), in the Society's Menagerie 1833, 10

Note on the Breeding of the Otter in confinement 1847, 27

INGARFIELD, —.

Donation of a Specimen of *Cancer norvegicus* 1845, 13

JENKINS, F., Secretary to the Physical Committee of
the Asiatic Society.

Letter accompanying a Collection of Indian *Birds* 1830-1, 6

JENYNS, REV. LEONARD, M.A., F.L.S., F.G.S., F.Z.S.

On a Species of *Crested Wren* (*Regulus*) new to
England 1832, 139

On the Occurrence in England of the *Sorex remifer*,
Geoff. 1832, 139

JONAS, DR. J. H.

Descriptions of New Species of Shells belonging to
the Genera *Helix* and *Bulinus*, collected by Mr. Cum-
ing in the Philippine Islands 1842, 188

Descriptions of New Species of Shells 1846, 34

Descriptions of two New Shells 1846, 120

JONES, PROFESSOR RYMER, F.Z.S.

Notes on the Dissection of a *Tiger* (*Felis tigris*,
Linn.) 1834, 54

JONES, Professor RYMER, F.Z.S. (*continued*).

Notes on the Dissection of an *Agouti* (*Dasyprocta aguti*, Ill.) 1834, 82

Notes on the Dissection of *Azara's Opossum* (*Didelphis azaræ*, Temm.) 1834, 101

JONES, T. W.

On the Mode of Closure of the Gill-apertures in the Tadpoles of *Batrachua* 1837, 38

KING, Capt. PHILIP PARKER, R.N., Corr. Memb.

Characters of New Genera and Species of *Birds* } 1830-1, { 14
from the Straits of Magellan } 29

Observations on Oceanic *Birds*, particularly those of the Genus *Diomedea*, Linn. 1834, 128

Note on some *Fishes* captured at Port Praya 1835, 119

Notes on several *Rodents* collected during a Survey of the Straits of Magalhaens 1835, 189

LAW, the Rev. EDWARD, M.A., Chaplain to the British Embassy at St. Petersburg, Corr. Memb.

Letter from 1839, 56

LAY, GEORGE TRADESCANT.

On the Habits of a Bird of Paradise (*Paradisea apoda*, Linn.) 1840, 13

Exhibition of a small Bird's Nest from Borneo, and Remarks on a Species of *Gobiocephalus* from the Sea of Japan 1840, 31

LEACH, W. E., M.D.

On a collection of Italian *Insects* presented by . 1830-1, 24

LEES, J. C.

On the Habits and Economy of a Species of *Glau-cus*, Forst. 1833, 51

LEONARD, M.

- Exhibition of two Pointer Dogs, in illustration of
his Observations on the Intelligence of these Animals 1841, 47

LESSON, R. P.

- Table of a Distribution of the Families of the *Aca-*
lepha, Cuv..... 1835, 2

LEWIS, E.

- Desultory Observations on subjects having relation
to Zoology 1840, 118

LHOTSKY, Dr.

- Exhibition of Drawings of Tasmanian Fishes ... 1839, 57
On Animal Tuition and Animal Hygiene 1841, 65

LINDSAY, HUGH HAMILTON, Corr. Memb.

- On a collection of *Birds* from Manilla, presented by 1830-1, 96

LODDIGES, GEORGE.

- Notice of a New Genus of *Trochilidæ* 1830-1, 12
Characters of four New Species of *Humming-birds*
(*Trochilus*, L.) from Popayan, in the collection of
Mr. Gould 1832, 6
Remarks upon Humming-birds.. . . . 1843, 122

LONG, H. L.

- On the Discovery of a Nest and Eggs of the Cross-
bill (*Loxia curvirostra*) near Farnham 1839, 60

LORD, W.

- On a Collection of *Birds* made in Shetland, and
presented by 1830-1, 150

LOWE, REV. RICHARD THOMAS, CORR. MEMB.

List of a Collection of *Fishes* formed on the Coast
of Madeira, and presented to the Society 1832, 139

Remarks on the Nature of the Respiratory Organs
in certain Littoral *Mollusca* of Madeira 1833, 101

Letter accompanying a Series of the Land and
Freshwater *Shells* of Madeira, presented by 1833, 102

Letter on several Subjects in Zoology 1833, 102

Characters of a New Genus of *Fishes* 1833, 104

Characters of a New Genus and of several New
Species of *Fishes* from Madeira 1833, 142

Additional Observations on *Alepisaurus* 1835, 93

Synopsis of the *Fishes* of Madeira 1837, 37

Exhibition of some *Fishes* and *Crustacea* presented
by 1839, 56

Supplement to a Synopsis of the *Fishes* of Madeira 1839, 76

On New Species of *Fishes* from Madeira 1840, 36

On *Parthenia*, a New Genus of recent Marine Shells
or *Mollusks*, containing British Species 1840, 39

Letter from, relating to the *Ausoma curieri* of Risso 1840, 131

Description of a New Dorsibranchiate Gasteropod
discovered at Madeira 1842, 51

On the *Fishes* of Madeira 1843, { 81
97

Letter from, with specimens of Fish from Jamaica 1844, 95

Letter from, accompanying a specimen of *Zeus con-*
chifer, Lowe 1845, 103

Letter from, accompanying a specimen of *Lichia*
radigo, Cuv. & Val. 1846, 23

On a New Genus of the Family *Lophidæ* (les Pec-
torales *Pediculées*, Cuv.) discovered in Madeira . . 1846, 81

M^CCLELLAND, JOHN, M.D., Corr. Memb.

- On the Production of Isinglass from certain Indian
Fishes 1839, 116
- List of Mammalia and Birds collected in Assam .. 1839, 146
- Letters from 1841, { 9
42

MACKAY, R, Corr. Memb.

- Letter describing the Habits of a *Fulture* (*Fultur
papa*, Linn.) 1836, 107
- Letter from, relating to an Insect presented by him
to the Society 1839, 146

MACKENZIE, Sir F.

- On the Breeding of *Woodcocks* (*Scolopax rusticola*,
L.) in Scotland 1832, 133

MACLEAY, A.

- Letter from, on the Habits of the *Apteryx australis*,
Shaw 1835, 61

MACLEAY, WILLIAM SHARP, F.Z.S.

- Remarks tending to illustrate the Natural History
of Two Annulose Genera, namely, *Urania* of Fabricius,
and *Mygale* of Walckenaër 1834, 10

M^CNEILL, Sir JOHN, Corr. Memb.

- A Letter relating to a kind of Dog used by the
wandering tribes in Persia to guard their flocks . . 1839, 111
- Letter relating to Two Persian Deer, presented by
that gentleman to the Society 1840, 11

MANBY, Capt., R.N.

- Letter announcing the Stranding in Suffolk of an
enormous *Whale* (*Balæna physalus*, Linn) . . 1835, 119

MARTIN, WILLIAM CHARLES LINNÆUS.

Report on the Diseased Appearances of a <i>Beaver</i> (<i>Castor fiber</i> , Linn.)	1830-1, 12
On the Morbid Appearance of a <i>Lion</i> (<i>Felis leo</i> , L.)	1830-1, 28
On the Anatomy of the <i>Testudo indica</i> , L.	1830-1, 46
On the Anatomy of the <i>Ruffed Lemur</i> (<i>Lemur macaco</i> , L.)	1830-1, 58
On the Anatomy of the <i>Testudo græca</i> , L.	1830-1, 63
On the Existence of a Rudimentary Cæcum in certain <i>Tortoises</i>	1830-1, 74
On the Anatomy of the <i>Alligator Tortoise</i> (<i>Chelydra serpentina</i> , Schweig.)	1830-1, 129
On the Anatomy of a <i>Monitor</i>	1830-1, 137
On the Anatomy of the <i>Jaguar</i> (<i>Felis onça</i> , L.)..	1832, 7
Notes of the Dissection of a <i>Slender Loris</i> (<i>Loris gracilis</i> , Geoff.)	1833, 22
Notes of the Dissection of a <i>Squirrel Monkey</i> (<i>Calithrix sciureus</i> , Geoff.)	1833, 88
Notes of the Dissection of a <i>Pekan</i> , or <i>Fisher Marten</i> (<i>Mustela canadensis</i> , Schreb.)	1833, 97
Notes of the Dissection of a <i>Puma</i> (<i>Felis concolor</i> , Linn.)	1833, 120
Notes of the Dissection of a <i>Grison</i> (<i>Galictis vittata</i> , Bell)	1833, 140
Notes on the Anatomy of the <i>Rhea</i> (<i>Rhea americana</i> , Vieill.) and <i>Cassowary</i> (<i>Casuarus emeu</i> , Lath.)	1834, 9
On the Occurrence of Aneurism of the <i>Aorta</i> in the <i>Brown Coat</i> (<i>Nasua fusca</i> , F. Cuv.)	1834, 9
Notes on the Dissection of <i>Azara's Opossum</i> (<i>Didelphis azaræ</i> , Temm.) . . .	1834, 101
Notes on the Dissection of a <i>Mangue</i> (<i>Crossarchus obscurus</i> , F. Cuv.)	1834, 113

MARTIN, WILLIAM CHARLES LINNÆUS (*continued*).

Notes of a Dissection of the *Cape Hyrax* (*Hyrax capensis*, Pall.) . 1835, 14

Notes of the Dissection of a *Red-backed Pelican* (*Pelecanus rufescens*, Gmel) 1835, 16

Notes of the Dissection of a *small Nocturnal Lemur* (*Microcebus murinus*, Geoff) . 1835, 125

Notes of the Dissection of *Cocodilus leptorhynchus*, Benn. . . 1835, 129

Note on the Mode of Attachment of the *os furcatum* to the *sternum* in the *Pelican*, *Adjutant*, *Crane*, and *Heron* . . 1835, 155

Visceral and Osteological Anatomy of the *Coypus* (*Myopotamus coypus*, Comm.) . . . 1835, 173

Notes on the Dissection of a *Vulpine Opossum* (*Phalangista vulpina*, Cuv.) 1836, 2

Notice of a rudimentary canine Tooth in a female of a species of *Deer* from South America 1836, 4

Notes on the Visceral and Osteological Anatomy of the *Cariama* (*Dicholophus cristatus*, Ill.) 1836, 29

Notes on the Anatomy of Buffon's *Touraco* (*Corythaix buffoni*, Vaill.) 1836, 32

Description of a New *Mammal* (*Cynictis melanurus*, Mart.) 1836, 55

Notes on the Anatomy of the *Koala* (*Phascolarctos fuscus*, Desm.) 1836, 109

Description of two Species of the Genus *Cercoleptes* 1836, 82

Description of a New Species of the Genus *Felis* . 1836, 107

Description of the Osteology of the *Sea Otter* (*Enhydra marina*, Flem.) 1836, 59

Notes on the Dissection of the *Chilian Bush Rat* (*Oetodon cumingi*, Benn) 1836, 70

MARTIN, WILLIAM CHARLES LINNÆUS (*continued*).

Observations on three Specimens of the Genus <i>Felis</i> presented to the Society by Charles Darwin, Esq., Corr. Memb. Z.S.	1837, 3
Observations upon a New Fox from Mr. Darwin's Collection (<i>Vulpes fulvipes</i>)	1837, 11
Observations on a Specimen of <i>Dasypus hybridus</i> , Desm., from Mr. Darwin's Collection	1837, 13
Notes on the Anatomy of the Proboscis Monkey (<i>Simia nasalis</i>)	1837, 70
Description of a New Bat (<i>Rhinolophus landeri</i>) from Fernando Po, and a New Hedgehog (<i>Erinaceus concolor</i>) from Trebizond	1837, 101
On a New Genus of Insectivorous Mammalia	1838, 17
On the Visceral Anatomy of the Spotted Cavy (<i>Cælogenys subinger</i> , Cuv.)	1838, 54
On some Species of Chameleon from Fernando Po	1838, 63
On two Specimens of Saurian Reptiles sent to the Society by Mr. Cuming	1838, 68
On two New Species of Snakes	1838, 83
On some Snakes collected during the Euphrates Expedition	1838, 81
Observations on the Sooty and White-eyed Monkeys (<i>Cercopithecus fuliginosus</i> and <i>C. æthiops</i>) . . .	1838, 117
Notes on the Habits of the Horned Screamer (<i>Palmameda cornuta</i> , Linn.)	1842, 15

MAULE, HON. LAUDERDALE.

On the Habits and Economy of the <i>Ornithorhynchus</i>	1832, 145
---	-----------

MICHELLOTTI, Dr.

Letter from, requesting the Society's acceptance of a Collection of Fossil Shells from Italy.	1838, 167
---	-----------

MILLER, Mr.

- Report on the circumstances attending the Birth of
two Armadillos (*Dasypus sexcinctus*, Linn.) .. 1830-1, 48

MOORE, E.

- Letters from 1841, { 24
89

MOORE, EDWARD LEE, Corr. Memb.

- Letter from, and exhibition of a young Harp Seal
(*Phoca grænlandica*, Muller), presented by 1842, 49

MOORE, Mrs.

- Note accompanying a living *Iacchus Monkey* (*Iacchus penicillatus*, Geoff.) 1835, 125

MULLER, Professor.

- Remarks on Dr. Smith's revision of the Linnean
Genus *Squalus* 1837, 86

MURRAY, The Hon. CHARLES AUGUSTUS, F.Z.S.

- Exhibition of Specimens presented by 1842, 91

NATTERER, Dr. JOHN.

- Letter to Mr. Gould describing a New Species of
Araçari (*Pteroglossus gouldi*) 1837, 44

NEWPORT, G.

- On some New Genera of the Class *Myriapoda* ... 1842, 177

OGILBY, ROBERT LESLIE.

- Lepus hibernicus*, presented by 1843, 75

OGILBY, WILLIAM, M.A., F.L.S., F.H.S., F.G.S.,

F.R.A.S., late Secretary to the Society.

- On the Identity of the *Ctenodactylus massoni*,
Gray, with the *Gundi Marmot* (*Mus gundi*, Rothm.) 1830-1, 50

OGILBY, WILLIAM, M.A., F.L.S., &c. (*continued*).

On two New Species of <i>Phalangista</i> , Cuv.	1830-1, 135
On a New Species of Indian <i>Deer</i> (<i>Cervus</i> , Linn.)	1830-1, 136
On two New Species of <i>Mammalia</i> from New Hol- land.	1830-1, 149
Characters of a New Species of <i>Antelope</i> (<i>Antelope ellipsiprymna</i>), from the collection of Mr. Steedman	1833, 47
Characters of a New Genus of <i>Carnivorous Mam- malia</i> , from the collection of Mr. Steedman	1833, 48
Notice of a New Species of <i>Otter</i> from the North of Ireland	1834, 111
Descriptions of <i>Mammalia</i> and <i>Birds</i> from the Gambia	1835, 97
Remarks on some <i>Marsupials</i> from the interior of New South Wales	1835, 191
Observations upon the Opposable Power of the Thumb in certain <i>Mammals</i> , considered as a Zoological character, and on the natural affinities which subsist between the <i>Bimana</i> , <i>Quadruman</i> , and <i>Pedimana</i> .	1836, 25
Remarks upon the Lachrymal Sinus in the <i>Indian Antelope</i> (<i>Antelope cervicapra</i> , Pall) . .	1836, 38
Remarks upon the probable Identity of <i>Cynictis melanurus</i> , Mart., with a species noted by Boshman under the name of <i>Kolebog</i>	1836, 56
Remarks upon <i>Chironectes yapock</i> , Desm.	1836, 56
Remarks upon two <i>Antelopes</i> (<i>Koba</i> and <i>Kob</i> of Buffon)	1836, 102
Remarks upon <i>Canis himalaicus</i> , Ogilb.	1836, 103
Remarks upon some rare or undescribed <i>Ruminants</i> in the Society's Collection	1836, 119
On the Generic Characters of <i>Ruminants</i>	1836, 131
On a New Gibbon (<i>Hylobates choromandus</i>) and a New Species of <i>Colobus</i> (<i>C. leucomeros</i>)	1837, 68
Exhibition of the Skins of Two Species of the Genus <i>Kemas</i>	1837, 81

OGILBY, WILLIAM, M.A., F.L.S., &c. (*continued*).

On a New Phalanger (<i>Phalangista viverrina</i>) from Van Diemen's Land	1837, 131
On a Collection of Mammalia procured by Captain Alexander during his journey into the country of the Damaras, on the South-west Coast of Africa	1838, 5
On a New Species of Galago	1838, 6
On a New Species of Kangaroo	1838, 23
On a New Species of Marsupial Animal found by Major Mitchell on the banks of the River Murray in New South Wales	1838, 25
Description of various Species of the Genus <i>Hypsi- prymnus</i>	1838, 62
Remarks upon the Buirhal Sheep	1838, 79
On a New Species of Muntjac Deer from China	1838, 105
On a New Species of Monkey (<i>Papio melanotus</i>)	1839, 31
Exhibition of the Skull of an Elk from Nova Scotia	1839, 93
Observations on a Collection of Skins from Sierra Leone, exhibited by Mr. Gainett	1839, 94
On a New Species of Squirrel (<i>Sciurus variegatoides</i>) from the west coast of South America	1839, 117
Observations upon the Skull of <i>Cercopithecus aethiops</i> , Auct.	1840, 1
Monograph on the Hollow-horned Ruminants	1840, 4
On a New Species of Gibbon (<i>Hylobates leucogenys</i>)	1840, 20
Observations upon a Specimen of <i>Colobus tem- minckii</i> , presented to the Society by P. L. Strachan, Esq.	1840, 20
On a New Species of Antelope (<i>Antelope cuvieri</i>)	1840, 34
On a New Species of Musk Deer from Sierra Leone	1840, 35
Observations upon a small Australian Rodent exhi- bited by Mr. Gould, and supposed to be identical with the <i>Dipus mitchelli</i>	1840, 151

OGILBY, WILLIAM, M.A., F.L.S., &c (*continued*).

Description of a New Species of <i>Cercopithecus</i> (<i>C. tantalus</i>)	1841,	33
On two New Species of Baboon	1843,	10
Exhibition of <i>Syrrhaptes paradoxus</i> and five Mammals from the Altai Mountains of Siberia.. . . .	1845,	75

OGILBY, WILLIAM, H. B. M. Consul, Charleston.

Letter from	1841,	69
-----------------------	-------	----

OLIVE, JEREMIAH, F.Z.S.

* Donation of Birds' Skins from Australia	1845,	75
---	-------	----

OTLEY, —.

Extract of a Letter from, relating to the <i>ligamentum teres</i> in the Coy pou	1838,	118
--	-------	-----

OWEN, RICHARD, Professor, D.C.L., F.R.S., F.L.S.,
F.Z.S., &c., Superintendent of the Natural History Collections, British Museum.

On the Anatomy of the <i>Orang-Utan</i> (<i>Simia satyrus</i> , L)	1830-1,	4 9 28 67
On the Anatomy of the <i>Beaver</i> (<i>Castor fiber</i> , L.)	1830-1,	19
On the Anatomy of a Female <i>Suricate</i> (<i>Ryzæna tetradactyla</i> , Ill.)	1830-1,	39
On the Anatomy of a Male <i>Suricate</i>	1830-1,	51
On the Anatomy of the <i>Acouchy</i> (<i>Dasyprocta acouchy</i> , Ill.)	1830-1,	75
On the Anatomy of the <i>Thibet Bear</i> (<i>Ursus thibetanus</i> , F. Cuv.)	1830-1,	76
On the Anatomy of the <i>Gannet</i> (<i>Sula bassana</i>)	1830-1,	90
On the Anatomy of the <i>Sharp-nosed Crocodile</i> (<i>Crocodilus acutus</i> , Cuv.)	1830-1,	139 169

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

On the Anatomy of the 9-banded Armadillo (*Dasy-
sypus peba*, Desm.) 1830-1, 141

On the Anatomy of the Seal (*Phoca vitulina*,
Linn.) 1830-1, 151

On the Anatomy of the Weasel-headed Armadillo
(*Dasypus sexcinctus*, Linn.) 1830-1, 154

On the Organs of Generation of the Female Kan-
garoo (*Macropus major*, Shaw) 1830-1, 159

On the Anatomy of the American Tapir (*Tapirus
americanus*, Gmel.) 1830-1, 161

Characters of some New Species of *Stomapodous*
Crustacea, collected by Mr. Cuming 1832, 5

On the Habits of the *Birgus latro*, Leach 1832, 17

On the Morbid Appearance of a Mandrill (*Cyno-
cephalus maimon*) 1832, 17

On the Anatomy of the *Cercopithecus albogularis*,
Sykes 1832, 18

On a Malformation of the Beak of *Psittacus eri-
thacus*, L. 1832, 23

On the Anatomy of the Animal of *Stilyfer astericola* 1832, 61

On the Anatomy of *Capromys furnieri*, Desm. . . 1832, 68

On the Peculiarities of the Skeleton of *Capromys
furnieri*, Desm., and *Dasyprocta acouchy*, F. Cuv... 1832, 100

On the Anatomy of two Species of Armadillo (*Da-
sypus*, L) 1832, 130

On the Osteology of the Weasel-headed Armadillo
Dasypus 6-cinctus, L) 1832, 134

On the Anatomy of the Flamingo (*Phænicopterus
ruber*, L.) 1832, 141

On the Mammary Gland of *Echidna hystrix*, Cuv. 1832, 179

On the Teeth of the Capybara (*Hydrochærus ca-
pybara*, Erxl.) 1832, 187

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

On the Anatomy of the *Cape Hyrax* (*Hyrax capensis*, Schreb.) 1832, 202

On the Mammary Glands of the *Ornithorhynchus* 1833, { 30
95

On the Stomachs of two Species of *Semnopithecus*,
F. Cuv. 1833, 74

On the Anatomy of the *Concave Hornbill* (*Buceros cavatus*, Lath.) ... 1833, 102

On the Anatomy of the *Cheetah* (*Felis jubata*, Schreb.) .. 1833, 108

On the Anatomy of the *Brachiopoda* of Cuvier, and more especially of the Genera *Terebratula* and *Orbicula* 1833, 125

On the Period of Uterine Gestation, and the Condition of the New-born Fœtus in the *Kangaroo* (*Macropus major*, Shaw) 1833, 128

On the Distinguishing Peculiarities of the *Crania* of the *Lion* and *Tiger*..... 1834, 1

On the Anatomy of the *Purple-crested Touraco* (*Corythæx porphyreolopha*, Vig.) 1834, 3

On the Stomach of *Semnopithecus maurus*, F. Cuv. 1834, 6

On the Anatomy of the *Capybara* (*Hydrochærus capybara*, Erxl) 1834, 9

On the Anatomy of the *Calyptræidæ* 1834, 14

On the Structure of the Heart in the *Perennian-chuata Amphibia*..... 1834, 31

On the Young of the *Ornithorhynchus paradoxus*, Blum. 1834, 43

Description of a Recent *Clavagella* (*Clavagella latu*, Brod.) 1834, 111

Notes on the Anatomy of a New Species of *Kangaroo* (*Macropus parryi*, Benn.) 1834, 152

OWEN, RICHARD, Professor, D.C.L., &c. (continued).

Notes of a Dissection of a <i>Long-tailed Dasyurus</i> (<i>Dasyurus macrourus</i> , Geoff.)	1835, 7
Notes on the Anatomy of the <i>Red-backed Pelican</i> (<i>Pelecanus rufescens</i> , Gmel.)	1835, 9
Description of a Microscopic <i>Entozoon</i> infesting the Muscles of the Human Body (<i>Trichina spiralis</i>)	1835, 23
On the Anatomy of <i>Linguatula tænioides</i> , Cuv.	1835, 27
On the Comparative Osteology of the <i>Orang</i> and <i>Chimpanzee</i>	1835, 30
On the Anatomy of <i>Distoma clavatum</i> , Rud.	1835, 72
Remarks on the <i>Entozoa</i> , and on the Structural Dif- ferences existing among them; including Suggestions for their Distribution into other Classes; and a Cata- logue of the <i>Entozoa hominis</i>	1835, 73
Note descriptive of a Species of <i>Tape-worm</i> (<i>Tænia</i> <i>lamelligera</i> , Owen)	1835, 86
Notes on the Anatomy of the <i>Kinkajou</i> (<i>Cerco-</i> <i>leptes caudivolvulus</i> , Ill.)	1835, 119
Descriptions of some New or Rare <i>Cephalopoda</i> collected by Mr. George Bennett	1836, 19
On the Shell and Animal of <i>Argonauta hians</i> , Lam.	1836, 22
Remarks on the Secretion in the Lachrymal Sinus of the <i>Indian Antelope</i> (<i>Antelope cervicapra</i> , Pall.), with a tabular view of the relations between the habits and habitats of the several species of <i>Antelopes</i> and their suborbital, maxillary, post-auditory, and inguinal glands	1836, 36
On the Morbid Appearance observed in the Dis- section of the <i>Chimpanzee</i> (<i>Simia troglodytes</i> , Linn.)	1836, 41
Notes on the Anatomy of the <i>Wombat</i> (<i>Phasco-</i> <i>lomys wombat</i> , Per.)	1836, 49
Reference to Hunter's Opinion respecting the Pro- ductive Powers of <i>Hybrids</i>	1836, 85

	Page
OWEN, RICHARD, Professor, D.C.L., &c. (<i>continued</i>).	
On a New <i>Orang</i> (<i>Simia morio</i>)	1836, 91
Anatomical Descriptions of two Species of <i>Entozoa</i> , from the Stomach of a <i>Tiger</i> (<i>Felis tigris</i> , Linn), one of which forms a New Genus, <i>Gnathostoma</i>	1836, 123
Dissection of the Head of the Turkey Buzzard and that of the Common Turkey	1837, 34
On the Structure of the Shell of the Water Clam (<i>Spondylus varius</i>)	1837, 63
Remarks upon the <i>Cranium</i> of an Oran Utan (<i>Simia wurmbi</i>)	1837, 82
Exhibition of a Fœtal Kangaroo, proving the exist- ence of an Allantois	1837, 82
Remark respecting the Mode of Reparation of the Shell of the Argonaut	1837, 84
Notes on the Anatomy of the Nubian Giraffe	1838, { 6 20
Observations on the Genus <i>Menopoma</i>	1838, 15
On the Anatomy of the Dugong	1838, 28
Description of the Organs of Deglutition in the Gi- raffe	1838, 47
On the Anatomy of the Apteryx (<i>Apteryx australis</i> , Shaw)	1838, { 48 71 105
On the Osteology of the Marsupialia	1838, 120
On the Dentition of the Koala (<i>Lipurus cinereus</i> , Goldf.)	1838, 154
Outlines of a Classification of the Marsupialia	1839, 5
On the Paper Nautilus (<i>Argonauta argo</i>)	1839, 35
Notes on the Birth of the Giraffe at the Society's Menagerie	1839, 108
On the Bone of an unknown Struthious Bird from New Zealand	1839, 169

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

On the Anatomy of the Biscacha (<i>Lagostomus tri-</i> <i>chodactylus</i> , Brookes)	1839, 175
On the Skeleton of the <i>Talegalla lathamii</i>	1840, 112
Description of a New Genus and Species of Sponge	1841, 3
Description of the Stomach of the <i>Colobus ursinus</i> , Ogilby	1841, 84
Monograph on the <i>Apteryx australis</i> , including its Myology	1842, 22
Observations upon a Specimen of the Pearly Nau- utilus (<i>Nautilus pompilius</i>) obtained by Capt. Belcher, R.N., at Amboina	1842, 143
On the Anatomy of <i>Lithedaphus longirostris</i> , Owen	1842, 147
On the Anatomy of <i>Pholadomya candida</i>	1842, 150
On the Remains of a Gigantic Struthious Bird of New Zealand (<i>Dinornis novæ-zealandiæ</i>)	1843, 8
Letter from, substituting the name of <i>Dinornis</i> for that of <i>Megalornis</i>	1843, 19
Notes on the Dissection of a Female Orang-utan (<i>Simia satyrus</i> , Linn)	1843, 123
Second Memoir on the <i>Dinornis</i>	1843, 141
On the Existence of Marsupial Bones only in a very rudimentary state in <i>Thylacinus</i>	1843, 148
Observations on the Living <i>Echidna</i> , exhibited at the Menagerie of the Society in May 1845 . . .	1845, 80
On the Existence of two Species of Wombat (<i>Pha-</i> <i>scolomys</i>)	1845, 82
On the Dissection of a Female Chimpanzee (<i>Tro-</i> <i>glodytes niger</i>)	1846, 2
Memoir on the <i>Dinornis</i> , Part 2	1846, 46
Observations on the Skull and on the Osteology of the Foot of the Dodo (<i>Didus ineptus</i>)	1846, 51

PALMEDO, A. P.

- Note on the Breeding together of the *Moufflon* and
Domestic Sheep 1832, 9

PARKINSON, J.

- Letter from, accompanying a Communication from
 Mr. Commissary-General Coffin, relating to the
 Habits of the Woodcock 1841, 79

PARRY, Capt. Sir E. W., R.N.

- On a New Species of *Kangaroo* (*Macropus parryi*,
 Benn.), presented by 1834, 151
- Note on the Habits of the *Brush-tailed Kangaroo*
 (*Macropus penicillatus*, Gray) 1835, 1

PATON, WALTER.

- Letter accompanying a Donation to the Museum of
 an Indian Fowl 1836, 81

PERCY, Professor.

- On the Management of various Species of Monkeys
 in confinement 1844, 81

PETIT DE LA SAUSSAYE, M.

- Descriptions of New Species of Shells belonging to
 the Genus *Auricula*, collected by H. Cuming, Esq. 1842, 201
 (See also SAUSSAYE, PETIT DE LA.)

PFEIFFER, Dr. LOUIS.

- Descriptions of New Species of Shells belonging to
 the Genera *Helix* and *Bulimus*, collected by H. Cum-
 ing, Esq., in the Philippine Islands 1842, 84
- Descriptions of New Species of Shells, collected by
 Hugh Cuming, Esq., in the Philippine Islands 1842, 150
- Descriptions of some New Species of *Helicidae*, col-
 lected by Mr. Bridges in the northern parts of Chile 1842, 186

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of New Species of *Helix* and a New
Glandina in the collection of Hugh Cuming, Esq. 1845, 38

Descriptions of New Species of Land-shells, from the
collection of Hugh Cuming, Esq. 1845, 43

Descriptions of twenty-two New Species of Land-
shells in the collection of Hugh Cuming, Esq. . . . 1845, 63

Description of a New Species of *Amphipeplea* 1845, 68

Descriptions of twenty-two New Species of *Helix* . 1845, 71

Remarks on the Genus *Achatinella*, Swainson, and
Descriptions of six New Species from the collection of
Hugh Cuming, Esq. 1845, 89

Descriptions of fourteen New Species of *Helix*, from
the collection of Hugh Cuming, Esq. . . . 1845, 123

Descriptions of thirty-six New Species of *Helix*, from
the collection of Hugh Cuming, Esq. 1845, 126

Descriptions of New Species of Land-shells from
Jamaica, collected by Mr. Gosse 1845, 137

Descriptions of thirty New Species of *Helicea*, be-
longing to the collection of Hugh Cuming, Esq. 1846, 28

Descriptions of twenty New Species of *Helicea*, in
the collection of Hugh Cuming, Esq. 1846, 37

Descriptions of nine New Species of *Helicea*, col-
lected by Hugh Cuming, Esq 1846, 41

Descriptions of thirty-eight New Species of Land-
shells 1846, 109

On New Species of *Helicea* . 1847, 228

PHILIPPI, DR.

Descriptions of a New Species of *Trochus*, and of
eighteen New Species of *Littorina*, in the collection
of Hugh Cuming, Esq. 1845, 138

POEY, DR. FELIPE, CORR. MEMB.

- Letter relating to Two Specimens of *Capromys*
fournieri, presented by him to the Society 1838, 167
 Letter from 1841, 63

POINTER, H.

- Various Specimens presented by, exhibited 1842, 197

PONTET, —, JUN.

- Donation of a Skin of a *Boa Constrictor* 1845, 43

POOLE, P.

- Letter accompanying a Collection of *Mammalia*,
Birds, and *Reptiles*, obtained in the Travancore country } 1835, { 66
 } 92

PORTER, —.

- Exhibition of a Specimen of the *Gymnotus electricus* 1838, 110

PORTER, SIR R. KER.

- On the *Tapir* (*Tapirus americanus*, Gmel.) . . . 1830-1, 94
 On the *Ant Bear* (*Myrmecophaga jubata*, Linn) 1830-1, 149
 Letter on several Zoological Subjects 1833, 114
 Letter on the Characters and Habits of a Specimen
 of the *Pithecia sagulata*, presented by him to the
 Society 1834, 41
 Letter on various Zoological Subjects 1834, 113

POWER, MADAME.

- Letter relating to some Packages of Specimens for-
 forwarded to the Society 1840, 33

POWIS, W. L.

- Characters of New Species of *Shells* collected by
 Mr. Cuming 1835, 94

PRICHARD, —.

On the Crania of the Laplanders and Finlanders .. 1844, 129

PRINSEP, J.

Letter accompanying a List of Zoological Specimens
forwarded by B. H. Hodgson, Esq. 1833, 102

READ, C. R.

Letter accompanying a Donation of Birds' Skins
from Singapore 1837, 15

READ, W. H. RUDSTON, F.Z.S.

Note on the Habits of the *Cape Hyrax* (*Hyrax
capensis*, Pall.) 1835, 13

READE, SIR THOMAS, H.B.M. Agent and Consul-General
at Tunis, Corr. Memb.

Letter from 1839, 169

RECLUZ, C. A.

Descriptions of various Species of *Navicella*, col-
lected by Hugh Cuming, Esq., in the Philippine
Islands 1842, 154

Descriptions of New Species of *Nerites*, collected
by H. Cuming, Esq., in the Philippine Islands . . 1842, 168

On New Species of *Nerita* 1843, 71

Descriptions of New Species of the Genus *Natica*,
discovered by H. Cuming, Esq. 1843, 136

Descriptions of New Species of *Natica*, *Navicella*,
Neritina, *Nerita*, in the collection of Hugh Cuming,
Esq. 1843, 197

Description de quelques nouvelles Nérîtes Fluviales
du Cabinet de H. Cuming, Esq. 1845, 119

Description d'une nouvelle espèce de *Conorulus* . 1845, 122

REEVE, LOVELL A., F.L.S., F.Z.S.

Characters of two Species of <i>Shells</i> (<i>Cypræa subviridis</i> and <i>Lucina rugifera</i>)	1835, 68
Classification of the <i>Lepadæ</i> and Conchiferous Mollusca	1841, 72
Description of a New Species of <i>Corbis</i> , a Genus of Acephalous Mollusks of the Family <i>Nymphæacea</i> . .	1841, 85
Characters of a New Species of <i>Mitra</i> , a Genus of Pectinibranchiate Mollusks of the Family <i>Columellata</i>	1841, 93
On <i>Lingula</i> , a Genus of Brachiopodous Mollusks .	1841, 97
Monograph of <i>Crassatella</i> , a Genus of Acephalous Mollusks	1842, 42
Descriptions of New Species of Shells, principally from the collection of Hugh Cuming, Esq	1842, 49
Descriptions of four New Species of <i>Achatina</i> .	1842, 55
Monograph of the Genus <i>Tornatella</i>	1842, 58
Descriptions of two New Species of <i>Oniscia</i> , a Genus of Pectinibranchiate Mollusks . . .	1842, 91
Descriptions of New Species of <i>Delphinula</i> , a Genus of Pectinibranchiate Mollusks of the Family <i>Turbinacea</i>	1842, 102
On a New Species of the Genus <i>Murex</i>	1842, 104
On the Genus <i>Phorus</i> , a group of Agglutinating Mollusks of the Family <i>Turbinacea</i>	1842, 160
Descriptions of New Species of Shells belonging to the Genera <i>Trochus</i> and <i>Turbo</i>	1842, 184
Descriptions of New Species of Shells figured in the 'Conchologia Systematica'	1842, 197
Descriptions of four New Species of <i>Conus</i> . . .	1843, 12
On New Species of <i>Pleurotoma</i> , <i>Pectunculus</i> , &c.	1843, 31
On New Species of <i>Cyclostoma</i>	1843, 46
On New Species of <i>Conus</i> and <i>Pectunculus</i>	1843, 79
Descriptions of New Species of <i>Delphinula</i> .	1843, 141

	Page
REEVE, LOVELL A., F.L.S., F.Z.S. (<i>continued</i>).	
Description of a New Volute (<i>Voluta reticulata</i>)	1843, 144
On New Species of <i>Conus</i> , <i>Pleurotoma</i> , <i>Pectunculus</i> , and <i>Cardita</i>	1843, 168
Descriptions of seven New Species of <i>Glauconome</i> .	1844, 19
Descriptions of thirty-three New Species of <i>Arca</i> .	1844, 39
Monograph of the Genus <i>Myadora</i>	1844, 91
Descriptions of New Species of <i>Triton</i> , collected chiefly by Hugh Cuming, Esq.	1844, 110
Descriptions of New Species of <i>Arca</i> , from the cabinet of Hugh Cuming, Esq.	1844, 123
Descriptions of New Species of <i>Ranella</i>	1844, 136
Descriptions of New Species of <i>Mitra</i> and <i>Cardium</i>	1844, 167
Descriptions of eighty-nine New Species of <i>Mitra</i> , chiefly from the collection of Hugh Cuming, Esq.	1845, 45
Descriptions of New Species of <i>Murex</i>	1845, 85
Descriptions of New Species of Shells	1845, 108
On the Growth and Re-calcification of the Shell in <i>Cypræa</i>	1845, 133
On New Species of <i>Pleurotoma</i>	1846, 3
Description of two New Species of <i>Cypræa</i>	1846, 23
Descriptions of forty New Species of <i>Haliotis</i> , from the collection of H. Cuming, Esq.	1846, 53
Descriptions of fifty-four New Species of <i>Mangelia</i> , from the collection of Hugh Cuming, Esq.	1846, 59
Descriptions of New Species of Shells, collected in the Eastern Archipelago	1847, 24

REEVES, JOHN, F.Z.S.

Notice of a Living Specimen of the <i>Phasianus</i> <i>reeresii</i> , Hardw. and Gray (<i>Phasianus veneratus</i> , Temm.), presented by	1830-1, 77
---	------------

REID, JAMES.

Anatomical Description of the <i>Patagonian Penguin</i> (<i>Aptenodytes patachonica</i> , Forst.)	1835, 132
Description of a New Species of the Genus <i>Perameles</i> (<i>P. lagotis</i>)	1836, 129
Notes on several Quadrapeds in Mr. Darwin's Col- lection	1837, 4
On a New Species of Monkey (<i>Semnopithecus ob- scurus</i>)	1837, 14

RENDALL, —.

Account of some <i>Mammalia</i> and <i>Birds</i> brought from the Gambia by	1835, 97
--	----------

RICHARDSON, Sir JOHN, M.D.

Birds and Mammalia collected during the last Arctic Land Expedition under Sir John Franklin	1830-1, 132
Account of a Collection of Fishes from Port Arthur, Van Diemen's Land	1839, 95
On some New Species of Fishes from Australia	1840, 25
On some New or little-known Fishes from the Au- stralian Seas	1841, 21

ROBERTSON, Capt. C.

Letter containing an Account of the Capture of a Peregrine Falcon on board the ship <i>Exmouth</i> , on her passage from Bengal to London	1838, 77
---	----------

ROLLE, Lady, F.Z.S.

Note on the Rearing of a <i>Jacchus Monkey</i> (<i>Jac- chus penicillatus</i> , Geoff.)	1835, 21
--	----------

ROSS, H. J. (See DICKSON and ROSS.)

Letters from	1842, { 1 177
------------------------	------------------

ROSS, H. J., and E. D. DICKSON.

Numerous Specimens presented by, exhibited 1842, 197

RUPPELL, EDWARD, M.D., For. Memb.

Description of a New Genus of *Pectimbranchiata*
Gasteropodous Mollusca (Leptoconchus) 1834, 105

Memoir on a New Species of *Sword-fish (Histio-*
phorus immaculatus) 1835, 187

On the Existence of Canine Teeth in an *Abyssinian*
Antelope (A. montana, Rupp.) 1836, 3

Notice of the *Phytotoma tridactyla* of Abyssinia . 1837, 50

On two New Species of *Chizærhus* from Abyssinia 1842, 8

SABINE, JOSEPH, F.Z.S.

Address on Opening the Business of the First Meet-
ing 1833, 1

Notice of a Hybrid between the *Common Pheasant*
(*Phasianus colchicus*, Linn.) and the *Grey Hen (Te-*
trao tetrix, Linn.) 1834, 52

SAFFRON WALDEN MUSEUM, Board of Management of
the.

Letter from 1839, 57

SAUSSAYE, PETIT DE LA.

Description of New Species of Shells in the Cabinet
of H. Cuming, Esq 1843, 2
(See also PETIT DE LA SAUSSAYE.)

SAVI, Prof. GAETANO, For. Memb.

Letter accompanying a Series of his Works, and a
Collection of most of the New Animals described in
them 1833, 113

SAYERS, Lieut. H. K.

On the Habits of the Chimpanzee 1839, 28

	Page
SCHOMBURGK, Sir ROBERT HERRMAN, Ph.D., H.B.M. Consul, Bangkok, Siam. Remarks on the Greater Ant-bear (<i>Myrmecophaga</i> <i>jubata</i>)	1839, 21
SELLS, W. On the Habits of the <i>Vultur aura</i>	1837, 33
SEVERN, Dr. Exhibition of a Species of <i>Balistes</i> from New Zea- land	1839, 129
SHANNON, Earl of. A Hybrid Swan on his Lordship's Estate.	1847, 97
SHARPE, D. On the Luminous Appearance of the Ocean	1830-I, 24
SHAW, ALEXANDER N., F.Z.S. Letters from	1842, { 10 177
SHELLEY, Lady. Letter from, relating to the Manners, whilst in con- finement, of a Black Spider Monkey (<i>Ateles ater</i>)	1839, 169
SHORT, T. K. Remarks upon the Habits of <i>Apteryx australis</i> , Shaw	1837, 24
SIBBALD, Dr., Corr. Memb. Characters of New Species of <i>Fishes</i> from Ceylon, presented by	1832, 182
SMEE, Capt. W. On the <i>Maneless Lion</i> of Guzerat	1833, 140

SMITH, SIR ANDREW, M.D., K.C.B., F.R.S., F.Z.S.

Letter accompanying a Collection of <i>Fishes</i> from South Africa	1830-1,	11
Notice of a Collection of <i>Birds</i> , <i>Land-shells</i> , and <i>Corals</i> , presented by	1832,	1
Letter on several Subjects in Zoology	1833,	45
Letter on the Zoology of South Africa	1834,	25
Exhibition of the Drawings made during his Expedition into the Interior of South Africa	1837,	49
Exhibition of some small Quadrupeds collected in South Africa	1837,	69
Revision of the Groups included in the Linnean Genus <i>Squalus</i>	1837,	85

SMITH, Capt. C.

Letter from	1840,	62
-----------------------	-------	----

SMITH, G.

Exhibition of some Birds preserved by a peculiar Fluid	1839,	65
--	-------	----

SMITH, Lieut. T.

Extract from his Journal relating to the Burrhal Sheep	1838,	79
--	-------	----

SMITH, W.

Notice of the Capture of an <i>Arctic Fox</i> (<i>Canis lagopus</i> , L.) on an Iceberg	1832,	189
Note on the Animal of the <i>Argonauta argo</i> , Linn.	1835,	125

SOWERBY, G. B.

Characters of New Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by Mr. Cuming	1832,	25 50 104 113 173 194
--	-------	--------------------------------------

	Page
SOWERBY, G. B. (<i>continued</i>).	
Characters of New Species of <i>Mollusca</i> and <i>Con-</i>	1833, {
<i>chifera</i> , collected by Mr. Cuming	
	16
	34
	54
	70
	82
	134
Characters of New Genera and Species of <i>Mollusca</i>	1834, {
and <i>Conchifera</i> , collected by Mr. Cuming	
	6
	17
	21
	46
	68
	87
	123
Characters of three Species of the Genus <i>Bulinus</i> , Lam., brought to England by Mr. Miller	1834, 141
Characters of and Observations on New Genera and Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by Mr. Cuming	1835, {
	4
	21
	41
	49
	84
	93
	109
Descriptions of Shells collected by H. Cuming, Esq., in the Philippine Islands	1840, {
	87
	96
	116
	135
	167
Descriptions of New Species of Shells, collected by H. Cuming, Esq., in the Philippine Islands	1841, {
	1
	19
	24
	39
On Species of <i>Helix</i> collected by H. Cuming, Esq., in the Philippine Islands	1841, 17
Descriptions of New Species of Shells belonging to the Genus <i>Cyclostoma</i> , collected by H. Cuming, Esq., in the Philippine Islands	1842, 80
Description of New Species of Shells of the Genus <i>Cyclostoma</i>	1843, {
	29
	59
Descriptions of New Species of <i>Columbella</i> , from the collection of Hugh Cuming, Esq.	1844, 48
Description of six New Species of <i>Voluta</i>	1844, 149

SOWERBY, G. B. (*continued*).

Descriptions of thirteen New Species of *Brachiopoda* 1846, 91

Descriptions of New Species of *Marginella* . . . 1846, 95

SOWERBY, G. B., Jun.

On some New Species of the Genus *Cardium*, chiefly
from the collection of H. Cuming, Esq . . . 1840, 105

Descriptions of some New Species of *Murex*, prin-
cipally from the collection of H. Cuming, Esq. 1840, 137

Descriptions of eight New Species of the Genus *Ra-
nella* 1841, 51

Descriptions of several New Species of *Chitones*,
brought by H. Cuming, Esq., from the Philippine
Islands. 1841, 61

Descriptions of nine Species of the Genus *Pupina* 1841, 101

Descriptions of four Species of the Genus *Chiton*,
brought by H. Cuming, Esq., from the Philippine
Islands. 1841, 103

Descriptions of some New Species of *Helicinæ*, in
the collection of H. Cuming, Esq. 1842, 6

Descriptions of two New Species of Shells belonging
to the Genus *Strombus*, collected by H. Cuming, Esq. 1842, 143

Descriptions of New Species of the Genus *Pecten*,
figured in Sowerby's 'Thesaurus Conchyliorum' 1842, 163

On a New Species of the Genus *Rostellaria* 1842, 165

Descriptions of New Species of *Lima* 1843, 23

Descriptions of New Species of *Scalaria*, collected
by Hugh Cuming, Esq 1844, 10

Continuation of Descriptions of *Scalaria* . 1844, 26

Descriptions of several New Species of *Spondylus* 1847, 86

SPOONER, —.

On the Accumulation of Fat in Animals 1830-1, 164

SPOONER, — (*continued*).

Notes on the post-mortem Examination of a <i>Dromedary</i> (<i>Camelus dromedarius</i> , Linn.) . . .	1832, 126
Notes of the post-mortem Examination of a <i>M'hor</i> <i>Antelope</i> (<i>Antelope m'hor</i> , Benn.) . . .	1833, 2
Remarks on the post-mortem Appearance of a <i>Moose</i> <i>Deer</i> (<i>Cervus alces</i> , Linn.)	1833, 46

STAIR, Rev. J. B.

An Account of <i>Palolo</i> , a Sea Worm eaten in the Navigator Islands	1847, 17
--	----------

STANGER, Dr.

Exhibition of various Reptiles and Fishes, presented by	1842, 47
--	----------

STARK, JAMES, M.D.

On the Occurrence of the <i>Edible Frog</i> (<i>Rana esculenta</i> , Linn.) in the neighbourhood of Edinburgh . .	1833, 88
On the Changes of Colour in various <i>Fishes</i> , in consequence of their being kept in Water contained in Vessels of different Colours	1833, 88
On <i>Tetrao medius</i>	1845, 13

STEEDMAN, A.

On a Specimen of the <i>Manis temminckii</i> , Smuts., forming part of the Collection of	1834, 81
--	----------

STODDART, Capt.

Observations on several <i>Birds</i> , forming part of the Collection of the Naval and Military Museum	1834, 52
--	----------

STRACHAN, F.

Letter referring to the Chimpanzee and Hippopotamus	1838, 66
---	----------

STRACHAN, P. L.

Letter from, respecting some <i>Reptiles</i> sent by him	
from Sierra Leone	1835, 61
Letter from	1839, 57
Specimens presented by	1840, 20

STRICKLAND, ARTHUR.

On a Species of <i>Puffin</i> (<i>Puffinus</i> , Ray) new to Great Britain	1832, 128
---	-----------

STRICKLAND, HUGH E., M.A., F.Z.S.

Last of <i>Birds</i> noticed in Asia Minor in the winter of 1835 and in the spring of 1836	1836, 97
Exhibition of a Skin of a variety of the <i>Common Fox</i> (<i>Canis vulpes</i> , Linn), from Smyrna, and a specimen of the <i>Argonanta</i> , brought to Mr. Strickland with the animal alive	1836, 102
On some New Genera of Birds	1841, 27
Account of the Birds in the Chinese Collection exhibited at Hyde Park Corner	1842, 166
On the Evidence of the Former Existence of Struthious Birds distinct from the <i>Dodo</i> , in the Islands near the Mauritius	1844, 77
Descriptions of New Species of Birds brought from Western Africa by Mr L. Fraser	1844, 99
Exhibition of a New Species of <i>Corvus</i> , discovered by Col H M. Drummond, 42nd R H.	1846, 43
Notes on certain Species of Birds from Malacca	1846, 99

STUTCHBURY, S

Description of a New Sponge from Barbadoes	1841, 86
--	----------

SWAINSON, WILLIAM.

Observations on the Analogies of the <i>Mitræ</i>	1835, 197
PROC. ZOOL. SOC INDEX, 1830-47.	6

SWEETING, R. H.

- Notes relating to a Female Rorqual Whale (*Balaenoptera boops* of authors) 1840, 11

SWINTON, GEORGE, Corr. Memb.

- Letter accompanying a *Dugong* (*Halicore dugong*, Ill.), presented by 1830-1, 113

- Notice of a *Lineated Pheasant* (*Phasianus lineatus*, Lath.), presented by 1832, 193

SYKES, Lieut.-Col. WILLIAM HENRY, M.P., F.R.S.,

F.L.S., F.G.S., M.R.I.A., M.R.A.S., F.Z.S.

- Catalogue of the *Mammalia* of Dukhun (Deccan); with Observations on their Habits, &c., and Characters of New Species 1830-1, 99

- Characters of a New Species of *Monkey* (*Semnopithecus?*) 1830-1, 105

- Catalogue of *Birds* observed in the Dukhun . . . 1832, { 77
149

- Characters of two New Species of the Genus *Mus*, L., collected by 1832, 121

- On the *Fætus* of a *Panther*, exhibiting all the markings of the Adult Animal 1833, 49

- On a Remarkable Instance of affectionate Attachment in the *Common Hyæna* (*Hyæna vulgaris*, Cuv.) 1833, 76

- On the Power of Leaping to a considerable Height, possessed by the *Loligo sagittata*, Lam. 1833, 90

- Notice of the Perforation of Lead Pipes by the Teeth of *Rats* 1834, 54

- On the Nest and Eggs of the *Lonchura cheet*, Sykes, and of the *Orthotomus bennetti*, Sykes 1834, 140

- On the *Quails* and *Hempod* of India 1835, 55

- On some *Birds* of the Cape of Good Hope, identical with those of India 1835, 62

SYKES, Lieut.-Col W. H., M.P., &c (*continued*).

On the Identity of the Wild Ass of Cutch and Indus with the Dzeggetai	1837, 91
Observations on the <i>Canis jubatus</i> and some Skins of the <i>Felis pardina</i>	1838, 111
On the Calandra Lark	1838, 113
On the Fishes of the Deccan	1838, 157

TELFAIR, CHARLES, CORR. Memb.

Account of a Collection of <i>Birds</i> from the Mauritius, presented by	1830-1, 41
Account of a Collection of Fishes from the Mauritius, presented by	1830-1, $\left\{ \begin{array}{l} 59 \\ 61 \\ 126 \\ 165 \end{array} \right.$
Letter on several Subjects relative to the Zoology of the Mauritius and Madagascar	1830-1, 89
Characters of a New Genus of <i>Lemuridæ</i> , presented by	1832, 20
Characters of New Species of <i>Fishes</i> , presented by	1832, 184
Letter from M. Goudot on a remarkable Phenomenon observed in Madagascar, communicated by	1833, 11
Letter on the Bones of the <i>Dodo</i> (<i>Didus ineptus</i> , Linn.), and other Zoological Subjects	1833, 31
Letter accompanying a present of a New Quadruped from Madagascar	1833, 46
Letter accompanying a present of a Fossil Inferior Pharyngeal Bone of a gigantic Species of <i>Scarus</i>	1833, 52
Letter on the History of a living Specimen of the Indian Tortoise (<i>Testudo indica</i> , Linn.), presented by General Sir Charles Colville	1833, 81
Letter on the <i>Sokmah</i> , an undescribed Species of <i>Tenrec</i> ? (<i>Centenes</i> , Illig)	1833, 81

TEMMINCK, C. J.

- Extract of a Letter relating to *Colobus fuliginosus*
and *Macacus speciosus* 1839, 49

TEMPLETON, R.

- Descriptions of a few *Invertebrated Animals* obtained at the Isle of France 1835, 111

TEMPLETON, Dr., Roy. Artill.

- Communication, accompanied with Drawings of
Indian species of *Semnopithecus* 1844, 1
- On some varieties of Monkeys of Ceylon (*Cercopithecus pileatus* and *Loris gracilis*) 1844, 3
- Description of *Megascolex cæruleus* 1844, 89
- Letter from 1845, 11

TRIBAUT, M.

- Letter relating to the Capture of the *Giraffes* 1836, 9

THOMSON, T. S.

- Notes on the Habits of the *Bassaris astuta* 1842, 10

THOMPSON, Dr. J. B.

- On a Specimen of Chameleon 1843, 123
- On some Forms of Malignant Disease in the Inferior
Animals 1843, 147

THOMPSON, J. V.

- On the Metamorphosis of *Crustacea* 1830-1, 17

THOMPSON, W.

- On the Occurrence of the Young of the *Arctic Tern*
(*Sterna arctica*, Temm.) in the North of Ireland 1833, 33
- On the Occurrence of the *Black-headed Gull* (*Larus capistratus*, Temm.) in the North of Ireland 1833, 33

	Page
THOMPSON, W. (<i>continued</i>).	
On the Immature Specimen of the <i>Long-tailed Manis</i> (<i>Manis tetradactyla</i> , Linn.), from Sierra Leone . . .	1834, 28
Notice of the <i>Cuckoo</i> (<i>Cuculus canorus</i> , Linn.) .	1834, 29
Catalogue of <i>Birds</i> new to the Irish Fauna .	1834, 29
Notice of some Additions to the British Fauna	1835, 77
On some <i>Vertebrata</i> new to the Irish Fauna	1835, 78
On some rare Irish <i>Birds</i>	1835, 82
On the <i>Herring-Gull</i> of the North of Ireland .	1835, 83
Notes relating to the Natural History of Ireland, with a Description of a New Genus of Fishes (<i>Echiodon</i>)	1837, 52
On the <i>Larus capistratus</i>	1845, 68
THURSFIELD, R.	
Account of a Hybrid between the <i>Hare</i> and the <i>Rabbit</i>	1830-1, 66
TOMES, —.	
Exhibition of a Female Specimen of the Bimacu- lated Duck (<i>Anas glocitans</i>)	1846, 121
TRIPP, H.	
On the Provision made by a Male <i>Hawk</i> , after the Destruction of its Female, for the Nourishment of their Young	1832, 62
TURNER, H. N., Jun.	
Observations on the Distinction between the Cer- vical and Dorsal Vertebrae in the Class <i>Mammalia</i> . .	1847, 110
UNITED SERVICE MUSEUM.	
Note from the Secretary accompanying several <i>Birds</i>	1835, 4
VAN DER HOEVEN, Prof. M.	
On a large Species of Salamander from Japan .	1838, 25

VAUGHAN, PETTY, F.Z S.

Letter from 1840, 20

VERREAUX, M. JULES, Corr. Memb., and M. GERVAIS.

On a New Genus of Marsupial Animals (*Tarsipes*
rostratus) 1842, 1
(See also GERVAIS et VERREAUX.)

VIGNE, G T.

Letter from, relating to a collection of Birds formed
in Thibet and Cashmere 1841, 6

VIGORS, N. A., Secretary to the Society.

Observations on the Genus *Ortyx*, with Characters
of two New Species 1830-1, 2

Observations on a Collection of *Birds* from the
Himalayan Mountains, with Characters of New
Genera and Species } 1830-1, { $\begin{matrix} 7 \\ 22 \\ 35 \\ 41 \\ 54 \\ 170 \end{matrix}$

Characters of a New Species of *Humming-bird*. 1830-1, 12

Characters of a New Species of *Ground Parrakeet*
(*Platycercus*, Vig) 1830-1, 23

Characters of the *Phasianus lineatus*, Lath. MSS. 1830-1, 24

On the Absence of the *os furcatorum* in some of
the Groups of the *Psittacidae* 1830-1, 36

On a Collection of *Birds* from the Mauritius, pre-
sented by Mr. Telfair, with Characters of a New
Species of *Spoonbill* (*Platalea*, L.) 1830-1, 41

On a New Species of *Owl* (*Strax*, L.) from New
Holland 1830-1, 60

On a New Species of *Cockatoo* (*Ptyctolophus*,
Vieill.) 1830-1, 61

VIGORS, N. A., Secretary to the Society (*continued*).

On the Habits and Economy of the *Frigate-bird*
(*Tachypetes aquilus*, Vieill.) 1830-1, 62

On a Collection of *Birds* from Africa, presented by
H. Ellis, Esq., with Characters of New Species . 1830-1, 92

On a Collection of *Birds* from the South of Europe,
presented by Capt. Cook 1830-1, 96

On a Collection of *Birds* from Manilla, presented
by H. H. Lindsay, Esq., with Characters of New
Species. 1830-1, 96

Characters of several New Species of *Birds*, collected
by Mr. Cuming in Chili and Mexico 1832, 3

On a New Species of *Barnacle Goose* (*Bernicla
sandvicensis*) from the Sandwich Islands, presented
by Lady Glengall 1833, 65

On a Collection of Skins of *Birds* from California . 1833, 65

Characters of a new and singular Form among the
Tinamous (*Tinamotis pentlandi*, Vig.) . . . 1836, 79

Characters of two New *Parrots* in the Society's
Collection (*Psittacus angustus* and *P. guildingii*, Vig.) 1836, 80

Remarks upon the Productive Powers of Female
Hybrids 1836, 84

Observations upon a Collection of *Birds* from the
West Coast of South America 1839, 115

WAGNER, Professor RUDOLPH.

On the Blood-globules of the *Proteus anguinus* . 1837, 107

Observations on the Generative System of some of
the Lower Animals 1839, 177

WARDROP, J.

Letter from, relating to a Fowl in which the Spur
had been engrafted on the Head 1840, 131

WARRINGTON, Col. HANMER, H.B.M. Agent and Consul-General at Tripoli, Corr. Memb.

Letter from	1839, { 56 130
Exhibition of some Skins of Quadrupeds and Birds, presented by	1839, 171

WATERHOUSE, GEORGE ROBERT, F Z.S.

Description of a New Genus (<i>Myrmecobius</i>) of <i>Mammiferous Animals</i> from New Holland, probably belonging to the <i>Marsupial</i> type	1836, 69
On a second Specimen of <i>Myrmecobius</i>	1836, 131
Characters of New Species of the Genus <i>Mus</i> , from the collection of Mr. Darwin	1837, { 15 27
Characters of two New Genera of <i>Rodentia</i> (<i>Reithrodon</i> and <i>Abrocoma</i>), from Mr. Darwin's Collection	1837, 29
Characters of some New Species of the Genera <i>Mus</i> and <i>Phascogale</i>	1837, 75
Characters of a New <i>Galago</i> (<i>G. allen</i>) and a New <i>Pteromys</i> (<i>P. horsfieldii</i>), in the Society's Collection	1837, 87
Description of a New Species of Kangaroo (<i>Macropus bennetti</i>) and a Mouse (<i>Mus subspinosus</i>) from the Cape of Good Hope	1837, 103
On a New Species of Squirrel	1838, 19
On a New Species of the Genus <i>Delphinus</i>	1838, 23
On two New Species of Mammalia, from the Society's Collection, belonging to the Genera <i>Gerbillus</i> and <i>Herpestes</i>	1838, 55
On some New Species of Mammalia from Fernando Po	1838, 57
On some Skins of two Species of Monkeys from Sierra Leone	1838, 61
On a New Species of Hare from North America	1838, 103
On the Flying Lemurs (<i>Galeopithecus</i>)	1838, 119
On the Dentition of the Flying Opossums	1838, 149

WATERHOUSE, GEORGE ROBERT, F.Z.S. (*continued*).

On the Skull and Dentition of the American Badger (<i>Meles labradoria</i>)	1838, 153
Description of a New Species of Hamster (<i>Cricetus auratus</i>)	1839, 57
Description of a New Species of Lark from China (<i>Alda sinensis</i>)	1839, 60
On the Crania of the Rodents belonging to the Families <i>Cavidae</i> and <i>Chinchillidae</i>	1839, 61
On a New Genus of Rodents from the Philippine Islands (<i>Phlæomys cumingi</i>)	1839, 107
Description of a New Species of Toucan (<i>Ptero- glossus nigrirostris</i>)	1839, 111
Description of a New Species of Squirrel (<i>Sciurus philippinensis</i>) from the Philippine Islands	1839, 117
On the Differences observable in the Skulls of two Species of Squirrel, usually confounded under the name <i>Sciurus palmarum</i>	1839, 118
On the Skulls and Dentition of the <i>Carnivora</i>	1839, 135
Observations upon an Insect presented to the Society by R. Mackay, Esq.	1839, 146
On the Geographical Distribution of the <i>Rodentia</i>	1839, 172
On a New Genus of the Family <i>Muridae</i> and Order <i>Rodentia</i>	1840, 1
On a New Species of Squirrel (<i>Sciurus dimidiatus</i>)	1840, 21
Description of two New Species of Birds from the Society's Collection	1840, 182
Description of a New Species of Hare from Thibet	1841, 7
Observations upon some Monkey Skins from Fer- nando Po	1841, 71
On a New Genus of Rodents allied to the Genera <i>Poephagomys</i> , <i>Ctenomys</i> , &c.	1841, 89

WATERHOUSE, GEORGE ROBERT, F.Z.S. (*continued*).

Description of some New Coleopterous Insects from the Southern Parts of South America, collected by C. Darwin, Esq., and T. Bridges, Esq. 1841, 105

On two New Species of Marsupial Animals from South Australia 1842, 47

Observations of some Species of Mammalia from Borneo 1842, 114

Descriptions of New Species of Quadrupeds collected by Mr. Fraser at Fernando Po 1842, 124

Descriptions of two New Species of the Genus *Mus* 1842, 145

On various Species of Bats collected by Hugh Cum-
ing, Esq., in the Philippine Islands 1843, 66

On a New Species of *Megaderma* 1843, 69

On various Skins of Mammalia from Chile, with
Notes relating to them, by Mr. Thomas Bridges . . . 1844, 153

On New Species of Bats collected in the Philippine
Islands, and presented to the Society by Hugh Cum-
ing, Esq. 1845, 3

Description of a New Mammal from Bolivia (*Hesperomys boliviensis*) 1846, 8

WATTS, G. B.

Letter relating to a Collection of Specimens intended
for the Society's Museum 1838, 149

WEATHERHEAD, Dr.

On the Habits and Economy of the *Ornithorhynchus* 1832, 145

On two young Specimens of *Ornithorhynchus* . . 1834, 22

WEAVER, Mr.

Exhibition and donation of Rare Insects 1844, 163

WEISSENBORN, Dr.

Letter relating to the Habits of the Hamster (*Cricetus vulgaris*) 1837, 50

Letter from, relating to the nearly naked marks observed on the hips of the Common Hamster (*Cricetus vulgaris*) 1839, 59

Letter from, relating to a Pigeon destitute of Organs of Vision, and accompanying a present of some specimens of the Common Hamster (*Cricetus vulgaris*, Auct.) 1839, 175

WESTWOOD, J. O.

On *Nycteriðia*, a Genus of Wingless Insects 1834, 135

Characters of New Genera and Species of *Hymenopterous Insects* } 1835, { 51
68

Characters of some New Coleopterous Insects belonging to the Family of Sacred Beetles 1837, 12

Characters of New Insects from Manilla 1837, 127

Monograph on the Genus *Nematoptera* 1841, 9

Descriptions of some Coleopterous Insects from Tropical Africa belonging to the Section *Heteromera* 1841, 66

On various Coleopterous Insects from Western Africa belonging to the Section *Heteromera* 1842, 117

WHITE, ADAM, F.L.S.

Descriptions of New *Crustacea* from the Eastern Seas 1847, 56

Descriptions of some New Species of *Crustacea* in the Collection of the British Museum } 1847, { 84
118

WHITE, ANTHONY.

Letter from, on the Dissection of *Felis leo* 1844, 54

WILLIAMS, P. B.

- Exhibition of some Specimens of White Bait (*Clupea alba*) from some rivers in North Wales 1839, 94

WILLIAMS, W., Lieut. R.A.

- Account of a Wasp's Nest presented to the Society by the Governor of Ceylon. 1838, 167

WILLIAMSON, W.

- Account of a Specimen of the *Garrulous Roller* (*Coracias garrula*, Linn.) shot near Scarborough 1833, 88

WILLIAMSON, W. C.

- Notes on the Appearance of Rare *Birds* in the vicinity of Scarborough 1836, 76

WILLICH, CHARLES M.

- Letter from, calling the attention of the Society to M. Gannal's method of preserving Animal Substances 1843, 135

WILLSHIRE, W.

- On the *Dub* of the Arabs (*Uromastix acanthinurus*, Bell) 1833, 16
- On the *M'hor* Antelope (*Antelope mhor*, Benn.) 1833, 77
- On the Method of Dressing Skins practised in Morocco 1833, 77
- Letter accompanying an *Aoudad* (*Ovis tragelaphus*, Geoff.) 1835, 41
- Letter accompanying a Donation of an *Aoudad* (*Ovis tragelaphus*) 1844, 95

WOODS, H.

- On the Claw of the Tip of the Tail of the *Lion* (*Felis leo*, L.) 1832, 146

WOOLER, W. A.

Account of a *Wild Dog* from the Mahabliishwar Hills 1833, 113

WRAY, JOHN.

Present of some Specimens of Quadrupeds from
Minas Geraes 1839, 75

WYLLIE, JAMES.

Donation of Fish from the Hot Springs of *Thermopylæ* 1845, 17

WYLLIE, JOHN.

On the Peculiar Structure of the Branchial Appendages in one of the Indian *Siluridæ* 1840, 34

YARRELL, WILLIAM, Secretary to the Society.

On the Preservation of *White Bait* (*Clupea alba*, Yarr.) alive 1830-1, 13

On the Morbid Appearances of a *Reindeer* (*Cervus tarandus*, Linn.) 1830-1, 14

On the Occurrence of the *Sylvia tithys*, Scop., in England 1830-1, 18

On the Assumption of the Male Plumage by the Female of the common *Game Fowl* 1830-1, 22

On the Anatomy of the *Cereopsis novæ-hollandiæ*, Lath., and on the Relation between the *Natatores* and *Grallatores* 1830-1, 25

On the Sexual Organs of a Hybrid *Pheasant* . . 1830-1, 27

On the Specific Identity of the *Gardenian* and Night Herons (*Ardea gardeni* and *Nycticorax*) 1830-1, 27

On the Anatomy of the *Chinchilla* (*Chinchilla lanigera*) 1830-1, 31

On the *Trachea* of the *Red-knobbed Curassow* (*Craz yarrellii*, Benn.) 1830-1, 33

	Page
YARRELL, WILLIAM, Secretary to the Society (<i>continued</i>).	
Characters of a New Species of <i>Herring</i> (<i>Clupea</i> , L.)	1830-1, 34
On the Occurrence of several North-American <i>Birds</i> in England	1830-1, 35
On the Anatomy of the <i>Lesser American Flying Squirrel</i> (<i>Pteromys volucella</i> , Cuv.)	1830-1, 38
On the Anatomy, &c., of the <i>Ctenodactylus masoni</i> , Gray (<i>Mus gundi</i> , Rothm.)	1830-1, 48
On the Sterno-tracheal Muscles in the <i>Razor-billed Curassow</i> (<i>Ourax mitis</i> , Cuv.)	1830-1, 59
On the Distinctive Characters of the <i>Tetrao medius</i> , Temm. (<i>Tetrao hybridus</i> , Lach.)	1830-1, 73
On Two Species of <i>Entozoa</i> found in the Eel	1830-1, 132
On the Generation of <i>Eels</i> and <i>Lampreys</i>	1830-1, 132
On the <i>Brown-headed Gull</i> (<i>Larus capistratus</i> , Temm.)	1830-1, 151
On the Anatomy of the <i>Conger Eel</i> (<i>Conger vulgaris</i> , Cuv.), and on the Differences between the <i>Conger</i> and <i>Freshwater Eels</i>	1830-1, 159
On a Hybrid bred by the Society between a <i>Muscovy Drake</i> (<i>Anas moschata</i>) and a <i>Common Duck</i> (<i>Anas boschas</i>)	1832, 100
On two Species of <i>Mammalia</i> new to Britain, one of them also new to Science	1832, 109
On the <i>Tracheæ</i> of the <i>Penelope guan</i> , Temm., and the <i>Anas magellanica</i> , Auct.	1833, 3
On the Laws that regulate the Changes of Plumage } in <i>Birds</i> }	1833, { 9 56
Description, with additional Particulars, of the } <i>Apteryx australis</i> , Shaw }	1833, { 24 80
On the <i>Woolly</i> and <i>Hairy Penguins</i> (<i>Aptenodytes</i> , Forst.) of Dr. Latham	1833, 33

YARRELL, WILLIAM, Secretary to the Society (*continued*).

On the Identity of the <i>Woolly Penguin</i> of Dr. Latham with the <i>Aptenodytes patagonica</i> , Gmel.	1833, 65
Characters of the <i>Irish Hare</i> , a New Species of the Genus <i>Lepus</i> , Linn.	1833, 88
On the Deficiency of Teeth in the <i>Hairless Egyptian</i> Variety of the <i>Dog</i>	1833, 113
On the Anal Pouch of the Male Fishes in certain Species of the Genus <i>Syngnathus</i> , Linn.	1834, 118
Explanation of the Mode of Union after Fracture of the Processes of the <i>Vertebræ</i> of a <i>Sole</i> (<i>Solea vulgaris</i> , Cuv.)	1835, 57
Note on the <i>Trachea</i> of the <i>Stanley Crane</i> (<i>Anthropoides paradiseus</i> , Bechst.)	1835, 132
Note on the Foetal Pouch of the Male <i>Needle Pipe-fish</i> (<i>Syngnathus acus</i> , Linn.)	1835, 183
Notes on the Economy of an <i>Insect</i> destructive to Turnips (<i>Athalia centifoliæ</i> , Leach)	1835, 183
Notice of the <i>Dottrell</i> (<i>Charadrius morinellus</i> , Linn.) breeding at Skiddaw, and of the <i>Grey Snipe</i> (<i>Macroramphus griseus</i> , Leach), having been obtained near Carlisle	1836, 1
Exhibition of part of Mr. Yarrell's collection of British <i>Fish</i> , with observations upon the method made use of in preparing them	1836, 47
Remarks upon the Productiveness of <i>Hybrids</i>	1836, 84
Notice of a Large <i>Carp</i> taken at the Mere near Payne's Hill in Surrey	1836, 109
Exhibition of a Quill, filled with a species of <i>Pediculus</i> , from the wing of a Harpy Eagle	1837, 127
Exhibition of a very large White Bait	1837, 127
Exhibition of a Hybrid Pheasant	1837, 135
On a New Species of Swan	1838, 19
On the Occurrence of the Anchovy in the Thames	1838, 66

YARRELL, WILLIAM, Secretary to the Society (*continued*).

Exhibition of the Plates of the First Part of Sir W. Jardine's Work on Scottish <i>Salmonidæ</i>	1839, 123
Exhibition of a Specimen of the Eagle Ray (<i>Myliobatis aquila</i> , Auct.) found on the shore of Berwick Bay	1839, 145
Exhibition of some Specimens of the Portuguese Man-of-War (<i>Physalia pelagica</i> , Auct.) from the Coast of Devonshire	1839, 171
Note relating to the Snow-Bunting	1840, 59
Exhibition of a British Specimen of the <i>Motacilla</i> <i>alba</i> , Linn.	1841, 47
On the Trachea of a Male Spur-winged Goose, <i>Anser gambensis</i> and <i>Oenanalopex gambensis</i> of authors	1841, 70
Exhibition of some Plates of a New Work on the Mammalia of North America, by M. Audubon and Dr. Bachman	1842, 176
On a Specimen of <i>Puffinus obscurus</i>	1843, 70
Exhibition of three Specimens of <i>Rana esculenta</i> , from Foulmire, Cambridgeshire, presented to the So- ciety by F. Bond, Esq.	1844, 109
Note on the Herring (<i>Clupea harengus</i>)	1845, 91
Descriptions of the Eggs of some of the Birds of Chile	1847, 51

INDEX OF SPECIES

DESCRIBED AND REFERRED TO

1830-47.

	Page		Page
<i>Abramys buggenhaghi</i>	1837, 56	<i>Acanthochites</i>	1847, { 66
<i>Abrocoma</i>	{ 1837, 30		69
<i>bennettii</i>	1844, 156	<i>fascicularis</i>	1847, 70
<i>cuvieri</i>	1837, 31	<i>garnoti</i>	1847, 70
<i>Abrothrix</i>	1837, 32	<i>hastatus</i>	1847, 70
<i>arenicola</i>	1837, 21	<i>hirundiniformis</i>	1847, 70
<i>brachiotis</i>	1837, 21	<i>lesueurii</i>	1847, 70
<i>canescens</i>	1837, 21	<i>polychetus</i>	1847, 70
<i>longipilis</i>	1837, 21	<i>roseus</i>	1847, 70
<i>micropus</i>	1837, 21	<i>scaber</i>	1847, 70
<i>obscurus</i>	1837, 21	<i>strigatus</i>	1847, 70
<i>olivaceus</i>	1837, 21	<i>violaceus</i>	1847, 70
<i>xanthorhinus</i>	1837, 21	<i>Acanthochiton</i>	1847, 69
<i>Acanthagenys</i>	1837, 152	<i>Acanthochitus</i>	1847, 69
<i>rufogularis</i>	1837, 153	<i>Acantholabrus imbrica-</i>	{ 1839, 86
<i>Acanthogenys rufogularis</i>	1839, 113	<i>tus</i>	{ 1843, 87
<i>Acanthidium</i>	1839, 91	<i>Acanthonyx petiverii</i>	1835, 173
<i>calceus</i>	{ 1839, 92	<i>Acanthopleura</i>	1847, { 65
<i>pusillum</i>	{ 1843, 93		67
	{ 1839, 91	<i>bicolor</i>	1847, 67
	{ 1843, 93	<i>brevispinosa</i>	1847, 68
<i>Acanthion cuvieri</i>	1847, { 102	<i>gigas</i>	1847, 68
	{ 103	<i>hennahi</i>	1847, 67
<i>daubentonii</i>	1847, 93	<i>magnifica</i>	1847, 68
<i>flemingii</i>	1847, 103	<i>nobilis</i>	1847, 68
<i>hodgsonii</i>	1847, { 101	<i>owenii</i>	1847, 68
	{ 103	<i>peruviana</i>	1847, 67
<i>javanicum</i>	1847, { 102	<i>picea</i>	1847, 68
	{ 103	<i>spinigera</i>	1847, 68
<i>Acanthiza albifrons</i>	1837, 143	<i>spinosa</i>	1847, 68
<i>apicalis</i>	1847, 81	<i>truncata</i>	1847, 68
<i>diemenensis</i>	{ 1837, 146	<i>watsonii</i>	1847, 68
	{ 1847, 32	<i>Acanthorhynchus</i>	1837, 24
<i>ewingii</i>	1847, 32	<i>dubius</i>	1837, 25
<i>frontalis</i>	1837, 143	<i>superciliatus</i>	1837, 24
<i>inornata</i>	1840, 171	<i>Acanthurus blochii</i>	1835, 207
<i>lineatus</i>	1837, 146	<i>desjardinii</i>	1835, 207
<i>magnirostris</i>	1837, 146	<i>kingii</i>	1835, 119
<i>pusilla</i>	1847, 32	<i>leucosternon</i>	1832, 183
<i>pyrrhopygia</i>	1842, 135	<i>ruppellii</i>	1835, 207
<i>uropygialis</i>	1837, 146	<i>Acanthylis bicolor</i>	1844, 99
		<i>Accentor</i>	1845, 34

	Page		Page
<i>Accentor cacharensis</i> ..	1845, 34	<i>Achatinella tristis</i>	1845, 89
<i>immaculatus</i>	1845, 34	<i>turritella</i>	1845, 89
<i>nipalensis</i>	1845, 34	<i>ventulus</i>	1845, 89
<i>strophiatius</i> ..	1845, 34	<i>Acipenser cataphractus</i> ..	1834, 122
<i>Accipiter dukhunensis</i> ..	1832, 70	<i>sinensis</i>	1834, 122
<i>dussumieri</i>	1832, 70	<i>sturio</i>	1846, 27
<i>fringillarius</i>	{ 1839, 130	<i>Acontastes</i>	1837, 119
.....	{ 1841, 6	<i>Acridotheres cristatellus</i> ..	1842, 167
<i>fringilloides</i>	1847, 38	<i>dauricus</i>	1842, 167
<i>nisus</i>	1842, 92	<i>ialla</i>	1842, 167
<i>pennsylvanicus</i>	1847, 37	<i>malabaricus</i> .	1842, 167
<i>torquatus</i>	1837, 98	<i>sericeus</i>	1842, 167
<i>Achatina</i> —?	1845, 11	<i>tristis</i> ..	1842, 168
<i>aberrans</i> ..	1845, 138	<i>Actinia sanguineo-punc-</i>	
<i>adamsi</i> ..	1845, 138	<i>tata</i>	1835, 111
<i>bulimoides</i>	1846, 116	<i>Actinodura</i>	1836, 17
<i>columnaris</i>	1845, 138	<i>egertoni</i> ..	1836, 18
<i>costulata</i>	1845, 75	<i>Adioristus</i> ..	1841, 124
<i>cylindracea</i>	1846, 31	<i>angustatus</i>	1841, 125
<i>dactylus</i>	1832, 32	<i>conspersus</i>	1841, 125
<i>dysoni</i>	1846, 32	<i>punctulatus</i>	1841, 124
<i>erecta</i>	1842, 124	<i>simplex</i>	1841, 126
<i>fusiformis</i>	1845, 75	<i>subdenudatus</i> ..	1841, 126
<i>gossei</i> ..	1845, 138	<i>Ægialitis</i> ? <i>canus</i> ...	1837, 154
<i>kransii</i>	1842, 55	<i>nigrofrons</i> ..	1839, 114
<i>lactea</i> ..	1842, 55	<i>Ægitalus flammiceps</i> ..	1835, 153
<i>lamarckiana</i> ..	1846, 115	<i>Ægotheles leucogaster</i> ..	1844, 106
<i>latticei</i>	1845, 138	<i>lunulata</i>	1839, 113
<i>papyracea</i> ..	1845, 74	<i>Æthiops</i>	1841, 30
<i>picta</i>	1842, 56	<i>canicapillus</i> ...	1841, 30
<i>rangiana</i>	1846, 115	<i>Agama cornuta</i> ...	1840, 12
<i>reticulata</i>	1845, 74	<i>Agapornis</i> ? <i>malaccensis</i> ..	1846, 103
<i>sandwicensis</i> ..	1846, 32	<i>Agelaius chopi</i>	1841, 94
<i>semisculpta</i>	1845, 74	<i>curaceus</i>	1843, 113
<i>tincta</i> ..	1842, 55	<i>gubernator</i>	1837, 110
(<i>Glandina</i>) <i>isabellina</i> ..	1846, 32	<i>phoeniceus</i>	1837, 111
(<i>—</i>) <i>ludoni</i> ..	1846, 116	<i>tricolor</i> ..	1837, 111
(<i>—</i>) <i>sowerbyana</i> ..	1846, 32	<i>Agenerosus childreni</i> ..	1838, 165
(<i>—</i>) <i>tortillana</i> ..	1846, 32	<i>Aglaja brasiliensis</i>	1837, 122
<i>Achatinella</i>	1845, 89	<i>chilensis</i> ..	1832, 3
<i>acuta</i>	1845, 89	<i>nigrocincta</i>	1837, 121
<i>brevis</i>	1845, 90	<i>punctata</i>	1837, 122
<i>bulimoides</i> ..	1845, 89	<i>schranksii</i>	1837, 122
<i>clara</i>	1845, 90	<i>Agonostomus</i>	1830-1, 166
<i>corneola</i> ..	1845, 90	<i>tefarii</i>	1830-1, 166
<i>gravida</i> ..	1845, 90	<i>Agriolrhinus bonapartei</i> ..	1840, 22
<i>livida</i> ..	1845, 89	<i>humeralis</i>	1840, 22
<i>lugubris</i>	1845, 89	<i>olivaceus</i>	1840, 22
<i>luteola</i> ..	1845, 90	<i>personatus</i>	1840, 23
<i>perversa</i>	1845, 89	<i>Agriopus peruvianus</i> ..	1832, 5
<i>pica</i>	1845, 89	<i>unicolor</i> ..	1835, 116
<i>picta</i>	1845, 90	<i>Agriornis gutturalis</i> ..	1843, 111
<i>pulcherrima</i>	1845, 89	<i>leucurus</i> ..	1841, 94
<i>pyramis</i>	1845, 90	<i>maritimus</i> .	1843, 111
<i>radiata</i> ..	1845, 89	<i>Aguas</i> ..	1847, 15
<i>rohri</i>	1846, 38	<i>Agrocercus niger</i> ..	1838, 2
<i>rosea</i>	1845, 89	<i>Ailurus fulgens</i>	1834, 96
<i>tæniolata</i>	1846, 38	<i>Aix galericulata</i>	1842, 166

	Page		Page
<i>Akera bullata</i>	1847, 19	<i>Aleuterus paragaudatus</i> .	1840, 28
<i>Alauda alpestris</i>	1830-1, 35	<i>spilomelanurus</i>	1840, 28
<i>arbores</i>	1837, 126	<i>Allactaga</i>	1836, 141
<i>arvensis</i>	1830, 131	<i>arundinis</i>	1836, 142
<i>brachydactyla</i>	1834, 133	<i>Alligator</i> — ?	1842, 72
<i>calandra</i>	1830, 120	<i>mississippiensis</i>	1833, 82
<i>chendoola</i>	1842, 104	<i>Alope</i>	1847, 123
<i>cristata</i>	1844, 66	<i>palpalis</i>	1847, 124
<i>deva</i>	1839, 120	<i>Alopecias superciliosus</i> .	1840, 39
<i>dukhunensis</i>	1844, 66	<i>Alosa immaculata</i>	1835, 92
<i>gulgula</i>	1837, 126	<i>senegalensis</i>	1830-1, 147
<i>penicillata</i>	1838, 113	<i>Aluna aphrodite</i>	1847, 124
<i>sinensis</i>	1839, 120	<i>Alysa</i>	1839, 87
<i>Alca impennis</i>	1830-1, 119	<i>loricata</i>	1839, 87
<i>torda</i>	1844, 66	<i>Amadina acuticauda</i>	1839, 143
<i>Alcedo alcyon</i>	1832, 92	<i>annulosa</i>	1846, 103
<i>bengalensis</i>	1832, 93	<i>bicolor</i>	1839, 143
<i>cærulea</i>	1830-1, 110	<i>castanotis</i>	1842, 145
<i>erithaca</i>	1832, 92	<i>cincta</i>	1836, 105
<i>guttatus</i>	1837, 126	<i>gouldiæ</i>	1836, 105
<i>ispida</i>	1839, 120	<i>malacca</i>	1844, 5
<i>leucocephala</i>	1839, 60	<i>modesta</i>	1842, 167
<i>purpurea</i>	1835, 79	<i>oryzivora</i>	1836, 105
<i>rudis</i>	1837, 122	<i>pectoralis</i>	1842, 167
<i>smyrnensis</i>	1837, 122	<i>poensis</i>	1840, 127
<i>torquata</i>	1847, 38	<i>punctularia</i>	1842, 145
<i>Alces</i>	1830-1, 110	<i>ruficauda</i>	1842, 167
<i>Alcopus rufifrons</i>	1832, 84	<i>Ambassis barlovi</i>	1836, 106
<i>Alcyone diemenensis</i>	1839, 156	<i>Amblypterus</i>	1838, 153
<i>pulchra</i>	1841, 6	<i>anomalus</i>	1837, 105
<i>Alcyonium</i>	1842, 92	<i>Ambulatoria</i>	1837, 105
<i>Alectorides</i>	1839, 101	<i>Ametrida</i>	1839, 9
<i>Alepisaurus</i>	1839, 156	<i>centurio</i>	1847, 15
<i>ferox</i>	1842, 92	<i>Amicula</i>	1847, 66
<i>Aleuterus ayraud</i>	1839, 101	<i>vestita</i>	1847, 69
<i>maculosus</i>	1839, 156	<i>Ammocetes branchialis</i> .	1847, 69
	1841, 6	<i>Ammodytes tobianus</i>	1835, 82
	1841, 94	<i>corrugatum</i>	1837, 58
	1836, 135	<i>Amphibia</i>	1845, 102
	1845, 24	<i>Amphibola obvoluta</i>	1846, 35
	1846, 19	<i>Amphidesma</i>	1844, 159
	1846, 19	<i>australe</i>	1832, 200
	1839, 178	<i>carnicolor</i>	1844, 162
	1845, 101	<i>ellipticum</i>	1832, 200
	1833, 104	<i>formosum</i>	1832, 199
	1833, 104	<i>læve</i>	1832, 199
	1835, 93	<i>lenticulare</i>	1832, 200
	1840, 28	<i>pallidum</i>	1832, 199
	1840, 28	<i>pulchrum</i>	1832, 57
		<i>punctatum</i>	1832, 200
		<i>purpurascens</i>	1832, 199
		<i>roseum</i>	1832, 199
		<i>rupium</i>	1832, 199
		<i>scabrum</i>	1844, 17
		<i>zebuense</i>	1844, 17
		<i>Amphioxus belcheri</i>	1847, 35

	Page		Page
<i>Amphioxus lanceolatus</i> .. 1847,	35	<i>Anatina truncata</i>	1844, 91
<i>Amphipeplea cumingiana</i> 1845,	68	<i>Anatinæ</i>	1847, 40
<i>Amphiprion chrysogas-</i>		<i>Ancistrosoma</i>	1835, 18
ter	1830-1, 165	klugii	1835, 18
fusciventer 1830-1,	166	<i>Ancylus obliquus</i> ..	1832, 202
<i>Amphisorex</i>	1837, 124	<i>Andropadus gracilirostris</i>	1844, 101
ciliatus	1837, 125	latirostris	1844, 100
hermani	1837, 125	<i>Anguilla</i>	1837, 37
palustris. 1837,	125	acutirostris .. 1830-1,	133
pennanti	1837, 125	australis ...	1841, 22
<i>Ampullacera</i>	1846, 35	elphinstonei	1838, 165
<i>Ampullaria</i> — ^p	1845, 11	latirostris {	1830-1, 133
<i>Amytis macrourus</i> ..	1847, 2	{	1830-1, 159
striatus	1847, 2	{	1837, 58
texilis	1847, 2	mauritiana... ..	1830-1, 128
<i>Anampses lineolatus</i> ..	1835, 208	vulgaris	1842, 72
<i>Anarrhichas lupus</i> ..	1835, 80	<i>Anguis fragilis</i>	1842, 71
<i>Anas arcuata</i>	1830-1, 125	{	1842, 109
bahamensis	1843, 119	<i>Anisomelus</i>	1835, 111
{	1847, 54	luteus	1835, 111
{	1834, 51	<i>Anodon gibbum</i>	1842, 124
boschas	1839, 134	parishii	1834, 57
chalcoptera	1843, 119	penicillatus	1834, 57
chiloensis	1830-1, 15	porcifer	1834, 58
{	1842, 94	<i>Anodontya</i>	1835, 71
clypeata	1847, 40	tricolor	1835, 71
coromandeliana... 1830-1,	125	<i>Anomala</i>	1839, 67
crecca	1830-1, 125	<i>Anomalurus</i>	1842, 124
♀ dominica	1847, 40	fraseri	1842, 124
♀ fistularis	1847, 40	<i>Anomia naviformis</i> ..	1846, 121
fretensis	1830-1, 15	<i>Anomiepsis</i>	1837, 13
fuligula	1834, 134	dioscrides	1837, 13
{	1833, 10	sterquilinus	1837, 13
{	1842, 71	<i>Anops</i>	1833, 99
{	1842, 196	kungii	1833, 99
glocitans	1846, 121	<i>Anoura geoffroyi</i>	1847, 115
♀ jamaicensis ..	1847, 40	<i>Anous</i> — ^p	1844, 36
luzonica	1839, 112	{	1845, 103
magellanica	1833, 8	cinereus	1845, 104
marmorata	1836, 59	leucocapillus	1845, 103
nævosa	1840, 177	melanops	1845, 103
occidua	1830-1, 35	niger	1845, 103
pœclorhyncha	1842, 93	parvulus	1845, 104
querquedula	1834, 134	stolidus	1844, 35
{	1843, 118	{	1845, 103
{	1847, 54	tenuirostris ..	1845, 104
{	1834, 52	<i>Anser albifrons</i>	1839, 3
{	1843, 119	{	1842, 167
♀ spinosa	1847, 40	brachyrhynchus ..	1839, 124
sponsa	1830-1, 35	cinereus	1839, 2
strepera	1832, 168	gambensis	1841, 70
superciliosa	1839, 114	gurra	1832, 167
terra leeuwin ..	1830-1, 26	griseus	1830-1, 27
<i>Anastomus typus</i> ..	1832, 160	{	1830-1, 125
<i>Anatina costata</i> ..	1834, 87	{	1830-1, 173
{	1843, 77	{	1842, 93
{	1843, 76	inornatus	1830-1, 15
{	1834, 87		

	Page		Page
<i>Anser melanopterus</i>	1843, 118	<i>Antelope forfex</i>	1836, 103
<i>melanotos</i>	1840-1, 125	<i>goral</i>	{ 1833, 105
<i>phoenicopus</i>	1830, 3	{ 1834, 85	
<i>segetum</i>	1830, 2	{ 1834, 99	
<i>Anthelephila</i>	1833, 63	<i>gutturosa</i>	{ 1840, 10
<i>Anthenea</i>	1847, 77	{ 1830-1, 52	
<i>chinensis</i>	1847, 77	{ 1832, 14	
<i>granuhfera</i>	1847, 77	<i>hodgsoni</i>	{ 1833, 110
<i>tuberculosa</i>	1847, 77	{ 1834, 80	
<i>Anthicus cyaneus</i>	1833, 63	{ 1835, 3	
<i>Anthochaia lunulata</i>	1837, 153	<i>kob</i>	1830, 102
<i>mellivora</i>	1837, 153	<i>koba</i>	1836, 102
<i>rufogularis</i>	1830, 113	<i>kornigum</i>	1836, 103
<i>Anthopoia</i>	1835, 85	<i>leucoryx</i>	{ 1833, 77
<i>cucullata</i>	1835, 86	{ 1833, 97	
<i>elegans</i>	1835, 86	{ 1840, 8	
<i>Anthieptes flavigaster</i>	1830, 105	<i>mhorr</i>	1833, 2
<i>modesta</i>	1830, 105	<i>montana</i>	1836, 3
<i>Anthropoides paradi-</i> { 1835, 132		<i>nanguer</i>	1833, 2
<i>seus</i>	{ 1836, 30	{ 1833, 60	
<i>pavoninus</i>	1833, 118	<i>ogilbyi</i>	{ 1841, 97
<i>regulorum</i>	1833, 118	{ 1842, 129	
<i>virgo</i>	1842, 71	<i>palмата</i>	1836, 121
<i>Anthus agilis</i>	1832, 91	<i>personata</i>	1833, 45
<i>aquaticus</i>	1834, 30	{ 1836, 121	
<i>arboreus</i>	1830, 120	<i>philantomba</i>	{ 1830, 27
<i>chendoola</i>	1842, 92	{ 1830-1, 37	
<i>coriendera</i>	1843, 112	<i>picta</i>	{ 1830-1, 105
<i>fuliginosus</i>	1837, 150	{ 1842, 97	
<i>gouldii</i>	1843, 27	<i>pygaiga</i>	1833, 45
<i>malayensis</i>	1830, 104	<i>saiga</i>	1841, 70
<i>pratensis</i>	{ 1835, 90	{ 1833, 3	
{ 1844, 66		<i>scripta</i>	{ 1841, 123
<i>rufescens</i>	1830, 120	{ 1834, 85	
<i>Antigonia</i>	1843, 85	<i>sumatrensis</i>	{ 1836, 121
<i>capros</i>	1843, 86	{ 1833, 105	
<i>Antelope</i>	{ 1836, 137	<i>thar</i>	{ 1834, 85
<i>addra</i>	{ 1840, 5	{ 1834, 99	
<i>adenota</i>	1833, 2	<i>Antipathes dichotoma</i>	1832, 41
{ 1836, 103		<i>spualis</i>	1832, 42
<i>bennettii</i>	{ 1830-1, 104	<i>Aphanopus</i>	1830, 79
{ 1833, 114		<i>carbo</i>	1830, 79
<i>bubalina</i>	{ 1832, 12	<i>Aphriza townsendi</i>	1841, 157
{ 1833, 105		<i>Aphrophora goudoti</i>	1833, 12
<i>bubalis</i>	{ 1842, 64	<i>Apistes marmoratus</i>	1830, 97
{ 1830-1, 104		<i>Aploa</i>	1833, 61
{ 1833, 12		<i>picta</i>	1833, 61
<i>cervicapra</i>	{ 1834, 99	<i>Aplodactylus arctidens</i>	1830, 96
{ 1836, 34		<i>Aplonis</i>	1836, 73
{ 1840, 7		<i>fusca</i>	1836, 73
<i>chickara</i>	1834, 99	<i>marginata</i>	1836, 73
<i>chiru</i>	1840, 10	<i>Aplurus simplex</i>	1830, 78
<i>cuvieri</i>	1840, 34	<i>Apodontis</i>	1830-1, 169
<i>dorcas</i>	1840, 7	<i>Apogon tenuiopterus</i>	1835, 206
<i>duraucehi</i>	1834, 85	<i>vittiger</i>	1833, 32
<i>ellipsiprymna</i>	1833, 47	<i>Apolectus</i>	{ 1830-1, 146
<i>euryceus</i>	1836, 120	<i>munus</i>	{ 1830-1, 146

	Page		Page
<i>Apolectus immunis</i> .. 1830-1,	169	<i>Arca cœlata</i>	1844, 126
<i>maculatus</i> 1830-1,	146	<i>cardiformis</i>	1833, 22
	169	<i>cepoides</i>	1841, 47
<i>Aprosmictus</i>	1842, 111	<i>chalcanthum</i>	1844, 44
<i>erythropterus</i>	1842, 112	<i>cistula</i>	1844, 41
<i>scapulatus</i>	1842, 112	<i>clathrata</i>	1844, 44
<i>Aprosterna</i>	1839, 67	<i>cometa</i>	1844, 127
<i>Aptenodytes</i>	1833, 33	<i>compacta</i>	1844, 41
<i>minor</i>	1844, 58	<i>concinna</i>	1833, 20
	1833, 33	<i>contraria</i>	1844, 45
<i>patachonica</i>	1833, 65	<i>cornea</i>	1844, 40
	1834, 34	<i>crebricostata</i>	1844, 46
	1835, 132	<i>crenata</i>	1844, 45
<i>undina</i>	1844, 57	<i>cunealis</i>	1844, 124
<i>Apteryx</i>	1843, 8	<i>cuneata</i>	1844, 42
	1833, 24	<i>cymbæformis</i>	1844, 41
	1833, 80		47
	1835, 61	<i>disparilis</i>	1844, 46
	1837, 24	<i>donaciformis</i>	1844, 125
	1838, 48	<i>emarginata</i>	1833, 20
	1838, 71	<i>fasciata</i>	1844, 125
<i>australis</i>	1838, 105	<i>ferruginea</i>	1844, 43
	1839, 63	<i>formosa</i>	1833, 20
	1841, 70	<i>galactodes</i>	1842, 124
	1842, 22	<i>gambiensis</i>	1844, 42
	1846, 49	<i>gibbosa</i>	1844, 40
	1847, 51	<i>globosa</i>	1844, 45
	1847, 93	<i>gubernaculum</i>	1844, 40
	1847, 94	<i>hankeyana</i>	1844, 47
<i>owenii</i>	1847, 93	<i>hians</i>	1844, 47
	94	<i>holoserica</i>	1844, 39
<i>Aquila bifasciata</i>	1832, 79	<i>imbricata</i>	1844, 126
<i>bonelli</i>	1841, 6	<i>inæquivalvis</i>	1844, 45
<i>choka</i>	1833, 45	<i>incongrua</i>	1844, 45
<i>chrysaetos</i>	1832, 79	<i>inflata</i>	1844, 41
	1842, 93	<i>japonica</i>	1844, 42
<i>fucosa</i>	1837, 96	<i>labiata</i>	1833, 21
<i>morphnoides</i>	1840, 161	<i>labiosa</i>	1833, 21
<i>pennata</i>	1834, 50	<i>lacerata</i>	1844, 124
<i>verreauxii</i>	1833, 45	<i>lactea</i>	1844, 127
<i>vindhiana</i>	1830-1, 114	<i>lateralis</i>	1844, 127
	1842, 92	<i>lima</i>	1844, 125
<i>vulturina</i>	1833, 45	<i>loricata</i>	1844, 46
<i>Aracana reevesii</i>	1841, 22	<i>luzonica</i>	1844, 44
<i>Arachnothera inornata</i> ..	1830, 167	<i>maculosa</i>	1844, 40
<i>Aramus scolopaceus</i> .. .	1847, 40	<i>minuta</i>	1844, 127
<i>Arbacia</i>	1835, 58	<i>modiolæformis</i> .. .	1844, 124
<i>Arborophila sphenura</i> ..	1842, 166	<i>multicostata</i>	1833, 21
<i>Arca ambigua</i>	1844, 47	<i>mutabilis</i>	1844, 124
<i>angicostata</i>	1844, 46	<i>myristica</i>	1844, 43
<i>anomala</i>	1844, 39	<i>navicella</i>	1844, 127
<i>antiquata</i>	1844, 43	<i>noæ</i>	1844, 126
<i>auriculata</i>	1833, 20	<i>nux</i>	1833, 19
<i>biangulata</i>	1833, 21	<i>obesa</i>	1833, 21
<i>brasiliana</i>	1844, 45	<i>obliqua</i>	1844, 43
<i>brevifrons</i>	1833, 22	<i>obtusa</i>	1844, 123
<i>bullata</i>	1844, 125	<i>occlusa</i>	1844, 47
	126	<i>ocellata</i>	1844, 125

	Page		Page
<i>Arca olivacea</i>	1844, 127	<i>Ardea ludoviciana</i>	1847, 39
<i>ovata</i>	1844, 44	<i>major</i> ..	1843, 116
<i>pertusa</i>	1844, 41	<i>malaccensis</i>	1832, 158
<i>pilula</i>	1844, { 39	<i>minuta</i>	1844, 10
<i>pulchella</i>	1844, { 40	<i>nigrirostris</i>	1832, 158
<i>pusilla</i>	1844, 128	<i>nycticorax</i>	1830-1, 27
<i>quadrilatera</i>	1833, 22	<i>purpurea</i>	{ 1830-1, 123
<i>radiata</i>	1844, 43	{ 1834, 30
<i>reversa</i>	{ 1833, 20	<i>rectirostris</i>	1843, 22
<i>rotundicostata</i> . . .	{ 1844, 46	<i>speciosa</i>	1830-1, 123
<i>rufescens</i>	1844, 44	<i>thula</i>	1843, 116
<i>scapha</i>	1844, 45	<i>torra</i>	1830-1, 123
<i>sculptilis</i>	1844, 40	<i>virescens</i>	1847, 39
<i>secticostata</i>	1844, 128	(Herodias) <i>picata</i> .	1845, 62
<i>setigera</i>	1844, 43	<i>Ardeola exilis</i>	1845, 1
<i>striata</i>	1844, 124	<i>Argala olivacea</i>	1847, 97
<i>symmetrica</i>	1844, { 127	<i>Argonauta</i>	1837, { 45
<i>tenebrica</i>	1844, { 128	{ 84
<i>tenella</i>	1844, 126	<i>argo</i>	{ 1834, 120
<i>tuberculosa</i>	1844, 124	{ 1835, 125
<i>vellicata</i>	1833, 19	{ 1830, 102
<i>virescens</i>	1844, 42	{ 1839, 35
<i>volucris</i>	1844, 124	<i>hans</i>	{ 1834, 120
<i>zebuensis</i>	1844, 126	{ 1836, 22
<i>Arctibeus jamaicensis</i> .	1843, 50	<i>rufa</i>	1836, 23
<i>Arctibius floresi</i> . . .	1847, 115	<i>Argus giganteus</i>	1842, 168
<i>Arctomys empetra</i> . . .	1844, 8	<i>Argyrius</i>	1843, 86
<i>Arctonyx collaris</i>	1842, { 97	<i>Arremon giganteus</i> ..	1837, 117
<i>Ardea alba</i>	{ 1839, 122	<i>Artamus albigularis</i> . .	1847, 31
<i>asha</i>	{ 1847, 39	<i>cinereus</i>	1847, 31
.	1832, 157	<i>leucopygialis</i>	1842, 17
<i>caboga</i>	{ 1830-1, 124	<i>leucorhynchos</i>	1839, 158
.	{ 1832, 158	<i>Artemis sculpta</i>	1845, 12
<i>candidissima</i>	1835, 62	<i>simplex</i>	1845, 11
.	1847, 139	<i>subquadrata</i>	1845, 11
.	{ 1832, 158	<i>Arvicola agrestis</i>	1832, 109
<i>cinerea</i>	1841, 7	<i>amphibia</i>	1842, { 64
.	{ 1842, 71	{ 70
.	{ 1844, 66	<i>indica</i>	1835, 108
<i>cinnamomea</i>	1832, 159	<i>riparia</i>	1832, 109
<i>cocoi</i>	1843, 116	<i>Ascomys mexicanus</i> . . .	1841, 60
<i>cœrulea</i>	1847, 39	<i>Asio brachyotus</i>	1842, 168
<i>comata</i>	1844, 67	<i>Asphalax zokar</i>	1845, 76
<i>cyancephala</i>	1843, 116	<i>Aspidobranchia</i>	1839, 178
.	{ 1832, 157	<i>Aspidophorus europæus</i> .	1835, 80
<i>egretta</i>	{ 1834, 15	<i>Assiminea</i>	1834, 90
.	1847, 39	<i>Astacus zelandicus</i> . . .	1847, 123
<i>exilis</i>	1830-1, 27	<i>Asterias cumingii</i>	1847, 73
<i>gardeni</i>	{ 1832, 157	<i>discoidea</i>	1847, 74
.	{ 1834, 15	<i>equestris</i>	1847, 76
<i>garzetta</i>	1847, 39	<i>gibbosus</i>	1847, 81
.	{ 1832, 157	<i>glacialis</i>	1847, 72
.	{ 1834, 133	<i>granifera</i>	1847, 82
.	{ 1844, 67	<i>granularis</i>	1847, 78
<i>grayii</i>	1832, 158	<i>hehantus</i>	1847, 73
<i>herodias</i>	1847, 39	<i>multiradiata</i>	1847, 73
<i>javanica</i>	1832, 158	<i>ocellifera</i>	1847, 82
		<i>pentagonula</i>	1847, 77

	Page		Page
<i>Asterias polaris</i>	1847, 72	<i>Aulacodus swinderianus</i>	1841, 97
<i>pulvillus</i>	1847, 81	<i>Aulacorhynchus</i>	1834, 147
<i>schmideliana</i>	1847, 74	<i>derbianus</i>	1835, 49
<i>Asteriscus coccineus</i> ..	1847, 82	<i>hæmatopygus</i>	1834, 147
<i>Asteroderma coryphæ-</i>		<i>prasinus</i>	1835, 49
<i>noides</i>	1840, 37	<i>sulcatus</i>	1834, 147
<i>Asterodiscus</i>	1847, 75		1835, 49
<i>elegans</i>	1847, 75		1834, 147
<i>Asthenurus rufiventris</i> .	1837, 120		1835, 49
<i>Astroderma coryphæ-</i>		<i>Aulopus</i>	1843, { 88
<i>noides</i>	1843, 83	<i>cuvierii</i>	1843, { 89
<i>plumbeum</i>	1843, 83	<i>Aurelia</i>	1839, 178
<i>Astrogonium granularis</i> .	1847, 78	<i>Auricula bifasciata</i> ..	1842, 61
<i>inequale</i>	1847, 79	<i>ceylonica</i>	1842, 202
<i>milhare</i>	1847, 79	<i>doliolum</i>	1842, 201
<i>paxillosum</i>	1847, 79	<i>puriformis</i>	1842, 202
<i>tuberculatum</i>	1847, 79	<i>pulchella</i>	1842, 202
<i>Astur approximans</i> ..	1837, 98	<i>reclusiana</i>	1842, 201
<i>cruentus</i>	1842, 113	<i>tornatelliformis</i> ..	1842, 201
<i>fasciatus</i>	1837, 98	<i>Avicula margaritifera</i> ..	1843, 196
<i>hyder</i>	{ 1832, 79		
<i>raii</i>	{ 1842, 92	<i>Bagrus lonah</i>	1838, 164
<i>unicinctus</i>	1837, 99	<i>yarrelli</i>	1838, 163
<i>Asturina burtoni</i> ..	1843, 109	<i>Balanus cranchi</i> ..	1833, 115
<i>gibbosa</i>	1847, 74	<i>Balæna boops</i>	{ 96
<i>Ateles ater</i>	1839, 169	<i>minor borealis</i> ..	1847, 118
<i>frontalis</i>	1830-1, 38	<i>mysticetus</i>	{ 1837, 42
<i>Aterica barce</i>	1847, 59	<i>physalus</i>	{ 1847, 118
<i>Ateuchus adamastor</i> ..	1837, 12	<i>rostra</i>	{ 1835, 119
<i>Athalia centifolia</i> ..	1835, 183	<i>rostrata</i>	{ 1847, 90
<i>Athene cuculoides</i>	{ 1839, 155	<i>Balænoptera antiquorum</i>	1847, 90
<i>cunicularia</i>	1841, 6	<i>boops</i>	1840, 11
<i>erythropterus</i>	1843, 109	<i>rostrata</i>	{ 88
<i>ferox</i>	{ 1837, 99	<i>rostrata</i>	{ 1847, 90
<i>fortis</i>	{ 1837, 141		{ 118
<i>leucopsis</i>	{ 1839, 113	<i>Balistes auromargina-</i>	
<i>malaccensis</i>	1837, 99	<i>tus</i>	1830-1, 168
<i>marmorata</i>	1846, 99	<i>lima</i>	1830-1, 168
<i>rufa</i>	1846, 18	<i>mitis</i>	1830-1, 169
<i>scutulata</i>	1846, 18	<i>Barbus khudree</i>	1838, 159
<i>strenua</i>	1846, 99	<i>kelus</i>	1838, 159
	1837, { 99	<i>mussullah</i>	1838, 159
<i>Atherina affinis</i>	1830-1, 103	<i>rostrata</i>	{ 1839, 137
<i>presbyter</i>	1835, 80	<i>rostrata</i>	{ 1841, 44
<i>punctata</i>	1832, 184	<i>Bassarid astuta</i> ..	{ 1841, 60
<i>Atherura africana</i> ..	1847, 104	<i>rostrata</i>	{ 1842, 10
<i>fasciculata</i>	1847, 104	<i>Bathargus damarensis</i> .	1838, 5
<i>Atrichia clamosa</i> ..	1844, 2	<i>Bathyrhynchus breviros-</i>	
<i>Attagis gayi</i>	{ 1844, 157	<i>tris</i>	1839, 164
<i>gayi</i>	{ 1847, 29	<i>Batrachia</i>	1837, 38
<i>Auchenia</i>	1836, 134	<i>Belidea ariel</i>	1842, 11
<i>paco</i>	1842, 64	<i>Belone gracilis</i> ..	1839, 86
<i>Aulacodus</i>	1830-1, 111	<i>grau</i>	1838, 163
<i>swinderianus</i> ..	1830-1, 111	<i>platyura</i>	1830-1, 168
		<i>Bermula sandwicensis</i> ..	1833, 65

	Page		Page
<i>Bernicla sandvicensis</i> ..	1834, 43	<i>Brachypternus leucogenys</i>	1841, 6
	1834, 81	<i>plumifera</i>	1837, 137
<i>Bernicle</i>	1840, 93	<i>Brachypteryx acutirostris</i>	1846, 103
<i>Beroe pileus</i>	1833, 8	<i>albogularis</i>	1846, 103
	1837, 1	<i>horsfieldi</i> ...	1830-1, 11
<i>Beryx decadactylus</i> ..	1839, 76	<i>nigrocapitata</i> ..	1839, 103
<i>splendens</i>	1833, 142	<i>nigrogularis</i> ...	1846, 103
	1839, 77	<i>sepiaria</i>	1846, 103
<i>Bettongia campestris</i> ..	1843, 81	<i>Brachypus gularis</i> ..	1835, 186
<i>Bifrontia</i>	1844, 24		1844, 93
<i>Birgus latro</i>	1832, 17		1844, 95
<i>Blarina</i>	1837, 124	<i>Bradypus didactylus</i> ..	1844, 96
<i>talpoides</i>	1837, 124		1844, 146
<i>Blenius artedi</i>	1839, 83		1845, 93
<i>gattouguini</i>	1839, 83		1845, 98
<i>palmicornis</i>	1839, 83		1833, 99
	1843, 86	<i>tridactylus</i>	1844, 167
<i>parvicornis</i> ...	1839, 83		1847, 111
	1843, 86		1847, 114
<i>pholis</i>	1835, 80		
<i>strigatus</i>	1839, 83	<i>Brama longipinnis</i>	1843, 82
	1843, 86		83
<i>triglodes</i> ..	1839, 83	<i>raii</i>	1839, 82
	1843, 87		1843, 82
<i>Blepharis</i>	1843, 86	<i>Brosimius</i>	1843, 91
<i>Boa constrictor</i> ..	1845, 43	<i>Bubalus</i>	1836, 139
<i>Bombinator australis</i> ..	1835, 57	<i>Bubo virginianus</i> ...	1843, 110
	1836, 139	<i>Buccinum aciculatum</i> ..	1843, 165
<i>Bos</i>	1840, 5	<i>acus</i>	1843, 168
	1830-1, 105	<i>australe</i>	1843, 168
<i>bubalus</i>	1834, 90	<i>bellangeri</i> ...	1843, 168
	1836, 139	<i>bifasciatum</i> ...	1843, 168
<i>frontalis</i>	1842, 192	<i>candidum</i>	1843, 165
<i>grunniens</i>	1834, 99	<i>catenatum</i>	1835, 94
	1830-1, 105	<i>chlorostoma</i>	1844, 48
<i>taurus</i>	1834, 99	<i>cinereum</i>	1843, 165
	1839, 127	<i>commaculatum</i> ...	1843, 163
<i>sylhetanus</i>	1844, 145	<i>concinnum</i>	1843, 168
<i>Boschas crecca</i>	1847, 40	<i>crenulatum</i>	1843, 160
<i>discors</i>	1847, 40	<i>cumingii</i>	1835, 94
<i>occidentalis</i> ..	1847, 40	<i>dimidiatum</i> ..	1843, 160
<i>fera</i>	1847, 40	<i>duplicatum</i>	1843, 161
<i>Boselaphus oreas</i> ..	1842, 147	<i>elegans</i>	1842, 199
<i>Botaurus cinnamomeus</i>	1830-1, 124	<i>felinum</i>	1843, 160
<i>minor</i>	1847, 40	<i>ferrugineum</i>	1843, 160
<i>minutus</i>	1834, 30	<i>fuscatum</i>	1843, 166
	1832, 159	<i>geminum</i>	1843, 168
	1834, 51	<i>hastatum</i>	1843, 161
<i>stellaris</i>	1842, 93	<i>hecticum</i>	1843, 168
	1842, 94	<i>lanceatum</i>	1843, 165
	1844, 67	<i>lineolatum</i>	1843, 168
<i>Brachyglossa atipos</i> ..	1844, 164	<i>maculatum</i>	1843, 159
<i>Brachylophus hemipodius</i>	1841, 31	<i>modestum</i>	1835, 94
<i>Brachyotus</i>	1837, 11	<i>monile</i> ..	1843, 168
<i>galapagoensis</i> ...	1837, 10	<i>murinum</i>	1843, 168
<i>Brachyphylla</i> ...	1833, 122	<i>pertusum</i>	1843, 161
<i>cavernarum</i> ..	1833, 123	<i>phallus</i>	1843, 168
<i>Brachypternus</i>	1841, 31	<i>politum</i>	1843, 168

	Page		Page
<i>Bulbus vittatus</i>	1832, 31	<i>Callochiton evanidus</i> ..	1847, 126
<i>Bulla ficus</i>	1847, 18	<i>laevis</i>	1847, 126
<i>resiliens</i>	1847, 19	<i>Callomys aureus</i>	1833, 59
<i>smaragdina</i>	1847, 18	<i>viscacia</i>	1830-1, 33
<i>Bulla vittata</i>	1843, 168	<i>Callorhynchus tasmanius</i>	1840, 29
<i>Bungarus lividus</i>	1839, 32	<i>Callyntra vicina</i>	1841, 120
<i>Buteo</i> —?	1837, 114	<i>Calodera</i>	1836, 145
<i>bacha</i>	1830-1, { 114	<i>maculata</i>	1836, 106
<i>borealis</i>	1847, 37	<i>Caloenas ciuenta</i>	1842, 168
<i>erythronotus</i>	1843, 109	<i>Calomys</i>	1837, 21
<i>holospilus</i>	1830-1, { 96	<i>bimaculatus</i>	1837, 21
<i>leucocephalus</i>	1845, 37	<i>elegans</i>	1837, 21
<i>melanosternon</i>	1840, 162	<i>gracilipes</i>	1837, 21
<i>plumipes</i>	1845, 37	<i>Calosoma orientale</i>	1833, 61
<i>varius</i>	1837, 10	<i>Calostegia</i>	1842, 117
<i>ventralis</i>	1837, 10	<i>purpuripennis</i>	1842, 117
<i>vulgaris</i>	{ 1834, 50	<i>Calothorax cyanopogon</i> .	1847, 11
<i>Byssoarca alternata</i>	1833, 17	<i>Calyptomena viridis</i> . . .	1839, 102
<i>decussata</i>	1833, 18	<i>Calyptorhynchus baudinii</i>	1837, 151
<i>divaricata</i>	1833, 18	<i>funereus</i>	1837, 151
<i>illota</i>	1833, 18	<i>macrorhynchus</i>	1842, 138
<i>lithodomus</i>	1833, 16	<i>naso</i>	1836, 106
<i>lurida</i>	1833, 19	<i>xanthonotus</i>	1837, 151
<i>maculata</i>	1833, 17	<i>Calyptrea alienata</i>	1834, 40
<i>mutabilis</i>	1833, 17	<i>cepeacea</i>	1834, 35
<i>pacifica</i>	1833, 17	<i>cinerea</i>	1842, 50
<i>parva</i>	1833, 19	<i>conica</i>	1834, 38
<i>pusilla</i>	{ 1833, 18	<i>cornea</i>	1834, 35
<i>solida</i>	1833, 18	<i>corrugata</i>	1834, 35
<i>truncata</i>	1833, 19	<i>dilatata</i>	1834, 38
<i>velata</i>	1833, 18	<i>dorsata</i>	1834, 38
<i>Cacatua sanguinea</i>	1842, 138	<i>echinus</i>	1834, 39
<i>Cactornis</i>	1837, { 6	<i>excavata</i>	1834, 40
<i>assimilis</i>	1837, 7	<i>foliacea</i>	1834, 38
<i>inornatus</i>	1843, 104	<i>hispida</i>	1834, 37
<i>scandens</i>	1837, 7	<i>hystrix</i>	1834, 39
<i>Cereba cyanea</i>	1837, 118	<i>imbricata</i>	1834, 36
<i>Calamanthus</i>	1837, 150	<i>incurva</i>	1834, 40
<i>Calamaria monticola</i> . . .	1839, 50	<i>lessonii</i>	1834, 39
<i>sagittaria</i>	1839, 49	<i>lichen</i>	1834, 37
<i>Calamoherpe longirostris</i>	1845, 20	<i>lignaria</i>	1834, 36
<i>Calidris arenaria</i>	{ 1834, 15	<i>maculata</i>	1834, 37
<i>Callanthias</i>	1839, 76	<i>mamillaris</i>	1834, 38
<i>paradiseus</i>	1839, 76	<i>marginalis</i>	1834, 40
<i>Calliderma</i>	1847, 76	<i>pallida</i>	1834, 39
<i>dixonii</i>	1847, 76	<i>radiata</i>	1834, 36
<i>emma</i>	1847, 77	<i>rudis</i>	1834, 35
<i>Callionymus dracunculus</i>	1835, 81	<i>serrata</i>	1834, 37
<i>Calliope</i>	1836, 138	<i>sordida</i>	1834, 37
<i>Calliplepla venusta</i>	1846, 70	<i>squama</i>	1834, 40
<i>Callithrix sciureus</i>	1833, 88	<i>striata</i>	1834, 38
		<i>strigata</i>	1834, 39
		<i>tenuis</i>	1834, 36
		<i>unguiformis</i>	1834, 39
		<i>unguis</i>	1834, 37
		<i>varia</i>	1834, 35
		<i>Camarhynchus</i>	1837, { 6
			49

	Page		Page
<i>Camarhynchus crassirostris</i>	1837, 6	<i>Cancer irroratus</i>	1835, 87
<i>psittacula</i>	1837, 6	<i>longipes</i>	1835, 87
<i>Camelopardalis</i>	1836, 134	<i>norvegicus</i>	1845, 13
<i>giraffa</i>	1836, 9 1838, 6 1838, 20 1838, 47 1839, 108 1840, 7	<i>pagurus</i>	1835, 88
<i>Camelus</i>	1836, 133	<i>Canis</i> — ?	1834, 97 1841, 42 1841, 43 1830, 125
<i>bactrianus</i>	1842, 191 1843, 50	<i>argentatus</i>	1841, 44 1842, 69
<i>dromedarius</i>	1830-1, 104 1832, 126 1842, 64 1842, 69 1842, 98	<i>aureus</i>	1830-1, 101 1841, 44 1841, 93
<i>sivalensis</i>	1841, 88	<i>azarae</i>	1841, 96 1844, 153
<i>Campephaga leucomela</i>	1837, 143	<i>bengalensis</i>	1834, 97 1844, 7
<i>Campylonyx</i>	1835, 52	<i>caama</i>	1837, 132
<i>ampuliciformis</i>	1835, 52	<i>cinereo-argenteus</i>	1844, 7
<i>Cancellaria acuminata</i>	1832, 53	<i>dingo</i>	1841, 44
<i>antiquata</i>	1843, 49	<i>dukhnesis</i>	1830-1, 100 1832, 15 1833, 133
<i>bicolor</i>	1843, 48	<i>familiaris</i>	1834, 97 1835, 188 1839, 125 1841, 9 1841, 44 1842, 68 1842, 69 1842, 97
<i>brevis</i>	1832, 52	<i>var. ægyptius</i>	1833, 113
<i>buccinoides</i>	1832, 54	<i>var. australasie</i>	1839, 125
<i>bulbulus</i>	1832, 55	<i>fulvipes</i>	1844, 153 1846, 8
<i>bullata</i>	1832, 51	<i>fulvus</i>	1841, 44
<i>candida</i>	1843, 47	<i>himalaicus</i>	1836, 163
<i>cassidiformis</i>	1832, 53	<i>indicus</i>	1834, 97
<i>chrysostoma</i>	1832, 54	<i>jubatus</i>	1838, 111
<i>clavata</i>	1832, 52	<i>kokree</i>	1830-1, 101
<i>corrugata</i>	1843, 48	<i>lagopus</i>	1832, 189 1841, 44 1842, 69
<i>cremata</i>	1843, 48	<i>latrans</i>	1833, 97 1834, 97 1841, 44 1842, 63 1842, 69
<i>decussata</i>	1832, 55	<i>magellanicus</i>	1844, 153
<i>elata</i>	1843, 48	<i>megalotis</i>	1838, 5
<i>funiculata</i>	1843, 48	<i>mesomelas</i>	1841, 44
<i>gemmulata</i>	1832, 55	<i>pallipes</i>	1830-1, 101 1833, 111 1833, 113
<i>goniostoma</i>	1832, 51	<i>primævus</i>	1833, 119 1833, 133 1834, 97
<i>hæmastoma</i>	1832, 54	<i>vulpes</i>	1839, 125
<i>indentata</i>	1832, 54		
<i>lamellosa</i>	1843, 49		
<i>mitriformis</i>	1832, 51		
<i>obesa</i>	1832, 52		
<i>ovata</i>	1832, 53		
<i>pulchra</i>	1832, 50		
<i>rigida</i>	1832, 53 1843, 49		
<i>solida</i>	1832, 50		
<i>tessellata</i>	1832, 51		
<i>trigonostoma</i>	1843, 49		
<i>tuberculosa</i>	1832, 51		
<i>uniplicata</i>	1832, 173		
<i>urceolata</i>	1843, 47		
<i>ventricosa</i>	1843, 47		
<i>Cancer dentatus</i>	1835, 87		
<i>edwardsi</i>	1835, 87		

	Page		Page
<i>Canis vulpes</i>	{ 1841, 44 1842, 69	<i>Carcharias</i> (Prionodon)	
<i>Canthapleura</i>	1817, 67	<i>henlei</i>	1843, 93
<i>Capito albifrons</i> . . .	1832, 3	(—) <i>melanopterus</i>	1843, 93
<i>cyanocollis</i>	1839, 165	(—) <i>obscurus</i> ..	1843, 93
<i>macrodaetylus</i>	1837, 119	<i>Cardinalis phoeniceus</i> ..	1837, 111
<i>Capra</i>	{ 1836, 137 1840, 5	<i>sinuatus</i>	1837, 111
<i>ægagrus</i>	1833, 105	<i>Cardita affinis</i>	1832, 195
<i>caucasica</i>	{ 1842, 107 1842, 192	<i>angisulcata</i>	1843, 193
<i>hircus</i>	{ 1844, 8 1830-1, 105 1839, 127 1842, 70 1842, 97 1842, 107 1844, 8	<i>borealis</i>	1843, 194
<i>jharal</i>	1834, { 99 106	<i>canaliculata</i>	1843, 193
<i>Caprea</i>	1836, 135	<i>cardioides</i>	1843, 194
<i>Capreolus</i>	1836, 136	<i>compressa</i>	1843, 194
<i>Capricornis</i>	1836, 139	<i>cuvieri</i>	1832, 55
<i>Caprimulgus albogularis</i>	1837, 142	<i>distorta</i>	1843, 192
<i>albonotatus</i>	1846, 99	<i>fabula</i>	1843, 195
<i>americanus</i>	1847, 38	<i>flabellum</i>	1843, 194
<i>asiaticus</i>	{ 1830-1, 116 1832, 83 1841, 6	<i>gibbosa</i>	1843, 192
<i>bifasciatus</i>	{ 1837, 22 1841, 94 1843, 110	<i>gubernaculum</i> . . .	1843, 191
<i>carolinensis</i>	1847, 38	<i>lacunosa</i>	1843, 193
<i>guttatus</i>	1837, 142	<i>laticostata</i>	1832, 195
<i>jamaicensis</i>	1847, 38	<i>marmorea</i>	1843, 191
<i>macrotis</i>	1830-1, 97	<i>muricata</i>	1832, 195
<i>macrurus</i>	1846, 99	<i>naviformis</i>	1843, 194
<i>mahrattensis</i> . . .	1832, 83	<i>nitida</i>	1843, 192
<i>monticolus</i>	{ 1830-1, 116 1832, 83 1837, 89	<i>nodulosa</i>	1843, 194
<i>parvulus</i>	1837, 22	<i>ovalis</i>	1843, 193
<i>vociferus</i>	1837, 119	<i>pectunculus</i>	1843, 192
<i>Capromys fourrieri</i> . .	1832, { 68 100	<i>pica</i>	1843, 191
<i>Capros aper</i>	{ 1833, 114 1836, 54 1843, 85	<i>radiata</i>	1832, 195
<i>Capsa altior</i>	1832, 196	<i>radula</i>	1843, 191
<i>Caranx luna</i>	1843, 84	<i>semen</i>	1843, 193
<i>Carbo cormoranus</i> . .	1833, 10	<i>senegalensis</i>	1843, 192
<i>fuscicollis</i>	1830-1, 125	<i>spurca</i>	1832, 195
<i>Carcharias falcipennis</i> .	{ 1839, 90 1843, 93	<i>tegulata</i>	1843, 194
<i>fissidens</i>	1830-1, 148	<i>trapezia</i>	1843, 194
<i>microps</i>	{ 1840, 38 1843, 93	<i>tricolor</i>	1832, 194
<i>sorrah</i>	1843, 93	<i>tumida</i>	1832, 56
		<i>varia</i>	1832, 56
		<i>volucris</i>	1843, 192
		<i>Cardium alternatum</i> . . .	1840, 108
		<i>arcticum</i>	1840, 106
		<i>aspersum</i>	1833, 85
		<i>assimile</i>	1844, 169
		<i>attenuatum</i>	1840, 109
		<i>australe</i>	1840, 105
		<i>australiense</i>	1844, 168
		<i>bechei</i>	1847, 25
		<i>consors</i>	{ 1833, 85 1844, 168
		<i>cumingii</i>	1833, 82
		<i>donaciforme</i>	1844, 168
		<i>elatum</i>	1833, 84
		<i>elenense</i>	1840, 109
		<i>enode</i>	1840, 108
		<i>exasperatum</i>	1840, 106
		<i>fornicatum</i>	1840, 110
		<i>foveolatum</i>	1840, 111
		<i>fragile</i>	1840, 111

	Page		Page
<i>Cardium hystrix</i>	1844, 168	<i>Castor fiber</i>	1844, 9
<i>imbricatum</i>	1840, 110	<i>Casuaris emeu</i>	1834, 9
<i>impolitum</i>	1840, 107	<i>galeatus</i>	1846, 26
<i>incarnatum</i>	1844, 167	<i>Cathartes atratus</i>	1843, 108
<i>isocardia</i>	1844, 168	<i>aura</i>	1847, 37
<i>laticostatum</i>	1833, 85	<i>iota</i>	1843, 108
<i>lyratum</i>	1840, 109	<i>monachus</i>	1847, 52
<i>maculosum</i>	1833, 85	<i>edwardi</i>	1843, 51
<i>mindanense</i>	1844, 167	<i>Catulus</i>	1837, 85
<i>multipunctatum</i> ..	1833, 84	<i>pantherinus</i>	1837, 85
<i>multispinosum</i> ...	1840, 106	<i>poroderma</i>	1837, 85
<i>multistriatum</i> ...	1833, 85	<i>submaculatus</i>	1837, 85
<i>obovale</i>	1833, 84	<i>variegatus</i>	1837, 85
<i>orbita</i>	1833, 83	<i>Caulodromus</i>	1847, 6
<i>oviputamen</i>	1844, 168	<i>gracei</i>	1847, 6
<i>oxygonum</i>	1840, 107	<i>1830-1</i>	20
<i>panamense</i>	1833, 85	<i>Cavia cobaia</i>	1839, 126
<i>parvum</i>	1840, 110	<i>1842</i>	70
<i>paucicostatum</i> ...	1840, 106	<i>1846</i>	8
<i>planicostatum</i> ...	1833, 83	<i>cutleri</i>	1835, 191
<i>procerum</i>	1833, 83	<i>patachonica</i>	1830-1, 57
<i>ringiculum</i>	1840, 106	<i>Ceblepyris canus</i> ..	1830-1, 117
<i>rubicundum</i>	1844, 169	<i>1832</i>	87
<i>senticosum</i>	1833, 84	<i>fimbriatus</i> ...	1830-1, 117
<i>serratum</i>	1844, 168	<i>1832</i>	86
<i>siculum</i>	1840, 106	<i>humeralis</i>	1837, 143
<i>sinense</i>	1840, 105	<i>Cebus</i>	1844, 81
<i>striatum</i>	1840, 105	<i>capucinus</i>	1839, 123
<i>subelongatum</i>	1840, 103	<i>1842</i>	68
<i>subretusum</i>	1844, 169	<i>Cecidoses</i>	1835, 19
<i>subrugosum</i>	1840, 110	<i>eremita</i>	1835, 19
<i>subrugosum</i>	1840, 108	<i>Cenchrus cenchroides</i> ..	1837, 97
<i>unicolor</i>	1840, 107	<i>1839</i>	113
<i>unimaculatum</i>	1833, 84	<i>Centenes</i>	1833, 81
<i>variegatum</i>	1840, 107	<i>setosus</i>	1830-1, 89
<i>vitellinum</i>	1844, 168	<i>spinosus</i>	1835, 204
<i>Carduelis burtoni</i> ...	1837, 90	<i>Centrina nigra</i>	1833, 144
<i>caniceps</i>	1830-1, 23	<i>p nigra</i>	1839, 91
<i>communis</i>	1834, 51	<i>Centriscus gracilis</i> ..	1839, 86
<i>mexicana</i>	1847, 38	<i>Centrolophus crassus</i> ..	1839, 82
<i>sinica</i>	1842, 168	<i>morio</i>	1839, 81
<i>spinoides</i>	1830-1, 44	<i>ovalis</i>	1839, 82
<i>virgimanus</i>	1837, 111	<i>pompilus</i>	1839, 81
<i>Carocolla globosa</i> ...	1832, 30	<i>Centronotus</i>	1843, 128
<i>novæ-hollandiæ</i> ..	1834, 67	<i>Centrophorus calceus</i> ..	1843, 93
<i>quadridentata</i> ...	1832, 30	<i>Centropristis salar</i> ...	1839, 95
<i>stoddartii</i>	1834, 65	<i>Centropus cinkeer</i>	1842, 92
<i>Carpophaga</i>	1839, 12	<i>lepidus</i>	1839, 166
<i>1834</i>	28	<i>1830-1</i>	121
<i>Caryophyllia smithii</i> ..	1835, 4	<i>1832</i>	98
<i>1835</i>	113	<i>1839</i>	166
<i>Cassius</i> ——— ^p	1837, 115	<i>1842</i>	92
<i>nigerrimus</i>	1837, 115	<i>rectunguis</i> ..	1846, 104
<i>soltarius</i>	1837, 115	<i>senegalensis</i> ..	1843, 53
<i>(Ocralus) popayanus</i>	1840, 183	<i>Centrotus bifolatus</i> ..	1837, 130
<i>Cassiopeia</i>	1839, 178	<i>hornificus</i>	1837, 130
<i>Castor fiber</i>	1830-1, 12		
	19		

	Page		Page
<i>Centurus elegans</i>	1837, 109	<i>Certhia maculata</i>	1847, 39
<i>santa-cruzi</i>	1837, 116	<i>spilonota</i>	{ 1830-1, 121
<i>subelegans</i>	1837, 109		{ 1847, 7
<i>Cephallepis</i>	1830-1, 12	<i>Certhidea</i>	1837, { 7
<i>Cephalopoda</i>	{ 1836, 19	<i>olivacea</i>	{ 1837, 49
<i>Cephalopterus hyposto-</i>	{ 1841, 74		{ 1834, 7
<i>mus</i>	1830-1, 134	<i>Cervus</i>	{ 1836, 99
<i>Cepola</i>	1837, 55	<i>alces</i>	{ 1833, 135
<i>rubescens</i>	1838, 45		{ 1837, 46
<i>Ceratocercinus</i>	1847, 57	<i>amstotelus</i>	{ 1834, 53
<i>longimanus</i>	1847, 57		{ 1836, 98
<i>Cerberus cinereus</i>	1839, 54	<i>axis</i>	{ 1834, 39
<i>Cercocebus</i>	1838, 117	<i>bahrainja</i>	{ 1834, 98
<i>Cercoleptes brachyotus</i>	1836, 83	<i>barhaiya</i>	{ 1836, 99
<i>caudivolvulus</i>	1835, 119	<i>campestris</i>	{ 1830-1, 46
<i>megalotus</i>	1836, 83		{ 1839, 57
<i>Cercopithecus aethiops</i> { 1838, 117		<i>dama</i>	{ 1842, 127
	{ 1839, 128		{ 1842, 70
	{ 1840, 1		{ 1842, 97
<i>albogularis</i>	{ 1842, 68		{ 1842, 192
<i>campbelli</i>	1832, 18	<i>elaphus</i>	{ 1834, 98
	{ 1838, 61		{ 1842, 97
	{ 1842, 130		{ 1842, 192
<i>diana</i>	1832, 123	<i>equinus</i>	{ 1830-1, 104
	{ 1841, 97		{ 1834, 98
<i>erythrotis</i>	1838, 59	<i>hibernus</i>	{ 1837, 53
	{ 1841, 71	<i>humilis</i>	{ 1830-1, 27
	{ 1838, 117	<i>muntjak</i>	{ 1830-1, 104
<i>fuliginosus</i>	{ 1840, 1		{ 1836, 66
	{ 1841, 97	<i>nudipalpebra</i>	{ 1830-1, 136
	{ 1839, 128		{ 1834, 98
<i>griseo-viridis</i>	{ 1842, 68	<i>porcinus</i>	{ 1839, 150
<i>larvatus</i>	1837, 70	<i>pumilio</i>	{ 1839, 150
<i>lunulatus</i>	1843, 122	<i>ratwa</i>	{ 1834, 99
	{ 1838, 58	<i>reevesi</i>	{ 1838, 105
<i>martini</i>	{ 1841, 71	<i>smithi</i>	{ 1837, 45
<i>petaurista</i>	1841, 97	<i>tarandus</i>	{ 1830-1, 14
<i>pileatus</i>	1844, 3	<i>virginianus</i>	{ 1844, 7
<i>pogonias</i>	1833, 67	<i>wallichii</i>	{ 1840, 70
<i>radiatus</i>	1844, 83		{ 1844, 64
<i>ruber</i>	1844, 83	<i>wapiti</i>	{ 1842, 70
	{ 1839, 128		{ 1842, 97
<i>sabæus</i>	{ 1841, 97	<i>Ceryle alcyon</i>	1837, 108
	{ 1842, 68	<i>torquata</i>	{ 1837, 108
<i>tantalus</i>	1841, 33		{ 1843, 110
<i>tephrops</i>	1833, 109	<i>varia</i>	{ 1842, 167
<i>Cereopsis novæ-hol-</i>	{ 1830-1, { 25	<i>Cetonia cretosa</i>	1833, 63
<i>landiæ</i>	{ 1830-1, { 26	<i>Ceyx luzoniensis</i>	1846, 99
<i>Cerithium armatum</i>	1834, 22	<i>microsoma</i>	{ 1837, 89
<i>telescopium</i>	{ 22, 91		{ 1846, 99
<i>truncatum</i>	1847, 21	<i>rufidorsa</i>	{ 1846, 99
<i>Cerostena punctulata</i>	1841, 120	<i>tridactyla</i>	{ 1832, 84
<i>Certhia erythronotus</i>	1839, 167		{ 1846, 99
<i>flaveola</i>	1847, 39	<i>Chæropus</i>	{ 1838, 141
<i>himalayana</i>	1830-1, 174		{ 1839, 10
<i>maculata</i>	1847, 38	<i>Chætodon chrysurus</i>	1833, 117
		<i>diversicolor</i>	1835, 206

	Page		Page
<i>Chaetodon festivus</i> ..	1833, 117	<i>Charadrius himantopus</i> ..	1834, 134
<i>flavescens</i> ..	1830-1, 61	<i>macropterus</i> ..	1841, 33
<i>guttatissimus</i> ..	1832, 133	<i>melodus</i> ..	1847, 39
<i>lunula</i> ..	1830-1, 61	<i>minor</i> ..	1839, 122
<i>strigangulus</i> ..	1830-1, 61	{ 1839, 134	
<i>vittatus</i> ..	1830-1, 61	{ 1842, 91	
<i>xanthocephalus</i> ..	1842, 182	{ 1844, 30	
<i>zoster</i> ..	1830-1, 61	{ 1846, 1	
<i>Chaetomys</i> ..	1843, 21	<i>morinellus</i> ..	1839, 122
<i>Chaetura bicolor</i> ..	1844, 99	{ 1847, 39	
<i>Chalcitella</i> ..	1845, 70	<i>nesogallus</i> ..	1835, 204
<i>evanioides</i> ..	1845, 70	<i>nigricans</i> ..	1839, 114
<i>Chalcites osculans</i> ..	1847, 32	<i>pectoralis</i> ..	1841, 33
<i>Chama</i> ..	1846, 117	<i>philippensis</i> ..	1842, 166
<i>appressa</i> ..	1846, 119	<i>pileatus</i> ..	1841, 33
<i>brassica</i> ..	1846, 119	{ 1842, 166	
<i>carditiformis</i> ..	1846, 119	{ 1833, 56	
<i>cistula</i> ..	1846, 118	<i>pluvialis</i> ..	1834, 134
<i>corrugata</i> ..	1834, 150	{ 1841, 67	
<i>echinata</i> ..	1834, 150	{ 1847, 39	
<i>exigua</i> ..	1846, 117	<i>rubecola</i> ..	1843, 118
<i>fimbriata</i> ..	1846, 117	<i>sempalmatus</i> ..	1847, 39
<i>fragum</i> ..	1846, 117	<i>tricolor</i> ..	1841, 33
<i>frondosa</i> ..	1834, 148	<i>virginianus</i> ..	1839, 107
<i>imbicata</i> ..	1834, 149	{ 1843, 118	
<i>janus</i> ..	1846, 119	<i>vociferus</i> ..	1847, 39
<i>jukesii</i> ..	1846, 120	<i>Charaxes castor</i> ..	1847, 61
<i>lingua-felis</i> ..	1846, 118	<i>phraotes</i> ..	1847, 60
<i>lobata</i> ..	1834, 149	<i>Chaulelasmus strepera</i> ..	1839, 134
<i>pacifica</i> ..	1834, 149	<i>Chauliodes</i> ..	1843, 83
<i>panamensis</i> ..	1846, 117	<i>strepera</i> ..	1842, 93
<i>pellis-phoca</i> ..	1846, 118	{ 1834, 30	
<i>pellucida</i> ..	1834, 149	<i>Chauliodus streperus</i> ..	1847, 40
<i>pretexta</i> ..	1846, 117	<i>Chaunax</i> ..	1846, 81
<i>producta</i> ..	1834, 150	<i>pictus</i> ..	1846, 81
<i>rubea</i> ..	1846, 120	<i>Cheilinos commersonii</i> ..	1830-1, 167
<i>ruppellii</i> ..	1846, 119	<i>punctatus</i> ..	1830-1, 167
<i>sarda</i> ..	1846, 120	<i>Cheilodactylus carponemus</i> ..	1839, 97
<i>sordida</i> ..	1834, 151	<i>gibbosus</i> ..	1841, 21
<i>spinosa</i> ..	1834, 150	<i>Chenonectes bicornis</i> ..	1839, 84
<i>tumulosa</i> ..	1846, 118	<i>yapock</i> ..	1836, 56
<i>variegata</i> ..	1846, 118	{ 1839, 11	
<i>venosa</i> ..	1846, 119	<i>Chela alkootee</i> ..	1838, 161
<i>Chamaeleo bibroni</i> ..	1838, 65	<i>balooke</i> ..	1838, 160
<i>cristatus</i> ..	1838, 63	<i>jorah</i> ..	1838, 160
<i>oweni</i> ..	1834, 45	<i>oweni</i> ..	1838, 160
<i>verrucosus</i> ..	1833, 133	<i>teekanee</i> ..	1838, 161
<i>Chamaeleon</i> ..	1844, 163	<i>Chehdorynx</i> ..	1845, 32
<i>Champsia fissipes</i> ..	1842, 110	<i>chrysoschistos</i> ..	1845, 32
<i>Charadrius</i> ..	1841, 32	<i>Chelones</i> ..	1845, 100
<i>albicapillus</i> ..	1841, 33	<i>mydas</i> ..	1834, 92
<i>apricarius</i> ..	1847, 39	<i>Chelydra serpentina</i> ..	1830-1, 129
<i>bilobus</i> ..	1841, 33	<i>Chenalopex gambensis</i> ..	1841, 70
<i>brissomi</i> ..	1841, 33	<i>Chlonocyrtus</i> ..	1843, 20
<i>gallinaceus</i> ..	1841, 33	<i>fuliginosus</i> ..	1843, 20
<i>hiaticula</i> ..	1844, 15	<i>macleayi</i> ..	1843, 20
<i>hiaticuloides</i> ..	1844, 67		
<i>hiaticuloides</i> ..	1830-1, 125		

	Page		Page
Chinchilla	1833, 59	Cluton echinatus . . .	1847, { 66
aurea?	1833, 59	echinites	1847, { 68
lanigera	{ 1830-1, 31	elenensis.	1832, 27
lanigera	{ 1833, 59	elegans	1847, 67
lanigera	{ 1840, 8	emersonii	1847, 69
Chione	1844, 110	evanidus	1847, { 66
Chironectes yapock ..	{ 1836, 56	excavatus	1847, { 126
Chironectes yapock ..	{ 1839, 11	exiguus	1832, 104
Chiroscelis bifeneſtra .	1841, 66	fasciatus	1847, 66
bifeneſtrella	1841, 66	fascicularis	1847, 70
digitata	1841, 66	fastigiatus	1847, 67
passaloides	1841, 66	floccatus	1841, 104
Chiton	{ 1839, 177	furmosus	1847, 25
acutirostratus	{ 1847, 65	foveolatus	1847, 66
alatus	{ 1847, 67	fremblcii	{ 1832, 28
alatus	{ 1847, 25	fuliginatus	{ 1847, 68
alatus	{ 1841, 61	fulminatus	1847, 24
albidus	{ 1847, 127	fulvus	1847, 67
albolineatus	1847, 68	gambardi	1847, 67
allus	1847, 68	garnoti	1847, 68
allus	1847, 127	gigas	1847, { 64
amniculatus	1847, { 64	glaucus	{ 1832, 25
amniculatus	{ 1832, 59	goodallii	{ 1847, 66
articulatus	{ 1847, 66	graniferus	{ 1832, 104
autilus	1847, 127	granosus	{ 1847, 67
atratus	1847, 67	granulosus	1847, 66
australis	1847, 66	grayii	{ 1832, 57
barnesi	1847, { 26	grayii	{ 1847, 67
barnesi	{ 66	hanleyi	1847, 127
bicolor	1847, 67	hastatus	1847, 70
bipunctatus	1832, 104	hennahi	1847, 67
biradiatus	1843, 102	hindsii	1847, 69
biremosus	1847, 68	hirtosus	1847, 68
bistriatus	1847, 66	hurudiniiformis ..	{ 1832, 59
blainvillii	{ 1842, 27	hookeri	{ 1847, 25
blainvillii	{ 1847, 25	hookeri	{ 1847, 70
boweni	1847, { 66	hookeri	{ 1841, 61
boweni	{ 127	incisus	{ 1847, 68
brevispinosus	1847, 68	indicus	1847, 67
cajetanus	1847, 127	janeirensis	{ 1832, 27
carmichaelis	1847, 68	janeirensis	{ 1843, 102
castaneus	1847, 67	janeirensis	{ 1832, 59
catenulatus	1832, 104	laevigatus	{ 1847, 66
catenulatus	{ 1832, 58	laevigatus	{ 1847, 67
chiloensis	{ 1847, 67	laevis	{ 1847, 67
cmercus	1847, 127	laevis	{ 126
coarctatus	1841, 62	laqueatus	1841, 104
columbrensis	1832, 58	latus	1847, 67
coquimbensis	1847, 69	laechn	1847, 69
corallinus	1847, { 67	le-neurii	1847, 70
corallinus	{ 126	limaciformis	1832, 26
coreanicus	1847, 24		
costatus	1847, 68		
crenulatus	1832, 27		
cumingi	1847, 66		
discors	1847, 126		
dispar	1832, 58		

	Page		Page
<i>Chiton limaciformis</i>	1847, 127	<i>Chiton textilis</i>	1847, 127
<i>lineolatus</i>	1847, 67	<i>truncatus</i>	1841, 61
<i>longicymba</i>	1847, 127	<i>tuberculiferus</i>	1847, 68
<i>luridus</i>	1832, 26	<i>tumescens</i>	1847, 69
<i>luzonensis</i>	1841, 104	<i>undulatus</i>	1847, 68
<i>lyellii</i>	1832, 26	<i>vermicularis</i>	1847, 70
<i>lyratus</i>	1847, 66	<i>vestitus</i>	1847, 69
<i>magdalenensis</i>	1847, 127	<i>violaceus</i>	1847, 70
<i>magnificus</i>	1847, 68	<i>virgulatus</i>	1847, 66
<i>marmoratus</i>	1847, 66	<i>viridis</i>	1847, 66
<i>marmoreus</i>	1847, 67	<i>watsonii</i>	1847, 67
<i>monticularis</i>	1847, 69	<i>zelandica</i>	1847, 70
<i>niger</i>	1847, 69	<i>Chitonella</i>	1847, 70
<i>obscurus</i>	1847, 66	<i>Chitonellus</i>	1847, 66
<i>olivaceus</i>	1847, 66	<i>laevis</i>	1847, 70
<i>patulus</i>	1847, 66	<i>latus</i>	1847, 70
<i>peruvianus</i>	1847, 67	<i>striatus</i>	1847, 70
<i>petasus</i>	1847, 25	<i>stringatus</i>	1847, 70
<i>piceus</i>	1847, 68	<i>Chitoniscus</i>	1847, 70
<i>polii</i>	1847, 66	<i>Chizzerhis leucogaster</i>	1842, 9
<i>polychetus</i>	1847, 70	<i>personata</i>	1842, 8
<i>porosus</i>	1847, 69	<i>Chlamis sykesii</i>	1833, 61
<i>pulexrimus</i>	1841, 103	<i>Chloephaga magellanica</i>	1843, 118
<i>punctulatissimus</i>	1832, 58	<i>Chloropsis</i>	1845, 24
<i>punctulatus</i>	1847, 126	<i>aurifrons</i>	1830-1, 122
<i>pusillus</i>	1832, 57	<i>chrysogaster</i>	1839, 167
<i>pusio</i>	1832, 105	<i>malabaricus</i>	1839, 102
<i>raripliosus</i>	1847, 68	<i>sonneratii</i>	1839, 102
<i>retusus</i>	1832, 28	<i>Chlorospiza xanthogram-</i>	
<i>roseus</i>	1832, 58	<i>ma</i>	1841, 94
<i>ruber</i>	1847, 67	<i>Chondrostoma boggut</i>	1838, 160
<i>rugulatus</i>	1832, 58	<i>fulungee</i>	1838, 160
<i>scaber</i>	1847, 70	<i>kawrus</i>	1838, 160
<i>scabrinculus</i>	1832, 28	<i>mullya</i>	1838, 160
<i>septemvalvis</i>	1847, 126	<i>wattana</i>	1838, 160
<i>setiger</i>	1847, 68	<i>Chorus acanthonotus</i>	1847, 119
<i>setosus</i>	1832, 27	<i>aculeatus</i>	1847, 120
<i>siculus</i>	1847, 66	<i>Chourika alpina</i>	1842, 105
<i>simpsonii</i>	1847, 69	<i>Chroicocephalus cyroce-</i>	
<i>sirkensis</i>	1847, 69	<i>phalum</i>	1843, 119
<i>solea</i>	1847, 67	<i>Chromis tema</i>	1830-1, 112
<i>sparus</i>	1847, 67	<i>Chrossorhinus</i>	1837, 86
<i>spiniferus</i>	1847, 68	<i>Chrysochloris</i>	1834, 25
<i>spiniger</i>	1841, 61	<i>damarensis</i>	1837, 69
<i>spinigerus</i>	1847, 68	<i>magellanica</i>	1838, 5
<i>spinosus</i>	1847, 68	<i>Chrysometris campestris</i>	1843, 112
<i>squamosus</i>	1847, 66	<i>magellanicus</i>	1843, 113
<i>stokesii</i>	1832, 25	<i>Chrysochelis miniatus</i>	1839, 106
<i>stramineus</i>	1847, 66	<i>tiga</i>	1839, 106
<i>striatus</i>	1832, 104	<i>Chrysopilus squamatus</i>	1841, 6
<i>subfuscus</i>	1847, 66	<i>Chthomicola</i>	1847, 35
<i>sulcatus</i>	1832, 26	<i>Cicada clarisona</i>	1834, 20
<i>swainsoni</i>	1847, 66	<i>Cicinnurus regius</i>	1842, 166
	1832, 27	<i>Cicoma alba</i>	1842, 94

	Page		Page
<i>Ciconia argala</i>	1832, 160	<i>Circus megaspilus</i>	1837, 10
<i>leucocephala</i>	1832, 159	<i>melanoleucus</i> ..	{ 1830-1, 115
<i>maguari</i> ..	1843, 116	{ 1839, 154	
<i>nigra</i> ..	1842, 94	{ 1832, 80	
<i>pillus</i>	1843, 116	{ 1837, 48	
<i>Cilathora</i>	1845, 22	<i>pallidus</i>	{ 1830, 130
<i>Cinclidia</i>	1837, 136	{ 1842, 92	
<i>punctata</i>	1837, 137	{ 1830-1, 115	
<i>Cincloramphus</i>	1837, 150	{ 1837, 99	
<i>cantatoris</i>	1842, 135	{ 1839, 130	
<i>Cmelosoma</i> ..	1830-1, 55	<i>rufus</i>	{ 1842, 92
<i>capistratum</i>	1830-1, 56	{ 1842, 93	
<i>castanotus</i>	1840, 113	{ 1844, 64	
<i>cinnamomeus</i> ..	1846, 68	<i>rutilans</i>	1847, 38
<i>erythrocephalum</i> }	1830-1, 171	<i>teesa</i>	1830-1, 115
{ 1835, 48		<i>variegatus</i>	1832, 81
<i>leucolophum</i>	1830-1, 173	<i>Cirrus</i> ..	1844, 24
{ 176		<i>Cistudo amboinensis</i> ..	1834, 54
<i>lineatum</i>	1830-1, 50	<i>beali</i> ..	1834, 54
<i>ocellatum</i>	{ 1830-1, 55	<i>trifasciata</i> ..	1834, 110
{ 1835, 48		<i>Citellus xanthopygma</i> ..	1835, 90
<i>variegatum</i>	{ 1830-1, 56	<i>Clangula vulgaris</i> ..	1834, 134
{ 1835, 48		<i>Clausilia aculeus</i>	1842, 124
<i>Cinclus aquaticus</i>	{ 1834, 51	<i>pluviatilis</i>	1842, 124
<i>pallasii</i>	{ 1839, 120	<i>Clavagella aperta</i>	1834, 115
{ 54		<i>australis</i>	1834, 115
<i>unicolor</i>	1830-1, 173	<i>elongata</i>	1834, 116
<i>Cinnyris affinis</i>	1839, 101	<i>lata</i>	{ 1834, 111
<i>assamensis</i>	1839, 167	{ 1834, 116	
<i>carrucaria</i>	1832, 98	<i>melitensis</i>	1834, 116
<i>concolor</i>	1832, 99	<i>rapa</i> ..	1834, 115
<i>gouldiae</i>	1830-1, 44	<i>Clavatulæ</i> ..	1843, 38
<i>javanicus</i>	1839, 101	<i>albicans</i>	1843, 43
<i>labecula</i>	1839, 167	<i>amabilis</i>	1843, 40
<i>lepida</i>	1832, 98	<i>argillacea</i>	1843, 40
<i>mahrattensis</i>	{ 1832, 99	<i>aspera</i> ..	1843, 40
{ 1835, 62		<i>bella</i>	1843, 41
<i>minima</i>	1832, 99	<i>candida</i> ..	1843, 42
<i>orientalis</i>	1830-1, 122	<i>cincta</i>	1843, 38
<i>vigorsii</i>	1832, 98	<i>cineraria</i>	1843, 40
<i>Circaetus brachydactylus</i> }	1832, 78	<i>celata</i>	1843, 42
{ 1842, 92		<i>crebricostata</i>	1843, 41
<i>pectoralis</i>	1833, 45	<i>crenularis</i>	1843, 38
<i>thoracicus</i>	1833, 45	<i>debilis</i>	1843, 39
<i>Circæ scripta</i>	1844, 109	<i>dentifera</i>	1843, 44
<i>Circus ferruginosus</i> ..	1834, 50	<i>donata</i> ..	1843, 43
<i>affinis</i>	1837, 90	<i>duplicata</i>	1843, 38
<i>americanus</i>	1847, 37	<i>ericea</i>	1843, 39
<i>assimilis</i>	1837, 141	<i>felina</i>	1843, 42
<i>cinereus</i>	{ 1834, 51	<i>fimbriata</i>	1843, 43
{ 1842, 93		<i>flammea</i>	1843, 42
<i>cinereus</i>	1843, 100	<i>flavidula</i>	1843, 38
<i>cyaneus</i>	{ 1830-1, 115	<i>fulva</i>	1843, 44
{ 1834, 50		<i>glumacea</i>	1843, 44
{ 1842, 93		<i>impressa</i>	1843, 44
<i>jardinei</i>	1837, 99	<i>læta</i>	1843, 41
{ 141		<i>luctuosa</i>	1843, 40
		<i>merita</i>	1843, 42

	Page		Page
<i>Clavatulā metula</i>	1843, 44	<i>Coccothraustes ictērioides</i> 1841,	6
<i>micans</i>	1843, 43	<i>melanurus</i>	1842, 167
<i>militaris</i>	1843, 38	<i>olivaceus</i>	1842, 144
<i>mutica</i>	1843, 43	<i>rosea</i>	1845, 36
<i>neglecta</i>	1843, 45	<i>vulgaris</i>	1830, 132
<i>nitens</i>	1843, 41	<i>Coccyzus americanus</i> ..	1835, 84
<i>occata</i>	1843, 41	<i>cayanus</i>	1837, 115
<i>papillaris</i>	1843, 42	<i>ferrugineus</i>	1843, 105
<i>pardalis</i>	1843, 42	<i>Coelogenys subniger</i> ..	1838, 54
<i>plumbea</i>	1843, 41	<i>Colaptes auratus</i>	1837, 109
<i>polita</i>	1843, 43	<i>chilensis</i>	1841, 94
<i>pudica</i>	1843, 41	<i>fernandinae</i>	1837, 109
<i>pyramus</i>	1843, 42	<i>rubricatus</i>	1837, 39
<i>quisqualis</i>	1843, 44	<i>rupicola</i>	1847, 109
<i>rara</i>	1843, 39	<i>superciliosus</i>	1847, 29
<i>regida</i>	1843, 45	<i>Colliris femorata</i>	1847, 39
<i>retusa</i>	1843, 44	<i>Collocalia ariel</i>	1837, 127
<i>robusta</i>	1843, 39	<i>Colluricincla brunnea</i> ..	1842, 132
<i>rubida</i>	1843, 40	<i>fusca</i>	1840, 164
<i>rubiginosa</i>	1843, 43	<i>parvula</i>	1836, 6
<i>scalaris</i>	1843, 39	<i>rufiventris</i>	1845, 62
<i>sculpta</i>	1843, 39	<i>rufogaster</i>	1840, 164
<i>sinensis</i>	1843, 39	<i>Collurio</i>	1845, 80
<i>spicata</i>	1843, 39	<i>erythronotus</i> ..	1830-1, 42
<i>spurea</i>	1843, 39	<i>excubitor</i>	1830-1, 42
<i>tessellata</i>	1843, 44	<i>hardwickii</i>	1830-1, 117
<i>textilis</i>	1843, 43	<i>lahtora</i>	1832, 86
<i>Cleodora</i>	1844, 163	<i>meridionalis</i>	1832, 86
<i>cuspidata</i>	1837, 51	<i>minor</i>	1842, 92
<i>Climacteris erythrope</i> ..	1840, 148	<i>nigriceps</i>	1830-1, 117
<i>melanotus</i>	1846, 106	<i>smithi</i>	1839, 168
<i>melanura</i>	1842, 138	<i>tephronotus</i>	1843, 16
<i>rufa</i>	1840, 149	<i>Colobus ferrugineus</i> ...	1830-1, 43
<i>Clithon</i>	1842, 172	<i>ferruginosus</i>	1832, 122
<i>Clivina castanea</i>	1845, 120	<i>fuliginosus</i>	1835, 99
<i>Clupea alba</i>	1837, 128	<i>guereza</i>	1835, 97
<i>alosa</i>	1830-1, 13	<i>leucomeros</i>	1839, 49
<i>delicatula</i>	1837, 127	<i>moorei</i>	1837, 69
<i>fallax</i>	1839, 94	<i>pennantii</i>	1841, 97
<i>harengus</i>	1830-1, 34	<i>polycomus</i>	1838, 57
<i>laticostata</i>	1830-1, 34	<i>satanas</i>	1841, 71
<i>leachii</i>	1845, 91		
<i>mauritiana</i>	1843, 90		
<i>sprattus</i>	1830-1, 34		
<i>Cobitis maya</i>	1843, 90		
<i>moorei</i>	1833, 32		
<i>ruppelli</i>	1837, 61		
<i>tania</i>	1838, 162		
<i>Coccothraustes bona-</i>	1838, 162		
<i>partei</i>	1837, 59		
<i>chloris</i>	1837, 111		
<i>chrysopheplus</i>	1839, 132		
<i>ictērioides</i>	1832, 4		
	1830-1, 8		

	Page		Page
<i>Colobus temminckii</i> ..	{ 1832, 122 1835, 99 1840, 20 1835, 98 1838, 61 1839, 94 1841, 84 1841, 97	<i>Columba mystacea</i>	{ 1834, 110 1844, 10 1832, 150 1839, 133 1839, 107 1834, 110 1847, 38 1833, 78 1830-1, 122 1832, 150 1840, 43 1834, 52 1847, 39 1830-1, 122 1832, 150 1840, 44 1839, 107 1847, { 37 39
<i>ursinus</i>		<i>oenas</i>	
<i>Colossochelys atlas</i> . . . 1844,	{ 54 84 85	<i>olax</i>	
<i>Coluber berus</i>	1842, 110	<i>passerina</i>	
<i>bipunctatus</i>	1839, 52	<i>princeps</i>	
<i>cantori</i>	1833, 83	<i>risoria</i>	
<i>chesnei</i>	1838, 81	<i>rufina</i>	
<i>cliffordii</i>	1838, 81	<i>spiloptera</i>	
<i>curvirostris</i>	1839, 51	<i>sylvestris</i>	
<i>dhumna</i>	1839, 51	<i>tigrina</i>	
<i>monticolus</i>	1839, 52	<i>turtur</i>	
<i>porphyraceus</i>	1839, 51	<i>vernans</i>	
<i>quadrifasciatus</i> . . . 1839,	51	<i>zenaida</i>	
<i>reticularis</i>	1839, 51	(<i>Peristera</i>) <i>histrio-</i>	
<i>sanguiventer</i>	1839, 52	<i>mca.</i>	
<i>Columba armillaris</i> . . . 1834,	110	<i>mca.</i>	
<i>aunta</i>	1837, 114	<i>Columbella achatina</i> . . 1844,	
<i>boliviana</i>	{ 1841, 95 1843, 115	<i>angularis</i>	
<i>cambayensis</i> ..	{ 1830-1, 122 1832, 150	<i>a-persa</i>	
<i>caribbaea</i>	1847, { 39 40	<i>atomella</i>	
<i>carolinensis</i>	1847, { 38 40	<i>atramentaria</i> 1844,	
<i>cyancephala</i> 1847,	38	<i>bucanallifera</i>	
<i>domestica</i> 1842,	71	<i>blanda</i>	
<i>fitzroyii</i>	{ 1830-1, 15 1842, 115	<i>broderipii</i>	
<i>flaviostris</i>	1847, 113	<i>buccinoides</i>	
<i>hodgeoni</i>	1832, 16	<i>castanea</i>	
<i>humilis</i>	{ 1830-1, 122 1832, 150	<i>catenata</i>	
<i>inornata</i>	1847, 37	<i>chlorostoma</i>	
<i>jamaicensis</i>	1847, 39	<i>conformis</i>	
<i>jambu</i>	1839, 107	<i>coronata</i> 1832,	
<i>javanica</i> 1839,	107	<i>costellata</i> 1832,	
<i>leucocephala</i> ..	{ 1844, 10 1847, 33	<i>decussata</i> 1844,	
<i>leuconota</i>	{ 1830-1, 23 1841, 6	<i>dichroa</i>	
<i>leucoptera</i> 1847,	39	<i>dormitor</i>	
<i>liva</i>	1842, 99	<i>dor-ata</i>	
<i>martinica</i> 1847,	59	<i>ducllosiana</i>	
<i>meena</i>	1832, 149	<i>elegans</i>	
<i>migratoria</i>	{ 1840, 41 1842, 111	<i>fabula</i>	
<i>minuta</i> 1847,	39	<i>fluctuata</i>	
<i>montana</i>	{ 1842, 195 1847, 39	<i>fulva</i>	
		<i>fuscata</i> 1832,	
		<i>gibberula</i>	
		<i>gundingu</i>	
		<i>guttata</i> 1832,	
		<i>hæmastoma</i>	
		<i>hapiformis</i> 1832,	
		<i>impolita</i> 1844,	
		<i>jaspidea</i> 1844,	
		<i>kraussi</i>	
		<i>lanceolata</i>	
		<i>ligula</i>	
		<i>livida</i>	

	Page		Page
<i>Columbella lyrata</i>	1832, 114	<i>Conus adamsonii</i>	1836, 44
<i>maculosa</i>	1832, 116	<i>armulus</i>	1843, 179
<i>major</i>	1832, 119	<i>algonensis</i>	1834, 18
<i>maura</i>	1832, 117	<i>ambiguus</i>	1843, 177
<i>mendicaria</i>	1832, 117	<i>aplustre</i>	1843, 171
<i>miser</i>	1844, 50	<i>archiepiscopus</i>	1843, 173
<i>monilifera</i>	1844, 53	<i>richon</i>	1833, 54
<i>nigricans</i>	1844, 52	<i>attenuatus</i>	1843, 189
<i>notopunctata</i>	1832, 117	<i>auleus</i>	1834, 18
<i>nivea</i>	1844, 51	<i>boticus</i>	1843, 174
<i>obscura</i>	1844, 49	<i>broderipii</i>	1843, 179
<i>obtusa</i>	1832, 117	<i>brunneus</i>	1834, 18
<i>parva</i>	1844, 52	<i>bulbus</i>	1843, 171
<i>philippinaram</i>	1842, 109	<i>buxeus</i>	1843, 180
<i>pocilla</i>	1844, 48	<i>canonicus</i>	1843, 172
<i>procera</i>	1832, 119	<i>castus</i>	1843, 180
<i>puella</i>	1844, 52	<i>clerm</i>	1843, 175
<i>pulcherrima</i>	1842, 113	<i>coceus</i>	1843, 174
<i>pusilla</i>	1844, 53	<i>columba</i>	1843, 176
<i>pygmaea</i>	1832, 119	<i>concinus</i>	1833, 53
<i>pyrostoma</i>	1832, 116	<i>conspersus</i>	1843, 180
<i>recurva</i>	1832, 115	<i>crepusculum</i>	1843, 178
<i>rudis</i>	1844, 48	<i>cuneolus</i>	1843, 173
<i>rugosa</i>	1832, 115	<i>daucus</i>	1843, 181
<i>maculosa</i>	1844, 51	<i>dehayesi</i>	1843, 168
<i>scalarina</i>	1832, 116	<i>diadema</i>	1834, 19
<i>splendilula</i>	1844, 49	<i>elongatus</i>	1843, 170
<i>spinea</i>	1832, 113	<i>epistomum</i>	1843, 174
<i>subulata</i>	1844, 52	<i>e.y'ntensis</i>	1843, 175
<i>suffusa</i>	1844, 52	<i>exaratus</i>	1843, 176
<i>sulcosa</i>	1832, 118	<i>feuratus</i>	1834, 19
<i>ticaronis</i>	1844, 51	<i>fervus</i>	1843, 79
<i>turrita</i>	1832, 115	<i>geographus</i>	1833, 55
<i>umbonata</i>	1832, 114	<i>gladiator</i>	1833, 55
<i>unicolor</i>	1832, 119	<i>grayi</i>	1843, 179
<i>unifasciata</i>	1832, 114	<i>gruneri</i>	1843, 175
<i>varia</i>	1832, 116	<i>guinaicus</i>	1843, 179
<i>varians</i>	1832, 118	<i>incarnatus</i>	1843, 174
<i>venusta</i>	1844, 49	<i>in-criptus</i>	1843, 171
<i>versicolor</i>	1832, 119	<i>intermedius</i>	1843, 168
<i>vulpeada</i>	1844, 50	<i>iodostoma</i>	1843, 170
<i>Columbina strepitans</i>	1843, 115	<i>janus</i>	1843, 170
<i>Columba coronatus</i>	1844, 136	<i>lacteus</i>	1843, 173
<i>Columbus arcticus</i>	1835, 90	<i>lautus</i>	1843, 179
<i>Cometes</i>	1847, 50	<i>lentiginosus</i>	1843, 177
<i>phaon</i>	1847, 31	<i>lignarius</i>	1843, 13
<i>sappho</i>	1847, 31	<i>lnatus</i>	1843, 181
<i>Conger flavipennatus</i>	1830-1, 168	<i>lividus</i>	1843, 178
<i>savanna</i>	1830-1, 135	<i>luteus</i>	1833, 53
<i>vulgaris</i>	1830-1, 158	<i>luzonius</i>	1834, 18
<i>Conoelix virgo</i>	1835, 107	<i>magnificus</i>	1843, 13
<i>Conovulus cumingianus</i>	1845, 122	<i>mahogani</i>	1843, 169
<i>Conurus cyanolyctos</i>	1843, 114	<i>martiniensis</i>	1843, 173
<i>Conus</i>	1843, 168	<i>mercator</i>	1843, 178
<i>aculeiformis</i>	1843, 176	<i>metcalhi</i>	1843, 171
		<i>ruinatus</i>	1843, 179

	Page		Page
<i>Conus monilifer</i>	1833, 54	<i>Coracias bengalensis</i>	1830-1, 120
<i>musivum</i>	1833, 54	<i>garrula</i>	{ 1833, 88
<i>nanus</i>	1833, 53		{ 1834, 51
<i>neptunus</i>	1843, 13		{ 1839, 110
<i>nitidus</i>	1843, 180	<i>indica</i>	{ 1832, 96
<i>nyctifer</i>	1833, 53		{ 1835, 62
<i>nyctosus</i>	1843, 177	<i>Corbicula fuscata</i>	1842, 124
<i>nussatella</i>	1834, 18	<i>Corbis soverbi</i>	1841, 85
<i>nux.</i>	1833, 54	<i>Corbula</i>	1844, 26
<i>orbitatus</i>	1843, { 170	<i>adusta</i>	1844, 26
	173	<i>albuginosa</i>	1843, 56
<i>orion</i>	1833, 55	<i>aurita</i>	1844, 26
<i>parius</i>	1843, 175	<i>bicarinata</i>	1833, 35
<i>pictus</i>	1843, 168	<i>biadriata</i>	1833, 35
<i>piperatus</i>	1843, 175	<i>bruguieri</i>	1843, 55
<i>plumbeus</i>	1843, 178	<i>carnosa</i>	1844, 26
<i>princeps</i>	1833, 55	<i>costellata</i>	1843, 77
<i>pulchellus</i>	1834, 19	<i>ciassa</i>	1843, 55
<i>purpurascens</i>	1833, 54	<i>criepa</i>	1844, 26
<i>pygmaeus</i>	1843, 179	<i>cuneata</i>	1843, 55
<i>radiatus</i>	1843, 172	<i>eburnea</i>	1843, 58
<i>recurvus</i>	1833, 54	<i>fabia</i>	1843, 59
<i>regalitatis</i>	1834, 19	<i>fasciata</i>	1843, 58
<i>saturatus</i>	1843, 178	<i>fragilis</i>	1843, 56
<i>scalptus</i>	1843, 172	<i>laevis</i>	1843, 59
<i>simon</i>	1843, 175	<i>marmorata</i>	1843, 58
<i>spectrum</i>	1843, 174	<i>modesta</i>	1843, 57
<i>stainforthii</i>	1843, 12	<i>momilis</i>	1843, 58
<i>suprillatus</i>	1843, 177	<i>naeuta</i>	1833, 35
<i>sulcatus</i>	1843, 173	<i>nuciformis</i>	1833, 35
<i>taludus</i>	1843, 177	<i>obesa</i>	1843, 57
<i>tendineus</i>	1834, 18	<i>ovulata</i>	1833, 35
<i>teres laevis</i>	1843, 173	<i>pallida</i>	1843, 55
<i>textile</i>	1843, 173	<i>polita</i>	1843, 57
<i>tiaratus</i>	1833, 52	<i>procera</i>	1844, 26
<i>tornatus</i>	1833, 53	<i>quadrata</i>	1843, 57
<i>tristis</i>	1843, 178	<i>radiata</i>	{ 1833, 36
<i>trochulus</i>	1843, 177		{ 1843, 57
<i>ustulatus</i>	1843, 176	<i>rostrata</i>	1843, 76
<i>vermiculum</i>	1843, 173	<i>rotalis</i>	1843, 56
<i>vicarius</i>	1843, 173	<i>scaphoides</i>	1843, 56
<i>victor</i>	1842, 54	<i>similis</i>	1843, 56
<i>victoriae</i>	1843, 172	<i>solidula</i>	1843, 58
<i>vidua</i>	1843, { 79	<i>speciosa</i>	1843, 57
	160	<i>tenuis</i>	1833, 36
<i>violaceus</i>	1843, 176	<i>trigona</i>	1843, 58
<i>Copsychus longirostris</i>	1842, 168	<i>tunicata</i>	1843, 55
<i>Coptocercus</i>	1840, 50	<i>Coregonus pollan</i>	1835, 77
<i>biguttatus</i>	1840, 51	<i>Corephum</i>	{ 1847, 65
<i>sexmaculatus</i>	1840, 51		{ 66
<i>unifasciatus</i>	1840, 51	<i>echinatus</i>	1847, 68
<i>Coptopterus</i>	1840, 55	<i>Corethra plumicornis</i>	1839, 109
<i>cretifer</i>	1840, 55	<i>Coriocyellus</i>	1843, 137
<i>Coptorhina</i>	1833, 62	<i>Coronella albocincta</i>	1839, 50
<i>africana</i>	1833, 62	<i>cyclura</i>	1839, 50
<i>klugii</i>	1833, 62	<i>modesta</i>	1838, 82
<i>Copurus</i>	1841, 28	<i>multicincta</i>	1838, 82
<i>Coracias affinis</i>	1839, 164		

	Page		Page
<i>Coronella pulchra</i>	1838, 82	<i>Coturnix communis</i>	1842, 168
<i>violacea</i>	1839, 50	<i>coromandelica</i> ..	1830-1, 123
<i>Corsira</i>	1837, 123	<i>dactylsonans</i> ..	{ 1830-1, 123
<i>fosteri</i>	1837, 124	}	1832, 152
<i>talpoides</i>	1837, 124	<i>erythroryncha</i> ..	1832, 153
<i>temlyas</i>	1843, 79	<i>falklandica</i>	1830-1, 3
<i>tropicalis</i>	1843, 79	<i>pectoralis</i>	{ 1837, 8
<i>vulgaris</i>	1837, 124	}	1839, 114
<i>Corvus balicassius</i> ..	1839, 158	<i>pentah</i>	1832, 153
<i>cacalotl</i>	1837, 115	}	1834, 84
<i>collaris</i>	1846, 43	}	1835, 205
<i>corax</i>	{ 1837, 115	<i>sinensis</i>	{ 1839, 107
<i>cornix</i>	1842, 93	}	1841, 6
<i>corone</i>	1839, 133	<i>textilis</i>	1832, 152
}	1830-1, 120	<i>Cracticus argenteus</i> ..	1840, 126
<i>culminatus</i>	{ 1834, 15	<i>fuliginosus</i>	1836, 106
}	1832, 96	<i>hypoleucus</i>	{ 1836, 100
<i>cuvirostris</i>	1842, 92	}	1839, 113
}	1836, 18	<i>Cranchia bonelliana</i> ..	1836, 20
<i>frugilegus</i>	1839, 133	<i>cardioptera</i>	1836, 26
}	1842, 70	<i>minima</i>	1836, 20
}	1842, 98	<i>scabra</i>	1836, 20
<i>jamaicensis</i>	1842, 193	<i>Crassatella antillarum</i> .	1842, 44
}	1847, 38	<i>castanea</i>	1842, 42
<i>monedula</i>	{ 1834, 133	<i>coniana</i>	1842, 45
}	1839, 133	<i>corbuloides</i>	1842, 45
}	1842, 70	<i>decipennis</i>	1842, 42
<i>nobilis</i>	1846, 43	<i>divaricata</i>	1842, 45
<i>ossifragus</i>	1837, 79	<i>donacina</i>	1842, 43
<i>pastinator</i>	1847, 38	<i>gibbosa</i>	{ 1832, 56
<i>pectoralis</i>	1845, 1	}	1842, 45
}	1836, 18	<i>jubar</i>	1842, 44
<i>pica</i>	1842, { 70	<i>kingicola</i>	1842, 42
}	93	<i>lapidea</i>	1842, 43
<i>splendens</i>	1832, 96	<i>ornata</i>	1842, 46
<i>Coryphæna equisetus</i> ..	1839, 81	<i>pulchra</i>	1842, 43
<i>hippurus</i>	1839, 80	<i>radiata</i>	1842, 45
<i>nortoniana</i>	1839, 80	<i>rostrata</i>	1842, 44
<i>velifera</i>	1843, 83	<i>subradiata</i>	1842, 45
<i>Coryphilus dryas</i>	{ 1842, 165	<i>sulcata</i>	{ 1842, 43
}	1843, 103	}	44
}	1834, 110	<i>triquetra</i>	1842, 46
<i>Corythaix buffoni</i>	1836, 32	}	1832, 56
}	1830-1, 98	<i>undulata</i>	{ 1842, 44
<i>porphyreolopha</i> ..	1833, 106	}	1842, 45
}	1834, 3	<i>ziczac</i>	1842, 45
<i>macrorhynchus</i>	1839, 34	<i>Crataionyx</i>	1839, 104
<i>Cossypha poensis</i>	1844, 100	<i>ator</i>	{ 1839, 104
<i>reclamator</i>	1844, 100	}	1846, 100
<i>Cottus bubalis</i>	1835, 80	<i>flava</i>	1839, 104
<i>gobio</i>	1842, 72	<i>Crax</i>	1846, 67
<i>scorpius</i>	1835, 80	<i>rubra</i>	1836, 1
<i>Coturnix argoondah</i> ..	1832, 153	<i>yarrellii</i>	1830-1, 33
<i>austalis</i>	1839, 114	<i>Crenilabrus</i>	1835, 206
<i>cambiensis</i>	1842, 92	<i>n. s.</i>	1835, 206
<i>chinensis</i>	1842, 167	<i>anthroides</i>	1830-1, 167
<i>communis</i>	1842, 167	<i>caninus</i>	1839, 84
		<i>cornubicus</i>	{ 1837, 57
			59

	Page		Page
<i>Crenilabrus cornubiensis</i>	1835, 81	<i>Cryptoprocta</i>	1833, 46
<i>frenatus</i>	1835, 91	<i>ferox</i>	{ 1833, 46
<i>gibbus</i>	1837, 59	<i>Cryptospira</i>	{ 1831, 13
<i>luscus</i>	{ 1839, 84	<i>Ctenodactylus massoni</i>	1841, 76
<i>microstoma</i>	{ 1843, 87	<i>Ctenolabrus iris</i>	1830-1, 48
<i>multidentatus</i> ..	1837, 55	<i>Ctenomys brasiliensis</i> ..	1840, 37
<i>rupestris</i>	1837, 56	<i>magellanicus</i>	1846, 8
<i>tinca</i>	1837, { 57	<i>Cubiceps</i>	1835, 190
<i>trutta</i>	{ 59	<i>Cuculæa granulosa</i> ...	1843, 82
<i>Cricetomys gambianus</i> .	{ 1833, 143	<i>carolinensis</i>	1846, 34
<i>Cricetus accedula</i>	{ 1840, 2	<i>chlorocephalus</i>	{ 1830-1, 121
<i>auratus</i>	{ 1843, 51	<i>dumetorum</i>	1832, 98
<i>vulgans</i>	1839, 122	<i>fugax</i>	{ 1834, 29
<i>Criniger</i>	1839, 57	<i>himalayanus</i>	{ 1839, 133
<i>gularis</i> ...	{ 1837, 50	<i>insperatus</i> ...	{ 1842, 71
<i>Ornithagra brevirostris</i> .	{ 1839, 59	<i>micropterus</i>	{ 1842, 94
<i>Crocidura major</i> ..	1841, 101	<i>optatus</i>	{ 1842, 99
<i>moschatus</i> ...	1846, 101	<i>pluvialis</i>	{ 1842, 195
<i>poensis</i>	{ 1843, 112	<i>rubiculus</i>	{ 1844, 66
<i>poliogaster</i> ..	{ 1847, 53	<i>sonnerati</i> . . .	{ 1847, 38
<i>rufa</i>	1837, 125	<i>sparveriondes</i> ..	{ 1830-1, 173
<i>1830-1, 139</i>		<i>vetula</i>	{ 1837, 187
<i>Crocodilus acutus</i> ..	{ 1830-1, 169	<i>Culcita</i> ..	{ 1841, 6
<i>cataphractus</i>	1834, 110	<i>pentangularis</i>	{ 1842, 94
<i>leptorhynchus</i>	1842, 110	<i>schmideliana</i>	{ 1845, 18
<i>longirostris</i>	1834, 110	<i>Cuningia</i>	{ 1845, 39
<i>lucius</i> ...	{ 1842, 110	<i>coarctata</i>	{ 1843, 52
<i>vulgans</i>	{ 1847, 116	<i>lanellosa</i>	{ 1830-1, 121
<i>Crossarchus obscurus</i> .	1833, 81	<i>mutica</i>	{ 1846, 104
<i>Crossopus</i> ..	1834, 113	<i>trigularis</i>	{ 1830-1, 173
<i>daubentonii</i>	1837, 123	<i>Curruca atricapilla</i> . . .	{ 1835, 90
<i>Crotophaga ani</i>	1837, 126	<i>cinerea</i>	{ 1839, 140
<i>sulcirostra</i>	1847, 38	<i>melanocephala</i>	{ 1835, 90
<i>Cryptacus martii</i>	1837, 115	<i>orphea</i>	{ 1839, 131
<i>Cryptobranchus japoni-</i>	1837, 119	<i>isabellinus</i>	{ 1844, 65
<i>cus</i>	1838, 25	<i>Cursorius asiaticus</i> ..	{ 1830-1, 124
<i>Cryptochiton</i>	{ 65	<i>coromandelicus</i>	{ 1832, 165
<i>annulatus</i>	{ 69	<i>isabellinus</i>	{ 1835, 62
<i>Cryptoconchus</i>	{ 69	<i>isabellinus</i>	{ 1842, 92
<i>larvæformis</i>	{ 70	<i>isabellinus</i>	{ 1844, 66
<i>porosus</i> ..	1847, 70	<i>isabellinus</i>	{ 1844, 65
<i>Cryptolopha porocephala</i>	1847, 69	<i>isabellinus</i>	{ 1844, 65
<i>Cryptonyx coronatus</i> ..	1839, 157	<i>isabellinus</i>	{ 1844, 65
<i>ferrugineus</i>	1839, 106	<i>isabellinus</i>	{ 1844, 65
<i>Cryptoplax</i> ...	1846, 105	<i>isabellinus</i>	{ 1844, 65
<i>Cryptopodia dorsalis</i> ..	1847, 70	<i>isabellinus</i>	{ 1844, 65
<i>fornicata</i>	1847, 84	<i>isabellinus</i>	{ 1844, 65
<i>fornicata</i>	1847, 84	<i>isabellinus</i>	{ 1844, 65

	Page		Page
<i>Cursorius rufus</i>	1836, 81	<i>Cyclostoma substriatum</i>	1843, 61
<i>Cuspidaria</i>	1843, 76	<i>succineum</i>	1832, 32
<i>Cyanocorax coronatus</i> ..	1837, { 109	<i>suturale</i>	1843, 29
<i>Cyanopterus fretensis</i> ..	1844, 157	<i>tigrinum</i>	1843, 30
<i>Cyanotis omnicolor</i> .	{ 1843, 112	<i>translucidum</i> ..	1843, 29
<i>Cyanurus bullocki</i>	1837, 115	<i>tuba</i>	1842, 83
<i>Cyclemys</i>	1834, 17	<i>validum</i>	1842, 82
<i>orbiculata</i>	1834, 17	<i>Cygnopsis cygnoides</i> ..	1842, 166
<i>Cyclostoma acuminatum</i> ..	1843, 65	<i>Cygnus anatoides</i>	1830-1, 15
<i>acutumarginatum</i> ..	1842, 80	<i>atratus</i>	{ 1835, 107
<i>altum</i>	1842, 84	<i>immutabilis</i>	1839, 114
<i>aquilum</i>	1843, 61	<i>nigricollis</i>	{ 1838, 19
<i>atricapillum</i>	1843, 64	<i>atratus</i>	{ 1843, 118
<i>brasiliense</i>	1843, 29	<i>nigricollis</i>	{ 1847, 54
<i>canaliferum</i>	1842, 81	<i>Cylindrella gossei</i> ..	1845, 137
<i>culatum</i>	1843, 65	<i>sowerbyana</i>	1846, 116
<i>cincinnum</i>	1843, 60	<i>Cyllene</i>	1844, 152
<i>clathratum</i>	1843, 30	<i>Cylydrorhinus angulatus</i>	1841, 127
<i>concinnum</i>	1843, 61	<i>Cymba</i>	1844, 150
<i>corrugatum</i>	1843, 30	<i>Cymba rhynchus cuculla-</i>	
<i>cumingii</i>	1832, 32	<i>tus</i>	1839, 101
<i>fibula</i>	1843, 62	<i>nasutus</i>	1839, 101
<i>flavum</i>	1832, 59	<i>Cynanthus minimus</i> ..	1847, 39
<i>fulvescens</i>	1843, 63	<i>polytnus</i>	1847, 39
<i>giganteum</i>	1843, 30	<i>Cymetis</i>	1833, 48
<i>goniostoma</i>	1843, 64	<i>melanurus</i>	1836, 56
<i>helicoides</i>	1843, 65	<i>ogilbii</i>	1838, 5
<i>immaculatum</i>	1843, 63	<i>steedmanni</i>	1833, 49
<i>insigne</i>	1843, 62	<i>Cynocephalus</i>	{ 1843, 10
<i>irroratum</i>	1843, 61	<i>anubis</i>	{ 1844, 81
<i>lave</i>	1843, 63	<i>anubis</i>	{ 1830, 128
<i>linguiferum</i>	1843, 31	<i>choras</i>	1843, 12
<i>lingulatum</i>	1843, 64	<i>hamadryas</i>	1843, 10
<i>listeri</i>	1843, 31	<i>leucophaeus</i>	1847, 110
<i>luteostoma</i>	1843, 62	<i>papio</i>	1841, 97
<i>luzonicum</i>	1842, 80	<i>sphinx</i>	1843, 10
<i>maculosum</i>	1843, 66	<i>thoth</i>	1843, 11
<i>minus</i>	1843, 65	<i>Cynogale</i>	1836, 88
<i>minutissimum</i> ..	1832, 32	<i>bennettii</i>	1836, 88
<i>mucronatum</i> ..	1843, 63	<i>Cypraea</i>	{ 1845, 133
<i>nitidum</i>	1843, 60	<i>acutidentata</i>	{ 1846, 23
<i>panayense</i>	1843, 62	<i>arctica</i>	1835, 201
<i>parvum</i>	1843, 66	<i>beckii</i>	1834, 28
<i>perplexum</i>	1843, 63	<i>broderipii</i>	1835, 203
<i>philippinarum</i> ..	1842, 83	<i>broderipii</i>	1832, 186
<i>pileus</i>	1843, 31	<i>bullata</i>	1834, 28
<i>plebeium</i>	1843, 60	<i>candidula</i>	1835, 200
<i>pupiniforme</i>	1842, 84	<i>contaminata</i>	1832, 186
<i>pusillum</i>	1843, 59	<i>cumingii</i>	1832, 185
<i>rufescens</i>	1843, 60	<i>formosa</i>	1835, 198
<i>rugulosum</i>	1843, 29	<i>gaskomi</i>	1846, 22
<i>semistriatum</i>	1843, 29	<i>goodalhi</i>	1832, 184
<i>semisulcatum</i>	1843, 62	<i>leucostoma</i> ..	1843, 23
<i>spurcum</i>	1843, 60	<i>maugeri</i> ..	1832, 185
<i>stanforthi</i>	1842, 82	<i>mus</i>	1843, 25
<i>stramineum</i>	1843, 46	<i>pacifica</i>	1832, 185
		<i>pediculus</i>	1834, 28

	Page		Page
<i>Cypraea pediculus</i> , var.		<i>Cyrena rotundata</i>	1844, 160
<i>labiosa</i>	1835, 202	<i>sordida</i>	1844, 159
<i>pellucidula</i>	1840, 23	<i>Cysticercus</i>	1837, 42
<i>pisum</i>	1840, 24	<i>cellulosus</i>	1840, 31
<i>producta</i>	1835, 200	<i>exilis</i>	1835, 205
<i>pulicaria</i>	1840, 23	<i>Cysticola campestris</i> ..	1845, 20
<i>pulla</i>	1846, 24	<i>isura</i>	1847, 1
<i>rubescens</i>	1832, 185	<i>lineocapilla</i>	1847, 32
<i>rubinicolor</i>	1835, 190	<i>ruficeps</i>	1847, 1
<i>saulæ</i>	1843, 23	<i>Cytherca</i>	1837, 150
<i>subviridis</i>	1835, 68	<i>affinis</i>	1844, 109
<i>vesicularis</i>	1835, 203	<i>alternata</i>	1835, 45
<i>Cypriocardia</i>	1843, 105	<i>argentea</i>	1835, 45
<i>coralliophaga</i>	1843, 196	<i>argentina</i>	1844, 110
<i>decussata</i>	1843, 195	<i>concinna</i>	1835, 46
<i>guinæa</i>	1843, 196	<i>concinna</i>	1835, 23
<i>incarnata</i>	1843, 195	<i>cor</i>	1844, 110
<i>laminata</i>	1843, 196	<i>dione</i>	1835, 45
<i>obesa</i>	1843, 196	<i>effosa</i>	1842, 123
<i>serrata</i>	1843, 195	<i>excavata</i>	1842, 123
<i>solenoides</i>	1843, 196	<i>hindsii</i>	1844, 110
<i>vellicata</i>	1843, 105	<i>inconspicua</i>	1835, 47
<i>Cyprinus abramioides</i> ..	1838, 158	<i>lreta</i>	1844, 109
<i>auratus</i>	1835, 54	<i>lubrica</i>	1835, 44
<i>barbus</i>	1842, 72	<i>modesta</i>	1835, 47
<i>buggenhagii</i>	1837, 56	<i>obliquata</i>	1844, 109
<i>carpio</i>	1836, 109	<i>ovum</i>	1845, 21
<i>cephalus</i>	1842, 72	<i>pallescens</i>	1835, 47
<i>mauritanus</i>	1830-1, 167	<i>panosa</i>	1835, 47
<i>morar</i>	1838, 161	<i>pectinata</i>	1835, 47
<i>nukta</i>	1838, 159	<i>pellucida</i>	1844, 109
<i>potail</i>	1838, 159	<i>philippinarum</i>	1844, 110
<i>ticto</i>	1838, 162	<i>planulata</i>	1835, 46
<i>Cypselurus pulchellus</i> ..	1840, 38	<i>plebeia</i>	1844, 109
<i>Cypselus affinis</i>	1830-1, 116	<i>radiata</i>	1835, 23
<i>alpinus</i>	1832, 88	<i>squalida</i>	1835, 23
<i>alpinus</i>	1846, 90	<i>tortuosa</i>	1835, 45
<i>alpinus</i>	1832, 130	<i>unicolor</i>	1835, 23
<i>alpinus</i>	1834, 29	<i>varians</i>	1844, 109
<i>alpinus</i>	1834, 92	<i>vulnerata</i>	1835, 46
<i>apus</i>	1842, 71	<i>Dacelo gigantea</i>	1830, 113
<i>apus</i>	1842, 99	<i>lessoni</i>	1830-1, 97
<i>apus</i>	1842, 101	<i>lindsayi</i>	1830-1, 97
<i>apus</i>	1842, 195	<i>pulchella</i>	1830, 101
<i>australis</i>	1839, 141	<i>Dactylocalyx pumiceus</i> ..	1841, 87
<i>murinus</i>	1839, 119	<i>Dafila acuta</i>	1842, 93
<i>palmarum</i>	1830-1, 116	<i>caudacuta</i>	1839, 134
<i>parvus</i>	1844, 99	<i>pyrogaster</i>	1847, 40
<i>Cyrena</i>	1844, 64	<i>urophasianus</i>	1844, 157
<i>carolinensis</i>	1844, 159	<i>urophasianus</i>	1841, 95
<i>kerandreni</i>	1844, 160	<i>Dajaus diemensis</i>	1844, 157
<i>obesa</i>	1844, 160	<i>dajaus diemensis</i>	1840, 25
<i>philippinarum</i>	1844, 159	<i>Daption capensis</i>	1843, 119
<i>placens</i>	1844, 160	<i>Dascyllus unicolor</i> ..	1830-1, 127
<i>radiata</i>	1844, 159	<i>Dasyornis brunneus</i>	1837, 150
	160	<i>longirostris</i>	1840, 170

	Page		Page
<i>Dasyornis striatus</i>	1839, 143	<i>Delphinula varicosa</i>	1843, 142
<i>Dasyprocta acouchy</i> ...	1832, 100	<i>Delphinus fitzroyi</i> ...	1838, 23
<i>acuschy</i>	1830-1, { 6	<i>gangeticus</i>	1847, 88
<i>aguti</i>	1834, 75	<i>globiceps</i>	1833, 65
<i>aurata</i>	1842, { 82	<i>leucopleurus</i>	1847, 117
<i>Dasytus</i>	1846, 64	<i>phocæna</i>	1842, { 64
<i>hybridus</i>	1837, 70	<i>tursio</i> ..	1847, 117
<i>minutus</i>	1837, 13	<i>Dendrobates earli</i> ..	1847, 123
<i>peba</i>	{ 1830-1, 141	<i>Dendrocitta</i>	1833, 57
<i>6-cinctus</i>	{ 1832, 130	<i>frontalis</i>	1839, 163
<i>sexcinctus</i>	{ 1837, 13	<i>leucogaster</i>	1837, 80
<i>villosus</i> ..	{ 1846, 72	<i>leucogastra</i>	1833, 57
<i>Dasyurus</i>	1839, 7	<i>rufigaster</i>	1837, 80
<i>geoffroni</i>	1840, 151	<i>sinensis</i>	1842, 92
<i>hallucatus</i>	1842, 41	<i>vagabunda</i> ..	{ 1839, 164
<i>macrourus</i>	1835, 7	<i>Dendrocolaptes</i>	1840, 125
<i>macrurus</i>	1838, { 120	<i>albogularis</i>	1830-1, 30
<i>maugeri</i>	{ 1838, 120	<i>procurvus</i>	1847, 30
<i>ursinus</i>	{ 1838, 147	<i>Dendrocops platyrostris</i>	1837, 120
<i>viverrinus</i>	{ 1840, 151	<i>Dendrocopus himalaya-</i>	
<i>Delephila elpenor</i> ..	1844, 164	<i>nus</i>	1841, 6
<i>euphorbiæ</i> ...	1844, 164	<i>sordidus</i> ...	1846, 104
<i>Delphinula</i>	1844, 25	<i>Dendrodramus leucoster-</i>	
<i>aculeata</i>	1842, 103	<i>non</i> ..	1843, 112
<i>adamantina</i>	1843, 142	<i>Dendromys</i>	{ 1834, 25
<i>cidaris</i>	1843, 143	<i>maui</i> ..	{ 1837, 29
<i>clathrata</i>	1843, 143	<i>Dendronessa sponsa</i> ..	{ 1833, 10
<i>cobyensis</i>	1843, 143	<i>boei</i>	1847, 40
<i>depressa</i>	1843, 142	<i>Dendrophis</i>	1839, 53
<i>discoidea</i>	1843, 142	<i>Dentalium longitarsum</i>	1842, 197
<i>evoluta</i>	1843, 142	<i>perpusillum</i>	1832, 29
<i>formosa</i>	1842, 103	<i>quadrangulare</i>	1832, 29
<i>imperialis</i> ..	1842, 102	<i>splendidum</i>	1832, 29
<i>incisa</i>	1842, 103	<i>tesseragonum</i> ...	1832, 29
<i>melanacantha</i>	1842, 102	<i>Dentex lycogenys</i> ...	1830-1, 127
<i>muricata</i>	1843, 142	<i>rivulatus</i>	1835, 91
<i>peronii</i>	1843, 142	<i>Dermatemys</i>	1847, 55
<i>scalaroides</i>	1843, 141	<i>mawii</i> ..	1847, 56
<i>sydereæ</i>	1843, 143	<i>Dermestes lardarius</i> ..	1844, 36
<i>tyrna</i>	1842, 102	<i>Diacoep angulus</i>	1830-1, 127
		<i>spilura</i>	1832, 182
		<i>Diagramma siboldi</i> ...	1832, 182
		<i>Diamma</i>	1835, 53
		<i>bicolor</i>	1835, 53
		<i>Diana semilunata</i>	1843, 84
		<i>Diaphasia</i>	1843, 92
		<i>acus</i>	1843, 92
		<i>Dicæum cantillans</i>	1839, 105
		<i>chrysorrhæum</i>	1846, 100
		<i>cruentata</i>	1839, 105
		<i>erythronotum</i>	1839, 167
		<i>ignicapilla</i>	1839, 105
		<i>saccharina</i>	1839, 105
		<i>Dicholophus cristatus</i> ..	1836, 29
		<i>Dicrurus æneus</i>	1839, 158
		<i>affinis</i>	1846, 102

	Page		Page
<i>Dicrurus balcassius</i> ..	{ 1832, 86 1839, 158 1846, 102	<i>Dinornis</i> (<i>Palapteryx</i>)	
<i>bracteatus</i>	1842, 132	<i>dromoides</i>	1846, 47
<i>cærulescens</i>	1832, 86	<i>Diodon hystrix</i>	1840, 38
<i>grandis</i>	1839, 158	<i>nychthemerus</i>	1840, 30
<i>malabaricus</i>	1846, 102	<i>reticulatus</i>	1843, 93
<i>rangoonensis</i> ..	{ 1839, 158 1846, 102	<i>rivulatus</i>	1843, 93
<i>retifer</i>	1846, 102	<i>tigrinus</i>	1843, 93
<i>Didelphys</i>	{ 1839, 11 1843, 132	<i>Diomedea cauta</i>	1840, 177
<i>azaræ</i>	{ 1834, 101 1846, 9	<i>chlororyncha</i>	1839, 140
<i>breviceps</i>	1833, 40	<i>chlororhynchos</i> ..	1834, 128
<i>californica</i> ..	1833, 40	<i>culminata</i>	1843, 107
<i>elegans</i>	{ 1843, 132 1844, 154	<i>exulans</i>	{ 1833, 78 1834, 151 1839, 140
<i>hortensis</i>	1837, 4	<i>fuliginosa</i>	{ 1834, 128 1839, 140
<i>neptus</i>	1843, 145	<i>spadicea</i>	1834, 128
<i>philander</i> ...	{ 1838, 120 1847, 79	<i>Diplodactylus</i>	1832, 40
<i>quica</i>	1843, 79	<i>vittatus</i>	1832, 40
<i>virginiana</i>	{ 1838, 120 1838, 147 1841, 49	<i>Diplopterus guira</i>	1843, 121
<i>Didus ineptus</i> ...	{ 1832, 111 1833, 31	<i>Dipsas ferruginea</i> ..	1839, 53
<i>solitarius</i> ...	{ 1846, 51 1844, 77	<i>monticola</i>	1839, 53
<i>Digenea</i>	1845, 26	<i>Diptata lusitama</i>	1841, 10
<i>leucomelanura</i> ..	1845, 26	<i>Dipus</i>	1836, 141
<i>tricolor</i>	1845, 26	<i>ægyptius</i>	1842, 192
<i>Diglossa carbonaria</i> ..	1847, 29	<i>jaculus</i>	1845, 76
<i>mystacalis</i>	1847, 29	<i>maximus</i>	1830-1, 33
<i>mystacea</i>	1847, 29	<i>mitchellii</i>	1840, 151
<i>sittoides</i>	1847, 29	<i>Dirhinus mauritanus</i> ..	1835, 69
<i>Dimorpha</i>	1845, 25	<i>Dissosternum</i>	1833, 64
<i>moniliger</i>	1845, 26	<i>Distoma clavatum</i> ..	1835, 72
<i>rubrocyanea</i> ..	1845, 26	<i>hepaticum</i> ...	{ 1835, 205 1840, 30
<i>strophiatea</i>	1845, 26	<i>Doclea calcitrapa</i> ..	1847, 56
<i>Dinornis</i> ...	{ 1846, 46 48	<i>Dolichonyx oryzivorus</i> ..	1847, 38
<i>casuarinus</i>	1846, 47	<i>Donacina</i>	1844, 71
<i>crassus</i>	1846, 47	<i>Donacola flavipræmna</i> ..	1845, 80
<i>curtus</i>	1846, 47	<i>Donax asper</i>	1845, 14
<i>dichformis</i>	{ 1843, 144 1846, 49	<i>assimilis</i>	1845, 17
<i>dromæoides</i> ..	1843, 145	<i>carinata</i>	1843, 5
<i>giganteus</i> ..	{ 1843, 145 1846, 46	<i>culter</i>	1845, 14
<i>ingens</i> ..	1846, 46	<i>dentifera</i>	1843, 6
<i>novæ-zealandæ</i> ..	1843, 8	<i>gracilis</i>	1845, 15
<i>otidiformis</i>	{ 1843, 145 1846, 49	<i>lubricus</i>	1845, 17
<i>struthoides</i>	{ 1843, 144 1843, 145 1846, 46	<i>navicula</i>	1845, 15
		<i>pulchella</i>	1843, 6
		<i>punctato-striata</i> ..	1843, 5
		<i>semisulcata</i> ..	1843, 5
		<i>sordidus</i> ..	1845, 15
		<i>ticaomcus</i>	1845, 14
		<i>Doryfera</i>	1847, 95
		<i>Dorylus orientalis</i>	1835, 72
		<i>Dosma</i>	1844, 162
		<i>Dromaius novæ-hollan-</i> <i>diæ</i> ..	{ 1842, 141 1846, 49
		<i>Dromiceus australis</i> ..	1846, 49
		<i>Dromicia concinna</i> ..	1845, 2
		<i>Drymodes</i>	1840, 170

	Page		Page
<i>Drymodes brunneopygia</i>	1840, 170	<i>Elaps nigromaculatus</i>	1839, 33
<i>Drymoica lateralis</i>	1843, 16	<i>Elasmatina cumingiana</i>	1843, 2
<i>mentalis</i>	1843, 16	<i>globosa</i>	1843, 3
<i>rufa</i>	1843, 17	<i>reclusiana</i>	1843, 2
<i>ruficapilla</i>	1843, 16	<i>subulata</i>	1843, 2
<i>rufogularis</i>	1843, 17	<i>Elater flabellicornis</i>	1842, 73
<i>strangei</i>	1843, 16	<i>gigas</i>	1842, 73
<i>uropygialis</i>	1843, 17	<i>mucronatus</i>	1842, 76
<i>Dules caudavittatus</i>	1832, 112	<i>Eleotris mauritanus</i>	1830-1, 166
<i>Eburna japonica</i>	1842, 200	{ 1834, 98	
<i>monilis</i>	1843, 168	{ 1839, 150	
<i>Echeneis</i>	1835, 205	<i>Elephas indicus</i>	{ 1844, 96
<i>brachyptera</i>	1839, 89	{ 1845, 93	
<i>jacobæa</i>	1839, 89	{ 1845, 97	
<i>lunata</i>	1830-1, 134	<i>Emarginula conoidea</i>	1842, 50
<i>pallida</i>	1839, 89	<i>Emberiza</i>	1846, 35
<i>remora</i>	1839, 89	<i>baghaira</i>	1830-1, 119
<i>vittata</i>	1839, 89	<i>bengalensis</i>	1830-1, 119
<i>Echidna hystrix</i>	{ 1832, 179	{ 1834, 133	
{ 1834, 23		{ 1830, 132	
{ 1845, 80		<i>cinerea</i>	1836, 99
<i>Echini</i>	1844, 164	{ 1839, 132	
<i>Echinometra</i>	1835, 59	{ 1842, 99	
<i>Echinops</i>	1838, 17	{ 1830-1, 35	
<i>telfairi</i>	1838, 17	{ 1830-1, 119	
<i>Echinorhynchus tereticol-</i>		{ 1832, 93	
<i>lis</i>	1830-1, 132	{ 1842, 92	
<i>Echinus</i>	1835, 58	<i>erythrophthalma</i>	1834, 81
<i>atratus</i>	1835, 59	<i>gingica</i>	1830-1, 119
<i>esculentus</i>	1835, 59	{ 1832, 93	
<i>excavatus</i>	1835, 59	{ 1830, 132	
<i>petaliferus</i>	1835, 58	<i>lesbia</i>	1837, 48
<i>pustulosus</i>	1835, 58	<i>luctuosa</i>	1841, 94
<i>ventricosus</i>	1835, 59	<i>luteocephala</i>	1843, 113
<i>Echiodon</i>	1837, 55	<i>melanocephala</i>	1832, 93
<i>drummondii</i>	1837, 55	{ 1834, 51	
<i>Echiostoma</i>	1843, 87	{ 1839, 121	
<i>barbatum</i>	1843, 88	<i>miliaria</i>	1840, 59
<i>Echymys</i>	1844, 156	<i>nivalis</i>	1845, 35
<i>Edentula</i>	1844, 144	<i>omops</i>	1832, 94
<i>Edolus cærulescens</i>	1830-1, 117	<i>quadricolor</i>	1832, 93
<i>chrishna</i>	1836, 5	<i>subcostata</i>	1842, 17
{ 1836, 5		<i>Emblema</i>	1842, 17
{ 1839, 158		<i>picta</i>	1842, 17
{ 1830, 5		<i>Emys</i>	1835, 54
<i>rangoonensis</i>	1830, 158	<i>beali</i>	{ 1834, 54
{ 1830, 158		{ 1830-1, 107	
<i>viridescens</i>	1836, 6	<i>concentrica</i>	1830-1, 74
<i>Egretta leuce</i>	1837, 114	<i>dhori</i>	1834, 17
<i>Elanus dispar</i>	1843, 109	<i>nigricans</i>	1834, 53
{ 1830-1, 115		<i>orbiculata</i>	1834, 17
{ 1837, 99		{ 1834, 54	
{ 1842, 92		{ 1834, 135	
{ 1837, 99		<i>platynota</i>	1834, 110
{ 1841, 141		<i>reevesii</i>	1834, 53
<i>Elaps bungaroides</i>	1830, 33	<i>sinensis</i>	1834, 110
<i>flaviceps</i>	1839, 33	<i>spengleri</i>	1834, 100
<i>furcatus</i>	1839, 34	<i>spinosa</i>	1834, 100

	Page		Page
<i>Emys tectum</i>	1844, 85	<i>Eriopus aline</i>	1847, 17
<i>tentoria</i>	1834, 54	<i>cupreoventris</i> ...	1847, 17
<i>Engraulus neso-gallicus</i> 1830-1,	168	<i>derbyi</i>	1847, 17
<i>Enhydra marina</i>	1836, 59	<i>mosquera</i>	1847, 17
<i>Emecurus maculatus</i> . { 1830-1, 9		<i>vestitus</i>	1847, 17
1841, 6		<i>Erismatura ferruginea</i> ..	1843, 119
1842, 92		<i>Erpormis</i>	1845, 23
<i>scouleri</i>	1830-1, 174	<i>xanthochlora</i> ...	1845, 23
<i>Enoplochiton</i>	1847, { 65	<i>Errina</i>	1835, 85
<i>niger</i>	1847, 69	<i>Erycina cuspidata</i>	1843, 76
<i>Enoplosom</i>	1843, 85	<i>Erythaca rubecula</i>	1830, { 120
<i>Entomoderes erebi</i>	1841, 121	1842, 112	
<i>Entomophaga</i>	1839, 8	<i>Erythrodryas</i>	1842, 112
<i>Entomophila</i>	1837, 154	<i>rhodinogaster</i>	1842, 112
<i>albogularis</i>	1842, 137	<i>rosea</i>	1842, 112
<i>picta</i>	1837, 154	<i>Erythrogonyx</i>	1837, 155
<i>rufogularis</i>	1842, 137	<i>cinctus</i>	1837, 155
<i>Entomyza albipennis</i> ..	1840, 109	<i>Erythrospiza frontalis</i> ..	1837, 112
<i>Eopsaltria griseogularis</i> ..	1837, 144	<i>Eryx</i>	1837, 135
<i>leucogaster</i>	1846, 19	<i>Esoc</i>	1843, 88
<i>parvula</i>	1837, 144	<i>Estrilda rufopicta</i> . . .	1843, 27
<i>Ephemera coa</i>	1841, 9	<i>Etheria</i>	1837, 64
<i>Ephippiphora</i>	1847, 124	<i>Euchlora</i>	1839, 67
<i>kroyeri</i>	1847, 124	<i>aerea</i>	1839, 73
<i>Ephthianura</i>	1837, 148	<i>albopilosa</i>	1839, 70
<i>aurifrons</i>	1837, 148	<i>aureola</i>	1839, 73
<i>tricolor</i>	1840, 159	<i>bicolor</i>	1839, 70
<i>Epialtus dentatus</i>	1835, 173	<i>cantoni</i>	1839, 73
<i>marginatus</i>	1835, 173	<i>chalcites</i>	1839, 75
<i>Epibulus masidiator</i> ...	1833, 117	<i>chrysea</i>	1839, 75
<i>Epimachus</i>	1840, 124	<i>cicatricos</i>	1839, 74
<i>Epipedonota affinis</i>	1841, 118	<i>costata</i>	1839, 73
<i>bonariensis</i>	1841, 119	<i>cupripes</i>	1839, 68
<i>ebenina</i>	1841, 118	<i>dalmanni</i>	1839, 75
<i>erythropus</i>	1841, 119	<i>de-haanni</i>	1839, 71
<i>lata</i>	1841, 119	<i>dimidiata</i>	1839, 71
<i>rugosa</i>	1841, 117	<i>femorialis</i>	1839, 71
<i>Equula</i>	1843, 86	<i>grandis</i>	1839, 69
<i>Equus asinus</i>	1830-1, 104	<i>irrorulla</i>	1839, 74
1830-1, 104		<i>japonica</i>	1839, 75
<i>caballus</i>	{ 1830, 126	<i>jurinii</i>	1839, 68
1842, 69		<i>macleayana</i>	1839, 69
1837, 91		<i>martini</i>	1839, 70
<i>hemionus</i>	{ 1840, 33	<i>perplexa</i>	1839, 70
1840, 33		<i>puligera</i>	1839, 75
<i>zebra</i>	1840, 33	1839, 69	
<i>Erethizon dorsatum</i> ...	1844, 9	<i>sieboldi</i>	1839, { 69
<i>Erinaceus capensis</i> ..	1830-1, 11	1839, 72	
<i>concolor</i>	1837, 103	<i>smaragdina</i>	1839, 69
1837, 102		<i>splendens</i>	1839, 75
1841, 44		<i>strigata</i>	1839, 74
<i>europæus</i>	{ 1842, 63	<i>subcærulea</i>	1839, 72
1842, 68		<i>sulcata</i>	1839, 72
1842, 96		<i>trivittata</i>	1839, 74
<i>frontalis</i>	1832, 193	<i>viridis</i>	1839, 68
<i>grayi</i>	1832, 124	<i>Eudromia</i>	1846, 9
<i>spatangus</i>	1832, 123	<i>elegans</i>	1843, 116
<i>Eriopus</i>	1847, 16	<i>Eudromias</i>	1841, 32
		<i>australis</i>	1840, 174

	Page		Page
<i>Eudromias elegans</i>	1847, 28		
<i>Eudynamys orientalis</i>	1830-1, 122	<i>Falco berigora</i>	1837, 97
<i>lis</i>	1832, 97		1837, 140
<i>sirkee</i>	1842, 92		1839, 113
	1830-1, 122	<i>biarmicus</i>	1833, 45
<i>Eulabeornis castaneoven-</i>		<i>brunneus</i>	1841, 6
<i>tris</i>	1844, 56	<i>brunneus</i>	1837, 139
<i>Eulima</i>	1840, 39	<i>cenchroides</i>	1837, 98
<i>acuta</i>	1834, 8		1839, 113
<i>anglica</i>	1834, 8		1830-1, 114
<i>articulata</i>	1834, 8		1830-1, 173
<i>brevis</i>	1834, 7	<i>chicquera</i>	1832, 80
<i>brunnea</i>	1834, 7		1841, 6
<i>elegantissima</i>	1840, 41		1842, 92
<i>hastata</i>	1834, 7	<i>chicqueroides</i>	1833, 45
<i>imbricata</i>	1834, 7	<i>ecaudatus</i>	1833, 45
<i>interrupta</i>	1834, 7	<i>femoralis</i>	1843, 109
<i>labiosa</i>	1834, 7	<i>frontatus</i>	1837, 139
<i>lineata</i>	1834, 8	<i>gymnogenys</i>	1833, 45
<i>major</i>	1834, 7	<i>hypoleucos</i>	1840, 162
<i>marmorata</i>	1834, 7	<i>interstinctus</i>	1830, 154
<i>pusilla</i>	1834, 8	<i>lanarius</i>	1835, 109
<i>splendidula</i>	1834, 6	<i>melanogenys</i>	1837, 139
<i>subangulata</i>	1834, 8		1839, 113
<i>varians</i>	1834, 8	<i>peregrinus</i>	1837, 97
<i>Euomphalus</i>	1844, 24	<i>radiatus</i>	1837, 98
<i>Eupetes macrocercus</i>	1846, 102	<i>rapax</i>	1833, 45
<i>Euphema aurantia</i>	1840, 148		1832, 189
<i>petrophila</i>	1840, 148	<i>rufipes</i>	1834, 51
<i>splendida</i>	1840, 147		1835, 78
<i>Euphonia cæruleocepha-</i>		<i>sparveroides</i>	1847, 38
<i>la</i>	1837, 113	<i>subbuteo</i>	1830-1, 114
<i>hirundinacea</i>	1837, 117		1839, 130
<i>violacea</i>	1837, 117	<i>tinnunculoides</i>	1830-1, 96
<i>Euplectella aspergillum</i>	1841, 3		1830-1, 114
<i>Euplectes rufo-velatus</i>	1842, 142		1832, 80
<i>Euplocamus ignitus</i>	1842, 131		1834, 133
<i>nychthemerus</i>	1842, 166	<i>tinnunculus</i>	1835, 62
<i>Eurostopodus</i>	1837, 142		1839, 119
<i>Eurycephalus nigripes</i>	1837, 129		1842, 93
<i>Eurylamus corydon</i>	1839, 101	<i>Falcunculus flavigulus</i>	1837, 144
<i>cucullatus</i>	1839, 101	<i>gutturalis</i>	1837, 144
<i>dalhousii</i>	1835, 154		1839, 151
<i>lunatus</i>	1839, 156	<i>leucogaster</i>	1837, 144
<i>psittacinus</i>	1839, 156	<i>Fasciolania clava</i>	1846, 35
<i>(Crossodera) dal-</i>		<i>granosa</i>	1832, 33
<i>housæ</i>	1839, 156	<i>Felis bengalensis</i>	1844, 7
<i>Euryotis</i>	1837, 29		1839, 126
<i>Eurypodius latreillii</i>	1835, 169	<i>caracal</i>	1841, 44
<i>Eurystomus cyanocollis</i>	1839, 101		1842, 69
<i>Exocetus pinnatubarba-</i>		<i>catus</i>	1832, 12
<i>tus</i>	1830-1, 146		1839, 125
		<i>cervaria</i>	1841, 44
<i>Fœnus australis</i>	1835, 51		1842, 69
<i>Falco æsalon</i>	1839, 119	<i>chaus</i>	1830-1, 102
<i>anatum</i>	1843, 109		1830-1, 153
<i>bacha</i>	1830-1, 170	<i>concolor</i>	1833, 120
			1841, 44

	Page		Page
<i>Felis concolor</i>	1842, 69	<i>Felis unicolor</i>	1842, 119
	1842, 63	<i>venatica</i>	1830-1, 102
<i>diardi</i>	1836, 107		1833, 68
<i>darwinii</i>	1837, 4	<i>viverrinus</i>	1834, 97
	1841, 44	<i>Fierasser</i>	1843, 92
<i>domestica</i>	1842, 69	<i>Fissurella æqualis</i>	1834, 127
	1842, 97		1834, 125
	1842, 191	<i>aspera</i>	1834, 127
	1830-1, 102	<i>asperella</i>	1834, 127
<i>jubata</i>	1833, 108	<i>biradiata</i>	1834, 124
	1834, 97	<i>chemnitzii</i>	1834, 126
	1841, 44	<i>chilensis</i>	1834, 124
	1842, 64	<i>clypeus</i>	1834, 128
	1842, 69	<i>crenifera</i>	1834, 128
	1830-1, 28	<i>fulvescens</i>	1834, 127
	1832, 146	<i>grandis</i>	1834, 123
<i>leo</i>	1834, 1	<i>inæqualis</i>	1834, 126
	1841, 44	<i>lata</i>	1834, 124
	1842, 63	<i>latimarginata</i>	1834, 126
	1842, 69	<i>limbata</i>	1834, 123
	1842, 97	<i>macrotrema</i>	1834, 125
	1844, 54	<i>maxima</i>	1834, 123
<i>, var. goojrattensis</i>	1833, 140	<i>microtrema</i>	1834, 125
	1830-1, 102	<i>mutabilis</i>	1834, 127
	1832, 148	<i>nigrita</i>	1834, 127
<i>leopardus</i>	1833, 49	<i>nigropunctata</i>	1834, 125
	1834, 97	<i>obscura</i>	1834, 125
	1839, 126	<i>oriens</i>	1834, 124
	1841, 44	<i>panamensis</i>	1834, 127
	1842, 69	<i>pica</i>	1834, 126
<i>lynx</i>	1839, 126	<i>pulchra</i>	1834, 124
<i>marmorata</i>	1836, 107	<i>ruppellii</i>	1834, 128
	1840, 62	<i>trapezina</i>	1834, 126
<i>melanura</i>	1844, 128	<i>virescens</i>	1834, 125
<i>moormensis</i>	1832, 10	<i>Fluvicola cyanirostris</i> ..	1843, 120
	1834, 97	<i>Forficula tarsata</i>	1837, 129
<i>nepalensis</i>	1832, 12	<i>Francolinus perlatus</i> ..	1842, 167
	1834, 97		1830-1, 122
<i>onça</i>	1832, 7	<i>ponticerianus</i> ..	1832, 154
<i>pajeros</i> ..	1837, 3		1842, 92
<i>pardalis</i>	1832, 9	<i>spadiceus</i>	1832, 154
	1841, 44		1830-1, 123
<i>pardina</i> ..	1838, 113	<i>vulgaris</i>	1841, 6
	1830-1, 102		1842, 92
<i>pardus</i> ..	1834, 97		1841, 6
<i>rutilus</i> ..	1842, 130	<i>Fregilus graculus</i> ..	1842, 92
<i>serval</i> ..	1841, 44		1842, 93
<i>servalina</i> ..	1839, 94	<i>Fringilla alaudina</i> ..	1843, 113
	1830-1, 102	<i>amandava</i>	1830-1, 119
	1833, 105	<i>bicolor</i>	1847, 38
	1834, 1	<i>canariensis</i>	1844, 1
<i>tigris</i> ..	1834, 54	<i>chloris</i> ..	1842, 71
	1834, 96		1839, 132
	1836, 123	<i>coelebs</i> ..	1842, 99
	1839, 150	<i>crucigera</i>	1832, 94
	1841, 44	<i>cyanea</i>	1842, 194
<i>torquata</i> ..	1830-1, 102	<i>duca</i> ..	1843, 113
<i>uncia</i>	1837, 67		

	Page		Page
<i>Fringilla diuca</i> .. .	1847, 53	<i>Gadella gracilis</i>	1843, 91
* .. .	{ 1830-1, 96	<i>Gadus callarias</i>	1837, 57
<i>domestica</i>	{ 1842, 71	<i>minutus</i>	1837, 57
	{ 1842, 98	<i>Galago alleni</i>	1837, 87
	{ 1842, 99	<i>senegalensis</i>	{ 1834, 45
<i>flavicollis</i>	1830-1, 120		{ 1842, 201
<i>formosa</i>	1830-1, 120	<i>Galbula tombacea</i> .. .	1837, 120
<i>fruticeti</i>	1843, 113	<i>Galeopithecus</i> .. .	1838, 67
<i>gayi</i>	{ 1841, 94	<i>philippinensis</i>	1838, 119
<i>jamaicensis</i>	{ 1843, 113	<i>temminckii</i>	1838, 119
<i>kawariba</i>	1847, 38	<i>Galictis</i>	1837, 45
<i>lepada</i>	1842, 168	<i>allamandi</i>	1837, 45
<i>leuconota</i>	1847, 38		{ 1833, 140
<i>malabaria</i> .. .	{ 1832, 95		{ 1837, 46
<i>manjar</i>	{ 1842, 92	<i>vittata</i>	{ 1839, 75
<i>montifringilla</i>	1830-1, 120		{ 1841, 44
<i>nisoria</i>	1839, 163		{ 1846, 8
<i>nivalis</i>	1839, 132	<i>Gallichthys</i> .. .	1843, 86
<i>noctis</i> ..	1832, 94	<i>Gallinago heterura</i>	1830, 8
<i>rhodopepla</i>	{ 1837, 126		{ 1832, 163
<i>rodochroa</i>	{ 1839, 121	<i>media</i>	{ 1835, 62
<i>rodopepla</i>	1847, 38		{ 1836, 8
<i>rodopepla</i>	1845, 36	<i>minima</i>	1832, 163
<i>rodopepla</i>	{ 1830-1, 23	<i>nemorica</i>	1830, 8
<i>sanguinea</i>	{ 1845, 36	<i>solitaria</i>	1836, 8
<i>savanna</i>	1830-1, 23	<i>stenurus</i>	1842, 92
<i>serinus</i>	{ 1837, 127		{ 1839, 133
<i>tristis</i>	{ 1839, 121	<i>Gallinula chloropus</i> .. .	{ 1842, 71
<i>zena</i> ..	1847, 38		{ 1842, 167
<i>Fulgora apicalis</i> .. .	1836, 59		{ 1844, 67
<i>lanternaria</i> .. .	1834, 81	<i>crassirostris</i> .. .	1843, 118
<i>(Hotinus) sultana</i> ..	1847, 38		{ 1847, 54
<i>Fulica ater</i> .. .	1847, 38	<i>galatea</i>	1847, 40
<i>atra</i>	1847, 38	<i>gularis</i> .. .	1842, 167
<i>australis</i>	1837, 130	<i>javanica</i>	1832, 164
<i>galeata</i>	1834, 19	<i>martinica</i>	1847, 40
	1847, 83		{ 1839, 107
	1845, 13	<i>phoenicura</i>	{ 1842, 167
	1832, 165		{ 1842, 168
	1830, 122	<i>tenebrosa</i> .. .	1846, 20
	1845, 2	<i>ventralis</i> .. .	1836, 85
	1843, 118	<i>Gallus bankiva</i> .. .	1842, 167
	1847, 54	<i>crispus</i> .. .	{ 1832, 152
	1832, 170		{ 1832, 152
	1842, 93	<i>domesticus</i> .. .	{ 1835, 54
<i>Fuligula cristata</i> .. .	{ 1842, 94		{ 1842, 71
	{ 1842, 167		{ 1842, 111
	{ 1847, 40	<i>giganteus</i>	{ 1832, 151
	{ 1842, 94		{ 1835, 92
<i>ferina</i>	1847, 49	<i>morio</i>	1832, 162
<i>ferunoides</i>	1847, 48	<i>sonneratii</i>	1832, 151
<i>marila</i> ..	1847, 40	<i>Ganerea</i>	1847, 83
<i>nyroca</i>	{ 1841, 7	<i>falklandica</i>	1847, 83
	{ 1842, 94	<i>Ganymeda</i> .. .	1834, 15
	1832, 169	<i>pulchella</i>	1834, 16
<i>rufina</i> ..	{ 1842, 93		{ 1830-1, 7
	{ 1842, 94	<i>Garrulus bispecularis</i> {	1830-1, 7
<i>Fusus pagodus</i>	1843, 185		{ 1842, 92
<i>scalarinus</i>	1843, 168	<i>cristatus</i>	1834, 41

	Page		Page
<i>Garrulus cristatus</i>	1844, 9	<i>Geospiza magnirostris</i> ..	1837, 5
	1842, 70	<i>nebulosa</i>	1837, 5
<i>glandarius</i>	1842, 193	<i>parvula</i>	1837, 6
	1845, 13	<i>strenua</i>	1837, 5
	1830-1, 7	<i>Gerbillus</i>	1836, 141
<i>lanceolatus</i>	1841, 6	<i>curvieri</i>	1838, 56
	1842, 92	<i>Gerre plumieri</i>	1843, 86
<i>melanocephalus</i>	1839, 132	<i>Gerygone chloronotus</i> ..	1842, 133
	1830-1, 7	<i>levigaster</i>	1842, 133
<i>striatus</i>	1842, 92	<i>magnirostris</i>	1842, 133
<i>Gasterosteus brachycentrus</i>	1837, 58	<i>Ginglymostoma</i>	1837, 85
<i>Gastrochaena brevis</i>	1834, 21	<i>Glandina arcuata</i>	1845, 138
<i>hyalina</i>	1834, 22	<i>curvilabris</i>	1845, 137
<i>ovata</i>	1834, 21	<i>jamaicensis</i>	1845, 137
<i>rugulosa</i>	1834, 22	<i>monilifera</i>	1845, 75
<i>truncata</i>	1834, 21	<i>nigricans</i>	1845, 75
<i>Gavia fusca</i>	1845, 103	<i>obtusa</i>	1845, 42
<i>Gazella</i>	1836, 137	<i>Glareola cinerea</i>	1843, 26
<i>Gebia hirtifrons</i>	1847, 122	<i>lactea</i>	1843, 26
<i>Gehya</i>	1834, 100	<i>lumbata</i>	1839, 121
<i>pacifica</i>	1834, 100		133
<i>Gelasimus bellator</i>	1847, 84	<i>torquata</i>	1843, 53
<i>crassipes</i>	1847, 84	<i>Glaucanome angulata</i> ..	1844, 20
<i>cultrimanus</i>	1847, 84	<i>cerea</i>	1844, 21
<i>porcellanus</i>	1847, 85	<i>corrugata</i>	1844, 20
<i>Genetta poensis</i>	1838, 59	<i>curta</i>	1844, 20
<i>senegalensis</i>	1837, 132	<i>radiata</i>	1844, 20
<i>vulgata</i>	1845, 11	<i>rugosa</i>	1844, 19
<i>Geocichla rubecula</i>	1839, 161	<i>straminea</i>	1844, 20
<i>rubicola</i>	1836, 7	<i>virens</i>	1844, 18
<i>Geocolaptes terrestris</i> ..	1837, 109		19
<i>Geococcyx</i>	1834, 100	<i>Glaucus</i>	1833, 51
<i>spengleri</i>	1834, 100	<i>hexapterygius</i>	1836, 113
	110	<i>Globocephalus srieval</i> ..	1847, 118
<i>spinosa</i>	1834, 135	<i>Glossophaga caudifer</i> ..	1847, 15
<i>Geomelania</i>	1845, 45	<i>Glyciphila albifrons</i> ..	1840, 160
<i>jamaicensis</i>	1845, 45	<i>fasciata</i>	1842, 137
<i>Geopelia placida</i>	1844, 55	<i>ocularis</i>	1837, 154
<i>tranquilla</i>	1844, 56	<i>subocularis</i>	1837, 154
<i>Geophaps</i>	1842, 19	<i>Gnathodon</i>	1836, 104
<i>plumifera</i>	1842, 19	<i>Gnathostoma</i>	1836, 125
<i>Geophilus</i>	1842, 177	<i>spinigerum</i>	1836, 125
<i>ferrugineus</i>	1842, 177	<i>Gobiocephalus</i>	1840, 31
<i>longicornis</i>	1842, 180	<i>Gobius bipunctatus</i> ..	1837, 62
<i>maxillaris</i>	1842, 177	<i>britannicus</i>	1837, 61
<i>walckenaeri</i>	1842, 181		63
	94	<i>coalitus</i>	1830-1, 106
<i>Geositta cunicularia</i> ..	1847, 53	<i>ephippiatus</i>	1830, 84
(<i>Furnarius</i>) <i>cunicularia</i> ..	1843, 111	<i>geniporus</i>	1837, 62
	5	<i>kurpah</i>	1838, 158
<i>Geospiza</i>	1837, 49	<i>maderensis</i>	1839, 84
<i>dentirostris</i>	1837, 6		1836, 80
<i>dubia</i>	1837, 6	<i>niger</i>	1837, 61
<i>fortis</i>	1837, 5		1839, 83
<i>fuliginosa</i>	1837, 5	<i>ruthensparii</i>	1837, 61
		<i>semicinctus</i>	1833, 32
		<i>sordidus</i>	1836, 91
		<i>Gonatnotus</i>	1847, 57

	Page		Page
<i>Gonatonotus pentagonus</i>	1847, 58	<i>Hæmatornis</i>	1830-1, 170
<i>Goniaster templetoni</i> ..	1847, 81	<i>bacha</i>	{ 1830-1, 171
<i>Goniægmatatus</i> ..	1842, 180	1832, 79
<i>cumingii</i>	1842, 181	<i>chrysorrhoides</i>	1846, 101
<i>Gonodactylus chiragra</i> ..	1832, 6	<i>holospilus</i>	1830-1, 171
<i>ensiger</i>	1832, 6	<i>jocosus</i>	1842, 167
Goose, Bernicle	1840, 33	{ 1830-1, 171
, Canada	1840, 33	<i>undulatus</i>	1832, 15
, White-fronted ..	1840, 33	<i>Hæmorrhous rosea</i> ..	1845, 36
<i>Gracula religiosa</i>	1839, { 104	<i>Halcyon atricapilla</i> ..	1842, 168
.....	164	<i>capensis</i>	1839, 101
<i>Grammistes compressus</i>	1833, 117	<i>cyanotis</i>	1843, 5
<i>Graphurus elegans</i> ..	1838, 5	<i>erythrorhynchus</i> ..	1837, 22
<i>Graucalus maculosus</i> ..	1839, 159	<i>incinctus</i>	1837, 142
<i>melanops</i>	1839, 113	<i>leucocephala</i>	1839, 156
<i>melanotis</i>	1837, 143	<i>leucogaster</i>	1843, 4
.....	{ 1830-1, 117	<i>platyrostris</i>	1842, 72
<i>papuensis</i>	1832, 86	<i>pulchella</i>	1839, 101
.....	1842, 92	<i>pyrrhopygia</i>	1840, 113
<i>parvirostris</i> ..	1837, 143	<i>saurophaga</i>	1843, 103
<i>phasianellus</i> ..	1839, 142	{ 1830-1, 116
<i>Grus antigone</i>	1832, 157	<i>smyrnenis</i> ..	1832, 84
<i>leucogaranus</i> ..	1837, 48	1839, 156
<i>orientalis</i>	1830-1, 123	1842, 92
<i>regulorum</i>	1833, 118	<i>sordidus</i>	1842, 72
<i>Gryphochiton</i> ..	1847, 70	<i>varia</i>	1839, 101
<i>Guiraca cærulea</i> ..	1837, 111	{ 1843, 108
<i>ludoviciana</i> ..	1837, 116	<i>Haliaetus aguiæ</i>	1847, 52
<i>magnirostris</i> ..	1837, 120	1836, 49
<i>melanocephala</i> ..	1837, 111	<i>albicilla</i>	{ 1837, 97
<i>Gulo barbarus</i>	1830-1, 74	1837, 97
<i>barbatus</i>	1839, 75	<i>calei</i>	1837, 97
.....	{ 1830-1, 95	<i>canorus</i>	1837, 97
<i>larvatus</i>	1832, 67	<i>leucocephalus</i>	1837, 97
.....	{ 1830-1, 57	<i>leucosternos</i>	1837, 138
<i>orientalis</i> ..	1830-1, 94	{ 1830, 153
.....	1834, 96	<i>macei</i>	{ 1842, 92
<i>vittatus</i>	{ 1833, 140	1847, 37
.....	1837, 46	{ 1832, 78
<i>Gymnogenys</i>	1833, 45	<i>pondicerianus</i> ..	{ 1839, 153
<i>Gymnoplax</i>	1847, 66	1842, 92
<i>Gymnopus ægyptiacus</i> ..	1840, 57	<i>sphenurus</i>	1837, 138
<i>euphraticus</i>	1840, 57	<i>Halcoryx dugong</i> ..	1838, 28
<i>Gymnotus electricus</i> ..	1838, 110	<i>Haliotis</i>	1846, 53
<i>Gymnura rafflesii</i> ..	1842, 114	<i>ancile</i>	1846, 57
<i>Gypogeranus capensis</i> ..	1835, 104	<i>aquaticus</i>	1846, 58
<i>gambiensis</i>	1835, 105	<i>astricta</i>	1846, 56
<i>philippensis</i> ..	1835, 105	<i>clathrata</i>	1846, 57
<i>serpentarius</i>	1833, 118	<i>coccinea</i>	1846, 55
.....	1833, 118	<i>cocciradiata</i>	1846, 55
.....	1846, 58	<i>concinna</i>	1846, 58
<i>Hæmatops</i>	1836, 144	<i>cruenta</i>	1846, 59
<i>gularis</i>	1836, 144	<i>discaus</i>	1846, 55
<i>validirostris</i> ..	1836, 144	<i>diversicolor</i>	1846, 55
<i>Hæmatopus australasia-</i>		<i>dringui</i>	1846, 58
<i>nus</i>	1837, 155	<i>funebria</i> ..	1846, 55
<i>niger</i>	1843, 116	<i>gemma</i>	1846, 58
<i>ostralegus</i> ..	1837, 155	<i>incisa</i>	1846, 59
<i>pallatus</i>	1843, 116	<i>jacensis</i>	1846, 58

	Page		Page
<i>Halictis janus</i>	1846, 58	<i>Helicina similis</i>	1842, 8
<i>japonica</i>	1846, 54	<i>stratula</i>	1842, 6
<i>lauta</i>	1846, 58	<i>trochiformis</i>	1842, 7
<i>multiperforata</i>	1846, 55	<i>Helicites</i>	1844, 24
<i>nebulata</i>	1846, 57	<i>Helicophanta falconeri</i> ..	1834, 63
<i>papulata</i>	1846, 58	<i>magnifica</i>	1834, 63
<i>pertusa</i>	1846, 56	<i>Helictis</i>	1830-1, 94
<i>planilirata</i>	1846, 56	<i>moschata</i>	1830-1, 94
<i>pustulata</i>	1846, 58	<i>Helioecantharus</i>	1837, 12
<i>reticulata</i>	1846, 57	<i>Helix</i> — ?	1845, 11
<i>rosacea</i>	1846, 56	<i>acuminata</i>	1841, 39
<i>rubiginosa</i>	1846, 56	<i>acutumargo</i>	1845, 40
<i>rugosa</i>	1846, 56	<i>adamsii</i>	1845, 66
<i>scutulum</i>	1846, 57	<i>albaensis</i>	1840, 100
<i>semistrata</i>	1846, 57	<i>albocincta</i>	1845, 123
<i>sieboldi</i>	1846, 55	<i>amona</i>	1845, 65
<i>speciosa</i>	1846, 57	<i>andicola</i>	1845, 129
<i>spiculata</i>	1846, 57	<i>annulata</i>	1840, 135
<i>splendens</i>	1846, 54	<i>arctispira</i>	1846, 41
<i>squamata</i>	1846, 55	<i>arcuata</i>	1846, 110
<i>stomatiasformis</i> ..	1846, 57	<i>aulacospira</i> ..	1846, 37
<i>tayloriana</i>	1846, 56	<i>aurata</i>	1840, 100
<i>tuberculata</i>	1846, 54	<i>bahamensis</i>	1845, 66
<i>viridis</i>	1846, 56	<i>bainbridgii</i>	1845, 44
<i>zealandica</i>	1846, 57	<i>balteata</i>	1840, 136
<i>ziczac</i>	1846, 55	<i>barclayana</i> ..	1846, 110
<i>Halmaturus</i> ..	1839, 17	<i>beckiana</i>	1842, 87
<i>agilis</i> ..	1841, 81	<i>belcheri</i>	1845, 128
<i>billardieri</i>	1844, 146	<i>bermudensis</i>	1845, 67
<i>binoe</i>	1842, 58	<i>biangulata</i>	1845, 40
<i>dama</i>	1844, 33	<i>bihneata</i>	1845, 128
<i>derbyanus</i>	1841, 50	<i>bohollensis</i>	1845, 123
<i>houtmanni</i>	1844, 31	<i>brevidens</i>	1841, 25
<i>mameatus</i>	1844, 35	<i>bronni</i>	1845, 131
<i>thetidis</i>	1844, 33	<i>bruguietiana</i>	1845, 44
<i>Hamadryas</i> ..	1838, 73	<i>brunnea</i>	1841, 40
<i>ophiophagus</i> ..	{ 1838, 73	<i>bulia</i>	1842, 151
	{ 1839, 32	<i>buschi</i>	1845, 123
<i>Hapale jacchus</i> ..	1844, 82	<i>butleri</i> ..	1842, 87
<i>Hapalotis albipes</i> ..	1844, 104	<i>campanula</i> ..	1845, 65
<i>longicaudata</i>	1844, 104	<i>campbelli</i>	1834, 65
<i>murinus</i>	1845, 78	<i>candaharica</i> ..	1846, 37
<i>Harpactes diardii</i> ..	1839, 101	<i>carbonaria</i> ..	1842, 86
<i>duvauceli</i>	1839, 101	<i>caucasica</i>	1845, 131
<i>Harpiprion cayanaensis</i>	1843, 117	<i>ceratodes</i>	1845, 128
<i>Helarctos malayanus</i> ..	{ 1834, 96	<i>chemnitziana</i> ..	1845, 43
	{ 1842, 191	<i>chlorochroa</i>	1841, 2
<i>Heliasis axillaris</i> ..	1830-1, 128	<i>chrysocheilus</i> ..	1841, 3
<i>Helicea</i>	{ 28	<i>cicatricosa</i>	1834, 67
	{ 37	<i>cincinnatiensis</i> ..	1841, 17
<i>Helicina acutissima</i> ..	1842, 6	<i>cinnus</i>	1840, 98
<i>agglutinans</i>	1842, 7	<i>cinerascens</i>	1845, 64
<i>guadaloupensis</i> ..	1842, 8	<i>cocomelos</i>	1840, 167
<i>lazarus</i>	1842, 7	<i>cochliodes</i>	1842, 151
<i>maxima</i>	1842, 6	<i>codonodes</i>	1846, 112
<i>minuta</i>	1842, 7	<i>codringtoni</i> ..	1834, 67
<i>parva</i>	1842, 8	<i>columbaria</i>	1841, 19
<i>polita</i>	1842, 7	<i>concinna</i>	1841, 20

	Page		Page
<i>Helix conspersula</i>	1845, 124	<i>Helix hindsi</i>	1845, 132
<i>constricta</i>	1845, 39	<i>horizontalis</i>	1845, 40
<i>cracherodii</i>	1834, 67	<i>ilocoensis</i>	1840, 116
<i>crassilabris</i>	1846, 111	<i>incei</i>	1845, 126
<i>cretata</i>	1841, 23	<i>incompta</i>	1840, 103
<i>crispata</i>	1834, 64	<i>induta</i>	1845, 128
<i>cromyodes</i>	1842, 150	<i>insculpta</i>	1845, 129
<i>cryptica</i>	1841, 22	<i>interrupta</i>	1834, 90
<i>cunningii</i>	1842, 88	<i>intorta</i>	1840, 163
<i>cunninghami</i>	1834, 64	<i>involuta</i>	1845, 65
<i>curta</i>	1841, 20	<i>jacksoniensis</i>	1834, 65
<i>cyathellus</i>	1846, 41	<i>janus</i>	1842, 87
<i>cyathus</i>	1845, 123	<i>jenynsi</i>	1845, 131
<i>decipiens</i>	1840, 96	<i>jonasi</i>	1845, 126
<i>decollata</i>	1845, 124	<i>kangi</i>	1845, 125
<i>decora</i>	1837, 63	<i>knysnaensis</i>	1845, 131
<i>decora</i>	1845, 89	<i>kochi</i>	1845, 127
<i>dictyodes</i>	1846, 111	<i>labiata</i>	1845, 65
<i>dilatata</i>	1845, 42	<i>languida</i>	1842, 150
<i>dimera</i>	1845, 126	<i>latitans</i>	1841, 23
<i>doholium</i>	1846, 41	<i>leptogramma</i>	1845, 127
<i>dubiosa</i>	1845, 123	<i>leucophaea</i>	1841, 18
<i>euryomphala</i>	1845, 71	<i>lignaria</i>	1846, 111
<i>excentrica</i>	1845, 41	<i>ligulata</i>	1834, 67
<i>eximia</i>	1845, 41	<i>lindoni</i>	1846, 109
<i>fenestrata</i>	1840, 137	<i>linnaeana</i>	1845, 43
<i>fidelis</i>	1834, 67	<i>lorata</i>	1845, 89
<i>filaris</i>	1845, 38	<i>lucidella</i>	1846, 41
<i>filicosta</i>	1845, 73	<i>luteola</i>	1845, 90
<i>filocincta</i>	1845, 124	<i>luzonica</i>	1842, 85
<i>fodiens</i>	1845, 39	<i>mackensiana</i>	1842, 87
<i>forbesii</i>	1845, 71	<i>maderaspataana</i>	1834, 67
<i>fragilis</i>	1841, 40	<i>marmorella</i>	1845, 125
<i>fraseri</i>	1834, 64	<i>martiniana</i>	1845, 44
<i>fulgens</i>	1841, 3	<i>matruelis</i>	1841, 24
<i>fulvida</i>	1842, 87	<i>meretrix</i>	1841, 20
<i>galactites</i>	1841, 2	<i>metaformis</i>	1841, 3
<i>gallinula</i>	1845, 40	<i>metcalfi</i>	1845, 66
<i>gilberti</i>	1845, 127	<i>micans</i>	1845, 71
<i>gmelniana</i>	1845, 43	<i>mighelsiana</i>	1846, 110
<i>gossei</i>	1846, 37	<i>mindanaensis</i>	1842, 85
<i>gouldi</i>	1845, 124	<i>mirabilis</i>	1841, 2
<i>gradata</i>	1846, 110	<i>modesta</i>	1841, 39
<i>grandis</i>	1845, 43	<i>monile</i>	1832, 29
<i>granifera</i>	1834, 68	<i>monochroa</i>	1841, 1
<i>gravida</i>	1845, 90	<i>montfortiana</i>	1846, 38
<i>griffithi</i>	1845, 127	<i>monticula</i>	1840, 107
<i>gruneri</i>	1845, 63	<i>moricaudi</i>	1842, 86
<i>gummata</i>	1841, 25	<i>neogranatensis</i>	1845, 64
<i>hanleyi</i>	1845, 65	<i>mlagirica</i>	1845, 130
<i>harfordii</i>	1840, 123	<i>nitida</i>	1834, 65
<i>hartmanni</i>	1845, 125	<i>norrisii</i>	1842, 85
<i>hartwegi</i>	1845, 126	<i>nystiana</i>	1845, 130
<i>hedenborgi</i>	1845, 132	<i>oblonga</i>	1841, 40
<i>helicophantoides</i>	1845, 125	<i>obtusa</i>	1845, 38
<i>hians</i>	1845, 130	<i>okeniana</i>	1845, 63
<i>himalayana</i>	1834, 67	<i>omphalodes</i>	1845, 64
	91		

	Page		Page
<i>Helix opalinus</i>	1840, 98	<i>Helix tristis</i>	1845, { 63
orthostoma	1845, 124	tumida	1845, 130
pachygastra	1834, 68	turbinoidea	1840, 123
pachystyla	1845, 71	turbo	1845, 64
pan	1841, 23	turritella	1845, 89
papillata	1845, 129	unica	1842, 151
paradoxa	1845, 39	unicolor	1845, 64
pelodes	1845, 126	valtoni	1842, 49
pemphigodes	1846, 130	varioloza	1845, 128
pennantiana	1845, 67	velutina	1841, 25
phillipi	1834, 65	ventrosula	1845, 131
phloiodes	1842, 151	vulpina	1845, 89
planissima	1845, 72	zeus	1842, 188
platyodon	1845, 132	zonifera	1842, 85
ponderosa	1845, 38	zonites	1845, 127
porphyria	1842, 87	(Carocolla) dealbata	1841, 45
pratensis	1845, 132	(—) dryope	1841, 37
ptychodes	1845, 137	(—) listeri	1841, 37
pulcherrima	1841, 16	(—) panayensis	1842, 80
pyramidalis	1841, 39	(—) papyracea	1841, 33
radama	1834, 64	(—) parmula	1841, 38
radiella	1845, 125	(—) reginae	1841, 36
radula	1845, 40	(—) rota	1841, 45
ravida	1842, 124	(—) semigranosa	1841, 26
rectangula	1845, 130	(—) squijorensis	1841, 38
retifera	1845, 73	(—) theristes	1841, 38
retusa	1845, 132	(—) virgo	1841, 44
reeveana	1846, 42	(—) zebulensis	1841, 46
reevi	1841, 34	(Cochilogenia) collo-	
rhombostoma	1845, 72	des	1840, 102
rissoana	1846, 110	(—) florida	1840, 87
roissiana	1840, 101	(—) hydrophana	1840, 88
rubicunda	1845, 72	(—) ignobilis	1840, 102
sagittifera	1842, 86	(—) polychroa	1840, 87
samarensis	1842, 87	(—) pulcherrima	1840, 90
saulire	1845, 72	(—) tenera	1840, 102
schroeteriana	1845, 44	(Cochlostyla) daph-	
semiglobosa	1845, 38	nis	1840, 180
sepulchrahs	1834, 64	(—) faunus	1840, 180
setiger	1841, 25	(—) oormorpha	1840, 103
sinartensis	1845, 120	(—) orbitulus	1840, 103
spectabilis	1845, 41	(—) sarcinosa	1840, 121
spengleriana	1846, 111	(—) satyrus	1840, 181
sphaerica	1841, 20	(—) ticaonica	1840, 155
sphaerion	1841, 2	(Helicostyla) adusta	1840, 89
spirazona	1845, 89	(—) arata	1840, 89
spirulata	1845, 129	(—) brachyodon	1840, 89
splendidula	1845, 128	(—) cepoides	1840, 88
stabilis	1840, 104	<i>Helops dentatus</i>	1842, 122
stenostoma	1846, 28	punctatus	1842, 118
strigilis	1845, 124	<i>Helotarsus ecaudatus</i>	1833, 45
suborbiculata	1842, 88	<i>Hemichelidon</i>	1845, 32
succinea	1845, 39	ferruginea	1845, 32
suturalis	1846, 37	fuliginosa	1845, 32
swansonii	1846, 28	<i>Hemicircus badius</i>	1839, 106
tenuis	1845, 41	brunneus	1839, 106
tephrodes	1842, 151	concretus	1846, 104
trigonostoma	1845, 41		

	Page		Page
<i>Hemicircus rubiginosus</i> .	1846, 104		
<i>tristis</i>	1839, 106		
<i>Hemigalea zebra</i>	1842, 114		
<i>Hemipodius atrogularis</i> {	1839, 107	<i>Himantopus melanop-</i>	1832, 166
<i>castanotus</i>	1846, 105	<i>nopterus</i>	1834, 30
<i>dussumieri</i>	1839, 145		1835, 62
{ 1830-1, 123			1837, 26
{ 1832, 155			1839, 122
{ 1834, 34			1842, 94
<i>melanogaster</i>	1837, 7		1844, 67
<i>melanotus</i>	1837, 8		1847, 39
<i>pugnax</i>	1832, 155	<i>nigricollis</i>	1843, 117
<i>pyrrhotorax</i>	1840, 150	<i>novæ zelandiæ</i>	1841, 8
<i>scintillans</i>	1845, 62	<i>Hinnulus</i>	1836, 136
<i>tagoor</i>	1832, 155	<i>Hipparchia melampus</i> .	1844, 163
<i>tagour</i>	1839, 107	<i>Hippocampus brevisrostris</i>	1837, 53
<i>velox</i>	1840, 150	<i>Hipponyx barbata</i> . . .	1835, 5
<i>Hemipus</i>	1845, 32	<i>mitrula</i>	1835, 5
<i>picæcolor</i>	1845, 33	<i>radiata</i>	1835, 5
<i>Hemiscyllium</i>	1837, 86	<i>subrufa</i>	1835, 5
<i>Hemiochus monoceros</i> 1830-1, 61		<i>Hippopotamus amphibius</i>	1839, 76
<i>Herbstia edwardsii</i>	1835, 170	<i>Hirundo</i> — P	1847, 38
<i>Herodias galatea</i>	1843, 116	<i>albicollis</i>	1847, 38
<i>garzetta</i>	1842, 93	<i>brevicaudata</i>	1839, 156
<i>leuce</i>	1843, 116	<i>brevirostris</i>	1839, 155
<i>Herpestes</i>	1841, 42	<i>concolor</i>	1832, 83
<i>brachyurus</i>	1830, 88	{ 1837, 22	
<i>fasciatus</i>	1835, 101	<i>erythropygia</i>	1832, 83
<i>fusca</i>	1838, 55	<i>filicaudata</i>	1830-1, 115
<i>gambianus</i>	1835, 102	{ 1832, 83	
{ 1830-1, 101		{ 1842, 92	
{ 1834, 96		<i>frontalis</i>	1837, 22
{ 1841, 44		<i>fulva</i>	1847, 37
<i>javanicus</i>	1834, 110	{ 1832, 83	
{ 1841, 44		<i>jewan</i>	1839, 155
<i>melanurus</i>	1838, 5	<i>klecho</i>	1830-1, 115
<i>mongos</i>	1835, 101	<i>leucopygia</i>	1843, 110
<i>pharaonis</i>	1830-1, 145	<i>leucosoma</i>	1843, 51
<i>smithi</i>	1841, 44	<i>leucosternus</i>	1840, 172
<i>vittacollis</i>	1835, 67	<i>melanogaster</i>	1847, 38
<i>Herpetodryas prionotus</i> .	1839, 52	<i>neoxina</i>	1842, 131
<i>punctifer</i>	1838, 84	{ 1830-1, 116	
<i>Herpetotheres cachinnans</i> 1837, 114		<i>riparia</i>	1842, 92
<i>Hesperomys boliviensis</i> .	1846, 9	{ 1842, 93	
<i>megalonyx</i>	1844, 154	{ 1839, 130	
<i>Heteromys desmaresti-</i>		<i>rustica</i>	1842, 93
<i>ana</i>	1843, 79	<i>tapera</i>	1847, 38
<i>Heterura</i>	1845, 33	<i>thalassinus</i>	1847, 38
<i>sylvana</i>	1845, 33	<i>Histiophorus immacula-</i>	
<i>Hiaticula</i>	1841, 32	<i>tus</i>	1835, 187
<i>bifasciata</i>	1843, 118	<i>Holacanthus</i>	1835, 205
<i>Hierax erythrognys</i> . 1830-1, 96		<i>xanthurus</i>	1832, 183
<i>Himantopus leucocephalus</i>	1837, 26	<i>Holothuria edulis</i> . . .	1846, 67
<i>melanopterus</i> . . . 1830-1, 125		<i>tubulosa</i>	1839, 177
		<i>Homalopsis olivaceus</i> .	1839, 55
		<i>Hoplopterus</i>	1841, 32
		<i>Hoplostethus mediterraneus</i>	1839, 77
		<i>Horeites</i>	1845, 30
		<i>pollicaris</i>	1845, 30
		<i>schistilatus</i>	1845, 30

	Page		Page
Horornis	1845, 31	Hypsipetes psaroides ..	{ 1839, 159
flaviventris	1845, 31		{ 1842, 92
fortipes	1845, 31	Hypsiprymnus	{ 1839, 16
fulgiventris	1845, 31		{ 1843, 73
fulviventrts	1845, 31	cuniculus	1838, 63
Hosia flavescens	1847, 78	formosus	1838, 62
spinulosa	1847, 78	gilbertii	1841, 14
Hotinus clavatus	1847, 83	melanotis	1838, 62
pyrorhynchus	1847, 83	murinus	1838, 63
Hurriah sanguiventer ..	1839, 52		{ 62
	{ 42	myosurus	1838, { 120
Hyæna	1841, { 43		{ 147
crocuta	1841, 44	phillippi	1838, 62
villosa	1833, 45	platyops	1844, 103
	{ 1830-1, 102		{ 1830-1, 149
vulgaris	{ 1833, 45	setosus	{ 1838, 62
	{ 1841, 44		{ 1844, 9
Hyalonema	1835, 65	ursinus	1838, { 120
sieboldi	1835, 65		{ 147
Hyas edwardsii	1835, 171		{ 1832, 202
Hyastenus	1847, 56	Hyrax capensis	{ 1835, 13
sehæ	1847, 57		{ 1835, 14
Hydrobates lobatus .. .	1834, 19	Hystrix alophus	1847, 123
Hydrochelidon fluviatilis	1842, 140	brevispinosus	1847, 102
	{ 1832, 187		{ 1833, 106
Hydrochoerus capybara	{ 1834, 9		{ 1842, 192
	{ 1844, 96		{ 1847, 98
Hydrophasianus sinensis	1842, 167	cristata	{ 1847, 99
Hydrosorex	1837, 123		{ 1847, 100
Hylacola	1842, 135		{ 1847, 101
cauta	1842, 135		{ 1847, 102
Hylactes	1830-1, 15		{ 1847, 103
tarnii	1830-1, 15	fasciculata	1847, { 98
Hylobates	1846, 11		{ 104
agilis	1846, 11	hernitorostris	1847, 98
choromandus	1837, 69	hirsutirostris	1847, 99
concolor	1846, 15	hodgsoni	1847, 123
hoolook	1839, 148		{ 1830-1, 103
lar	1846, 15	leucurus	{ 1834, 97
	{ 1840, 20		{ 1847, 100
leucogenys	{ 1841, 63		{ 1847, 101
Hylotis	1839, 178	macroura	1847, 104
Hylurgus piniperda .. .	1830-1, 126	subspinosus	1843, 21
Hymenotes	1837, 129		
angularis	1837, 130	Iacchus penicillatus .. .	1835, { 21
rhombea	1837, 130		{ 125
Hyperoodon latifrons ..	1847, 118	Ianthina exigua	1835, 82
Hypobranchiæa	1847, 23	vulgaris	1833, 14
fusca	1847, 24	Ianthocincta	1835, 47
Hypophthalmus goong-waree	1838, 163		{ 1835, 187
taakree	1838, 163	albogularis	{ 1842, 92
	{ 1830-1, 43	canora	1842, 167
Hypsipetes	{ 1845, 24	chrysoptera	1835, 48
ganeesa	1832, 86		{ 1835, 48
gracilis	1839, 159	erythrocephala	{ 1842, 92
m ^c clellandii	1839, 159	gularis	1839, 159
psaroides	1830-1, 43	leucocephala	1842, 92
		lunaris	1839, 160

	Page		Page
<i>Lanthocincla ocellata</i> ..	1835, 48	<i>Iphthinus hypocrita</i> ...	1842, 119
<i>pectoralis</i>	{ 1835, 186	<i>Irena cyanogastra</i>	1830-1, 97
<i>rufogularis</i>	1839, 160	<i>puella</i>	1839, { 102
<i>squamata</i>	1835, 48	<i>Isacantha</i>	1833, 68
<i>variegata</i>	{ 1835, 48	<i>rhinotoides</i>	1833, 63
<i>Ibidorhyncha</i>	{ 1841, 6	<i>Ischnochiton</i>	1847, 126
<i>struthersu</i> ...	1830-1, 174	<i>alatus</i>	1847, 127
<i>Ibis alba</i>	1830-1, 174	<i>lmaciformis</i>	1847, 127
<i>erythrorhyncha</i> ..	1847, 39	<i>magdahensis</i>	1847, 127
<i>falcinellus</i>	1837, 127	<i>textilis</i>	1847, 127
<i>ignea</i>	{ 1832, 161	<i>Ispida bicincta</i> ..	1843, 51
<i>religiosa</i>	{ 1832, 162	<i>Isturus amboinensis</i> ..	1838, 68
<i>— ordi</i>	{ 1839, 122	<i>Iulus seychellarum</i> ...	1835, 206
<i>igneae</i>	{ 1841, 7	<i>Ixalus</i>	1836, 135
<i>papillosa</i>	{ 1842, 94	<i>probaton</i> ...	{ 1836, 119
<i>religiosa</i>	{ 1844, 67	<i>Ixops</i>	1845, 24
<i>ruber</i>	1843, 117	<i>Ixos atriceps</i>	1846, 101
<i>rubra</i>	1832, 161	<i>cafer</i>	{ 1830-1, 118
<i>strictipennis</i> ..	1832, 162	<i>fulicatus</i>	{ 1832, 88
<i>versicolor</i>	{ 1832, 160	<i>jocosus</i>	{ 1830-1, 118
<i>Icteria velasquesi</i> ..	{ 1833, 133	<i>leucogenys</i> ..	{ 1832, 88
<i>viridis</i>	{ 1837, 106	<i>leucotis</i>	{ 1841, 6
<i>Icterus</i> —	1837, { 111	<i>metallicus</i>	{ 1836, 6
<i>baltimore</i>	1837, 116	<i>monticola</i>	{ 1842, 92
<i>baritus</i>	1837, 116	<i>phaeocephalus</i> ..	1846, 101
<i>bonana</i>	1847, 38	<i>Ixulus</i>	1845, 23
<i>bonariensis</i>	1847, 38	<i>Julis aygula</i>	1830-1, 128
<i>brasiliensis</i>	1847, 38	<i>bicatenatus</i> ..	1830-1, 167
<i>cucullatus</i>	1847, 38	<i>cuvieri</i>	1830-1, 128
<i>dominicensis</i> ..	{ 1837, 110	<i>melanura</i>	1839, 85
<i>leucopteryx</i>	{ 1847, 38	<i>porphyrocephalus</i> ..	1832, 183
<i>mexicanus</i>	1847, 108	<i>ruppelli</i>	1830-1, 128
<i>parisorum</i>	{ 1837, 110	<i>scapularis</i> ..	1830-1, 167
<i>spurius</i>	{ 1847, 38	<i>speciosa</i>	1839, 85
<i>thilius</i>	1837, 110	<i>strigiventer</i> ..	1832, 184
<i>versicolor</i>	{ 1843, 113	<i>unimaculata</i>	1840, 37
<i>Ictides albifrons</i>	{ 1847, 53	<i>zeylonicus</i>	1832, 183
<i>Ieracidea</i>	{ 1847, 38	<i>Katharina</i>	1847, { 65
<i>occidentalis</i>	1834, 96	<i>douglasæ</i>	1847, 69
<i>Iguana cyclura</i> ..	1837, 140	<i>tunicata</i>	1847, 69
<i>occidentalis</i>	1844, 105	<i>Kemas</i>	1836, 138
<i>Iguanodon</i>	{ 71	<i>hylocius</i>	{ 1837, 81
<i>Indri brevicaudatus</i> ..	1842, { 72	<i>Kerodon kingii</i> ...	{ 1841, 63
<i>Iora scapularis</i> ..	1844, 54	<i>Ketupa javanensis</i> ...	1835, 190
<i>tiphia</i> ..	1847, 110	<i>leschenaulti</i> ..	1834, 110
<i>Iphthinus guineensis</i> .	{ 1830-1, 118		{ 1832, 82
	1839, 104		1842, 92
	1832, 89		
	1842, 119		

	Page		Page
<i>Kitta venatorius</i>	1839, 164	<i>Lampris lauta</i>	1839, 80
<i>Kittacincla</i>	1836, 7	<i>Lampromorpha amethy-</i>	
<i>macrourus</i>	1839, 103	<i>stina</i>	1830-1, 98
<i>Labrus axillaris</i>	1830-1, 166	<i>chalconepla</i>	1830-1, 92
<i>fucicola</i>	1840, 26	<i>Lamprotornis chalybeus</i> .	1839, 103
<i>laticlavus</i>	1839, 99	<i>chrysonotus</i>	1843, 52
<i>leucosticticus</i>	1830-1, 166	<i>spilopterus</i>	1830-1, 35
<i>lineatus</i>	1837, 58		1839, 163
	1830-1, 17		1842, 92
<i>maculatus</i>	1830-1, 34	<i>Languria nepalensis</i> . . .	1833, 61
	1835, 81	<i>Larus</i>	1830-1, 42
	1837, 58	<i>ardesiacus</i>	1837, 112
<i>psittaculus</i>	1840, 26	<i>borealis</i>	1837, 112
<i>psittacus</i>	1837, 58	<i>collurio</i>	1834, 51
<i>reticulatus</i>	1839, 84		1839, 131
<i>spilonotus</i>	1835, 207	<i>cristatus</i>	1840, 102
<i>tetracus</i>	1840, 25	<i>erythronotus</i>	1842, 167
<i>variabilis</i>	1837, 59	<i>erythropterus</i>	1830-1, 22
<i>variegatus</i>	1835, 81		1830-1, 117
<i>Labyrinthodon</i>	1844, 54	<i>excubitor</i>	1837, 112
<i>Lacerta sedura</i>	1834, 101		1842, 111
	1832, 112		1844, 64
<i>agilis</i>	1834, 101	<i>ferrugiceps</i>	1840, 102
<i>vivipara</i>	1834, 101	<i>italicus</i>	1837, 112
<i>Lagenorhynchus leu-</i>		<i>karu</i>	1837, 143
<i>copleurus</i>	1847, 117	<i>lucionensis</i>	1842, 167
	118		1840, 102
<i>Lagomys nepalensis</i> . . .	1845, 13	<i>ludovicianus</i>	1837, 112
<i>Lagopus ferrugineus</i> . . .	1844, 37	<i>magnirostris</i>	1840, 102
<i>Lagorchestes albigulis</i> . .	1844, 33	<i>melanotis</i>	1840, 102
<i>conspicillatus</i>	1841, 81	<i>meridionalis</i>	1830-1, 96
<i>hirsutus</i>	1844, 33	<i>minor</i>	1837, 126
<i>Lagostomus</i>	1833, 59	<i>musciapoides</i>	1830-1, 117
	1830-1, 33		1832, 86
<i>trichodactylus</i>	1833, 59	<i>phoenicurus</i>	1840, 102
	1837, 4	<i>rufus</i>	1844, 65
	1839, 175	<i>strigatus</i>	1839, 103
<i>Lagotis</i>	1833, 58		1840, 102
	1833, 59	<i>superciliosus</i>	1840, 102
	1835, 67	<i>Larus argentatoides</i> . . .	1835, 83
<i>cuvieri</i>	1844, 154		1833, 10
	1846, 7		1833, 56
<i>pallipes</i>	1836, 67	<i>argentatus</i>	1835, 83
	1843, 132		1839, 135
<i>Lambrus lamelliger</i> . . .	1847, 58		1845, 13
<i>turriger</i>	1847, 58		1847, 40
<i>Lamia crux nigra</i>	1833, 64	<i>atricilla</i>	1847, 40
<i>pulchellator</i>	1837, 123	<i>audubonii</i>	1837, 48
<i>roylii</i>	1833, 64	<i>brachyrhynchus</i>	1843, 106
<i>Lamna cornubica</i>	1839, 91	<i>bridgesii</i>	1845, 16
<i>Lampornis aurescens</i> . . .	1846, 88		1835, 90
<i>cyanopectus</i>	1846, 88	<i>canus</i>	1842, 196
<i>fulviventris</i>	1846, 88		1830-1, 151
<i>graminea</i>	1847, 40	<i>capistratus</i>	1833, 33
<i>mango</i>	1847, 39		1845, 68
	40	<i>dominicans</i>	1843, 119
<i>Lampris</i>	1843, 84	<i>fuscus</i>	1833, 10
			1835, 90

	Page		Page
<i>Larus parasiticus</i>	1847, 40	<i>Lepus cuniculus</i>	{ 1842, 70
{ 1833, 10		{ 1842, 98	
<i>ridibundus</i>	{ 1835, 90	<i>douglasii</i>	{ 1836, 88
{ 1839, 135		<i>hibernicus</i>	{ 1833, 88
{ 1845, 68		{ 1843, 75	
<i>sabini</i>	1835, 83	<i>hispidus</i>	1839, 152
<i>Latris</i>	1839, 99	<i>longicaudata</i> ..	1836, 88
<i>hecateia</i>	1839, 98	<i>nigricaudatus</i> ..	1833, 41
<i>Leiodomus vittata</i>	1843, 168	<i>nigricollis</i> ..	{ 1830-1, 103
<i>Leiothrix lepida</i>	1839, 162	{ 1834, 97	
<i>ornata</i>	1839, 162	<i>tibetanus</i>	1841, 7
<i>signata</i>	1839, 162	{ 1839, 152	
<i>sinensis</i>	1842, 168	{ 1840, 1	
<i>Leipoa</i>	{ 1840, 126	<i>tamidus</i>	{ 1842, 70
<i>ocellata</i>	{ 1843, 81	{ 1842, 192	
<i>Leirus</i>	1840, 126	<i>Lerista</i>	1833, 99
<i>bennettii</i>	1833, 143	<i>lineata</i>	1833, 90
{ 1839, 82		<i>Lerne sprattæ</i>	1844, 38
<i>Leistes humeralis</i>	1847, 38	<i>Lerneonema monilaris</i> ..	1844, 38
{ 1839, 128		<i>Lesbia gracilis</i>	1846, 86
<i>Lemur albifrons</i>	1842, 68	<i>smaragdina</i>	1846, 85
<i>macaco</i>	1830-1, 58	<i>Lestris parasiticus</i>	{ 1832, 189
<i>niger</i>	1833, 68	{ 1834, 31	
<i>potto</i>	1830-1, 109	<i>pomarhinus</i>	{ 1830-1, 151
<i>rufifrons</i>	1833, 106	{ 1835, 79	
<i>Lepades</i>	1841, 74	<i>richardsoni</i>	1832, 189
<i>Lepadogaster bimacula-</i>		<i>Leucaria littoralis</i>	1844, 163
<i>tus</i>	1835, 82	<i>Leuciscus</i>	1845, 17
<i>cornubiensis</i>	1835, 81	<i>chitul</i>	1838, 161
<i>zebrinus</i>	1839, 88	<i>lancastriensis</i> ..	1837, 59
<i>Lepas</i>	1847, 66	<i>morar</i>	1838, 161
<i>Lepidogenys subcristatus</i> ..	1837, 140	<i>phoxinus</i>	1833, 88
<i>Lepidoleprus australis</i> ..	1839, 100	<i>sandkhol</i>	1838, 161
<i>ceolorhynchus</i>	1843, 92	<i>zeylonicus</i>	1832, 184
<i>Lepidopleurus</i>	1847, 66	<i>Leucostacte griseogenys</i> ..	1843, 104
<i>cajetanus</i>	1847, 127	<i>tephrocotis</i>	1843, 104
<i>Lepisosteus</i> , sp. nov.	1834, 119	<i>Lialis</i>	1834, 134
<i>Leptocephalus morrisii</i> ..	1835, 82	<i>burtonis</i>	1834, 134
<i>Leptochiton</i>	1847, 127	<i>Libellula bimaculata</i> ..	1833, 118
<i>cajetanus</i>	1847, 127	<i>himbata</i>	1833, 118
<i>cuneus</i>	1847, 127	<i>semihyalina</i> ..	1833, 118
<i>hanleyi</i>	1847, 127	<i>Libinia rostrata</i>	1835, 169
<i>Leptoconchus</i>	1834, 105	<i>Lachenops</i>	1843, 120
<i>Leptodactylus</i>	1844, 157	<i>erythropterus</i> ..	1843, 110
<i>Leptonyx weddellii</i>	1847, 118	<i>perspicillata</i>	1843, 110
<i>Leptophila rufaxilla</i> ..	1837, 113	<i>Lachia vadigo</i>	1846, 23
<i>Leptophyllus</i>	1842, 79	<i>Lacmetis pastinator</i>	1840, 175
<i>stracham</i>	1842, 78	<i>Lagnus tenuis</i>	1834, 66
<i>Leptopodia sagittaria</i> ..	1835, 169	<i>Lama</i>	1843, 23
<i>Leptopus mitchellii</i> ..	1844, 157	<i>angulata</i>	1843, 23
<i>Leptosomus afer</i>	{ 1830-1, 121	<i>bullata</i>	1843, 23
{ 1832, 97		<i>cumingi</i>	1843, 23
<i>Lepus</i> , sp. nov.	1834, 97	<i>fragilis</i>	1843, 23
<i>bachmani</i>	1838, 103	<i>loscombii</i>	1843, 23
<i>californica</i>	1836, 88	<i>Limnoria terebrans</i> ..	1838, 66
<i>cuniculus</i>	{ 1837, 53	<i>Limosa glottoides</i>	{ 1832, 163
{ 1839, 126		{ 1835, 62	
		<i>horsfieldii</i>	1832, 163

	Page		Page
<i>Limosa hudsonica</i>	1843, 118	<i>Lobivanellus</i>	1841, 32
	{ 1833, 56	<i>personatus</i>	1842, 113
<i>melanura</i>	{ 1830, 122	<i>Loligo coralliflora</i>	1836, 21
	{ 1842, 94	<i>laticeps</i>	1836, 20
	{ 1844, 67	<i>peahi</i>	1836, *21
<i>melanuroides</i>	1846, 84	<i>sagittata</i>	1833, 90
<i>rufa</i>	1842, 94	<i>Loligopsis guttata</i>	1833, 90
<i>terek</i>	1837, 48	<i>Lonchura</i>	1832, 94
<i>Linaria amandava</i>	1832, 93		{ 1832, 95
<i>cannabinus</i>	1837, 126	<i>cheet</i>	{ 1834, 148
<i>montana</i>	1839, 121		{ 1830, 163
<i>Linguatula tænioides</i>	1835, 27	<i>leuconota</i>	1832, 95
<i>Lingula audebardii</i>	1833, { 125	<i>melanocephala</i>	1839, 163
	{ 127	<i>nisoria</i>	1832, 94
<i>compressa</i>	1841, 100	<i>quadricolor</i>	1832, 94
<i>ovalis</i>	1841, 100	<i>Londra</i>	1838, 114
<i>semen</i>	1833, 125	<i>Lophius piscatorius</i>	1839, 145
<i>tumidula</i>	1841, 100	<i>Lophophorus impey-</i> { 1830-1, 173	
<i>Linkia bifasciatus</i>	1847, 73	<i>anus</i>	{ 1833, 102
<i>brownii</i>	1847, 73		{ 1841, 6
<i>typus</i>	1847, 73	<i>nigelli</i>	1842, 105
<i>unifasciatus</i>	1847, 73	<i>Lophornis ornatus</i>	1847, 96
<i>Linsang gracilis</i>	1842, 114	<i>reginæ</i>	1847, 95
<i>Lothrix sinensis</i>	1842, 168		{ 1846, 89
	{ 120	<i>regulus</i>	{ 1847, 96
<i>Lipurus cinereus</i>	1838, { 134	<i>Lophotes</i>	1837, 140
	{ 147	<i>Lophurus</i>	1847, 66
<i>Listroderes apicalis</i>	1841, 123	<i>Lophyrus victorinus</i>	1844, 136
<i>costirostris</i>	1841, 122	<i>Loranthus tetrandrus</i>	1843, 115
<i>pilosus</i>	1841, 122	<i>Loris</i>	1844, 89
<i>robustus</i>	1841, 122	<i>gracilis</i>	{ 1833, 22
<i>subcostatus</i>	1841, 121		{ 1844, 4
<i>Lithedaphus longirostris</i>	1842, 147	<i>Lorius superbus</i>	1845, 16
<i>Lithodomus canaliferus</i>	1844, 16	<i>Loxia</i>	1845, 35
<i>plumula</i>	1844, 17	<i>cærulea</i>	1844, 10
<i>Littorina aberrans</i>	1845, 142	<i>cardinalis</i>	1834, 81
<i>articulata</i>	1845, 141	<i>coccothraustes</i>	1842, 195
<i>aspera</i>	1845, 139	<i>cucullata</i>	1834, 81
<i>cingulata</i>	1845, 142		{ 1834, 15
<i>conica</i>	1845, 141	<i>curvirostra</i>	{ 1830, 60
<i>debilis</i>	1845, 140	<i>enucleator</i>	1842, 194
<i>glabrata</i>	1845, 140	<i>himalayana</i>	1845, 35
<i>intermedia</i>	1845, 141	<i>javensis</i>	1842, 111
<i>lævis</i>	1845, 140	<i>leucoptera</i>	1845, 91
<i>lemniscata</i>	1845, 139	<i>Loxonema</i>	1843, 167
<i>modesta</i>	1845, 141	<i>Lucanus æratus</i>	1833, 63
<i>pallescens</i>	1845, 142	<i>downesii</i>	1833, 63
<i>petræa</i>	1833, 116	<i>Lucina rugifera</i>	1835, 68
<i>picta</i>	1845, 139	<i>Lutra, sp. nov.</i>	1834, 97
<i>porcata</i>	1845, 139	<i>chilensis</i>	1832, 1
<i>punctata</i>	1845, 141	<i>nair</i>	1830-1, 100
<i>rudis</i>	1833, 116	<i>poensis</i>	1836, 60
<i>savi</i>	1845, 140	<i>roensis</i>	1834, 111
<i>sieboldii</i>	1845, 142	<i>vittata</i>	{ 1837, 46
<i>sitkana</i>	1845, 140		{ 1839, 125
<i>strigata</i>	1845, 141	<i>vulgaris</i>	{ 1841, 44
<i>sulculosa</i>	1845, 142		{ 1842, 69
<i>tenuis</i>	1845, 141	<i>Luvarus imperialis</i>	1843, 84

	Page		Page
<i>Lycan tricolor</i>	1841, 44	<i>Macropus penicillatus</i> ..	1838, 147
<i>Lycodon atro-purpureus</i> ..	1839, 50	<i>rufiventer</i>	1838, 23
<i>subfuscus</i>	1839, 50	<i>ualabatus</i>	1837, 103
<i>Lymnea plicatula</i>	1842, 124	<i>unguifer</i>	1840, 93
<i>Lyonisia brevifrons</i>	1834, 88	(<i>Halmaturus</i>) <i>mani-</i>	
<i>picta</i>	1834, 88	<i>catus</i>	1840, 127
<i>Lyrops</i>	1833, 63	(<i>Petrogale</i>) <i>brachy-</i>	
<i>chrysophthalmus</i> ..	1833, 63	<i>otis</i>	1840, 128
<i>Lyrurus derbianus</i>	1837, 132	(—) <i>robustus</i> ..	1840, 92
<i>Macacus assamensis</i>	1839, 148	<i>Macroramphus griseus</i> ..	1836, 1
<i>cynomolgus</i>	1834, 9	<i>Macroscelides</i>	1837, 69
<i>innuus</i>	1842, 68	<i>alexandri</i>	1838, 5
<i>radiatus</i>	{ 1830-1, 99	<i>melanotis</i>	1838, 5
1834, 96		<i>rupestris</i>	{ 1830-1, 11
<i>rhesus</i>	{ 1839, 128	<i>Macroteleia</i>	1835, 70
1842, 68		<i>cleonymoides</i> ..	1835, 71
<i>sinicus</i>	1844, 3	<i>Macrotis</i>	1843, 50
<i>speciosus</i>	1839, 49	<i>Macrotus</i>	1843, 21
<i>Machærota ensifera</i>	1837, 130	<i>waterhousei</i>	1843, 21
<i>Macrocerus militaris</i> ..	1837, 109	<i>Macrourus atlanticus</i> ..	{ 1839, 88
<i>Macroglossus minimus</i> ..	1843, 67	<i>lævis</i>	1843, 92
<i>Macronota tetraspilota</i> ..	1833, 62	1839, 88	
<i>Macronyx flavigaster</i> ..	1843, 51	<i>rupestris</i>	{ 1843, 92
<i>Macrophyllum</i>	1843, 20	1843, 91	
<i>Macropus</i>	1839, 16	<i>serratus</i>	1843, 91
1837, 103		<i>Mactra sprengleri</i>	1836, 104
1838, 120		<i>Mactroides</i>	1844, 110
1838, 147		<i>Madoqua</i>	1836, 137
<i>bennettii</i>	{ 1841, 50	<i>Magilus</i>	1837, 63
1842, 64		<i>Malacocercus striatus</i> ..	1842, 92
1842, 70		<i>Malacopteron</i>	1839, 102
<i>brunii</i>	{ 1838, 120	<i>aureum</i>	1846, 101
1847, 147		<i>cinereus</i>	1839, 103
<i>eugenii</i>	1835, 192	<i>macroductylum</i> ..	1846, 103
<i>frænatus</i>	1840, 92	<i>magnum</i>	1839, 103
<i>fuliginosus</i>	1835, 187	<i>olivaceum</i>	1846, 103
<i>gracilis</i>	1844, 103	<i>squamatum</i>	1846, 103
<i>laniger</i>	1841, 14	<i>Malurus acaciæ</i>	1844, 66
<i>leporides</i>	1840, 93	<i>cruentatus</i>	1839, 143
<i>lunatus</i>	{ 1840, 93	<i>cyaneus</i>	1837, 148
1844, 103		<i>longicaudus</i>	1837, 148
<i>major</i>	{ 1830-1, 159	<i>melanotus</i>	1840, 163
1833, 82		<i>pectoralis</i>	1833, 106
1833, 128		<i>pulcherrimus</i>	1844, 106
1835, 187		<i>Mangalia</i>	{ 1843, 45
1837, 82		<i>abyssicola</i>	1846, 59
1838, 120		<i>angulata</i>	1846, 62
1838, 147		<i>antillarum</i>	1846, 64
<i>melanops</i>	1842, 10	<i>stricta</i>	1846, 64
<i>ocydromus</i>	1844, { 33	<i>badia</i>	1846, 64
146		<i>balteata</i>	1846, 64
<i>parryi</i>	{ 1834, 151	<i>bicolor</i>	1846, 62
1834, 152		<i>capillacea</i>	1846, 60
1835, 1		<i>casta</i>	1846, 64
1835, 1		<i>castanea</i>	1846, 63
<i>penicillatus</i>	{ 1836, 41	<i>cavernosa</i>	1846, 60
1838, 120		<i>celebensis</i>	1843, 46

	Page		Page
<i>Mangelia cinnamomea</i> ..	1843, 45	<i>Manis tetradactyla</i>	1843, 53
<i>cincta</i> ..	1846, 65	<i>Mareca americana</i> ...	1847, 40
<i>columbelloides</i>	1846, 62	<i>awsuree</i>	1832, 168
<i>conohelicoides</i>	1846, 62	<i>chiloensis</i>	1843, 119
<i>coronata</i> ..	1843, 45	<i>fistularis</i>	1832, 168
<i>cylindrica</i>	1846, 60	<i>penelope</i> ..	1842, { 93
<i>derehota</i>	1846, 64	<i>poculorhyncha</i>	1832, { 94
<i>digitalis</i> ..	1846, 65	(Anas) <i>penelope</i> ..	1845, { 108
<i>elegans</i> ..	1846, 63	<i>Marginella albo-cincta</i> ..	1846, 96
<i>funebria</i> ..	1846, 62	<i>australis</i>	1844, 75
<i>funiculata</i>	1846, 60	<i>avena</i>	1844, 75
<i>fusiformis</i>	1846, 61	<i>belcheri</i>	1844, 73
<i>gibbosa</i> ..	1846, 61	<i>blanda</i>	1844, 76
<i>goodalii</i>	1843, 45	<i>caerulescens</i>	1844, 74
<i>gracilis</i>	1846, 60	<i>cleryii</i> ..	1844, 73
<i>hornbeckii</i>	1846, 63	<i>constricta</i> ..	1844, 74
<i>interrupta</i>	1846, 61	<i>crassilabrum</i> ...	1846, 96
<i>lamellata</i> ..	1846, 60	<i>curta</i> ..	1832, 105
<i>lineata</i> ..	1846, 63	<i>cypiceola</i>	1832, 57
<i>livida</i> ..	1846, 62	<i>faba</i> ..	1846, 96
<i>lyra</i> ..	1846, 59	<i>fauna</i> ..	1846, 96
<i>lyrica</i> ..	1846, 61	<i>frumentum</i>	1832, 57
<i>maculata</i>	1846, 61	<i>fusca</i> ..	1846, 95
<i>marginelloides</i> ..	1846, 60	<i>fusiformis</i> ..	1844, 75
<i>marmorosa</i>	1846, 64	<i>imbricata</i>	1844, 76
<i>nana</i> ..	1846, 65	<i>interrupta</i> ..	1844, 76
<i>novae-hollandiae</i> ..	1846, 62	<i>livida</i> ..	1844, 73
<i>obeliscus</i> ..	1846, 64	<i>maculosa</i>	1844, 76
<i>oryza</i> ..	1843, 46	<i>multilineata</i>	1846, 96
<i>pallida</i> ..	1846, 63	<i>muralis</i>	1844, 76
<i>pellucida</i> ..	1846, 64	<i>musica</i> ..	1844, 73
<i>pessulata</i>	1846, 63	<i>nivosa</i> ..	1844, 74
<i>planilabrum</i> ..	1846, 63	<i>nodata</i> ..	1844, 73
<i>pulchella</i> ..	1846, 61	<i>piperata</i> ..	1844, 72
<i>pura</i> ..	1846, 64	<i>prunosa</i> ..	1844, 74
<i>pusilla</i> ..	1846, 63	<i>prunum</i>	1844, 74
<i>reticulata</i>	1846, 61	<i>pseudo-faba</i>	1846, 96
<i>rigida</i> ..	1846, 63	<i>sagittata</i>	1844, 70
<i>sacula</i> ..	1846, 59	<i>sapotilla</i> ..	1844, 74
<i>solida</i>	1846, 64	<i>scripta</i> ..	1844, 73
<i>stromboides</i>	1846, 63	<i>similis</i>	1846, 97
<i>tenebrosa</i>	1846, 62	<i>taeniata</i> ..	1810, 96
<i>turricula</i>	1846, 62	<i>tricincta</i> ..	1844, 76
<i>vexillum</i> ..	1846, 59	<i>varia</i> ..	1846, 97
<i>vittata</i>	{ 1843, 45	<i>vitrea</i>	1844, 75
<i>zebuensis</i> ..	{ 1846, 60	(Volvarina) <i>nitida</i> ..	1844, 75
<i>zonata</i> ..	{ 1846, 65	<i>Martes laniger</i> ..	1834, 97
<i>Mangusta auropunctata</i> ..	1839, 150	<i>Mastacembelus armatus</i> ..	1838, 158
<i>Mams, sp. nov.</i> ..	{ 1834, 98	<i>Mastodon elephantoides</i> ..	1844, 88
<i>brachyura</i>	{ 1843, 20	<i>Mazama</i> ..	1836, 137
<i>multiscutata</i>	1839, 153	<i>Mecistocephalus</i> ..	1842, 178
<i>multiscutata</i>	{ 1843, 22	<i>ferrugineus</i>	1842, 179
<i>pentadactylus</i> ..	1830-1, 104	<i>guldinigi</i> ..	1842, 179
<i>temminckii</i> ..	1834, 81	<i>maxillaris</i>	1842, 179
<i>tetradactyla</i>	{ 1834, 28	<i>punctifrons</i>	1842, 179
	{ 1843, 22	<i>punctilabrum</i>	1842, 179

	Page		Page
Medusa	1837, 2	Mephitis nasuta	1833, 39
aurita	1839, 178	Merganetta	1841, 95
Megacantha	1842, 121	armata	{ 1841, 95 1843, 119
tenebrosa	1842, 122	Mergus melanoleucos	1834, 30
Megaderma	1843, 69	1834, 30	
frons	1835, 101	Mergus albellus	{ 1834, 134 1842, 93
lyra	{ 1830-1, 113 1843, 69	orientalis	1845, 1
philippinensis	1843, 69	Merna dichroa	1835, 54
trifolium	1843, 69	dimidiata	1835, 54
Megalopterus	1845, 103	klugii	1835, 53
Megalorhynchus	1839, 106	lateilhi	1835, 54
spinosus	1839, 106	millefolia	1835, 53
Megalornis	1843, 19	rufiventris	1835, 54
Megalosaurus	1844, 54	spinolæ	1835, 53
Megalurus cruralis	1837, 150	Memones	1836, 142
palustris	1842, 92	microcephalus	1839, 1
ruficeps	1832, 91	opimus	1845, 76
Megapodius tumulus	1842, 20	Merlucius ambiguus	1840, 37
Megapteron longimanus	1847, { 88 89 92	esculentus	1840, 38
Megascolex cæruleus	1844, 89	sinuatus	1840, 38
Melanerpes formicivorus	1837, 109	vulgaris	{ 1840, 37 1843, 90
meropirostris	1837, 120	Meropachys	1840, 52
Melania	1840, 39	macleani	1840, 52
—	1845, 11	tristis	1840, 53
arcuata	1843, 167	Merops apiaster	{ 1839, 119 1841, 6
campanellæ	1840, 41	javanicus	1839, 101
cancellata	1842, 124	philippinus	{ 1830-1, 115 1842, 92 1842, 167
pallida	1840, 42	viridis	{ 1830-1, 115 1832, 82 1842, 92 1842, 167
rufa	1840, 41	Merria	1843, 136
scalaris	1840, 42	cancellata	1843, 136
Melanochlora affinis	1846, 100	Merula castanea	1835, 185
sumatrana	1846, 100	dominicus	1847, 38
Meleagris gallopavo	1832, 151	fusca	1847, 38
1833, 42		jamaicensis	1847, 38
Meles laboriosa	{ 1838, 153 1838, 89	leucophthalma	1847, 38
taxus	1835, 89	minor	1847, 38
vulgaris	1841, 44	mustelinus	1847, 38
Meliphaga	1840, 125	nestor	1835, 186
australasiana	1837, 152	rubripes	1847, 38
mornata	1837, 152	vulgaris	1839, 140
longirostris	1846, 83	Mesodesma complana-	
mysticalis	1840, 161	tum	1843, 102
novæ-hollandiæ	1839, 113	ornata	1842, 46
pencilata	1836, 143	planum	1843, 102
sericea	{ 1836, 144 1837, 152	triquetrum	1843, 101
sericeola	1837, 152	Metallonotus denticol-	
Melithreptus melanoce-		lis	1841, 67
phalus	1845, 62	Metallura	1847, 94
Mellivora capensis	1844, 145	Metapelma	1835, 69
Melo	1844, 150		
Melophus lathamii	1842, { 167 168		
Menura superba	{ 1839, 141 1841, 41		

	Page		Page
<i>Metapelma spectabilis</i> ..	1835, 69	<i>Mitra affinis</i> ..	1844, 186
<i>Metopias</i> ..	1843, 89	<i>alveolus</i> ..	1845, 61
<i>typhlops</i> ..	1843, 90	<i>amabilis</i> ..	1845, 53
<i>Microcebus murinus</i> ..	1835, 125	<i>amanda</i> ..	1845, 50
<i>Microeca</i> ..	1840, 172	<i>analogica</i> ..	1845, 56
<i>assimilis</i> ..	1840, 172	<i>ancillides</i> ..	1835, 193
<i>flavescens</i> ..	1842, 132	<i>anthracina</i> ..	1844, 179
<i>Micropogon aurovirens</i> ..	1837, 120	<i>armiger</i> ..	1845, 55
<i>flavicolle</i> ..	1837, 120	<i>armillata</i> ..	1845, 58
<i>Micropterus patachoni-</i>		<i>articulata</i> ..	1845, 56
<i>cus</i> ..	1830-1, 15	<i>astricta</i> ..	1844, 184
<i>Microhynchus</i> ..	1835, 88	<i>auriculoides</i> ..	1845, 46
<i>depressus</i> ..	1835, 88	<i>avenacea</i> ..	1845, 49
<i>gibbosus</i> ..	1835, 88	<i>badia</i> ..	1844, 181
<i>Microstoma</i> ..	1843, 88	<i>balteolata</i> ..	1844, 171
<i>Microtarsus</i> ..	1839, 102	<i>bilineata</i> ..	1845, 56
<i>melanoleucus</i> ..	1839, 102	<i>brumalis</i> ..	1845, 54
<i>Micrura squamata</i> ..	1845, 24	<i>bulmoides</i> ..	1845, 46
<i>Midas rosalia</i> ..	1834, 110	<i>cadaverosa</i> ..	1844, 181
<i>rufimanus</i> ..	1833, 106	<i>cæolata</i> ..	1845, 51
<i>Millepora alcicornis</i> ..	1835, 86	<i>cærulica</i> ..	1844, 176
<i>digitata</i> ..	1835, 86	<i>caliginosa</i> ..	1844, 177
<i>Milvago megalopterus</i> ..	1844, 157	<i>callosa</i> ..	1845, 50
<i>pezoporos</i> ..	1843, 109	<i>candida</i> ..	1845, 60
<i>pezoporos</i> ..	1847, 52	<i>carnicolor</i> ..	1844, 181
<i>Milvus affinis</i> ..	1837, 140	<i>cavea</i> ..	1844, 180
<i>ater</i> ..	1839, 119	<i>chalybeia</i> ..	1844, 172
<i>atterimus</i> ..	1837, 99	<i>chelonia</i> ..	1845, 55
<i>cheele</i> ..	1842, 92	<i>choava</i> ..	1844, 178
<i>govinda</i> ..	1832, 81	<i>chrysalis</i> ..	1844, 185
<i>govinda</i> ..	1835, 62	<i>chrysostoma</i> ..	1835, 194
<i>govinda</i> ..	1839, 155	<i>cimelium</i> ..	1845, 51
<i>isurus</i> ..	1837, 90	<i>cineracea</i> ..	1845, 57
<i>novæ-hollandiæ</i> ..	1837, 99	<i>circulata</i> ..	1844, 177
<i>Mimela</i> ..	1839, 67	<i>cithara</i> ..	1845, 40
<i>Mimon</i> ..	1847, 14	<i>citrus</i> ..	1844, 187
<i>bennettii</i> ..	1847, 14	<i>coccinea</i> ..	1844, 171
<i>megalotis</i> ..	1847, 14	<i>colligena</i> ..	1845, 46
<i>Mimus thenca</i> ..	1843, 111	<i>concentrica</i> ..	1844, 177
<i>tricaudatus</i> ..	1843, 120	<i>conciuna</i> ..	1844, 186
<i>Mirafra assamica</i> ..	1839, 162	<i>consanguinea</i> ..	1845, 48
<i>flavicollis</i> ..	1839, 163	<i>corallina</i> ..	1845, 61
<i>horsfieldii</i> ..	1847, 1	<i>cornacea</i> ..	1845, 47
<i>javanica</i> ..	1830-1, 119	<i>crebrilhrata</i> ..	1844, 174
<i>javanica</i> ..	1847, 2	<i>cremans</i> ..	1845, 48
<i>phoenicura</i> ..	1830-1, 119	<i>crenulata</i> ..	1844, 184
<i>phoenicura</i> ..	1832, 93	<i>crocata</i> ..	1844, 186
<i>Mithrax denticulatus</i> ..	1835, 172	<i>crocea</i> ..	1845, 50
<i>nodosus</i> ..	1835, 171	<i>cucumerina</i> ..	1844, 184
<i>pygmaeus</i> ..	1835, 172	<i>cumingii</i> ..	1844, 173
<i>rostratus</i> ..	1835, 171	<i>cylindracea</i> ..	1844, 175
<i>ursus</i> ..	1835, 171	<i>dædala</i> ..	1845, 54
<i>Mitra</i> ..	1844, 167	<i>dechloris</i> ..	1844, 170
<i>abbatis</i> ..	1844, 180	<i>decora</i> ..	1845, 47
<i>acupicta</i> ..	1844, 174		
<i>ægra</i> ..	1845, 50		
<i>æthiops</i> ..	1845, 60		

	Page		Page
Mitra decurtata	1844, 180	Mitra lynformis	1844, 151
dennisoni	1844, 169	maculosa	1844, 183
deshayesi	1844, 182	mæsta	1845, 59
discolora	1845, 46	maura	1835, 193
duplichrata	1845, 46	mica	1845, 58
ebenus	1844, 175	micans	1845, 55
effusa	1835, 193	militaris	1845, 48
elegans	1845, 47	milum	1845, 50
exasperata	1844, 181	mirifica	1845, 53
exilis	1845, 58	modesta	1845, 50
fastigium	1845, 45	mucronata	1844, 177
ferruginea	1844, 183	mutabilis	1845, 47
fésta	1845, 56	nanus	1844, 185
flammigera	1844, 182	nebulosa	1835, 193
flavescens	1844, 186	norrisi	1844, 169
floccata	1844, 170	nucleola	1844, 184
forticostata	1845, 48	nympha	1845, 50
fulgetrum	1844, 176	obeliscus	1844, 175
fulgurita	1844, 172	obesa	1844, 174
fulva	1835, 193	oleacea	1844, 175
fulvescens	1835, 193	pacifica	1845, 52
funerea	1844, 176	patula	1845, 61
funiculata	1844, 177	paupercula	1844, 185
gausapata	1845, 59	pecuhans	1845, 57
glabra	1844, 171	pellis-serpentis	1844, 172
glandiformis	1845, 57	peregra	1844, 184
glans	1844, 184	pica	1845, 49
gracilis	1844, 170	pinguis	1845, 57
græia	1845, 60	planhrata	1844, 184
granata	1845, 52	phcata	1844, {171
granatina	1844, 170		175
gratiosa	1845, 53		174
gruneri	1844, 177	polita	1844, {175
hebes	1845, 55		175
hundsii	1844, 181	porphyritica	1844, 185
hustrio	1844, 179	pretiosa	1844, 176
ignobilis	1844, 180	proscissa	1844, 183
impressa	1844, 178	pruinosa	1844, 182
incarnata	1845, 56	puella	1845, 53
inermis	1845, 54		179
infausta	1845, 60	pulchella	1844, {180
infecta	1844, 173		175
inquinata	1844, 170	pullata	1844, 175
	173	purpurata	1845, 53
intellhrata	1844, {182	radius	1845, 57
		recurva	1845, 56
lacryma	1845, 51	retusa	1844, 185
lacunosa	1844, 172	rhodia	1845, 46
latruncularia	1844, 181	roborea	1845, 57
lauta	1845, 49	robusta	1844, 179
leucodesma	1845, 49	rosacea	1845, 59
lignaria	1844, 172	rosea	1844, 174
lrmata	1845, 58	rotundilrata	1844, 183
livida	1844, 178	rubiginosa	1844, 173
loricata	1844, 182	rubritincta	1844, 179
lota	1845, 48		171
lubens	1845, 61	rupicola	1844, {172
lucida	1845, 51		183
luculenta	1845, 49	ruppellu	1844, 183
		rustica	1845, 60
		sculptilis	1845, 55

	Page		Page
Mitra semen	1845, 50	Modiola sulcata	1844, 15
senegalensis	1844, 177	Molossus ater	1847, 115
smensis	1844, 181	Molothrus niger	1843, 121
solandri	1844, 182	Monacanthus hystrix ..	1834, 121
solida	1844, 170	rudis	1840, 27
solidula	1844, 178	setifer	1830-1, 112
speciosa	1844, 179	Monitor	1830-1, 137
spicata	1845, 55	Monoceros acuminatum ..	1835, 50
stamforthii	1841, 93	citrinum	1835, 51
subulata	1844, 174	costatum	1835, 50
sulcata	1844, 177	crassilabrum	1835, 49
suturata	1845, 54	cymatum	1835, 50
swainsoni	1835, 193	globulus	1835, 50
telescopium	1844, 180	imbricatum	1835, 49
terebrans	1835, 196	lugubre	1835, 49
testacea	1835, 193	punctulatum	1835, 49
ticaonica	1844, 183	unicarinatum	1835, 49
tornata	1845, 52	Monodon monoceros	1847, 118
tornatelloides	1845, 58	Monodonta seminigra ..	1845, 89
tristis	1835, 194	Monophyllus leachii ..	1847, 15
tuberosa	1845, 48	Monopterus	1837, 38
tumida	1844, 171	Mopaha	1847, 65
turben	1844, 187	blainvilli	1847, 69
turgida	1845, 52	hindsii	1847, 69
turriger	1845, 51	simpsoni	1847, 69
tusa	1845, 54	Mora mediterranea	1843, 89
typha	1845, 52	Morphnus cristatellus ..	1842, 91
undulosa	1844, 185	Moschus	1836, 92
ustulata	1844, 174	americanus	1836, 135
variabilis	1844, 180	aquaticus	1840, 35
variata	1844, 175	delicatulus	1841, 63
variegata	1844, 186	fulviventer	1841, 68
venustula	1844, 186	griffithi	1836, 66
verrucosa	1845, 47	javanicus	1836, 65
virgata	1844, 185	kanchil	1836, 66
vultuosa	1845, 52	meminna	1842, 108
woldomarii	1844, 179	moschiferus	1843, 66
zebuensis	1844, 173	pygmæus	1845, 94
zilotypa	1845, 60	stanleyanus	1845, 97
ziervogeliana	1844, 178	owenii	1836, 64
Mixonis	1845, 23	philippinarum	1842, 104
ruficeps	1845, 23	senhousia	1836, 63
Modiola arcuatula ..	1844, 16	sordida	1847, 13
brachata	1844, 15	striatula	1830, 63
discrepans	1844, 16	strigata	1836, 66
metcalfei	1844, 14	subramosa	1836, 65
modiolus	1844, 15		1843, 66
owenii	1844, 16		1844, 7
philippinarum	1844, 15		1845, 94
senhousia	1842, 124		1845, 97
sordida	1844, 16		1837, 74
striatula	1844, 14		1837, 78
strigata	1844, 15	Motacilla alba	1839, 120
subramosa	1844, 14		1841, 47
			1842, 71

	Page		Page
<i>Motacilla alba</i>	1842, { 92	<i>Murex cyclostoma</i> . .	1840, 146
<i>cinerea</i>	1832, 130	<i>digitatus</i>	1840, 146
<i>dukhunensis</i>	1832, 91	<i>dipsacus</i>	1832, 194
<i>flava</i>	{ 1830-1, 119	<i>elegans</i>	1840, 140
<i>leucopsis</i>	1832, 129	<i>emarginatus</i> . . .	{ 1840, 143
<i>lugubris</i>	1837, 78	<i>erosus</i>	1843, 128
<i>melanocephala</i> . . .	1841, 6	<i>eurypteron</i>	1832, 174
<i>neglecta</i>	1835, 90	<i>exiguus</i>	1845, 109
<i>picata</i>	{ 1832, 129	<i>falcatus</i>	1832, 175
<i>variegata</i>	1844, 66	<i>fasciatus</i>	1840, 145
<i>yarrellii</i>	1830-1, 119	<i>festivus</i>	1840, 144
<i>Motella</i>	{ 1832, 91	<i>formosus</i>	1843, 127
<i>glauca</i>	1839, 161	<i>foveolatus</i>	1840, 139
<i>mustela</i>	1837, 78	<i>fumculatus</i>	1843, 127
<i>Mouhnsia nunezii</i> . . .	1843, 91	<i>gambiensis</i>	1845, 88
<i>Mouretia peruviana</i> . .	1837, 57	<i>gravidus</i>	1843, 128
<i>reticulata</i>	1837, 57	<i>hamatus</i>	1843, 128
<i>stellata</i>	1841, 101	<i>horridus</i>	1832, 176
<i>Mugil auratus</i>	1835, 6	<i>humilis</i>	1832, 175
<i>cephalus</i>	1835, 6	<i>incisus</i>	1832, 176
<i>chelo</i>	1843, 86	<i>inermis</i>	1840, 146
<i>maderensis</i>	{ 1837, 57	<i>lappa</i>	1832, 177
<i>Mulina</i>	1843, 86	<i>lugubris</i>	1832, 175
<i>donaciformis</i>	1839, 82	<i>maculatus</i>	1845, 108
<i>Mullus surmuletus</i> . . .	1843, 86	<i>margariticola</i> . .	1832, 177
<i>Mungos? vitticollis</i> . .	1836, 104	<i>martinianus</i> . . .	1845, 88
<i>Murena</i>	1843, 86	<i>maurus</i>	1832, 174
<i>fimbriata</i>	1830-1, 168	<i>megacerus</i>	1840, 145
<i>molendinarius</i>	1833, 32	<i>messoricus</i>	1840, 137
<i>Murex alabaster</i>	1845, 86	<i>mundanaensis</i> . .	1840, 139
<i>ambiguus</i>	1845, 86	<i>monoceros</i>	{ 1840, 143
<i>ananas</i>	1843, 127	<i>motacilla</i>	1843, 126
<i>antillarum</i>	1843, 126	<i>nigrescens</i>	1840, 138
<i>balteatus</i>	1840, 140	<i>nigrispinosus</i> . . .	1845, 88
<i>banksii</i>	1840, 140	<i>nitidus</i>	1832, 176
<i>belcheri</i>	1843, 127	<i>noduliferus</i>	1840, 147
<i>bellus</i>	1845, 88	<i>nucleus</i>	1832, 175
<i>bipinnatus</i>	1845, 85	<i>nuttali</i>	1843, 128
<i>breviculus</i>	1840, 146	<i>occa</i>	1840, 137
<i>buxeus</i>	1832, 194	<i>oculatus</i>	1845, 86
<i>californicus</i>	1843, 128	<i>osseus</i>	1845, 87
<i>canaliferus</i>	1840, 142	<i>oxyacantha</i>	1832, 176
<i>cancellatus</i>	1840, 143	<i>pallidus</i>	1832, 194
<i>capensis</i>	{ 1840, 143	<i>palmiferus</i>	1840, 142
<i>carduus</i>	1843, 127	<i>pellucidus</i>	1845, 87
<i>cirrosus</i>	1832, 175	<i>peritus</i>	1843, 129
<i>corrugatus</i>	1843, 128	<i>peruvianus</i>	1840, 147
<i>crassivaricosa</i>	1840, 142	<i>piniger</i>	{ 1832, 174
<i>crispus</i>	1845, 86	<i>pistachia</i>	1843, 127
<i>crocatus</i>	1832, 176	<i>pleurotomoides</i> . .	1845, 109
	1845, 108	<i>plicatus</i>	1840, 139
		<i>placiferus</i>	1840, 138
		<i>princeps</i>	1832, 175
		<i>pudorcolor</i>	1845, 108
		<i>pumilus</i>	1832, 175

	Page		Page
<i>Murex radicatus</i>	1843, 128	<i>Mus gundi</i>	1830-1, 48
<i>rectirostris</i>	1840, 138	<i>hayi</i>	1837, 76
<i>recurvirostris</i>	1832, 174	<i>hibernicus</i>	1837, 52
<i>rosarium</i>	1843, 127	<i>hirsutus</i>	1842, 12
<i>rubescens</i>	1832, 174	<i>latipes</i>	1835, 89
<i>rubiginosus</i>	1845, 86	<i>lineolatus</i>	1845, 77
<i>rusticus</i>	1845, 108	<i>longicaudatus</i> ...	1832, 2
<i>saulii</i>	1840, 141		1843, 129
<i>scabrosus</i>	1840, 140	<i>longipilis</i>	1837, 16
<i>similis</i>	1840, 140		1843, 129
<i>sinensis</i>	1845, 85	<i>magellanicus</i>	1835, 191
<i>squamosus</i>	1832, 176	<i>maurus</i>	1837, 20
<i>stannforthi</i>	1842, 104	<i>messorius</i>	1844, 8
<i>steeriae</i>	1845, 85	<i>micropus</i>	1837, 17
<i>tetragonus</i>	1832, 174		1830-1, 103
<i>torrefactus</i>	1840, 141	<i>musculus</i> . . .	1832, 41
<i>trialatus</i>	1840, 143		1834, 98
<i>triformis</i>	1845, 87		1830, 122
<i>tumulosus</i>	1840, 144		1842, 98
<i>turritus</i>	1845, 108	<i>nasutus</i>	1837, 16
<i>varicosus</i>	1840, 145	<i>novæ-hollandiæ</i> ..	1842, 146
<i>varius</i>	1840, 144	<i>obscurus</i>	1837, 16
<i>vibex</i>	1832, 175		1832, 121
<i>vittatus</i>	1832, 176	<i>oleraceus</i> . . .	1835, 108
<i>Muricanthus</i>	1843, 128	<i>olivaceus</i>	1837, 16
<i>Muricites costatus</i> ..	1843, 167	<i>pencilatus</i>	1842, 12
<i>Mus abbottii</i>	1837, 77	<i>platythrix</i>	1832, 121
<i>accedula</i>	1839, 122		1835, 108
<i>albocinereus</i>	1845, 78	<i>rattus</i>	1830-1, 20
<i>alleni</i>	1837, 77		1834, 98
<i>arenicola</i>	1837, 18		1837, 53
<i>barbarus</i>	1830-1, 145	<i>setifer</i>	1832, 40
<i>bimaculatus</i>	1837, 18	<i>subspinosus</i>	1837, 104
<i>brachyotus</i>	1837, 17	<i>sumatrensis</i> ...	1830-1, 95
<i>brevirostris</i>	1837, 19		1832, 41
<i>cahirinus</i>	1837, 105	<i>sylvaticus</i>	1844, 105
<i>canescens</i>	1837, 17	<i>tazamaca</i>	1843, 79
<i>castaneus</i>	1842, 145	<i>taguina</i>	1843, 79
<i>corypus</i>	1843, 120	<i>tunidus</i>	1837, 15
<i>cricetus</i>	1837, 50	<i>vellerosus</i>	1847, 5
<i>cyaneus</i>	1843, 131	<i>xanthopygus</i>	1837, 28
<i>darwini</i>	1837, 28	<i>xanthorinus</i>	1837, 17
	1844, 154	<i>Muscicapa albicollis</i> ..	1844, 64
	1830-1, 103	<i>banyumas</i>	1830-1, 116
	1834, 98		1832, 85
<i>decumanus</i> . . .	1839, 126	<i>cæruleocephala</i> ..	1832, 85
	1842, 70	<i>capitalis</i>	1839, 157
	1842, 98	<i>crinita</i>	1847, 38
	1843, 51	<i>ferox</i>	1847, 38
<i>delicatulus</i> . . .	1842, 13	<i>fraseri</i>	1844, 101
<i>elegans</i>	1837, 19	<i>fusca</i>	1847, 38
<i>flavescens</i>	1837, 19		1839, 131
<i>fuscipes</i>	1847, 6	<i>grisola</i> . . .	1844, 64
<i>giganteus</i>	1830-1, 103	<i>latirostris</i>	1844, 102
	1832, 40	<i>leucocilla</i>	1841, 29
<i>gracilicaudatus</i>	1845, 77	<i>leucura</i>	1845, 26
<i>gracilipes</i>	1837, 19	<i>luctuosa</i>	1839, 131
<i>griseo-flavus</i>	1837, 28	<i>melanops</i>	1830-1, 171

	Page		Page
<i>Muscicap melanops</i> ..	{ 1832, 1839,	<i>Myadora oblonga</i>	1844,
	1857	ovata	1844,
nitida ..	1830-1,	pandoræformis	1844,
occipitalis	1830-1,	plana	1844,
picata	1832,		{ 92
poonensis	1832,	striata	1844,
ruticilla ..	1847,		{ 92
virens ..	1847,	tinctoria	1844,
<i>Muscipeta atrocaudata</i>	1839,		{ 93
	102	trigona	1844,
brevirostris	{ 1830-1,		92
	1839,	<i>Mycteria australis</i> ..	1830-1,
castanea ..	1841,		123
flammea	1832,	<i>Mygale avicularia</i>	1834,
indica ..	1832,		11
paradisea	1839,	moschata	1845,
	102		76
paradisi	{ 1830-1,	<i>Myiagra</i>	1846,
	1832,		101
	84	latirostris	1840,
peregrina	{ 1830-1,		172
	1832,	nitida	1837,
	116		142
	84	pectoralis	1846,
	116		101
	173	pyrrhoptera	1846,
	85		101
plumosa	1846,	<i>Myiobius albiceps</i> ..	1843,
princeps	{ 1830-1,		110
	1839,	parvirostris	1843,
smithii ..	1843,		110
tricolor ..	1843,	<i>Myletes allenii</i> ..	1834,
	4		45
<i>Muscicaxicola mentalis</i>	1843,	hasselquistii ..	1834,
	112		45
nigra ..	1843,	<i>Myliobatis aquila</i> ..	1839,
	112		145
rufivertex ..	{ 1841,	<i>Myophonus horsfieldi</i>	1830-1,
	1843,		171
	112	temminckii	{ 1830-1,
<i>Muscisylvia</i> ..	1845,		171
leucura ..	1845,		182,
	27		1835,
<i>Muscivora tyrannus</i>	1843,		182
	120	<i>Myopotamus coypus</i> .	{ 1838,
<i>Mustela altaica</i> . . .	1845,		118
	76		1843,
	1832,		129
canadensis ..	{ 1833,		1844,
	97		96
	64		1844,
	69	<i>Myosorex</i>	1837,
erminea	{ 1842,		123
	97	varius	1837,
	181		124
flavigula ..	1834,		1836,
frenata	1843,	<i>Myrmecobius</i> ..	1839,
furo ..	1841,		9
galera ..	1830-1,		148
putoria ..	1837,		1836,
	46		99
	97		1830,
putorius	{ 1834,	fasciatus	{ 1838,
	1842,		1838,
	111		1838,
	64		149
	69	<i>Myrmecophaga ju-</i>	1830-1,
vulgaris	1842,	bata ..	{ 1839,
	97		21
	89		1840,
zorilla	{ 1835,	<i>Myrmecobius</i> ..	1836,
	1841,		99
	44		1830,
<i>Mya rostrata</i> ..	1843,		1838,
	76		147
semistriata ..	1843,		1838,
	6		149
<i>Myadora</i> ..	1844,	<i>Myrmecophaga</i> ..	1839,
	91		21
brevis ..	1844,	bata ..	{ 1840,
crassa ..	1844,		74
curvata ..	1844,	<i>Mystus badgee</i> ..	1838,
	93		165
	92	<i>Mytilacea</i>	1844,
	93		14
		<i>Mytilus granulatus</i> ..	1844,
			17
		<i>Myzantha flavigula</i> ...	1839,
			143
		lutea ..	1830,
		obscura	1840,
			159
		<i>Myzomela erythroce-</i>	
		phala ..	1830,
		obscura ..	1842,
		pectoralis	1840,
			170
		<i>Naja larvata</i>	1839,
			32

	Page		Page
Nanina	1834, { 58	Natica broderipiana . . .	1843, { 205
citrina	1834, 58	burasienensis	1843, 212
clairvillia	1834, 58	caurena	1843, 207
exilis	1834, 58	collei	1843, 206
javanensis	1834, 58	cruentata	1843, 212
juliana	1834, 58	cunungiana	1843, 210
monozonalis	1834, 58	dulna	1843, 209
nemorensis	1834, 58	elenae	1843, 205
striata	1834, 59	euzona	1843, 204
vitrinoides	1834, 58	fanel	1843, { 206
Nanodes elegans	1837, 25	flemingiana	1843, 209
undulatus	1839, 113	fulgurans	1843, 206
Narcine tasmaniensis	{ 1840, 29	fuscata	1843, 210
.	{ 1841, 22	gallapagosa	1843, 213
Natica	1843, 136	gambio	1843, 207
blainvilleana	1843, 141	gualteriana	1843, 208
cidaris	1843, 137	margaritacea	1843, 137
cumingiana	1843, 139	marochensis	1843, 207
deshayesi	1843, 138	maura	1843, 214
distans	1843, 140	orientalis	1843, 205
glaberrima	1843, 136	panamaensis	1843, 208
granulosa	1843, 140	pavimentum	1843, 208
guerini	1843, 139	picta	1843, 204
lamellosa	1843, 137	powisiana	1843, 210
ligata	1843, 138	pranus	1843, 213
margaritacea	1843, 137	pyriformis	1843, 211
orbigniana	1843, 140	raynoldiana	1843, 212
petiti	1843, 138	salangoensis	1843, 211
quoyi	1843, 137	samarensis	1843, 214
rosea	1843, 140	sebæ	1843, 214
sigaretiformis	{ 1843, 137	simia	1843, 214
.	{ 141	straminea	1843, 211
striata	1843, 137	sulphurea	1843, 211
sulcata	1843, 137	uberina	1843, 210
tuberosissima	1843, 136	violacea	1843, 211
Nasalis recurvus	1837, 71	zanzebarica	1843, 213
Nassa	1844, 121	zebra	1843, 204
complanata	1835, 96	Natrix torquata	{ 1842, 101
concinna	1835, 95	{ 109
dentifera	1835, 95	Nauclerus abbreviatus . .	1840, 36
exilis	1835, 95	Nautilus	1837, 63
festiva	1835, 95	ponipilus	{ 1839, 123
nodifera	1835, 95	{ 1842, 143
pallida	1835, 96	Navicella	1843, 197
scabriscula	1835, 96	clypeolum	1842, 157
.	{ 1834, 9	cookii	1843, 197
Nasua fusca	{ 1839, 127	cumingiana	1842, 157
.	{ 1841, 44	entrecastauxi	1842, 159
.	{ 1842, 68	janelli	1842, 154
rufa	{ 1839, 128	la perousei	1843, 197
.	{ 1841, 44	lineata	{ 1842, 158
Natica	1843, 204	{ 1843, 198
amethystina	1843, 211	luzonica	1842, 156
arachnoidea	1843, 211	suborbicularis	1842, 155
areolata	{ 1843, 204	tessellata	1842, 158
.	{ 206	variabilis	1842, 155
aurantia	1843, 211		

	Page		Page
<i>Nesera</i>	1844, 62	<i>Nemoptera coa</i>	1841, 10
<i>abbreviata</i>	1843, 75	<i>costata</i>	1841, 13
<i>attenuata</i>	1843, 75	<i>dilatata</i>	1841, 11
<i>casta</i>	1843, 77	<i>extensa</i>	1841, 11
<i>chinensis</i>	1843, 76	<i>halterata</i>	1841, 11
<i>cochlearis</i>	1844, 98	<i>latipennis</i>	1841, 12
<i>concinna</i>	1843, 77	<i>lusitanica</i>	1841, 10
<i>costata</i>	1843, 77	<i>pallida</i>	1841, 12
<i>costellata</i>	1843, 77	<i>setacea</i>	1841, 13
<i>cuspidata</i>	1843, 75	<i>sinuata</i>	1841, 10
— (<i>olivi</i>)	1843, 76	<i>Nemopteryx africana</i> . .	1841, 12
<i>didyma</i>	1843, 78	<i>Nemura</i>	1845, 27
<i>elegans</i>	1843, 76	<i>cyanura</i>	1845, 27
<i>gouldiana</i>	1843, 77	<i>flavohyacea</i>	1845, 27
<i>hyalina</i>	1843, 76	<i>rufilatus</i>	1845, 27
<i>indescens</i>	1843, 78	<i>Neomorpha</i>	1835, 145
<i>lata</i>	1843, 79	<i>acutirostris</i>	1836, 145
<i>lyrata</i>	1844, 97	<i>crassirostris</i>	1836, 145
<i>opalina</i>	1843, 78	<i>Neophron niger</i>	1843, 51
<i>philippinensis</i>	1843, 78	<i>percnopterus</i>	1832, 73
<i>rosea</i>	1843, 78	<i>Nephila clavipes</i> . . .	1842, 92
<i>singaporensis</i>	1843, 77	<i>Nerita</i>	1834, 12
<i>tenuis</i>	1844, 97	<i>afra</i>	1842, 168
<i>trigona</i>	1843, 78	<i>africana</i>	1843, 198
<i>Necrophloeophagus</i>	1842, 180	<i>angulosa</i>	1843, 198
<i>longicornis</i>	1842, 180	<i>angulosa</i>	1842, 173
<i>Nectarinia borbomica</i> . . .	1835, 205	<i>apiata</i>	1843, 72
<i>flavigastrea</i>	1843, 104	<i>asperulata</i>	1842, 169
<i>Nemadactylus</i>	1839, 98	<i>aurantia</i>	1843, 200
<i>concinuus</i>	1839, 97	<i>beaniana</i>	1843, 200
<i>Nematoptera africana</i> . . .	1841, 12	<i>bicanaliculata</i>	1842, 171
<i>alba</i>	1841, 13	<i>bicolor</i>	1842, 172
<i>angulata</i>	1841, 12	<i>brasilhana</i>	1843, 200
<i>aristata</i>	1841, 13	<i>brasilhana</i>	1843, 199
<i>bacillaris</i>	1841, 12	<i>cancellata</i>	1843, 136
<i>barbara</i>	1841, 11	<i>celata</i>	1845, 120
<i>bipennis</i>	1841, 10	<i>circumvoluta</i>	1842, 173
<i>capillaris</i>	1841, 13	<i>columbaria</i>	1845, 121
<i>coqueberti</i>	1841, 10	<i>crepidularia</i>	1842, 170
<i>costalis</i>	1841, 12	<i>cuprina</i>	1843, 198
<i>dilatata</i>	1841, 11	<i>cuprina</i>	1845, 119
<i>extensa</i>	1841, 11	<i>cuprina</i>	1843, 72
<i>filipennis</i>	1841, 13	<i>dingii</i>	1845, 121
<i>forskallii</i>	1841, 11	<i>domingensis</i>	1845, 122
<i>latipennis</i>	1841, 12	<i>donovana</i>	1842, 175
<i>olivieri</i>	1841, 13	<i>dubia</i>	1843, 73
<i>pallida</i>	1841, 11	<i>dubia</i>	1843, 73
<i>petiveri</i>	1841, 9	<i>fluvialis</i>	1845, 122
<i>setacea</i>	1841, 13	<i>glabrissima</i>	1843, 136
<i>Nemoptera</i>	1841, 9	<i>grayana</i>	1843, 200
<i>alba</i>	1841, 13	<i>guttata</i>	1843, 199
<i>aristata</i>	1841, 13	<i>hindsii</i>	1843, 201
<i>bacillaris</i>	1841, 12	<i>interrupta</i>	1842, 173
<i>barbara</i>	1841, 11	<i>jordani</i>	1845, 121
<i>capillaris</i>	1841, 13	<i>jovis</i>	1843, 72
		<i>labiosa</i>	1842, 169

	Page		Page
<i>Nerita leachii</i>	1843, 190	<i>Neritina piperata</i>	1843, 202
<i>lutescens</i>	1845, 122	<i>reticulata</i>	1832, 201
<i>mamma veneris fus-</i>		<i>Nesioticus</i>	1842, 120
<i>cata seu lutea</i>	1843, 210	<i>flavopictus</i>	1842, 121
<i>mertoniana</i>	1843, 71	<i>Nettapus pulchellus</i>	1841, 89
<i>michaudi</i>	1842, 175	<i>Nicon</i>	1847, 15
<i>michaudiana</i>	1843, 72	<i>caudifer</i>	1847, 15
<i>montacuti</i>	1842, 174	<i>Nidaha</i>	1835, 60
<i>nebulata</i>	1843, 71	<i>occidentalis</i>	1835, 60
<i>olivacea</i>	1842, 172	<i>Nigidius lævicollis</i>	1837, 128
<i>orbignyana</i>	1843, 202	<i>Nigrita fusconotus</i>	1842, 145
<i>ouahianensis</i>	1843, 72	<i>Ninox nipalensis</i>	1846, 99
<i>panayana</i>	1842, 170	<i>Nocthura perdicaria</i>	1843, 115
<i>panayensis</i>	1843, 200	<i>Noctilio mastivus</i>	1847, 105
<i>pennata</i>	1843, 202	<i>Noctua boobook</i>	1837, 99
<i>petita</i>	1842, 169	<i>brodiei</i>	1835, 152
<i>pfeifferiana</i>	1843, 72	<i>cuculoides</i>	1830-1, 8
<i>powisiana</i>	1843, 71	1830, 155
<i>pulchella</i>	1842, 175	1830-1, 115
<i>pulligera</i>	1842, 171	<i>indica</i>	1832, 82
<i>rangiana</i>	1842, 170	1839, 119
<i>rossmassleriana</i>	1845, 119	<i>maculata</i>	1837, 93
<i>royssiana</i>	1843, 72	<i>nyctea</i>	1835, 78
.	200	<i>Nomeus maculosus</i>	1830-1, 146
<i>rumphii</i>	1843, 201	<i>Nothura</i>	1846, 9
.	202	<i>perdicaria</i>	1847, 53
<i>sayana</i>	1843, 199	<i>Novaculina gangetica</i>	1834, 91
<i>siguayorensis</i>	1843, 198	1830-1, 8
<i>sobrina</i>	1845, 119	<i>Nucifraga hemispila</i>	1841, 6
<i>solum</i>	1845, 120	1842, 92
<i>sowerbiana</i>	1842, 174	<i>Nucula</i>	1843, 97
<i>spengleriana</i>	1843, 201	<i>arctica</i>	1843, 70
<i>squamæpicta</i>	1842, 169	<i>belcheri</i>	1843, 98
<i>squarrosa</i>	1842, 174	<i>cæolata</i>	1843, 99
<i>suborbiculata</i>	1842, 171	<i>castrensis</i>	1843, 98
<i>turtoni</i>	1843, 71	<i>cobboldiæ</i>	1843, 98
.	1843, 198	<i>costellata</i>	1832, 198
<i>violacea</i>	1845, 119	<i>crassa</i>	1843, 99
<i>virginæa</i>	1843, 199	<i>crenifera</i>	1832, 197
<i>zelandica</i>	1845, 120	<i>crispa</i>	1843, 100
(<i>Clithon</i>) <i>da Costæ</i>	1843, 199	<i>cumingii</i>	1843, 97
(—) <i>subpunctata</i>	1843, 199	<i>cuneata</i>	1832, 198
<i>Nentæ globosæ</i>	1845, 119	<i>declivis</i>	1843, 98
<i>muticæ</i>	1845, 120	<i>divaricata</i>	1843, 97
<i>serratæ</i>	1845, 119	<i>eburnea</i>	1832, 198
<i>spinosæ</i>	1845, 120	<i>elenensis</i>	1832, 198
<i>subhemisphæricæ</i>	1845, 119	<i>elongata</i>	1832, 197
.	1843, 198	<i>excavata</i>	1843, 100
<i>Neritina</i> —	1845, 11	<i>exigua</i>	1832, 198
<i>chlorostoma</i>	1832, 201	<i>gibbosa</i>	1832, 198
<i>dilatata</i>	1832, 201	<i>lata</i>	1843, 99
<i>globosa</i>	1832, 201	<i>lyrata</i>	1843, 100
<i>intermedia</i>	1832, 201	<i>marmorea</i>	1843, 98
<i>latissima</i>	1832, 200	<i>mitralis</i>	1843, 97
<i>lugubris</i>	1843, 72	<i>nana</i>	1843, 98
<i>morio</i>	1832, 201	<i>nicobarica</i>	1843, 99
<i>nux</i>	1832, 201	<i>obliqua</i>	1843, 97
<i>picta</i>	1832, 201	<i>pella</i>	1843, 100

	Page		Page
<i>Nucula pisum</i>	1832, 198	<i>Nyctemerus erythroph-</i>	
<i>polita</i>	1832, 198	<i>thalamus</i>	1839, 106
<i>puellata</i>	1843, 100	<i>Nyctebius bracteatus</i> ..	1846, 1
<i>pulchra</i> ..	1843, 97	<i>Nycticebus bengalensis</i> ..	1834, 96
<i>recta</i> ..	1843, 100	<i>Nycticejus</i> ..	1845, 10
<i>reticulata</i>	1843, 100	<i>heathii</i> ..	1830-1, 113
<i>retusa</i>	1843, 99	<i>Nyctacorax americanus</i>	1843, 116
<i>serotina</i> ..	1843, 99	<i>caledonicus</i> ..	1839, 114
<i>tenella</i>	1843, 99	<i>cyranocephalus</i> ..	1843, 116
<i>tumida</i> ..	1843, 98		1830-1, 124
<i>ventricosa</i> ..	1843, 100	<i>europæus</i>	1832, 159
<i>Numenius arquata</i> ..	1837, 156		1834, 30
	1842, 94		1835, 62
<i>australis</i> ..	1837, 155		1839, 133
<i>hudsonicus</i>	1843, 117	<i>gardenii</i>	1847, 39
<i>longirostris</i> ..	1847, 39	<i>manillensis</i>	1830-1, 98
<i>minutus</i> ..	1840, 176	<i>violacea</i> ..	1847, 39
<i>phæopus</i>	1834, 15	<i>Nyctinomus acetabulosus</i>	1833, 133
	1842, 94	<i>plicatus</i> ..	1830-1, 99
<i>uropygialis</i> ..	1840, 175	<i>tenuis</i> ..	1830-1, 99
<i>Numida maculipennis</i>	1847, 39	<i>Nyctioris amictus</i> ...	1839, 101
<i>meleagris</i>	1832, 152	<i>athertonii</i>	1839, 155
	1847, 39	<i>Nyctobates brevicornis</i> .	1842, 119
<i>rendallii</i> ..	1835, 103	<i>confusus</i>	1842, 118
<i>vulturina</i> ..	1834, 52	<i>hypocrita</i>	1842, 119
<i>Nyctelia</i>	1846, 9	<i>moerens</i> ...	1842, 117
<i>angustata</i> ..	1841, 116	<i>punctatus</i> ..	1842, 118
<i>darwinii</i> ..	1841, 108	<i>rotundicollis</i> ..	1842, 120
<i>eburnea</i> ...	1841, 118	<i>transversalis</i> ..	1842, 119
<i>erythropus</i> ..	1841, 119	<i>Nymphon johnstonianum</i>	1847, 125
<i>fitzroyi</i> ..	1841, 109	<i>johnstoni</i> ...	1847, 125
<i>granulata</i> ...	1841, 109	<i>phasma</i> ..	1847, 125
<i>guerinii</i> ..	1841, 114	<i>Nyroca leucophthalma</i> .	1842, 93
<i>lævis</i> ...	1841, 105		
<i>newportii</i> ..	1841, 113	<i>Ocreatus ligonicaudus</i> ..	1846, 86
<i>nodosa</i> ..	1841, 116	<i>rufocaligatus</i> ..	1846, 86
<i>pilipes</i> ..	1841, 121	<i>Octodon</i> ...	1832, 46
<i>plicata</i> ..	1841, 107		1844, 156
<i>puncticollis</i> ..	1841, 110	<i>bridgesii</i> ..	1844, 155
<i>rugosa</i> ..	1841, 111		1846, 7
<i>saundersii</i> ..	1841, 111		1832, 47
<i>solieri</i>	1841, 108		1835, 189
<i>stephensi</i> ...	1841, 113		1836, 70
<i>subsulcata</i> ..	1841, 110		1843, 111
<i>sulcicollis</i> ..	1841, 115	<i>cumingii</i>	1843, 129
<i>transverso-sulcata</i> .	1841, 106		1843, 130
<i>westwoodii</i> ..	1841, 112		1844, 154
<i>Nycteria biarticulata</i>	1834, 139		1844, 155
<i>blanvillii</i> ..	1834, 138		1846, 7
<i>dubia</i> ..	1834, 137	<i>degus</i>	1844, 155
<i>dufourii</i> ..	1834, 138	<i>Octopus arenarius</i> ..	1835, 206
<i>hopei</i> ..	1834, 137	<i>octopodia</i> ...	1834, 31
<i>jenynsii</i> ..	1834, 139	<i>semipalmatus</i> ..	1836, 22
<i>latreillii</i> ..	1834, 139	<i>Ocyalus</i> ..	1840, 183
<i>pedicularia</i> ...	1834, 138	<i>Ocyphaps</i> ..	1842, 20
<i>roylii</i> ..	1834, 138	<i>microurus</i> ..	1842, 20
<i>sykesii</i> ..	1834, 137	<i>Ocypterus leucorhyn-</i>	
<i>vexata</i> ..	1834, 138	<i>chus</i> ..	1830-1, 117

	Page		Page
<i>Ocypterus personatus</i>	1840, 149	<i>Oreocincla</i>	1837, 145
<i>supercilius</i>	1836, 142	<i>macrorhyncha</i>	1837, 145
<i>Ocyris</i>	1845, 35	<i>parvirostris</i>	1837, 136
<i>Ocythoe</i>	1836, 121	<i>Oreocica</i>	1837, 151
<i>antiquorum</i>	1830-1, 107	<i>cristata</i>	1846, 100
<i>cranchii</i>	1830-1, 107	<i>Oreophilus totanirostris</i>	1843, 117
	1836, 19	<i>Oreotrochulus</i>	1847, 9
	1837, 45	<i>adela</i>	1847, 10
	1837, 84	<i>chimboraço</i>	1847, 10
<i>Odax algensis</i>	1840, 26	<i>estella</i>	1847, 10
<i>Odontophorus balliviana</i>	1846, 69	<i>leucopleurus</i>	1847, 10
<i>guianensis</i>	1843, 107	<i>melanogaster</i>	1847, 10
<i>Odontopus cupreus</i>	1841, 67	<i>Origma</i>	1837, 148
<i>cyaneus</i>	1841, 67	<i>Oriolus acrorhynchus</i>	1830-1, 97
<i>speciosus</i>	1841, 67	<i>chinensis</i>	1842, 166
<i>tristis</i>	1841, 67		1830-1, 117
<i>violaceus</i>	1841, 67		1832, 87
<i>Odostomia</i>	1840, 40		1834, 51
<i>eulimoides</i>	1844, 18	<i>galbula</i>	1839, 120
<i>rissoides</i>	1844, 18		1842, 92
<i>turrita</i>	1844, 18		1844, 65
	1832, 166	<i>galbuloides</i>	1841, 6
	1834, 51	<i>kundoo</i>	1832, 87
<i>Edicnemus crepitans</i>	1842, 92	<i>maderaspatanus</i>	1830-1, 118
	1842, 94		1830-1, 117
	1845, 13	<i>melanocephalus</i>	1832, 87
<i>Ogcosoma</i>	1842, 121		1835, 62
<i>granulare</i>	1842, 121		1839, 160
<i>Oiceoptoma tetraspilotum</i>	1833, 61	<i>sinensis</i>	1839, 104
<i>Oidemia fusca</i>	1835, 79	<i>traillii</i>	1839, 160
<i>Oligura</i>	1845, 25	<i>xanthonotus</i>	1839, 104
<i>cyaniiventer</i>	1845, 25	<i>xanthornis</i>	1837, 110
<i>flaviventer</i>	1845, 25	<i>Ornismya aline</i>	1837, 17
<i>Omalaixis</i>	1844, 24	<i>allardi</i>	1843, 122
<i>Omascia dennisoni</i>	1842, 91	<i>anaïs</i>	1847, 8
<i>strombiformis</i>	1842, 91	<i>bonapartæ</i>	1843, 122
<i>Oniscus</i>	1837, 42	<i>brevirostris</i>	1847, 43
	65	<i>chrysolopha</i>	1847, 42
<i>Onithochiton</i>	1846, 68	<i>clarissæ</i>	1847, 46
<i>gaimardi</i>	1847, 68	<i>cora</i>	1847, 46
<i>hirtosus</i>	1847, 68	<i>cyanca</i>	1847, 46
<i>undulatus</i>	1847, 68	<i>delphinæ</i>	1847, 9
<i>Opetiorhynchus nigrofumosus</i>	1843, 111	<i>elisa</i>	1847, 44
<i>vulgaris</i>	1843, 111	<i>ensifera</i>	1843, 122
<i>Ophicephalus leucopunctatus</i>	1838, 158	<i>glomata</i>	1847, 17
<i>Ophidium ferasfer</i>	1843, 92	<i>guerini</i>	1843, 122
<i>imberbe</i>	1843, 92	<i>heteropogon</i>	1843, 122
<i>Ophisurus crocodilinus</i>	1833, 32	<i>labrador</i>	1847, 46
<i>Opilus auripennis</i>	1833, 62	<i>la fresnayi</i>	1843, 122
<i>Oplegnathus</i>	1840, 27	<i>maniculata</i>	1847, 17
<i>conwan</i>	1840, 27	<i>microrhyncha</i>	1843, 122
<i>Orbicula cumingii</i>	1833, 124	<i>paradisæa</i>	1847, 44
<i>lamellosa</i>	1833, 124	<i>paulinæ</i>	1843, 122
	127	<i>petasophora</i>	1847, 8
<i>Orca gladiator</i>	1847, 88	<i>platurus</i>	1847, 42
<i>Orcynus alalonga</i>	1839, 78	<i>sappho</i>	1847, 30
			31
		<i>scutatus</i>	1847, 42

	Page		Page
<i>Ornismya smaragdino-</i>		<i>Osphranter</i> . . .	1841, 80
<i>collis</i> . . .	1843, 122	<i>antilopinus</i> . . .	1841, 80
<i>temminckii</i>	1843, 122	<i>isabellinus</i>	1841, 81
<i>underwoodii</i>	1847, 42	<i>Osphromenus goramy</i> . 1830-1,	89
<i>vestita</i>	{ 1843, 122	<i>Ostracion auritus</i> . . .	1840, 27
	1847, 17	<i>flavigaster</i> . . .	1840, 27
<i>Ornithichmites</i>	1843, 145	<i>lenticularis</i> . . .	1841, 21
<i>giganteus</i>	1843, 146	<i>ornatus</i> . . .	1840, 27
<i>ingens</i>	1843, 146	<i>spilogaster</i> . . .	1840, 27
<i>Ornithorhynchus brevi-</i>		<i>Ostea</i>	1837, 64
<i>rostris</i> . . .	1830-1, 150	<i>bicolor</i>	1845, 107
	{ 1832, 145	<i>callichroa</i>	1845, 107
	1833, 15	<i>chemnitzii</i>	1845, 106
	1833, 28	<i>columbiensis</i> . . .	1845, 107
	1833, 82	<i>lacerata</i>	1845, 106
<i>paradoxus</i>	{ 1833, 91	<i>megodon</i>	1845, 106
	1833, 95	<i>multistriata</i> . . .	1845, 106
	1834, 22	<i>pes-tigris</i>	1845, 106
	1834, 43	<i>Otton cuvieri</i> . . .	1837, 42
	1834, 141	<i>Otus afracoides</i> . . .	1830-1, 11
<i>Orpheus melanotus</i> . . .	1837, 27	<i>australasianus</i> . . .	1840, 176
<i>modulator</i> . . .	1836, 6	<i>ferox</i>	1830-1, 11
<i>parvulus</i>	1837, 27	<i>fulva</i>	1832, 155
<i>polyglottus</i>	1847, 38	<i>himalayanus</i>	1830-1, 23
<i>rufus</i>	1844, 9	<i>houbara</i>	1844, { 66
<i>trifasciatus</i>	1837, 27		153
<i>Orthorhynchus adela</i> . . .	1847, 10	<i>indica</i>	1830-1, 123
<i>ceciliæ</i>	1847, 10	<i>kori</i>	1830-1, 50
<i>estella</i>	1847, 10	<i>nigriceps</i>	{ 1830-1, 35
<i>Orthotomus</i>	1845, 28		1832, 155
<i>bennettii</i>	{ 1832, 90	<i>tarda</i>	1843, 144
	1834, 148		{ 1834, 51
<i>lingoo</i>	1832, 90		1835, 79
<i>patia</i>	1845, 29		1839, 121
<i>Oryx</i>	1830-1, 2	<i>vigorsii</i>	1830-1, 11
<i>affinis</i>	1830-1, 3	<i>Otocyonalandii</i> . . .	1847, 11
<i>castanea</i>	1842, 182	<i>Otolienus garnettii</i> . . .	1838, 6
<i>fasciatus</i>	1843, 133	<i>Otomys</i>	1837, { 29
<i>guttata</i>	1837, 79		69
<i>leucophrys</i>	1843, 132	<i>Otus bengalensis</i> . . .	{ 1830-1, 115
<i>leucotis</i>	1843, 133		{ 1830-1, 173
<i>marylandicus</i>	1847, 38		1832, 81
<i>montezumæ</i>	{ 1833, 65	<i>brachyotis</i>	1842, 93
	1837, 114	<i>galapagoensis</i> . . .	1837, 10
<i>neoxenus</i>	1830-1, 3	<i>palustris</i>	1843, 110
<i>nigrogularis</i>	1842, 181	<i>vulgans</i>	1834, 133
<i>ocellatus</i>	1836, 75	<i>Ourax mitu</i>	1830-1, 59
<i>parvicristatus</i>	1843, 106	<i>Ovibos</i>	1836, 137
<i>pectoralis</i>	1842, 182	<i>Ovinum</i>	1840, 4
<i>plumifera</i>	1837, 42	<i>Ovis</i>	{ 1836, 137
<i>sonnini</i>	1843, 107		{ 1840, 5
<i>spilogaster</i>	1832, 4		{ 1833, 105
(<i>Odontophorus</i>) <i>mar-</i>			{ 1840, 12
<i>moratus</i>	1843, 107	<i>ammon</i>	{ 1840, 64
(—) <i>stellata</i>	1842, 183		{ 1840, 77
(—) <i>strophum</i>	1843, 134	—, <i>var.</i>	1834, 99
<i>Oryx</i>	1836, 139	<i>ammotragus</i>	1840, 13
<i>capensis</i>	1837, 81	<i>aries</i>	1830-1, 105

	Page		Page
<i>Ovis aries</i>	1839, 127 1840, 13 1840, 74 1840, 78 1842, 69 1842, 98	<i>Oxygnathus andouini</i> . .	1842, 77
<i>burrhel</i>	1840, 13 67 77 12	<i>cumingii</i>	1842, 77
<i>californiana</i>	1840, 65 77 68	<i>javanus</i>	1842, 78
<i>cylindricornis</i>	1840, 78 69 78	<i>latipennis</i>	1842, 78
<i>gmehni</i>	1840, 69 78	<i>mucronatus</i>	1842, 76
<i>hodgsonii</i>	1840, 65 64	<i>Oxyura australis</i>	1836, 85
<i>montana</i>	1840, 77 13	<i>dorso maculatus</i>	1843, 112
<i>musimon</i>	1840, 72 78	<i>Pachycephala australis</i> .	1837, 144
<i>musmon</i>	1833, 105 1834, 99	<i>falcata</i>	1842, 134
—, var.	1834, 107 1840, 13	<i>gilbertii</i>	1844, 107
<i>nahoor</i>	1840, 66 1840, 77	<i>glaucura</i>	1845, 19
<i>nahor</i>	1838, 79	<i>inornata</i>	1840, 104
<i>nivicola</i>	1840, 64 77	<i>lanioides</i>	1839, 142
<i>ophion</i>	1840, 73 78	<i>longirostris</i>	1837, 149
<i>ornata</i>	1840, 13	<i>melanura</i>	1842, 134
<i>polii</i>	1840, 62 77	<i>rufogularis</i>	1840, 164
<i>sculptorum</i>	1840, 12 63	<i>simplex</i>	1842, 135
	1834, 110 1835, 41 1839, 127 1840, 13 1840, 75 1840, 78 1842, 70 1844, 95 1844, 145	<i>xanthoprocta</i>	1837, 149
<i>tragelaphus</i>	1840, 70 1844, 95 1844, 145	<i>Pachysoma</i>	1843, 67
<i>vigni</i>	1840, 70 78	<i>amplexicaudatum</i>	1843, 67
<i>(Ixalus) probaton</i>	1840, 73 78	<i>brevicaudatum</i>	1843, 67
<i>Ovulum æquale</i>	1832, 174	<i>titlæschelium</i>	1843, 67
<i>avena</i>	1832, 173	<i>Pagellus erythrinus</i> . . .	1839, 77
<i>inflexum</i>	1832, 173	<i>rostratus</i>	1839, 77
<i>rufum</i>	1832, 173	<i>Paguma</i>	1830-1, 95
<i>Oxymycterus</i>	1837, 21		1832, 65
<i>nasutus</i>	1837, 21	<i>larvata</i>	1830-1, 95
<i>Oxygnathus</i>	1842, 77		1832, 68
		<i>Pagurus cavipes</i>	1847, 122
		<i>comptus</i>	1847, 122
		<i>guttatus</i>	1847, 122
		<i>strigimanus</i>	1847, 121
		<i>Palæornis bengalensis</i> . .	1830-1, 120
			1842, 167
		<i>flavicollaris</i>	1830-1, 120
			1842, 92
		<i>malaccensis</i>	1842, 108
		<i>melanorhynchus</i>	1832, 96
		<i>modestus</i>	1845, 16
		<i>pondicerianus</i>	1839, 165
			1830-1, 120
		<i>torquatus</i>	1832, 96
			1839, 165
			1842, 92
			1842, 167
		<i>Palamedea cornuta</i>	1842, 15
		<i>Palapteryx</i>	1846, 46
		<i>Palmipedes</i>	1845, 101
		<i>Palola</i>	1847, 17
		<i>viridis</i>	1847, 18
		<i>Paludina lecythodes</i> . . .	1842, 124
		<i>longicornis</i>	1842, 124
		<i>quadrata</i>	1842, 124
		<i>striatula</i>	1842, 124
		<i>Pandion haliaetus</i> (caro-	
		<i>linensis</i>)	1847, 37
		<i>leucocephalus</i>	1837, 138

	Page		Page
<i>Pandora arcuata</i>	1835, 93	<i>Pardalotus rubricatus</i> ..	1837, 140
<i>brevifrons</i> ..	1835, 93	<i>striatus</i>	1837, 25
<i>brevis</i>	1844, 91	<i>thoracicus</i> ...	1841, 29
<i>ceylanica</i>	1835, 94	<i>uropygialis</i>	1839, 143
<i>discors</i>	1835, 93	<i>Parmacella cumingi</i>	1846, 109
<i>radiata</i>	1835, 94	<i>Parmophorus corrugatus</i>	1842, 50
<i>Panorpa bipennis</i>	1841, 10	<i>intermedius</i> ...	1842, 50
<i>coa</i>	1841, 10	<i>Parra dominica</i>	1841, 33
<i>halterata</i>	1841, 10	<i>goensis</i> ..	1841, 33
	11	<i>indica</i>	1830-1, 124
<i>Papio</i>	1844, 81	<i>jacana</i>	1837, 114
<i>melanotus</i>	1839, 31	<i>judovicianus</i>	1841, 33
<i>ochreateus</i>	1840, 56	<i>phœmcura</i> ..	1830-1, 124
<i>rhesus</i>	1844, 83	<i>senegala</i>	1841, 33
<i>Paradisea</i>	1840, 125		1830-1, 124
<i>apoda</i>	1840, 13	<i>sinensis</i> ..	1830-1, 173
<i>sanguinea</i>	1842, 166		1832, 164
<i>Paradoxornis</i>	1836, 17	<i>variabilis</i>	1847, 40
<i>flavivestris</i>	1836, 17	<i>Parthena</i>	1840, 39
	1839, 164	<i>bulnea</i>	1840, 40
<i>Paradoxurus</i> , sp. nov. ...	1834, 96	<i>crenata</i>	1840, 41
<i>aureus</i>	1832, 68	<i>elegantissima</i>	1840, 41
	1832, 68	<i>paluda</i>	1840, 42
<i>binotatus</i>	1840, 154	<i>scalaris</i>	1840, 42
	1841, 44	<i>terebra</i>	1840, 41
	1832, 66	<i>Partula auriculata</i> ..	1832, 125
	1834, 96	<i>hyalina</i>	1832, 32
<i>bondar</i>	1840, 154	<i>inflata</i>	1842, 197
	1841, 44	<i>rosea</i>	1832, 125
<i>crossii</i>	1832, 67	<i>varia</i>	1832, 125
<i>derbianus</i> ..	1837, 67		1830-1, 119
	1842, 114	<i>Parus atriceps</i>	1832, 92
<i>dubrus</i>	1832, 66		1839, 162
<i>finlaysonii</i>	1832, 68		1842, 92
<i>grayi</i>	1835, 118	<i>biarmicus</i>	1834, 30
<i>hamiltonii</i> ..	1832, 67		1839, 131
<i>hermaphroditus</i> ..	1832, 67	<i>œrueleus</i>	1842, 71
<i>larvatus</i>	1832, 67		1842, 194
	1836, 88	<i>caudatus</i>	1842, 71
<i>leucomystax</i> ..	1840, 154		1842, 194
	1841, 44	<i>erythrocephalus</i> ..	1830-1, 22
<i>leucopus</i>	1832, 67	<i>flavocristatus</i> ..	1839, 162
<i>musanga</i> ..	1832, 66		1846, 100
<i>pallasii</i>	1832, 67		1834, 51
<i>pennantii</i>	1832, 66	<i>major</i>	1839, 132
<i>prehensilis</i> ..	1832, 66		1844, 9
	1834, 33	<i>melanophus</i> ..	1830-1, 23
<i>trivirgatus</i> ...	1832, 68	<i>monticola</i> ...	1830-1, 22
<i>typus</i> ..	1830-1, 102		1839, 162
	1832, 65	<i>sultaneus</i>	1846, 100
<i>zebra</i>	1842, 114	<i>xanthogenys</i> ..	1830-1, 23
<i>Pardalotus affinis</i> ..	1837, 25		1832, 92
<i>maculatus</i>	1841, 29	<i>Passer domesticus</i> ..	1832, 95
<i>melanocephalus</i> ...	1837, 149		1835, 106
<i>percussus</i>	1841, 29	<i>jagoensis</i>	1843, 52
<i>quadragesimus</i>	1837, 148		

	Page		Page
<i>Passer simplex</i>	1843, 52	<i>Pectunculus cancellatus</i> .	1843, 88
<i>Pastor contra v. capen-</i>		<i>delesserti</i>	1843, 190
<i>sus</i>	1830-1, 120	<i>formosus</i>	1843, 180
<i>galla</i>	1842, 92	<i>giganteus</i>	1843, 33
<i>griseus</i>	1830-1, 120	<i>glycimeris</i>	1843, 189
<i>mahrattensis</i>	1832, 95	<i>holosericus</i>	1843, 34
<i>malayensis</i>	1841, 6	<i>inæqualis</i>	1832, 196
	1839, 103		1843, 79
<i>pagodarum</i>	1830-1, 120	<i>intermedius</i>	1832, 126
	1832, 95	<i>lineatus</i>	1843, 80
	1839, 163	<i>lividus</i>	1843, 190
	1830-1, 120	<i>longior</i>	1832, 196
<i>roseus</i>	1832, 95	<i>maculatus</i>	1832, 126
	1834, 51	<i>morum</i>	1843, 188
<i>trailli</i>	1830-1, 175	<i>multicostatus</i>	1832, 195
	1839, 160	<i>nodosus</i>	1843, 80
	1830-1, 120	<i>obliquus</i>	1843, 80
<i>tristis</i>	1832, 95	<i>oculatus</i>	1843, 188
	1839, 163	<i>ovatus</i>	1832, 126
<i>Patella</i>	1837, 101	<i>pallium</i>	1843, 80
	1839, 177	<i>perdix</i>	1843, 189
<i>extinctorium</i>	1835, 128	<i>pertusus</i>	1843, 188
<i>nitrida</i>	1835, 5	<i>rarpictus</i>	1843, 34
<i>subrufa</i>	1835, 5	<i>sericatus</i>	1843, 190
<i>tricornis</i>	1835, 128	<i>siculus</i>	1843, 189
<i>Patiria</i>	1847, 82	<i>spadiceus</i>	1843, 189
<i>coccinea</i>	1847, 82	<i>spureus</i>	1843, 188
<i>crassa</i>	1847, 83		1832, 196
<i>granifera</i>	1847, 82	<i>strigilatus</i>	1843, 190
<i>obtusa</i>	1847, 82	<i>tellinæformis</i>	1843, 80
<i>ocellifera</i>	1847, 82	<i>tenuicostatus</i>	1843, 80
	1830-1, 122	<i>tessellatus</i>	1832, 196
<i>Pavo cristatus</i>	1832, 151		1843, 189
	1835, 54	<i>undulatus</i>	1843, 34
<i>Pecten albo-lineatus</i>	1842, 164		190
<i>asperus</i>	1835, 110	<i>zonalis</i>	1843, 189
<i>circularis</i>	1835, 110	<i>Pedonomus</i>	1840, 114
<i>crassicostatus</i>	1842, 164	<i>torquatus</i>	1840, 114
<i>dentatus</i>	1835, 109	<i>Pelagia</i>	1830, 178
<i>magnificus</i>	1835, 109	<i>Pelamys bicolor</i>	1838, 4
<i>parvus</i>	1835, 110	<i>Pelecanoides garnotii</i>	1843, 119
<i>pictus</i>	1842, 163	<i>Pelecanopus pelecanoides</i>	1845, 104
<i>pseudolima</i>	1842, 165	<i>Pelecanus fuscus</i>	1847, 40
<i>serratus</i>	1842, 164	<i>onocrotalus</i>	1834, 40
<i>singaporinus</i>	1842, 164	<i>piscator</i>	1833, 32
<i>spuriferus</i>	1835, 110		1835, 9
<i>splendidulus</i>	1842, 165	<i>rufescens</i>	1835, 16
<i>subnodosus</i>	1835, 109		1842, 144
<i>superbus</i>	1842, 163	<i>Pelma</i>	1835, 170
<i>tumidus</i>	1835, 109	<i>pulchella</i>	1835, 170
<i>velutinus</i>	1842, 164	<i>Pelidna temminckii</i>	1832, 164
<i>Pectocera</i>	1842, 79	<i>Pendiculus</i>	1837, 127
<i>cantoni</i>	1842, 79	<i>Penelope guan</i>	1833, 3
<i>melli</i>	1842, 79	<i>vetula</i>	1837, 119
<i>Pectunculus assimilis</i>	1832, 196	<i>Pentaceros franklini</i>	1847, 74
	1843, 190	<i>gibbus</i>	1847, 74
<i>aurifluus</i>	1843, 34	<i>grandis</i>	1847, 74
<i>bicolor</i>	1843, 79	<i>granulosus</i>	1847, 75

	Page		Page
<i>Pentaceros reticulatus</i> ..	1847, 74	<i>Petasophora coruscans</i> .	{ 1846, 90
<i>turritus</i>	1847, 74	<i>cyanotus</i>	{ 1847, 9
<i>Pentacladia</i>	1835, 70	<i>delphinæ</i>	1847, 9
<i>elegans</i>	1835, 70	<i>geoffroyi</i>	1847, 9
<i>Pentagonaster dubem</i> ..	1847, 79	<i>iolota</i>	1847, 9
<i>pulchellus</i>	1847, 80	<i>serrirostris</i>	1847, 8
<i>regularis</i>	1847, 80	<i>thalassina</i>	1847, 8
<i>Pentalasmus striata</i>	1833, 120	<i>Petaurista scureus</i>	1841, 51
<i>Peplidia</i>	1842, 51	<i>maderæ</i>	{ 1837, 83
<i>maderæ</i>	1842, 51	<i>Petaurus</i>	{ 1839, 18
<i>Perameles</i>	{ 1839, 10	<i>breviceps</i>	1838, 152
<i>arenaria</i>	1841, 43	<i>flaviventer</i>	1838, 149
<i>ecaudatus</i>	1844, 104	<i>macrurus</i>	{ 1838, 120
<i>grisea</i>	1838, 120	<i>pygmæus</i>	{ 1838, 147
<i>gunnii</i>	1838, 1	<i>sciureus</i>	{ 1838, 120
<i>harveyi</i>	1842, 47	<i>taguanoides</i>	{ 1838, 147
<i>lagotis</i>	{ 1836, 129	<i>Petricia</i>	{ 1847, 81
<i>macroura</i>	{ 1838, 120	<i>punctata</i>	1847, 81
<i>nasuta</i>	{ 1838, 147	<i>Petricola amygdalina</i> ..	1834, 47
<i>obesula</i>	1835, 192	<i>concinna</i>	1834, 46
<i>Perca marina</i>	1846, 27	<i>denticulata</i>	1834, 46
<i>Perdix æruginosus</i> ..	{ 1839, 106	<i>discors</i>	1834, 46
<i>altaica</i>	{ 1846, 105	<i>elliptica</i>	1834, 46
<i>bonhami</i>	{ 1842, 105	<i>oblonga</i>	1834, 46
<i>canbayensis</i>	{ 1843, 70	<i>ochroleuca</i>	1844, 106
<i>chucar</i>	{ 1844, 10	<i>robusta</i>	1834, 47
<i>falklandica</i>	{ 1830-1, 123	<i>rugosa</i>	1834, 47
<i>hardwickii</i>	{ 1830-1, 173	<i>solida</i>	1834, 46
<i>heyi</i>	{ 1841, 6	<i>tenuis</i>	1834, 47
<i>lerwa</i>	{ 1842, 92	<i>Petrocincla cinclorhyn-</i>	{ 1830-1, 172
<i>petrosa</i>	{ 1830-1, 3	<i>rhyncha</i>	{ 1832, 88
<i>picta</i>	{ 1830-1, 123	<i>maai</i>	1832, 88
<i>saxatilis</i>	{ 1832, 153	<i>pandoo</i>	{ 1832, 87
<i>sphenura</i>	{ 1839, 133	<i>saxatilis</i>	{ 1841, 6
<i>Pericera heptacantha</i> ..	1834, 34	<i>Petrogale concinna</i> ..	1839, 131
<i>ovata</i>	1835, 173	<i>inornata</i>	{ 1842, 5
<i>villosa</i>	1835, 173	<i>robusta</i>	1841, 81
<i>Pericrocotus modestus</i> ..	1846, 102	<i>Petroica modesta</i>	1837, 147
<i>Periploma lenticularis</i> ..	1834, 87	<i>phœnicea</i>	1836, 105
<i>planuscula</i>	1834, 87	<i>pulchella</i>	1839, 142
<i>Peristera tympanistara</i> ..	1843, 53	<i>rhodinogaster</i>	1842, 112
<i>Pernis apivorus</i>	1842, 98	<i>rosea</i>	{ 1839, 142
<i>Perodicticus</i>	{ 1830-1, 109	<i>superciliosa</i>	{ 1842, 112
<i>geoffroyi</i>	1830-1, 109	<i>Petromyzon fluviatilis</i>	1846, 105
<i>Petasophora anais</i>	1847, 8	<i>marinus</i>	1830-1, 133
<i>coruscans</i>	1846, 44	<i>planeri</i>	1837, 58

	Page		Page
Petrophassa	1840, 173	Phascognale penicillata ..	1844, 105
albipennis	1840, 173	Phascolarctos	1830, 15
Phænomerns	1833, 62	fuscus	1836, 109
magnifica	1833, 62	Phascolumys	1830, 18
Phænospira	1844, 72	latifrons	1845, 82
Phaeton æthereus ...	1847, 40	vombatus	1845, 82
Phakellopleura	1847, 69	wombat	1847, 41
Phalacrocorax	1843, 119	{ 1836, 49	
albigula	1844, 157	{ 1838, 120	
brevirostris	1837, 26	{ 1838, 147	
brasiliensis	1843, 119	{ 1841, 51	
carbo	1837, 156	{ 1838, 120	
carboides	1842, 167	Phascolotherium	1838, 147
{ 1837, 156		{ 1839, 9	
{ 1839, 114		Phasianella styliifera ...	1832, 60
cormoranus	1842, 93	{ 1830-1, 9	
erythrope	1830-1, 30	Phasianus albo-cris-	1832, 16
flavirhynchus	1837, 157	tatus	1841, 6
gaimardii	1843, 119	{ 1842, 92	
imperialis	1830-1, 30	{ 1834, 52	
javanicus	1832, 170	colchicus	1835, 62
{ 1842, 93		{ 1843, 51	
leucogaster ...	1837, 156	erythrophthalmus ..	1830, 106
sarmentonus	1830-1, 30	ignitus	1832, 16
Phalangista	1837, 83	{ 1832, 24	
{ 1839, 12		leucomelanos	1832, 16
canina	1835, 191	{ 1830-1, 24	
{ 1835, 192		{ 1832, 16	
{ 1837, 131		lineatus	1832, 193
{ 1838, 120		{ 1833, 13	
{ 1838, 147		{ 1842, 195	
fuliginosa	1830-1, 135	nycthemerus	1842, 71
{ 1838, 120		{ 1830-1, 173	
{ 1838, 147		pucrasia	1841, 6
{ 1844, 164		reevesii	1830-1, 77
nana	1841, 50	scemmeringii	1835, 169
{ 120		{ 1830-1, 35	
{ 147		staceii	1841, 6
ursina	1838, 120	torquatus	1842, 166
viverrina	1837, 131	{ 1830-1, 77	
{ 1836, 2		veneratus	1834, 34
{ 1838, 120		versicolor	1835, 169
{ 1838, 147		Phatylophus galericula-	
{ 1841, 50		tus	1830, 104
xanthopus	1830-1, 135	Philentoma castanea ..	1840, 101
Phalaropus platyrinchus	1842, 94	Phileremos cornutus	1837, 111
wilsoni	1843, 118	Philomachus chilensis	1843, 116
Phalcoberus albogularis	1837, 9	{ 117	
{ 1837, 9		coronatus	1841, 32
{ 1843, 108		ignicapillus	1843, 117
Phanæus	1846, 9	spinosus	1841, 32
Phascogale	1839, 8	Philomela lusciniæ ..	1842, 98
albipes	1842, 48	{ 111	
calurus	1844, 104	Philomelina	1845, 27
crassicaudata ...	1844, 105	Phloeomys	1839, 108
flavipes	1837, 75	cumingi	1839, 108
murina	1837, 76	Phoca	1846, 80
penicillata	1837, 76	leopardina	1847, 118

	Page		Page
	1830-1, 151	<i>Pholidotus irroratus</i>	1833, 63
	1841, 44	<i>Pholis bufo</i>	1843, 87
<i>Phoca vitulina</i>	1842, 64	<i>lævis</i>	1839, 83
	1842, 69	<i>trigloides</i>	1843, 87
	1844, 96	<i>Phorus</i> ...	1842, 161
<i>Phœnicophaus chlorocephalus</i>	1839, 105	<i>calculiferus</i> ..	1842, 162
<i>crawfurdi</i>	1839, 105	<i>corrugatus</i>	1842, 163
<i>cumingi</i>	1839, 111	<i>exustus</i>	1842, 162
<i>javanicus</i>	1839, 105	<i>indicus</i>	1842, 161
<i>tricolor</i> ..	1839, 105	<i>onustus</i>	1842, 160
<i>tristis</i> ..	1839, 166	<i>pallidulus</i> ...	1842, 162
<i>viridirostris</i> ..	1839, 105	<i>solaris</i>	1842, 161
	1832, 141	<i>Phractocephalus gogra</i> ..	1838, 164
<i>Phœnicopterus ruber</i> ..	1832, 159	<i>itchkeea</i> ..	1838, 164
	1847, 39	<i>kuturnee</i> ..	1838, 164
<i>Phœnicornis affinis</i> ..	1839, 157	<i>Phrynocephalus bufonius</i> ..	1840, 12
	1839, 156	<i>Phrynopis geoffroyi</i>	1847, 56
<i>brevirostris</i>	1841, 6	<i>Phrynosoma bufonium</i> ..	1840, 12
	1842, 92	<i>Phycis furcatus</i> ..	1837, 57
<i>elegans</i>	1839, 156	<i>mediterraneus</i> ..	1843, 91
<i>peregrina</i>	1842, 92	<i>Phyllodia</i> ..	1843, 50
<i>princeps</i>	1839, 156	<i>parnellii</i> ..	1843, 50
<i>rubeculoides</i> ..	1842, 92	<i>Phyllophora megalotis</i> ..	1847, 14
<i>Phœnicura atrata</i> ..	1830-1, 119	<i>Phyllophorus</i> ..	1842, 73
	1832, 92	<i>Phyllornis aurifrons</i> ...	1846, 100
<i>cæruleocephala</i> ..	1830-1, 35	<i>cæsmarhynchus</i> ..	1846, 100
<i>frontalis</i> ..	1830-1, 172	<i>malabaricus</i> ..	1846, 100
<i>fuliginosa</i>	1830-1, 35	<i>moluccensis</i> ..	1846, 100
<i>leucocephala</i> ..	1830-1, 35	<i>Phylloscopus</i> ..	1844, 99
	1841, 6	<i>Phyllostoma bennettii</i> ..	1847, 14
<i>macgrigoriæ</i>	1835, 152	<i>nigrum</i>	1847, 115
<i>plumbea</i> ..	1835, 185	<i>Phyllostomina</i>	1843, 20
<i>reevesii</i> ..	1839, 161	<i>Phyllotis</i>	1837, 28
<i>rubeculoides</i>	1830-1, 35	<i>darwinii</i> ..	1837, 28
	1834, 30	<i>griseo-flavus</i>	1837, 28
	1837, 126	<i>xanthopygus</i>	1837, 28
<i>ruticilla</i> ..	1839, 120		1835, 78
	1842, 92	<i>Physalia pelagica</i>	1837, 43
	1844, 65		1839, 171
	1832, 92		88
<i>suecica</i> ...	1835, 90	<i>Physalus antiquorum</i> ..	1847, 80
	1839, 131		90
<i>tithys</i> ...	1839, 131		117
<i>Pholadomya candida</i> ..	1842, 150	<i>boops</i>	1847, 88
<i>Pholas</i> ..	1837, 101	<i>borealis</i>	1847, 117
<i>acuminata</i>	1834, 70	<i>sibbaldii</i> ..	1847, 88
<i>calva</i>	1834, 69		89
<i>chiloensis</i> , var ..	1834, 69	<i>(Rorqualus) boops</i> ..	1847, 91
<i>cornea</i> ..	1834, 72	<i>(—) sibbaldii</i> ..	1847, 92
<i>cruciger</i>	1834, 69	<i>Physeter macrocephalus</i> ..	1835, 204
<i>curta</i>	1834, 71	<i>lus</i> ..	1836, 127
<i>lamellosa</i>	1834, 69		1837, 39
<i>melanura</i>	1834, 70	<i>Phytotoma bloxhami</i> ..	1832, 3
<i>papyracea</i>	1834, 69	<i>rara</i> ...	1843, 113
<i>quadra</i> ..	1834, 71		1847, 53
<i>subtruncata</i> ..	1834, 69		
<i>tubifera</i> ..	1834, 71		

	Page		Page
<i>Phytotoma silens</i>	1832, 3	<i>Picus occipitalis</i> . . .	{ 1830, 165
<i>tridactyla</i>	1837, 50		{ 1842, 92
<i>Pica caudata</i>	{ 1830, 132	<i>palalacca</i>	1841, 31
	{ 1845, 13	<i>peralaimus</i>	1841, 31
<i>cyanea</i>	1830-1, 96	<i>percussus</i>	1847, 39
<i>erythroryncha</i> . . .	{ 1830-1, 173	<i>philippinarum</i> . . .	1841, 31
	{ 1842, 92	<i>poicilolophus</i>	1839, 106
<i>sericea</i>	1845, 2	<i>pygmæus</i>	1830-1, 44
<i>sinensis</i>	{ 1830-1, 173	<i>rafflesi</i>	1846, 103
	{ 1833, 57	<i>rubiginosus</i>	1846, 104
	{ 1830-1, 120	<i>shoni</i>	1830-1, 175
<i>vagabunda</i>	{ 1830-1, 173	<i>spilolophus</i>	1830-1, 98
	{ 1833, 57	<i>squamatus</i>	1830-1, 8
<i>Picumnus innominatus</i> ..	1835, 154	<i>strenuus</i>	1839, 165
<i>Picus arator</i>	1837, 109	<i>tiga</i>	1839, 106
<i>aurantius</i>	1841, 31	<i>tristis</i>	1839, 106
<i>aurifrons</i>	1837, 116	<i>validus</i>	1830, 106
<i>aurocapillus</i>	1832, 4		{ 1842, 1
<i>badius</i>	1830, 106		{ 1843, 51
<i>bengalensis</i>	{ 1830-1, 121	(<i>Chrysonotus</i>) <i>gran-</i>	
	{ 1841, 31	<i>tia</i>	1830, 165
<i>brunnifrons</i>	1830-1, 176	<i>Pieris eudoxia</i>	1847, 59
<i>callonotus</i>	1840, 182	<i>matuta</i>	1847, 59
	{ 1837, 116	<i>phaola</i>	1847, 58
<i>carolinensis</i>	{ 1847, 38	<i>Piesarthrus marginellus</i> ..	1840, 55
	{ 1847, 40	<i>Piezophyllus</i>	1842, 76
<i>carolinus</i>	1847, 39	<i>shuckhardi</i>	1842, 76
<i>chilensis</i>	1837, 109	<i>spencei</i>	1842, 76
<i>elegans</i>	1840, 60	<i>Piezorhynchus</i>	1840, 171
<i>erythronotus</i> . . .	1841, 31	<i>nitidus</i>	1840, 171
<i>flavinucha</i>	1838, 120	<i>Pileopsus mitrula</i>	1835, 5
<i>goensis</i>	1841, 31	<i>subrufus</i>	1835, 5
<i>hæmatribon</i>	1841, 31	<i>Pimelepterus boscu</i> . . .	1830, 77
<i>hyperythrus</i>	1830-1, 23	<i>Pimelodus seengtei</i> . . .	1838, 164
<i>imperialis</i>	1832, 140	<i>Pinalia</i>	1837, 125
<i>kingi</i>	1843, 114	<i>Pinna afra</i>	1835, 85
<i>lignarius</i>	1843, 114	<i>alta</i>	1835, 84
<i>macei</i>	1839, 165	<i>lanceolata</i>	1835, 84
<i>magellanicus</i>	1841, 94	<i>maura</i>	1835, 84
	{ 1830-1, 121	<i>rugosa</i>	1835, 84
<i>mahrattensis</i> . . .	{ 1830-1, 173	<i>squamifera</i>	1835, 85
	{ 1832, 97	<i>tuberculosa</i>	1835, 84
	{ 1842, 92	<i>Pipilo maculata</i>	1847, 30
<i>major</i>	{ 1835, 79	<i>Pipra caudata</i>	1837, 113
<i>medius</i>	{ 1845, 13	<i>coronata</i>	1837, 113
<i>melanocephalus</i> . . .	1834, 133	<i>cyaneocapilla</i>	1837, 113
<i>miniatus</i>	1830-1, 14	<i>cycanocephala</i>	1837, 113
	1839, 106	<i>elegantissima</i>	1837, 112
<i>minor</i>	1842, { 71	<i>linearis</i>	1837, 113
	{ 99	<i>longicauda</i>	1837, 113
<i>modestus</i>	1830-1, 98	<i>melanocephala</i> . . .	1837, 113
<i>nanus</i>	1830-1, 172	<i>musica</i>	1837, 113
<i>neglectus</i>	1841, 31	<i>serena</i>	1837, 113
<i>nipalensis</i>	1839, 165	<i>squalida</i>	1836, 113
	{ 6	<i>strigilata</i>	1837, 122
<i>nuchalis</i>	1841, { 31	<i>striolata</i>	1837, 122
<i>occipitalis</i>	1830-1, 8	<i>vitellina</i>	1843, 103
		<i>Piratesa</i>	1835, 112

	Page		Page
<i>Piratesa nigro-annulata</i>	1835, 112	<i>Platysternon</i>	1830-1, 106
<i>Pisa aculeata</i>	1835, 171	<i>megacephalum</i>	{ 1830-1, 107
<i>spinipes</i>	1835, 171		1834, 110
<i>Pithecia chiroptotes</i>	1834, 41	<i>Platystoma seenghala</i>	1838, 174
<i>sagulata</i>	1834, 41	<i>Plaxiphora</i>	1847, { 65
<i>satanas</i>	1846, 13		1847, { 68
<i>Pithecius satyrus</i>	1844, 96	<i>carmichaelis</i>	1847, 68
<i>troglydotes</i>	1835, 30	<i>Plecotus auritus</i>	1842, 68
<i>Pitho</i>	1835, 172	<i>Plectrohyncha</i>	1837, 153
<i>quinque-dentata</i>	1835, 172	<i>lanceolata</i>	1837, 153
<i>sex-dentata</i>	1835, 172	<i>Plectrophanes nivalis</i>	1842, 111
	{ 1830-1, 117	<i>Plectropoma</i>	1835, 205
<i>Pitta brachyura</i>	{ 1830-1, 173	<i>Plectropterus melanotus</i>	1832, 167
	1839, 104	<i>Plekocheilus gracilis</i>	1840, 182
<i>cyanura</i>	1846, 100	<i>Pleuronectes hirtus</i>	1837, 60
<i>iris</i>	1842, 17	<i>megastoma</i>	1836, 81
<i>pulih</i>	1842, 190		{ 1835, 81
<i>Placunanomia</i>	1832, 28	<i>punctatus</i>	{ 1837, 60
<i>cumingi</i>	1832, 29	<i>rhombus</i>	1837, 60
<i>echinata</i>	1834, 2		{ 1843, 31
<i>foliata</i>	1834, 2	<i>Pleurotoma</i>	{ 1843, 37
<i>rudis</i>	1834, 2		1843, 181
<i>Plagiocera apicalis</i>	1835, 51		1846, 3
<i>Planorbis</i> —	1845, 11	<i>abbreviata</i>	1843, 182
<i>compressus</i>	1842, 124	<i>ægrola</i>	1845, 117
<i>hemisphaerula</i>	1842, 124	<i>æruginosa</i>	1845, 115
<i>papyraceus</i>	1842, 124	<i>adusta</i>	1833, 137
<i>peruvianus</i>	1832, 125	<i>alabaster</i>	1843, 181
	{ 1843, 117	<i>albibalteata</i>	1843, 182
<i>Platalea ajaja</i>	{ 1847, 39	<i>albicostata</i>	1833, 135
<i>flavipes</i>	1837, 106	<i>albifuniculata</i>	1846, 6
<i>junior</i>	1832, 159	<i>albinodata</i>	1846, 6
	{ 1832, 159	<i>angicostata</i>	1846, 4
<i>leucorodia</i>	{ 1834, 30	<i>annulata</i>	1843, 33
	1839, 134	<i>aquatilis</i>	1845, 111
	1842, 94	<i>arata</i>	1845, 116
<i>regia</i>	1837, 106	<i>arctata</i>	1845, 118
<i>telfairi</i>	{ 1830-1, 41	<i>arcuata</i>	1843, 32
	1832, 111	<i>armillata</i>	1845, 111
<i>Platessa flesus</i>	1837, 60	<i>aterrima</i>	1833, 137
<i>microcephala</i>	1835, 81	<i>aureola</i>	1845, 113
<i>pola</i>	1837, 58	<i>axis</i>	1846, 3
<i>Platyercus adalaidæ</i>	1840, 161	<i>babylonia</i>	1843, 31
<i>erythropterus</i>	1842, 111	<i>beckii</i>	1842, 199
<i>eximius</i>	1830-1, 36	<i>bertrandi</i>	1843, 45
<i>flaveolus</i>	1837, 26	<i>bicanalifera</i>	1833, 136
<i>hæmatonotus</i>	1837, 161	<i>bicolor</i>	1833, 135
<i>ignitus</i>	1837, 8	<i>biyubata</i>	1843, 182
<i>novæ-hollandiæ</i>	1833, 106	<i>billineata</i>	1845, 113
<i>pennantii</i>	1839, 113	<i>boetica</i>	1845, 110
<i>scapulatus</i>	1842, 111	<i>boholensis</i>	1843, 184
<i>splendidus</i>	1845, 105	<i>brevicaudata</i>	1843, 186
<i>unicolor</i>	1830-1, 24	<i>buccinoides</i>	1843, 168
<i>Platylophus galericulatus</i>	1839, 104	<i>cagayanensis</i>	1846, 4
<i>Platyrrhynchus filicaudus</i>	1841, 29	<i>canaliculata</i>	1846, 6
<i>Platysteira castanea</i>	1842, 141	<i>cantharis</i>	1845, 116
<i>leucopygialis</i>	1842, 142	<i>carbonaria</i>	1843, 187
<i>Platysoma</i>	1832, 112	<i>cardinalis</i>	1845, 115

	Page		Page
<i>Pleurotoma castanea</i>	1845, 112	<i>Pleurotoma hondurasensis</i>	1846, 4
<i>catena</i>	1845, 33	<i>hyalina</i>	1845, 113
<i>cavernosa</i>	1845, 118	<i>igniflua</i>	1845, 113
<i>cedo nulli</i>	1843, 185	<i>implicata</i>	1845, 110
<i>cincta</i>	1833, 136	<i>incrassata</i>	1833, 138
<i>clara</i>	1845, 112	<i>inermis</i>	1843, 37
<i>clavata</i>	1833, 135	<i>inquinata</i>	1845, 117
<i>clavulus</i>	1833, 134	<i>interrupta</i>	1833, 138
<i>coccinata</i>	1845, 118	<i>lactea</i>	1843, 186
<i>collaris</i>	1833, 1' 9	<i>lanceolata</i>	1845, 111
<i>compta</i>	1845, 118	<i>languida</i>	1845, 115
<i>concentricostata</i>	1845, 117	<i>hrata</i>	1845, 117
<i>contracta</i>	1843, 185	<i>luteo-fasciata</i>	1845, 114
<i>cornea</i>	1846, 5	<i>maculosa</i>	1833, 135
<i>cornuta</i>	1833, 136	<i>maura</i>	1833, 134
<i>corrugata</i>	1833, 137	<i>metcalfiana</i>	1845, 114
<i>corusca</i>	1843, 183	<i>mitreiformis</i>	1843, 33
<i>crassilabrum</i>	1843, 185	<i>modesta</i>	1833, 136
<i>crebriplicata</i>	1846, 3	<i>mucronata</i>	1846, 4
<i>crocata</i>	1845, 110	<i>mystica</i>	1843, 183
<i>cuprea</i>	1843, 187	<i>nexa</i>	1845, 117
<i>delicata</i>	1846, 3	<i>nigerrima</i>	1833, 137
<i>deshayesii</i>	1843, 33	<i>nitida</i>	1833, 139
<i>digitale</i>	1843, 186	<i>nobilis</i>	1843, 37
<i>discors</i>	1833, 137	<i>nux</i>	1845, 112
<i>doedala</i>	1846, 6	<i>obeliscus</i>	1845, 110
<i>duplicata</i>	1833, 138	<i>obesa</i>	1843, 33
<i>dysoni</i>	1846, 4	<i>obliquata</i>	1845, 115
<i>ebur</i>	1845, 116	<i>obliqui-costata</i>	1845, 110
<i>efficta</i>	1845, 118	<i>obtusa</i>	1846, 6
<i>exarata</i>	1845, 112	<i>olivacea</i>	1833, 186
<i>exasperata</i>	1843, 32	<i>olyra</i>	1845, 112
<i>excentrica</i>	1833, 138	<i>opalus</i>	1845, 116
<i>eximia</i>	1843, 181	<i>oxytropis</i>	1833, 185
<i>fenestrata</i>	1846, 4	<i>pagoda</i>	1846, 5
<i>flavescens</i>	1845, 111	<i>pagodus</i>	1845, 114
<i>foraminata</i>	1845, 118	<i>palliata</i>	1845, 112
<i>forbesii</i>	1846, 5	<i>pallida</i>	1833, 137
<i>formicaria</i>	1833, 139	<i>papalis</i>	1843, 33
<i>forthensis</i>	1845, 114	<i>paria</i>	1846, 5
<i>foveolata</i>	1846, 5	<i>parvula</i>	1845, 115
<i>fragilis</i>	1845, 111	<i>patula</i>	1845, 113
<i>fucata</i>	1845, 110	<i>paxillus</i>	1845, 117
<i>fulva</i>	1845, 116	<i>pellis-phocæ</i>	1845, 115
<i>fusoides</i>	1846, 6	<i>perronii</i>	1843, 183
<i>garnonsii</i>	1843, 31	<i>pessulata</i>	1843, 185
<i>gemmata</i>	1843, 37	<i>philippinensis</i>	1843, 184
<i>gracilentia</i>	1843, 184	<i>pica</i>	1843, 181
<i>gramicostata</i>	1846, 4	<i>picta</i>	1843, 32
<i>granulosa</i>	1833, 139	<i>planilabrum</i>	1843, 182
<i>gravis</i>	1843, 37	<i>pluricarinata</i>	1845, 115
<i>grayi</i>	1845, 114	<i>pluteata</i>	1843, 183
<i>guldinii</i>	1845, 116	<i>polynesiensis</i>	1845, 119
<i>harfordiana</i>	1843, 183	<i>pseudo-carinata</i>	1845, 115
<i>hastata</i>	1843, 187	<i>pulchella</i>	1845, 111
<i>hexagona</i>	1833, 139	<i>punctata</i>	1845, 111
<i>hexagonalis</i>	1845, 118	<i>puncticincta</i>	1846, 115
<i>hindsi</i>	1843, 186	<i>putillus</i>	1845, 113

	Page		Page
<i>Pleurotoma pyramidula</i>	1845, 115	<i>Ploceus philippensis</i>	1832, 94
<i>quadrata</i>	1845, 114	<i>philippinus</i>	{ 1830-1, 120
<i>radula</i>	1845, 38	{ 1842, 92
<i>reflexa</i>	1845, 114	<i>spilonotus</i>	1830-1, 92
<i>regularis</i>	1846, 4	<i>Plotus levallanti</i>	1842, 93
<i>rissoides</i>	1843, 184	<i>melanogaster</i>	{ 1830-1, 125
<i>rosacea</i>	1845, 109	{ 1832, 171
<i>rosaria</i>	1846, 3	<i>novæ-hollandiæ</i>	1847, 34
<i>rosea</i>	1833, 134	<i>Plyctolophus citrino-cr-</i>	
<i>rubinicolor</i>	1845, 111	<i>status</i>	1844, 38
<i>rubrifasciata</i>	1845, 110	<i>cristatus</i>	1834, 41
<i>rudis</i>	1833, 134	<i>leadbeateri</i>	1830-1, 61
<i>rugifera</i>	1833, 136	<i>productus</i>	1836, 19
<i>rustica</i>	1833, 138	<i>sulphureus</i>	1844, 38
<i>sacerdos</i>	1845, 110	<i>Pnoepyga</i>	1845, 24
<i>sacra</i>	1845, 111	<i>albiventer</i>	1845, 24
<i>saturata</i>	1845, 113	<i>pusillus</i>	1845, 25
<i>scalpta</i>	1846, 5	<i>rufiventer</i>	1845, 25
<i>scarabæus</i>	1846, 6	<i>unicolor</i>	1845, 25
<i>semen</i>	1846, 5	<i>Pocillopora androgynæ</i>	1835, 86
<i>semigranosa</i>	1846, 5	<i>Podabrus macrourus</i>	1845, 79
<i>sordida</i>	1845, 117	<i>Podargus</i>	1837, 67
<i>speciosa</i>	1842, 199	<i>javanicus</i>	1839, 101
<i>spectabilis</i>	1843, 32	<i>macrorhynchus</i>	1840, 163
<i>spectrum</i>	1845, 113	<i>phalænoides</i>	1839, 142
<i>splendidula</i>	1833, 135	<i>plumiferus</i>	1845, 104
<i>spirata</i>	1843, 183	<i>stellatus</i>	1837, 43
<i>stolida</i>	1843, 37	<i>Podiceps auritus</i>	{ 1839, 135
<i>subula</i>	1845, 113	{ 1847, 40
<i>symmetrica</i>	1846, 5	<i>australis</i>	1844, 135
<i>tessellata</i>	1846, 4	<i>chilensis</i>	{ 1843, 119
<i>ticaonica</i>	1845, 116	{ 1847, 54
<i>tigrina</i>	1843, 182	{ 1834, 134
<i>tincta</i>	1846, 5	<i>cristatus</i>	{ 1839, 134
<i>tricostata</i>	1843, 186	{ 1844, 135
<i>tritonoides</i>	1843, 182	{ 1847, 40
<i>turricula</i>	1833, 137	<i>gularis</i>	1836, 145
<i>undaticostata</i>	1845, 117	<i>kalipareus</i>	{ 1843, 119
<i>unicolor</i>	1833, 138	{ 1847, 55
<i>unimaculata</i>	1833, 134	<i>minor</i>	{ 1830-1, 125
<i>unizonalis</i>	1843, 32	{ 1842, 93
<i>urnula</i>	1845, 114	<i>nestor</i>	1836, 145
<i>varicosa</i>	1843, 187	<i>philippensis</i>	1832, 170
<i>variculosa</i>	1833, 139	<i>rollandii</i>	1843, 119
<i>venusta</i>	1843, 181	<i>rubricollis</i>	{ 1835, 79
<i>vexillum</i>	1845, 115	{ 1839, 135
<i>vidua</i>	1845, 112	<i>Poephaga</i>	1839, 16
<i>violacea</i>	1843, 38	<i>Poephagomys</i>	1844, 166
<i>vitrea</i>	1845, 118	<i>ater</i>	{ 1843, 131
<i>vittata</i>	1845, 112	{ 1844, 154
<i>vultuosa</i>	1845, 116	<i>Poephula</i>	1842, 18
<i>Ploceus brachypterus</i>	1843, 52	<i>leucotis</i>	1846, 106
<i>chrysogaster</i>	1830-1, 92	<i>personata</i>	1842, 18
<i>collaris</i>	1842, 142	<i>Pogonias brucei</i>	1837, 50
<i>flavicollis</i>	1832, 94	<i>Pollicipes cornucopia</i>	1844, 164
<i>gutturalis</i>	1830-1, 92	<i>polymerus</i>	1833, 74
<i>manyar</i>	1839, 163	<i>ruber</i>	1833, 74
<i>peisonatus</i>	1843, 52	<i>Polyboroides</i>	1833, 45

	Page		Page
<i>Polyborus albogularis</i>	1837, 9	<i>Prinia fusca</i>	1845, 29
	{ 1837, 9	<i>gracilis</i>	1830-1, 119
	{ 1837, 108	<i>icterica</i>	1844, 100
<i>brasiliensis</i>	{ 1843, 108	<i>inornata</i>	{ 1832, 89
	{ 1847, 38		{ 1842, 92
	{ 1847, 52	<i>macroura</i>	1830-1, 118
<i>galapagoensis</i>	1837, 9	<i>olivacea</i>	1844, 99
<i>hypoleucus</i>	1830-1, { 13	<i>ruficapilla</i>	1845, 29
	{ 169	<i>socialis</i>	1832, 89
<i>novæ-zelandiæ</i>	1837, 96	<i>Priodontes</i>	1846, 74
<i>Polymixia</i>	1839, 77	<i>Prionites cæruleiceps</i>	1836, 18
<i>Polynemus artedii</i>	1830-1, 146	<i>momotus</i>	1837, 114
<i>aureus</i>	1839, 116	<i>Prionocerus cæruleipen-</i>	
<i>lineatus</i>	1839, 116	<i>nis</i>	1837, 128
<i>longifilis</i>	{ 1835, 206	<i>Prionochilus</i>	1841, 29
	{ 1839, 116	<i>thoracicus</i>	1846, 100
<i>plebeius</i>	1839, 116	<i>Prionodon gracilis</i>	1842, 114
<i>quadrifilis</i>	1839, 116	<i>Prionopelma</i>	1835, 51
<i>risua</i>	1839, 116	<i>viridis</i>	1835, 51
<i>salliah</i>	1839, 116	<i>Prionus cumingii</i>	1833, 64
<i>sele</i>	1839, 116	<i>hayesii</i>	1833, 64
<i>topsui</i>	1839, 116	<i>pertii</i>	1833, 64
<i>Polyodon flavicollis</i>	1845, 24	<i>Prioscelsis crassicornis</i>	1841, 67
<i>Polyplectron chinguis</i>	1839, 106	<i>serrata</i>	1841, 67
<i>hardwickei</i>	1842, 166	<i>Pristiurus</i>	1837, 86
<i>Polypterus senegalus</i>	1834, 45	<i>Procellaria capensis</i>	{ 1834, 128
<i>Pomatopus</i>	1843, 89		{ 1839, 140
<i>telescopus</i>	1843, 91	<i>cærulea</i>	1834, 128
<i>Pomatorhinus ery-</i> { 1830-1, 173		<i>fuliginosa</i>	1832, 128
<i>throgenys</i>	1842, 92	<i>glacialis</i>	1843, 119
<i>horsfieldii</i>	1832, 89	<i>leucoptera</i>	1844, 57
<i>leucogaster</i>	1837, 137	<i>puffinus</i>	1837, 50
<i>montanus</i>	1839, 106	<i>purpurea</i>	1843, 120
<i>rubeculus</i>	1839, 144	<i>solandra</i>	1844, 57
<i>Pompilus bennettii</i>	1839, 82	<i>vittata</i>	1834, 128
<i>rondeletii</i>	1839, 81	<i>Prochilus labiatus</i>	1834, 96
<i>Porama gibbosa</i>	1847, 81	<i>Procyon lotor</i>	1841, 44
<i>Porcula salvania</i>	1847, 115	<i>Proeugena carbonaria</i>	1841, 67
<i>Porites digitata</i>	1835, 86	<i>marginata</i>	1841, 67
<i>scabra</i>	1835, 86	<i>rubripes</i>	1841, 67
<i>subseriata</i>	1835, 86	<i>Promerops</i>	1840, 124
<i>Porphyrio bella</i>	1840, 176	<i>Prometheus atlanticus</i>	1839, 78
<i>hyacinthinus</i>	1830-1, 124	<i>Propasser</i>	1845, 36
<i>indicus</i>	1839, 107	<i>Propithecus</i>	1832, 20
<i>melanotis</i>	1839, 114	<i>diadema</i>	1832, 20
<i>amaragnotus</i>	1832, 105	<i>Propyrrhula rubeculoi-</i>	
<i>Porpita</i>	1836, 110	<i>des</i>	1845, 36
<i>Porzana fluminea</i>	1842, 139	<i>Proteus anguinus</i>	1837, 107
<i>leucophrys</i>	1847, 33	<i>Prox</i>	1836, 135
<i>palustris</i>	1842, 139	<i>Psammobia</i>	{ 1844, 60
<i>rubiginosa</i>	1842, 167		{ 185
<i>Potamomya</i>	1843, 59	<i>costata</i>	1842, 122
<i>nimbosa</i>	1843, 59	<i>Psammophis cerasogaster</i>	1839, 52
<i>ocreata</i>	1843, 59	<i>nigrofasciatus</i>	1839, 53
<i>Praticola campestris</i>	1840, 171	<i>Psarisomus dalhousiæ</i>	1839, 156
<i>Prinia</i>	1845, 29	<i>Psectrascelis pilipes</i>	1841, 121
<i>brunnifrons</i>	1845, 29	<i>Psettodes</i>	1830-1, 147
<i>cursitans</i>	1830-1, 118	<i>belcheri</i>	1830-1, 147

	Page		Page
<i>Psettodes erumei</i>	1880-1, 147	<i>Pteroglossus cucullatus</i>	1846, 69
<i>Pseudomys</i>	1832, 89	<i>culik</i>	1834, 78
<i>australis</i>	1832, 89	<i>erythropygius</i>	1843, 15
<i>Psilopus</i>	1837, 146	<i>flavirostris</i>	1840, 61
<i>albogularis</i>	1837, 147	<i>gouldii</i>	1837, 44
<i>brevirostris</i>	1837, 147	<i>haematopygus</i>	1834, 147
<i>culicivorus</i>	1840, 174	<i>humboldtii</i>	1835, 157
<i>fuscus</i>	1837, 147	<i>hypoglaucus</i>	1833, 70
<i>olivaceus</i>	1837, 147	<i>inscriptus</i>	1834, 77
<i>Psittacara cheroyeus</i>	1843, 114	<i>langsдорffii</i>	1835, 157
<i>leptorhyncha</i>	1830-1, 14	<i>maculirostris</i>	1834, 78
<i>nana</i>	1843, 114	<i>nattereri</i>	1835, 157
<i>Psittacula galgula</i>	1830-1, 36	<i>nigrirostris</i>	1839, 111
<i>malaccensis</i>	1842, 167	<i>pavoninus</i>	1835, 158
<i>rubrifrons</i>	1839, 105	<i>poecilosternus</i>	1843, 147
<i>Psittacus æstivus</i>	1830-1, 97	<i>piasinus</i>	1834, 78
<i>augustus</i>	1847, 38	<i>regalis</i>	1834, 75
<i>chalcopterus</i>	1836, 80	<i>reinwardtii</i>	1835, 157
<i>erithacus</i>	1840, 59	<i>sulcatus</i>	1834, 79
<i>flavinuchus</i>	1832, 23	<i>ulocomus</i>	1833, 38
<i>guldinigi</i>	1843, 104	<i>viridis</i>	1834, 76
<i>leucocephalus</i>	1836, 80	<i>Pterois russelii</i>	1830-1, 123
<i>mitratus</i>	1847, 38	<i>Pteromys</i>	1837, 69
<i>patachinus</i>	1830-1, 36	<i>albiventer</i>	1836, 88
<i>patachinus</i>	1843, 114	<i>horsfieldii</i>	1837, 87
<i>pondicerianus</i>	1843, 114	<i>leachii</i>	1836, 88
<i>sinensis</i>	1839, 165	<i>melanotis</i>	1836, 88
<i>timneh</i>	1842, 167	<i>volucella</i>	1830-1, 38
<i>torquatus</i>	1844, 38	<i>Pteroptera altavela</i>	1843, 94
<i>Psophodes nigrogularis</i>	1839, 165	<i>hirundo</i>	1843, 94
<i>Pterachus carolinus</i>	1844, 146	<i>maclura</i>	1843, 95
<i>guttatus</i>	1843, 83	<i>micrura</i>	1843, 95
<i>oculata</i>	1843, 83	<i>Pteroptochos albicollis</i>	1843, 111
<i>papilio</i>	1843, 83	<i>megapodius</i>	1843, 111
<i>tricopterus</i>	1843, 83	<i>tarnii</i>	1841, 94
<i>Pteraster capensis</i>	1847, 83	<i>Pteropus</i>	1834, 96
<i>militaris</i>	1847, 83	<i>assamensis</i>	1834, 96
<i>Pterocles arenarius</i>	1834, 51	<i>edwardsii</i>	1830, 143
<i>exustus</i>	1839, 121	<i>gambianus</i>	1843, 67
<i>guttatus</i>	1841, 6	<i>jubatus</i>	1835, 100
<i>personatus</i>	1830-1, 122	<i>macrocephalus</i>	1843, 67
<i>quadricinctus</i>	1832, 154	<i>medius</i>	1835, 101
<i>Pteroglossus</i>	1842, 92	<i>minus</i>	1830-1, 99
<i>aracari</i>	1845, 13	<i>minimus</i>	1834, 96
<i>azarae</i>	1843, 15	<i>whitei</i>	1835, 149
<i>bailloni</i>	1843, 183	<i>Ptilinopus elphinstonii</i>	1832, 149
<i>bitorquatus</i>	1832, 155	<i>ewingii</i>	1842, 19
<i>castanotis</i>	1834, 75	<i>swainsonii</i>	1842, 18
		<i>ptilotis cratitius</i>	1840, 160
		<i>flava</i>	1842, 136
		<i>flavescens</i>	1839, 144

	Page		Page
<i>Ptilotis flavigula</i>	1838, 24	<i>Pyrosoma</i>	{ 1833, 79
<i>ornata</i>	1838, 24	<i>atlantica</i>	{ 1837, 3
<i>plumulus</i>	1840, 150	<i>Pyrrholæmus</i>	1837, 51
<i>sonorus</i>	1840, 160	<i>brunneus</i>	1840, 173
<i>unicolor</i>	1842, 136	<i>Pyrrhoplectes</i>	1840, 173
<i>versicolor</i>	1842, 136	<i>Pyrrhula</i>	1845, 36
<i>Puffinus assimilis</i>	1837, 156	<i>albifrons</i>	1845, 36
<i>carneipes</i>	1844, 57	<i>cæruleus</i>	1830-1, 92
<i>cinereus</i>	{ 1839, 139	<i>collaris</i>	1841, 81
<i>fuliginosus</i>	{ 1843, 119	<i>epauletta</i>	1847, 38
<i>obscurus</i>	{ 1832, 129	<i>erythrocephala</i> ..	1845, 36
<i>obscurus</i>	{ 1837, 156	<i>nigra</i>	1830-1, 174
<i>obscurus</i>	{ 1839, 139	<i>rosea</i>	1847, 38
<i>obscurus</i>	{ 1843, 70	<i>rosea</i>	1837, 48
<i>Pupa elegantula</i>	1846, 115	<i>Pyrrhulanda cruciger</i> ..	1842, 92
<i>pacifica</i>	1846, 31	<i>gingica</i> ..	1842, 167
<i>Pupina bicanaliculata</i> ..	1841, 103	<i>Pyrrhulimota</i> ..	1845, 36
<i>exigua</i>	1841, 103	<i>roseata</i>	1845, 36
<i>humilis</i> ..	1841, 103	<i>Pyrula idoleum</i> ..	1846, 120
<i>keraudrenii</i>	1841, 103	<i>Python</i>	1837, 135
<i>lubrica</i>	1841, 102		
<i>nunezii</i>	1841, 101	<i>Querquedula cærulata</i> ..	{ 1843, 118
<i>pellucida</i> ..	1841, 102	<i>curcia</i>	{ 1847, 54
<i>similis</i>	1841, 102	<i>curcia</i>	{ 1832, 109
<i>vitrea</i> ..	1841, 102	<i>curcia</i>	{ 1830, 134
<i>Purpura gravesi</i>	1836, 44	<i>curcia</i>	{ 1842, 94
<i>muricata</i>	1832, 125	<i>curcia</i>	{ 1832, 169
<i>teniata</i>	1835, 96	<i>curcia</i>	{ 1835, 90
<i>xanthostoma</i>	1833, 8	<i>curcia</i>	{ 1841, 7
<i>Pycnocerus costatus</i> ..	1841, 67	<i>curcia</i>	{ 1842, 93
<i>westermanni</i> ..	1841, 67	<i>curcia</i>	{ 1842, 94
<i>Pycnonotus crocorrhous</i> ..	1846, 101	<i>curcia</i>	{ 1842, 168
<i>cyaniventris</i> ..	1846, 101	<i>creccoides</i>	1843, 118
<i>flavirictus</i>	1844, 101	<i>falcaria</i>	1842, 167
<i>hæmorrhous</i>	1846, 101	<i>formosa</i>	1842, 168
<i>melanocephalus</i> ..	1846, 101	<i>Quiscalus major</i>	1837, 110
<i>rufocaudatus</i> ..	1846, 101		
<i>Pycoris</i>	1845, 24	<i>Radsia barnesii</i>	1847, 126
<i>Pyramidella cincta</i>	1842, 198	<i>Rana bispecularis</i>	1830-1, 143
<i>glans</i>	1842, 198	<i>hebetana</i>	1843, 94
<i>Pyrranga æstiva</i>	1837, 110	<i>lutea</i>	1843, 94
<i>ludoviciana</i>	1837, 110	<i>oxyrhynchus</i>	{ 1839, 92
<i>Pyrgita cinnamomea</i> ..	1835, 185	<i>oxyrhynchus</i>	{ 1843, 94
<i>domestica</i> ..	{ 1834, 51	<i>undulata</i>	1843, 94
<i>domestica</i> ..	{ 1830, 121	<i>Rallus akool</i>	1832, 164
<i>domestica</i> ..	{ 1842, 92	<i>chiricote</i> ..	1837, 114
<i>domestica</i> ..	{ 1842, 93	<i>cristatus</i>	1842, 167
<i>domestica</i> ..	{ 1843, 51	<i>gularis</i> ..	{ 1839, 107
<i>domestica</i> ..	{ 1844, 66	<i>gularis</i> ..	{ 1842, 167
<i>jagoensis</i> ..	{ 1837, 77	<i>gularis</i> ..	{ 1846, 105
<i>montana</i> ..	{ 1843, 52	<i>jamaicensis</i>	1847, 40
<i>petronia</i> ..	{ 1842, 93	<i>minutus</i>	1847, 40
<i>rutilans</i>	{ 1837, 126	<i>niger</i>	1830-1, 124
<i>simplex</i>	{ 1839, 121	<i>philippinensis</i> ..	{ 1839, 114
<i>simplex</i>	{ 1842, 167	<i>philippinensis</i> ..	{ 1846, 26
<i>simplex</i>	{ 1843, 52	<i>sanguinolentus</i> ..	{ 1843, 118
<i>Pyrgoma anglicum</i> ..	{ 1834, 28	<i>sanguinolentus</i> ..	{ 1847, 54
<i>anglicum</i> ..	{ 1835, 113	<i>striatus</i> ..	1846, 105

	Page		Page
<i>Rallus virginianus</i> . . .	1847, 40	<i>Ranella pulchra</i> . . .	1844, 187
<i>Ramphastos</i>	1834, 72	<i>pusilla</i>	1832, 194
<i>ariel</i>	1832, 42	<i>pustulosa</i>	1844, 137
<i>carinatus</i>	1834, 74	<i>pyramidalis</i>	1832, 194
<i>citreolæmus</i>	1834, 73	<i>rhodostoma</i>	1841, 52
<i>citreopygus</i>	1837, 108	<i>rosea</i>	1844, 139
<i>culminatus</i>	1843, 147	<i>rugosa</i>	1841, 53
<i>cuvieri</i>	1835, 156	<i>scrobiculata</i>	1844, 138
<i>dicolorous</i>	1833, 70	<i>siphonata</i>	1844, 138
<i>erythrorhynchus</i> . . .	1834, 73	<i>subgranosa</i>	1841, 52
<i>inca</i>	1834, 73	<i>triquetra</i>	1844, 139
<i>osculans</i>	1834, 74	<i>tuberculata</i>	1832, 179
<i>swainsonii</i>	1834, 72	<i>tuberosissima</i> . . .	1844, 139
<i>toco</i>	1835, 21	<i>venustula</i>	1844, 138
<i>vitellinus</i>	1846, 68	<i>ventricosa</i>	1832, 178
<i>Ramphocelus atro-seri-</i>	1835, 156	<i>vexillum</i>	1841, 51
<i>ceus</i>	1833, 69	<i>Raniceps</i>	1843, 91
<i>icteronotus</i>	1834, 73	<i>Ranina cristata</i> . . .	1833, 118
<i>negro-gularis</i>	1834, 74	<i>Ratelus</i>	1830-1, 57
<i>Ramphopsis flammigerus</i>	1837, 121	<i>indicus</i>	1835, 113
<i>passerini</i>	1837, 121	<i>mellivorus</i>	1834, 96
<i>Rana arborea</i>	1845, 18	<i>Recurvirostra avocetta</i> ..	1842, 94
<i>esculenta</i>	1833, 88	<i>Reduvius tibialis</i> . . .	1837, 130
<i>rubeta</i>	1844, 109	<i>Regulus cristatus</i> . . .	1835, 90
<i>temporaria</i>	1830-1, 61	<i>ignicapillus</i>	1832, 139
<i>Randasia</i>	1842, 71	<i>Reithrodon</i>	1837, 29
<i>granulata</i>	1847, 75	<i>cuniculoides</i>	1837, 30
<i>spinulosa</i>	1847, 75	<i>typicus</i>	1837, 30
<i>Ranella affinis</i>	1832, 179	<i>Rhea americana</i>	1834, 9
<i>albivaricosa</i>	1844, 136	<i>darwinii</i>	1837, 35
<i>albofasciata</i>	1841, 52	<i>pennata</i>	1842, 141
<i>anceps</i>	1844, 139	<i>rhynchites manullensis</i> ..	1837, 128
<i>bituberculans</i>	1844, 140	<i>Rhinoceros indicus</i> . . .	1839, 150
<i>cæolata</i>	1832, 179	<i>unicornis</i>	1834, 41
<i>caudata</i>	1844, 137	<i>Rhinolophus</i>	1843, 25
<i>coriacea</i>	1844, 137	<i>aurantius</i>	1847, 16
<i>cruentata</i>	1841, 51	<i>bicolor</i>	1843, 67
<i>cuspidata</i>	1844, 139	<i>dukhunensis</i>	1830-1, 99
<i>foliata</i>	1844, 137	<i>ferrum-equinum</i> . . .	1843, 68
<i>granifera</i>	1844, 138	<i>lacteus</i>	1847, 16
<i>hastula</i>	1844, 139	<i>landeri</i>	1837, 101
<i>livida</i>	1844, 138	<i>luctus</i>	1843, 68
<i>muriciformis</i>	1832, 179	<i>martinii</i>	1843, 25
<i>nana</i>	1844, 116	<i>megaphyllus</i>	1834, 52
<i>neglecta</i>	1841, 51	<i>nobilis</i>	1843, 67
<i>nitida</i>	1841, 52	<i>philippinensis</i> . . .	1843, 68
<i>nobilis</i>	1832, 179	<i>pygmæus</i>	1843, 20
<i>plicata</i>	1844, 137	<i>trifoliatus</i>	1847, 16
<i>ponderosa</i>	1844, 138	<i>Rhinonictes</i>	1847, 16
	1844, 137	<i>aurantius</i>	1847, 16
		<i>Rhipidura albiscapa</i> . . .	1840, 113
		<i>albofrontata</i>	1830-1, 116

	Page		Page
<i>Rhipidura albofrontata</i> ..	1832, 85	<i>Saccophorus quachil</i> ..	1843, 79
<i>dryas</i>	1842, 132	<i>Salamandra</i>	1845, 18
<i>fuscovenstris</i> ..	{ 1830-1, 117	<i>maculosa</i>	1845, 11
<i>isura</i>	1832, 85	<i>Salarias atlanticus</i>	1839, 83
<i>nigritorquis</i>	1839, 157	<i>Salenia</i>	1835, 58
<i>Rhizomys</i>	1840, 174	<i>Salicaria cetti</i>	1839, 120
<i>sinensis</i>	1830-1, 97	<i>galactotes</i>	1844, 65
<i>sumatrensis</i>	1830-1, 95	<i>phragmitis</i>	{ 1839, 131
<i>Rhizophaga</i>	1839, 18	<i>Salmo eriox</i>	1844, 65
<i>Rhodia</i>	1835, 169	<i>ferox</i> ..	1837, 57
<i>pyriformis</i>	1835, 170	<i>lacustris</i>	1835, 81
<i>Rhombonyx</i>	1839, 67	<i>trutta</i>	1837, 57
<i>Rhombus cristatus</i>	1839, 88	<i>Salpa</i>	1837, 1
<i>heterophthalmus</i> .	1830-1, 147	<i>Salpormis</i>	1847, 7
<i>maderensis</i>	1833, 143	<i>Sanguinolaria iridescens</i> .	1842, 124
<i>parvimanus</i>	1830-1, 168	<i>Sarciophorus</i>	1841, 32
<i>stellosus</i> ..	1835, 92	<i>Sarcophaga</i>	1839, 6
<i>Rhynchæa australis</i>	1837, 155	<i>Sarcoramphus condor</i> ..	1840, 44
<i>capensis</i>	{ 1830-1, 62	<i>gryphus</i>	{ 1833, 78
<i>orientalis</i> ..	1835, 62	<i>papa</i>	1843, 108
<i>picta</i>	{ 1830-1, 124	<i>Sargus fasciatus</i>	1847, 38
<i>semicollaris</i> ..	1832, 104	<i>Sargus fasciatus</i>	1835, 119
<i>Rhynchaspis</i>	1843, 118	<i>Saturnia pyri</i>	1844, 104
<i>clypeata</i>	1844, 1	<i>Saurophagus swainsonii</i> .	1835, 185
<i>maculatus</i>	{ 1839, 134	<i>Saurus</i> ..	1843, 89
<i>rhyncotis</i>	1842, 93	<i>lacerta</i> ..	1843, 88
<i>virescens</i>	1842, 167	<i>Saxicava purpurascens</i> ..	1834, 88
<i>Rhynchops nigra</i>	1843, 119	<i>solida</i>	1834, 88
<i>orientalis</i>	1843, 53	<i>tenuis</i> ..	1834, 88
<i>Rhynomya lanceolata</i> ..	1843, 120	<i>Saxicola</i> —	1844, 65
<i>Ringicula australis</i>	1844, 97	<i>bicolor</i>	{ 1832, 92
<i>caron</i>	1844, 97	<i>cachinnans</i>	1842, 92
<i>exserta</i>	1844, 97	<i>deserti</i>	1830-1, 96
<i>grandinosa</i>	1844, 96	<i>erythropygia</i>	1844, 65
<i>propinquans</i>	1844, 96	<i>oenanthe</i>	{ 1832, 92
<i>Rissoa deformis</i>	1843, 184	<i>olivea</i>	{ 1834, 51
<i>parva</i>	1833, 116	<i>rubeculoides</i>	{ 1839, 120
<i>Rohtea</i>	1838, 161	<i>rubetra</i>	{ 1844, 65
<i>ogilbyi</i>	1838, 161	<i>rubicola</i>	{ 1830-1, 119
<i>pangut</i>	1838, 162	<i>solitaria</i>	{ 1832, 91
<i>ticto</i>	1838, 162	<i>stapazina</i>	1839, 131
<i>vigorsii</i> ..	1838, 162	<i>Scalaria aciculina</i>	1839, 161
<i>Rollulus niger</i>	1846, 105	<i>aculeata</i>	1842, 93
<i>Rorqualus minor</i> ..	1847, 90	<i>acuminata</i>	1837, 148
<i>Rostellaria curta</i> ..	1842, 165	<i>alata</i>	1830-1, 96
<i>pes pellicani</i>	1836, 46	<i>aurita</i>	1843, 125
<i>Ryzæna tetradactyla</i> ..	1830-1, { 27		
	{ 39		
	{ 51		

	Page		Page
<i>Scalaria bicarinata</i> ...	1844, 30	<i>Schizaspidia furcifer</i> ..	1835, 69
<i>bullata</i> ..	1844, 27	<i>Schizochiton</i>	1847, { 65
<i>catanauens</i>	1844, 27	<i>incisus</i>	1847, 68
<i>communis</i>	1844, 12	<i>Schizodesma</i>	1843, 102
<i>concinna</i>	1844, 28	<i>Schizodon</i>	{ 1841, 91
<i>connexa</i>	1844, 28	<i>fuscus</i>	{ 1844, 156
<i>creberrima</i>	1843, 125	<i>fuscus</i>	{ 1841, 91
<i>diadema</i>	1832, 55	<i>fuscus</i>	{ 1841, 93
<i>dianæ</i>	1843, 125	<i>fuscus</i>	{ 1843, 180
<i>dubia</i>	1844, 13	<i>Schizostoma</i>	1844, 24
<i>elenensis</i>	1844, 29	<i>Sciæna aquila</i> ..	1830-1, 112
<i>fasciata</i>	1844, 11	<i>Sciuroptera fimbriata</i> ..	1837, 67
<i>friabilis</i>	1844, 27	<i>turnbulli</i> ..	1837, 68
<i>fusca</i>	1844, 30	<i>Sciuropterus albidus</i> ..	1834, 98
<i>glabrata</i>	1843, 124	<i>horsfieldi</i> ..	1837, 87
<i>gracilis</i>	1844, 12	<i>Sciurus</i> ..	1834, 98
<i>hexagona</i>	1844, 29	<i>auduboni</i> ..	1838, 97
<i>hyalina</i>	1844, 11	<i>aureogaster</i> ..	1838, 88
<i>immaculata</i> ..	1844, 26	<i>aurocapillus</i> ..	1847, 38
<i>imperialis</i>	1844, 13	<i>bicolor</i> ..	1839, 150
<i>indistincta</i> ..	1844, 27	<i>capistratus</i> ..	1838, 85
<i>irregularis</i> ..	1844, 13	<i>carolinensis</i> ..	1838, 94
<i>laxata</i> ..	1844, 11	<i>cinereus</i> ..	1838, 89
<i>lyra</i> ..	1844, 13	<i>colliei</i> ..	1838, 95
<i>marmorata</i>	1844, 11	<i>degus</i> ..	1843, 130
<i>mindoroensis</i> ..	1844, 30	<i>dimidiatus</i> ..	1840, 21
<i>mitreiformis</i> ..	1844, 12	<i>douglasii</i> ...	{ 1836, 88
<i>multicostata</i> ..	1844, 28	<i>douglasii</i> ...	{ 1838, 99
<i>muricata</i>	1844, 13	<i>elphinstoni</i>	1830-1, 103
<i>obtusa</i>	1844, 29	<i>ephippium</i>	1842, 116
<i>ovalis</i> ..	1844, 29	<i>erythrognys</i> ..	1842, 129
<i>philippinarum</i> ..	1844, 12	<i>fuliginosus</i> ..	1838, 97
<i>polita</i> ..	1844, 30	<i>gambianus</i> ..	1835, 103
<i>porrecta</i>	1843, 126	<i>giganteus</i> ..	1839, 150
<i>pulcherrima</i>	1844, 28	<i>hippurus</i>	1839, 151
<i>pyramidalis</i>	1844, 12	<i>hudsonius</i>	1838, 100
<i>replicata</i>	1844, 11	<i>lanuginosus</i>	1838, 101
<i>similis</i>	1844, 27	<i>leucotis</i>	1838, 91
<i>statuminata</i> ..	1844, 30	<i>listeri</i> ..	1844, 8
<i>subtilis</i>	1844, 28	<i>lokma</i> ..	1839, 151
<i>suturalis</i> ..	1843, 125	<i>lokrioides</i> ..	1839, 152
<i>venosa</i> ..	1844, 13	<i>lo'clelandi</i> ..	1839, 152
<i>vestalis</i> ..	{ 1843, 125	<i>macrourus</i>	1838, 88
<i>vestalis</i> ..	{ 1844, 27	<i>magnicaudatus</i> ..	1838, 88
<i>vulpina</i> ..	1843, 126	<i>maximus</i>	1844, 146
<i>Scansoria</i> ..	1839, 11	<i>niger</i> ..	{ 1838, 85
<i>Scaphula</i> ..	1834, 91	<i>niger</i> ..	{ 1838, 96
<i>Scapteromys</i> ..	1837, 20	<i>nigrescens</i>	{ 1838, 41
<i>tumidus</i> ..	1837, 21	<i>nigrescens</i>	{ 1838, 96
<i>Scarabæus</i> ..	1837, 12	<i>palmarum</i> ..	{ 1830-1, 103
<i>Scarabus cumingianus</i> ..	1843, 3	<i>palmarum</i> ..	{ 1834, 98
<i>Sceliages</i> ..	1837, 12	<i>palmarum</i> ..	{ 1839, 118
<i>iopas</i> ..	1837, 12	<i>palmarum</i> ..	{ 1842, 64
<i>Scelodonta</i> ..	1837, 129	<i>palmarum</i> ..	{ 1842, 70
<i>curculionoides</i> ..	1837, 129	<i>philippinensis</i> ..	1839, 117
<i>Schibe boalis</i> ..	1838, 163	<i>rafflesi</i> ..	1842, 116
<i>pabo</i> ..	1838, 163	<i>richardsoni</i> ..	1838, 100
<i>Schizaspidia</i> ..	1835, 69		

	Page		Page
<i>Sciurus rufiventer</i>	1838, 98	<i>Seyllium capense</i>	1837, 85
<i>rufobrachiatus</i> ..	1842, 128	<i>marmoratum</i> ..	{ 1830-1, 148
<i>stangern</i>	1842, 127	1837, 85
<i>subauratus</i> ..	1838, 87	<i>melanostomum</i>	1837, 86
<i>sublineatus</i>	1838, 10	<i>plagiosum</i>	1837, 85
<i>texianus</i> ..	1838, 86	<i>Scytalopus</i>	1836, 80
<i>tristriatus</i>	1839, 118	<i>albogularis</i>	1830, 90
<i>variegatoides</i>	1839, 117	{ 1836, 80
<i>variegatus</i>	1838, 85	<i>fuscus</i>	{ 1841, 94
.....	64	<i>magellanicus</i>	1843, 111
<i>vulgaris</i>	1842, { 70	<i>Scythrops novæ hollandiæ</i>	1847, 51
.....	98	<i>Sebastes maculatus</i> ...	1830, 97
<i>vulpinus</i> ..	1838, 85	<i>Semnopithecus albo-</i>	{ 1830-1, 105
<i>Scolecobrotus</i>	1833, 64	<i>gularis</i>	{ 1832, 18
<i>westwoodii</i>	{ 1833, 64	<i>cephalopterus</i>	1844, 1
.....	1840, 53	<i>cucullatus</i>	1833, 68
<i>Scolopacinus</i>	1837, 120	{ 1830-1, 90
<i>rufiventris</i> ..	1837, 110	<i>entellus</i>	{ 1833, 74
<i>Scolopax brehmii</i> ..	1839, 124	{ 1834, 95
<i>elegans</i>	1835, 204	{ 1837, 73
.....	1842, 94	<i>fascicularis</i>	1833, 74
<i>gallinago</i>	{ 1842, 196	<i>johnii</i>	1841, 63
.....	1847, 39	<i>leucoprymnus</i>	1844, 1
<i>gallinula</i>	1842, 94	<i>maurus</i>	1834, 0
<i>grisea</i>	1847, 80	{ 1833, 67
<i>heterura</i>	1839, 107	<i>nestor</i>	{ 1844, 1
<i>la mottei</i>	1839, 124	{ 1837, 14
.....	1834, 133	<i>obscurus</i>	{ 1840, 62
<i>major</i>	{ 1839, 134	<i>Sepia officinalis</i> ...	1833, 86
<i>minor</i>	1847, 39	<i>Sepiula stenodactyla</i> ...	1833, 42
<i>paraguaiæ</i> ..	{ 1843, 118	<i>Septaria</i>	1837, 64
.....	1847, 54	<i>Sericogaster</i>	1835, 71
<i>pygmæa</i>	1839, 124	<i>fasciatus</i>	1835, 72
.....	1832, 133	<i>Sericornis</i>	1837, 133
.....	1836, 7	<i>citreogularis</i> ...	1837, 133
<i>rusticola</i> ...	{ 1830, 111	<i>frontalis</i>	1847, 3
.....	1841, 7	<i>humilis</i> ..	{ 1837, 133
.....	1842, 94	{ 1847, 3
<i>sabinii</i>	1835, 82	<i>lævigaster</i>	1847, 3
<i>Scolopendra cingulata</i> ..	1845, 18	<i>maculatus</i>	1847, 2
<i>electrica</i>	1842, 180	<i>osculans</i>	1847, 2
<i>Scolopsides phaeops</i> ..	1830-1, 165	<i>parvulus</i>	1837, 134
<i>Scomber</i> —	1846, 27	<i>Sericulus magnirostris</i> ..	1837, 145
<i>pelamys</i> ..	1835, 80	<i>Seriola</i> ..	1843, 82
<i>sloanei</i>	1839, 77	<i>bipinnatula</i>	1843, 82
<i>Scomberesox saurus</i> .	1830, 87	<i>dubia</i> ..	1830, 80
<i>Scomberesox leuromdens</i> .	1832, 4	<i>gracilis</i> .	1843, 82
<i>Scopelus maderensis</i> ..	1839, 87	<i>Serpophaga parvulus</i> ..	1843, 110
<i>Scops lempiji</i> ..	1839, 155	<i>Serpula tubularis</i> ..	1835, 128
<i>Scorpaena ustulata</i> ..	1840, 36	<i>Serranus argyro-grammu-</i>	
<i>Scutella</i> ...	1834, 47	<i>cus</i> ..	1830-1, 109
<i>crenulata</i> ..	1834, 48	<i>Serrirostrum carbonarium</i>	1846, 9
<i>iridescent</i> ..	1834, 48	<i>delissii</i>	1830-1, 126
<i>rosea</i> ..	1834, 48	<i>marginatus</i>	1833, 142
<i>Seyllium</i> —	{ 1837, 85	<i>mtis</i> ..	1830-1, 127
<i>africanum</i>	{ 1846, 27	<i>rasor</i> .	1839, 95
<i>livium</i> .	1837, 85	<i>sittoides</i> .	1846, 9
		<i>tæniops</i> .	1836, 119

	Page		Page
<i>Serrirostrum telfairii</i> 1830-31, {	127	<i>Solarium dorsuosum</i>	1844, 23
	169	<i>fenestratum</i>	1844, 25
<i>Setophaga rubra</i>	1837, 118	<i>formosum</i>	1844, 22
<i>ruticilla</i>	1837, 118	<i>fragile</i>	1844, 24
<i>Sigaretus cancellatus</i> . .	1843, 136	<i>fuliginosum</i>	1844, 158
<i>helicoides</i>	1843, 137	<i>fulvum</i>	1844, 24
<i>Silquaria anguina</i> . . .	1844, 67	<i>granulatum</i>	1844, 23
<i>Silurus boalis</i>	1838, 163	<i>perdix</i>	1844, 22
<i>pabo</i>	1838, 163	<i>perspectivum</i>	1844, {
<i>singio</i>	1840, 34	22	23
<i>Simia faunus</i>	1833, 109	158	
<i>morio</i>	{ 1836, 92	<i>placentale</i>	1844, 22
	{ 1841, 55	<i>purpuratum</i>	1844, 25
<i>nasalis</i>	1837, 70	<i>quadriceps</i>	1844, 23
<i>nasica</i>	1837, 70	<i>trochleare</i>	1844, {
<i>sagulata</i>	1834, 41	25	158
	{ 1830-1, 4	<i>virgatum</i>	1844, 24
	{ 1830-1, 9	<i>Solea hexophthalma</i> ..	1830-1, 147
	{ 1830-1, 28	<i>impar</i>	1830-1, 147
<i>satyrus</i>	{ 1830-1, 67	<i>lingua</i>	1837, 58
	{ 1835, 30	<i>vulgaris</i>	1835, 57
	{ 1836, 91	<i>Solen</i>	1843, 101
	{ 1843, 123	<i>acinares</i>	1843, 101
	{ 1830-1, 5	<i>acuminatus</i>	1842, 122
	{ 1830-1, 9	<i>ambiguus</i>	1843, 101
<i>trogodytes</i>	{ 1830-1, 28	<i>brevis</i>	1843, 101
	{ 1830-1, 68	<i>cylindraceus</i>	1843, 101
	{ 1836, 41	<i>linearis</i>	1843, 101
	{ 1836, 91	<i>philippinarum</i> . . .	1843, 101
<i>wurmbii</i>	{ 1837, 82	<i>scalprum</i>	1843, 101
	{ 1841, 55	<i>Solenacea</i>	1844, 19
<i>Siphia</i>	1845, 25	<i>Solenella norrisi</i>	1832, 197
<i>Siphonaria characteristica</i>	1842, 49	<i>Solenodonta</i>	1835, 105
<i>costata</i>	1835, 6	<i>Solidula</i>	1844, 165
<i>laeviuscula</i>	1835, 7	<i>Somateria mollissima</i> .	1842, 71
<i>lineolata</i>	1835, 6	<i>Sorex amphibius</i>	1837, 126
<i>maura</i>	1835, 7	<i>araneus</i>	1837, 125
<i>pica</i>	1835, 6	<i>brevicaudatus</i>	1837, 124
<i>radiata</i>	1835, 6	<i>capensis</i>	1837, 125
<i>subrugosa</i>	1835, 6	<i>capensoides</i>	1837, 125
<i>Siren lacertina</i>	1834, 31	<i>carolinensis</i>	1837, 124
<i>Sitta castaneoventris</i> {	1830-1, 121	<i>ciliatus</i>	1832, 109
	1842, 92	<i>concinus</i>	1837, 124
<i>europaea</i>	1843, 122	<i>constrictus</i>	1837, 124
<i>frontalis</i>	1839, 165	<i>crassicaudatus</i>	1837, 125
<i>jamaicensis</i>	1847, 39	<i>etruscus</i>	1837, 125
<i>Sittella leucocephala</i> . .	1837, 152	<i>flavescens</i>	1837, 125
<i>leucoptera</i>	1839, 144	<i>fodiens</i>	1837, 126
	{ 1837, 152	<i>giganteus</i>	1830-1, 100
<i>melanocephala</i> . .	{ 1839, 113	<i>indicus</i>	{ 1830-1, 99
	1837, 151	1834, 96	
<i>pileata</i>	1837, 151	<i>leucodon</i>	1837, 125
<i>Smicromis</i>	1842, 133	<i>megalodon</i>	1837, 124
<i>flavescens</i>	1842, 134	<i>musculus</i>	1837, 126
<i>Solariella</i>	1844, 24	<i>myosurus</i>	1837, 125
<i>Solarium</i>	1844, 22	<i>natans</i>	1837, 126
<i>asperum</i>	1844, 23	<i>parvus</i>	1837, 124
<i>cælatum</i>	1844, 25	<i>personatus</i>	1837, 124
<i>dealbatum</i>	1844, 24		

	Page		Page
<i>Sorex pilorides</i>	1837, 124	<i>Squalus maculatus</i>	1837, 85
<i>psilurus</i>	1837, 126	<i>obscurus</i>	1843, 93
<i>pulchellus</i>	1837, 125	<i>ocellatus</i>	1837, 86
<i>pumilus</i>	1837, 125	<i>spinax</i>	1843, 93
<i>remifer</i>	1832, 100	<i>ustus</i>	1843, 93
<i>rhinoclophus</i>	1837, 124	<i>Squatrola</i>	1841, 32
<i>stagnalis</i>	1837, 126	<i>cincta</i>	1843, 118
<i>tetragonurus</i>	1837, 126	<i>urvilhi</i>	1843, 118
<i>(Crocidura) poensis</i>	1841, 44	<i>Squilla ciliata</i>	1832, 6
<i>spilosoma</i>	1842, 63	<i>spinifrons</i>	1832, 6
<i>spilodactylus ciureus</i>	1842, 68	<i>Stachyris</i>	1845, 22
<i>elegans</i>	1842, 96	<i>chrysæus</i>	1845, 23
<i>sphærodactylus ciureus</i>	1842, 200	<i>nigriceps</i>	1845, 22
<i>elegans</i>	1839, 122	<i>pyrops</i>	1845, 23
<i>sphærodactylus ciureus</i>	1844, 13	<i>Stegostoma</i>	1837, 85
<i>sphærodactylus ciureus</i>	1844, 163	<i>Stellaster belcheri</i>	1847, 76
<i>sphærodactylus ciureus</i>	1833, 41	<i>childremi</i>	1847, 76
<i>spilosoma</i>	1833, 40	<i>incei</i>	1847, 76
<i>sphærodactylus ciureus</i>	1834, 12	<i>Stenochorus angustatus</i>	1840, 48
<i>elegans</i>	1834, 12	<i>assimilis</i>	1840, 49
<i>sphærodactylus ciureus</i>	1837, 38	<i>biguttatus</i>	1840, 51
<i>serpens</i>	1839, 90	<i>dorsalis</i>	1840, 49
<i>sphærodactylus ciureus</i>	1835, 205	<i>fumicolor</i>	1840, 51
<i>sphærodactylus ciureus</i>	1841, 28	<i>gigas</i>	1840, 46
<i>gramineus</i>	1845, 19	<i>latus</i>	1840, 46
<i>sphærodactylus ciureus</i>	1837, 149	<i>longipennis</i>	1840, 47
<i>cristatum</i>	1837, 150	<i>mitchelli</i>	1840, 47
<i>sphærodactylus ciureus</i>	1841, 28	<i>obscurus</i>	1840, 47
<i>tibicen</i>	1841, 28	<i>punctatus</i>	1840, 47
<i>spinax niger</i>	1843, 93	<i>rhombifer</i>	1840, 49
<i>spirula</i>	1837, 64	<i>roei</i>	1840, 50
<i>spiza versicola</i>	1837, 120	<i>rubripes</i>	1840, 50
<i>spizaetus rufitinctus</i>	1839, 153	<i>semipunctatus</i>	1840, 48
<i>spondylus aculeatus</i>	1833, 5	<i>trimaculatus</i>	1840, 47
<i>albidus</i>	1836, 43	<i>tunicatus</i>	1840, 50
<i>asperimus</i>	1847, 87	<i>undulatus</i>	1840, 48
<i>cumingi</i>	1847, 86	<i>uniguttatus</i>	1840, 49
<i>digitatus</i>	1847, 87	<i>Stenorhynchus</i>	1835, 186
<i>dubius</i>	1833, 4	<i>ruficauda</i>	1835, 186
<i>imperialis</i>	1847, 86	<i>Stephanophorus</i>	1841, 30
<i>leucacantha</i>	1833, 5	<i>Sterna acuticauda</i>	1832, 171
<i>limbatus</i>	1847, 87	<i>arctica</i>	1833, 33
<i>lingua-felis</i>	1847, 87	<i>aurantia</i>	1842, 93
<i>princeps</i>	1833, 4	<i>fuliginosa</i>	1844, 36
<i>regius</i>	1847, 86	<i>fuliginosa</i>	1847, 40
<i>sinensis</i>	1847, 87	<i>gracilis</i>	1845, 76
<i>tenuispinosus</i>	1847, 87	<i>gracilis</i>	1834, 15
<i>unicolor</i>	1847, 86	<i>gracilis</i>	1834, 51
<i>varius</i>	1837, 63	<i>hirundo</i>	1839, 135
<i>Squalus</i> —	1837, 85	<i>hirundo</i>	1842, 71
<i>acanthias</i>	1843, 93	<i>hirundo</i>	1842, 99
<i>canicula</i>	1846, 27	<i>inca</i>	1845, 1
<i>fasciatus</i>	1837, 85	<i>leucoptera</i>	1834, 51
<i>gata</i>	1837, 85	<i>macrotarsa</i>	1837, 26
<i>lobatus</i>	1837, 85	<i>melanogastra</i>	1830-1, 125
		<i>melanura</i>	1837, 156
		<i>minuta</i>	1847, 40
		<i>nigra</i>	1834, 31

	Page		Page
<i>Sterna nigra</i>	1839, { 122	<i>Strongilurus scutellatus</i> .	1840, 54
<i>poliocerca</i>	1837, 26	<i>varicornis</i>	1840, 54
<i>seena</i>	1832, 171	<i>Struthidea</i>	1836, 143
<i>similis</i>	1832, 171	<i>cinerea</i>	1836, 143
<i>stolida</i>	{ 1835, 84	{ 1842, 71	
<i>tenuirostris</i>	{ 1845, 103	<i>Struthio camelus</i>	{ 1842, 141
<i>velox</i>	{ 1847, 40	{ 1842, 195	
<i>Sternoptyx diaphana</i> .. .	1845, 104	{ 1843, 145	
<i>olfersii</i>	1842, 139	{ 1846, 48	
<i>Sternula nereis</i>	1843, 85	<i>Sturnella hippocrepis</i> ..	1837, 111
<i>Stelher</i>	1843, 85	<i>loica</i>	{ 1841, 93
<i>astericola</i>	1842, 140	{ 1843, 113	
<i>subulatus</i>	1832, 60	{ 1847, 53	
<i>turtonii</i>	1832, 61	<i>magna</i>	1847, 38
<i>Stomias barbatus</i>	1832, 60	<i>multaris</i>	{ 1837, 120
<i>boa</i>	1832, 61	{ 1844, 157	
<i>Strepera arguta</i>	1843, 88	<i>Sturnus prædatorius</i> .. .	1842, 193
<i>melanoptera</i>	1843, 88	<i>unicolor</i>	{ 1830-1, 96
<i>plumbea</i>	1846, 19	{ 1834, 51	
<i>Strepsilas collaris</i>	1846, 20	{ 1839, 132	
<i>interpres</i>	1846, 20	{ 1842, 70	
<i>Strigops habroptilus</i>	1834, 15	<i>vulgaris</i>	{ 1842, 92
<i>Strix americana</i>	1843, 118	{ 1842, 93	
<i>ascalaphus</i>	{ 50	{ 1842, 98	
<i>asio</i>	{ 61	{ 1845, 13	
<i>castanops</i>	{ 62	<i>Stylophorus</i>	1837, 55
<i>cyclops</i>	1847, 53	<i>Subula maculata</i>	1843, 159
<i>delicatulus</i>	1837, 48	<i>Succinea elegans</i>	1842, 187
<i>flammea</i>	1837, 37	<i>pallida</i>	1846, 109
<i>hirsuta</i>	{ 1836, 140	<i>reflexa</i>	1842, 187
<i>indranee</i>	{ 1837, 99	<i>semiglobosa</i>	1846, 109
<i>javanica</i>	{ 1836, 140	<i>tahitensis</i>	1846, 109
<i>ketupu</i>	1837, 99	<i>variegata</i>	1842, 187
<i>lempiji</i>	{ 1837, 99	<i>Sula</i>	1843, 120
<i>nyctea</i>	{ 1836, 140	<i>australis</i>	1840, 177
<i>perlata</i>	1837, 99	<i>bassana</i>	{ 1830-1, 90
<i>personata</i>	{ 1842, 70	<i>candida</i>	1833, 32
<i>poensis</i>	{ 1842, 93	<i>personata</i>	1846, 21
<i>pratnicola</i>	{ 1842, 98	<i>rubripes</i>	1837, 156
<i>scops</i>	{ 1847, 37	<i>Surnia funerea</i>	1835, 77
<i>tenebricosus</i>	1847, 53	<i>nivea</i>	1837, 45
<i>Strombus bulbulus</i>	1846, 99	<i>nyctea</i>	1840, 42
<i>crispatus</i>	1832, 82	<i>Sus</i>	1837, 23
<i>Strongilurus</i>	{ 1832, 81	<i>monstruosus</i>	1833, 16
	{ 1835, 62	{ 1830-1, 104	
	1834, 110	{ 1834, 98	
	1839, 155	{ 1839, 150	
	1844, 19	<i>Suthora atrifrons</i>	1845, 31
	1843, 110	<i>fulvifrons</i>	1845, 31
	{ 1830-1, 60	<i>napalensis</i>	1845, 31
	{ 1837, 99	<i>Sylochelidon strenuus</i> .. .	1846, 21
	1842, 189	<i>Sylvia badiceps</i>	1842, 144
	1847, 53	<i>brevirostris</i>	1836, 98
	1837, 54	<i>burkii</i>	1835, 153
	1845, 80	<i>conspicillata</i>	{ 1830-1, 96
	1842, 144	<i>castaneo-coronata</i>	1835, 152
	1842, 143	{ 1830-1, 118	
	1840, 54	<i>hippolais</i>	{ 1839, 120

	Page		Page
<i>Sylvia hippolais</i> . . .	1839, 181	<i>Syrhaptes paradoxus</i> . .	1845, 76
	1842, 93		
<i>luscina</i>	1842, 71	<i>Tachypetes aquilus</i> .	1830-1, 62
<i>montana</i>	1832, 80		1847, 40
<i>phragmitis</i>	1842, 98	<i>Tadorna bellonii</i>	1843, 94
	194, 167		1832, 122
<i>putoria</i>	1845, 29	<i>rutila</i>	1830, 93
<i>rama</i>	1832, 80		1842, 94
<i>rubecula</i>	1834, 133	<i>vulpanser</i>	1834, 51
<i>ruficapilla</i>	1845, 29	<i>Tœnia lamelligera</i> . . .	1832, 143
<i>sphenura</i>	1845, 29		1835, 86
<i>suecica</i>	1842, 93	<i>Talegalla</i>	1844, 77
<i>sylvicola</i>	1832, 80	<i>lathamii</i>	1840, 111
<i>tithys</i>	1830-1, 18		1841, 44
<i>trochilus</i>	1835, 90	<i>Talpa europæa</i>	1842, 63
<i>Sylvicapra</i>	1836, 138		1842, 68
<i>Sylvicola americana</i> . .	1847, 38	<i>Tamania bincincta</i>	1836, 80
<i>canadensis</i>	1847, 38	<i>Tanagra archiepiscopus</i> .	1837, 117
<i>coronata</i>	1847, 38	<i>chlorotica</i>	1837, 116
<i>decurtata</i>	1837, 118	<i>coelestis</i>	1837, 121
<i>dominica</i>	1847, 38	<i>cyanoccephala</i>	1837, 121
<i>maculosa</i>	1847, 38	<i>darwinii</i>	1837, 121
<i>minuta</i>	1847, 38	<i>diadema</i>	1841, 31
<i>pensilis</i>	1847, 38	<i>episcopus</i>	1837, 117
<i>pusilla</i>	1847, 38	<i>glaucia</i>	1837, 117
<i>Sylviparus</i>	1835, 153	<i>gularis</i>	1847, 39
<i>modestus</i>	1835, 154	<i>olivascens</i>	1837, 117
<i>Symmorphus</i>	1837, 145	<i>sayaca</i>	1837, 117
<i>leucopygus</i>	1837, 145	<i>striata</i>	1837, 121
<i>Synallaxis ægithaloides</i> .	1843, 112	<i>vicarius</i>	1837, 116
<i>anthoides</i>	1830-1, 80	<i>Tantalus leucocephalus</i> .	1832, 160
<i>cinerascens</i>	1837, 118	<i>loculator</i>	1847, 39
<i>flavogularis</i>	1844, 157	<i>papillosus</i>	1830-1, 124
<i>pumicola</i>	1843, 112	<i>Taphozous philippinen-</i>	
<i>rufogularis</i>	1843, 112	<i>sis</i>	1845, 9
<i>spimicauda</i>	1843, 112	<i>Tapirus americanus</i> .	1830-1, 94
<i>superciliaris</i>	1843, 3		1841, 161
<i>Synbranchus</i>	1837, 38	<i>Taractes</i>	1843, 82
<i>Syngnathus acus</i>	1834, 118		1843, 80
	1835, 183	<i>asper</i>	1843, 83
<i>æquoreus</i>	1837, 58	<i>cuspidata</i>	1843, 76
<i>argus</i>	1840, 20	<i>Tarandus</i>	1836, 135
<i>fucicola</i>	1832, 5	<i>Tarsiger</i>	1845, 28
<i>lumbriciformis</i> . . .	1837, 60	<i>chrysæus</i>	1845, 28
	1834, 119	<i>Tarsipes</i>	1842, 1
<i>ophidion</i>	1835, 82	<i>rostratus</i>	1842, 1
	1837, 58	<i>Tarsius spectrum</i> . . .	1838, 67
<i>typhle</i>	1834, 118	<i>Taxidea leucurus</i> . . .	1847, 116
<i>typhloides</i>	1837, 58	<i>Tchitrea</i>	1844, 102
<i>Synoicus australis</i> . . .	1836, 92		1844, 62
<i>diemenensis</i>	1847, 33	<i>Tellina acuta</i>	1844, 142
<i>sinensis</i>	1847, 33	<i>ala</i>	1844, 165
<i>sordidus</i>	1847, 33	<i>ancilla</i>	1844, 148
<i>Synornis</i>	1846, 26	<i>asperrima</i>	1844, 50
<i>joulainus</i>	1845, 27	<i>assimilis</i>	1844, 144
<i>Syrnia nyctea</i>	1842, 110	<i>auroa</i>	1844, 147
<i>Syrnum aluco</i>	1840, 43		

	Page		Page
<i>Tellina burnettii</i>	1844, 69	<i>Tellina mexicana</i>	1844, 59
<i>brugieri</i>	1844, 142	<i>micans</i>	1844, 72
<i>carriana</i>	1844, 68	<i>miles</i>	1844, 146
<i>casta</i>	1844, 68	<i>nobilis</i>	1844, 165
<i>chinensis</i>	1844, 165	<i>nux</i>	1844, 62
<i>columbiensis</i>	1844, 71	<i>nymphalis</i>	1844, 165
<i>corbuloides</i>	1844, { 70	<i>oblonga</i>	1844, 147
	144	<i>ostracea</i>	1844, 149
<i>crucigera</i>	1844, { 60	<i>owenii</i>	1844, 164
	72	<i>perplexa</i>	1844, 149
<i>cultur</i>	1844, 69	<i>pharaonis</i>	1844, { 148
<i>cumingi</i>	1844, 59		164
<i>cuspid</i>	1844, { 72	<i>philippinarum</i>	1844, { 69
	147		140
<i>cycladiformis</i>	1844, 70	<i>pinguis</i>	1844, 68
<i>cygnus</i>	1844, 144	<i>plebeia</i>	1844, 147
<i>cyrenoides</i>	1844, 64	<i>polita</i>	1844, 148
<i>decussata</i>	1844, { 68	<i>princeps</i>	1844, 62
	149	<i>prora</i>	1844, 61
<i>depressa</i>	1844, 72	<i>psammotella</i>	1844, 140
<i>dehayesi</i>	1844, 148	<i>pudica</i>	1844, 62
<i>diana</i>	1844, 147	<i>puella</i>	1844, 165
<i>discus</i>	1844, 68	<i>pulcherrima</i>	1844, { 59
<i>dombeyi</i>	1844, 144		60
<i>donacina</i>	1844, { 148	<i>pumila</i>	1844, { 69
	164	<i>pumicea</i>	1844, 61
<i>eburnea</i>	1844, 61	<i>rastellum</i>	1844, 59
<i>elongata</i>	1844, 144	<i>regia</i>	1844, 61
<i>felix</i>	1844, 71	<i>robusta</i>	1844, 63
<i>fimbriata</i>	1844, 149	<i>rodon</i>	1844, 140
<i>foliacea</i>	1844, 142	<i>rubescens</i>	1844, 60
<i>formosa</i>	1844, 142	<i>scalpellum</i>	1844, 147
<i>fragilis</i>	1844, 166	<i>senegalensis</i>	1844, 68
<i>frigida</i>	1844, 143	<i>sincera</i>	1844, 68
<i>gargadia</i>	1844, 71	<i>sol</i>	1844, 142
<i>grandis</i>	1844, 141	<i>solidula</i>	1844, 60
<i>gubernaculum</i>	1844, 142	<i>souleyeti</i>	1844, 71
<i>guldinigi</i>	1844, 60	<i>sowerbii</i>	1844, { 62
<i>hiberna</i>	1844, 148		71
<i>hilaris</i>	1844, 140	<i>spectabilis</i>	1844, 141
<i>imbellis</i>	1844, 143	<i>spengleri</i>	1844, { 59
<i>inaequalis</i>	1844, 71		148
<i>incarnata</i>	1844, { 68	<i>spinosa</i>	1844, 148
	72	<i>splendida</i>	1844, 68
<i>inornata</i>	1844, 144	<i>squalida</i>	1844, 164
<i>insculpta</i>	1844, 70	<i>subtruncata</i>	1844, 149
<i>iris</i>	1844, 166	<i>tenera</i>	1844, 140
<i>jubar</i>	1844, 60	<i>tenuis</i>	1844, { 70
<i>juvenilis</i>	1844, 140		141
<i>laceridens</i>	1844, 61	<i>truncata</i>	1844, 142
<i>lilium</i>	1844, 147	<i>tulipa</i>	1844, 148
<i>lutea</i>	1844, 149	<i>umbonella</i>	1844, { 144
<i>listeri</i>	1844, 69		147
<i>lucerna</i>	1844, 147	<i>undulata</i>	1844, 72
<i>lux</i>	1844, { 140	<i>valtonis</i>	1844, 143
	141	<i>vernalis</i>	1844, 141
<i>lyra</i>	1844, 68	<i>verrucosa</i>	1844, 60
<i>marginacea</i>	1844, 72	<i>vestalis</i>	1844, 141

	Page		Page
<i>Tellina virgata</i>	1844, 60	<i>Terebra consors</i>	1843, 150
<i>virgo</i>	1844, 143		160
<i>virgulata</i>	1844, 164	<i>conspersa</i>	1843, 153
<i>Tellinides purpurascens</i>	1844, 62	<i>constricta</i>	1843, 166
<i>truncatulus</i>	1844, 141	<i>copula</i>	1843, 161
<i>Temnoris atrifrons</i>	1845, 31		161
<i>fulvifrons</i>	1845, 31	<i>corrugata</i>	1834, 59
<i>nipalensis</i>	1845, 31		1843, 163
<i>Tephrodornis indica</i>	1844, 102	<i>cosentini</i>	1843, 166
<i>ocreatus</i>	1844, 102	<i>costata</i>	1843, 161
<i>Teratophius ecaudatus</i>	1833, 45		167
<i>Terebra</i>	1843, 140	<i>crenulata</i>	1834, 59
<i>acicularia</i>	1843, 165		1843, 160
<i>aciculata</i>	1834, 63	<i>cuspidata</i>	1843, 157
	1834, 60		165
<i>affinis</i>	1843, 161	<i>dimidiata</i>	1834, 59
	1843, 164		1843, 160
<i>africana</i>	1843, 164	<i>duplicata</i>	1834, 59
<i>alba</i>	1834, 60		1843, 161
	1843, 165	<i>dussumieri</i>	1843, 161
<i>albida</i>	1834, 63		153
	1843, 161	<i>eburnea</i>	1843, 163
<i>albula</i>	1843, 165		165
<i>alveolata</i>	1843, 151	<i>elata</i>	1843, 156
	162		165
<i>amanda</i>	1843, 154	<i>fatua</i>	1843, 150
	163		161
<i>anomala</i>	1834, 62	<i>felina</i>	1843, 160
	1843, 165	<i>fenestrata</i>	1843, 153
<i>argus</i>	1843, 160		164
<i>armillata</i>	1843, 154	<i>flammea</i>	1834, 59
	164		1843, 160
<i>articulata</i>	1843, 166	<i>flava</i>	1834, 60
<i>aspera</i>	1843, 154		1843, 165
	164	<i>funiculata</i>	1843, 153
<i>babylonia</i>	1843, 163		163
<i>bicincta</i>	1843, 150	<i>fusca</i>	1843, 161
	164	<i>fuscata</i>	1843, 166
<i>bifrons</i>	1843, 155	<i>fusco-maculata</i>	1843, 161
	164	<i>gemma</i>	1843, 161
<i>buccinoides</i>	1843, 168	<i>glauc</i>	1843, 155
<i>cerulescens</i>	1843, 161		164
<i>canalis</i>	1843, 167	<i>gracilis</i>	1834, 61
<i>cancellata</i>	1834, 62		1843, 161
	1843, 165	<i>granulata</i>	1843, 166
<i>carnea</i>	1843, 160	<i>granulosa</i>	1843, 168
<i>casta</i>	1843, 156		163
	162	<i>hastata</i>	1834, 63
<i>castanea</i>	1843, 162		1843, 162
<i>cerithina</i>	1834, 62	<i>heddingtonensis</i>	1843, 167
	1843, 161	<i>heterostropha</i>	1843, 167
<i>chlorata</i>	1843, 161	<i>heunahiana</i>	1843, 167
<i>cinerea</i>	1843, 165		156
<i>cingula</i>	1843, 162	<i>inconstans</i>	1843, 165
<i>cingulifera</i>	1843, 163		155
<i>columellaris</i>	1843, 151	<i>intertincta</i>	1843, 164
	164	<i>inversa</i>	1843, 167
<i>commaculata</i>	1843, 168		

	Page		Page
<i>Terebra knorrri</i>	{ 1834, 59	<i>Terebra pettiti</i>	1843, 163
	{ 1843, 161		{ 150
	{ 1834, 61		{ 164
<i>laevigata</i>	{ 1843, 164	<i>picta</i>	1843, 166
	{ 1834, 61	<i>plicaria</i> ..	1843, 61
<i>laevis</i>	{ 1843, 164	<i>plicata</i>	{ 1834, 163
<i>lamarckii</i>	1843, 161	<i>plicatula</i>	1843, 166
<i>lanceata</i>	1843, 165	<i>plumbea</i>	1843, 162
<i>lanceolata</i>	1834, 63	<i>polita</i>	{ 1834, 63
<i>larvæformis</i>	1843, 155	<i>polygyra</i>	{ 1843, 168
	{ 164	<i>portlandica</i>	1843, 167
<i>laurina</i>	1843, 152	<i>pretiosa</i>	{ 1842, 200
	{ 162	<i>pulchra</i>	{ 1843, 163
<i>lepida</i>	1843, 158		{ 151
	{ 165	<i>punctata</i>	1843, 61
<i>ligata</i>	1843, 153	<i>punctato-striata</i> ..	{ 1834, 61
<i>lineata</i> ..	1843, 163	<i>punctulata</i>	1843, 163
<i>lineolata</i>	{ 1834, 63	<i>pygmæa</i>	1843, 158
	{ 1843, 168		{ 166
<i>lingualis</i>	1843, 157	<i>radula</i>	1843, 155
<i>luctuosa</i> ..	1843, 165	<i>raphanula</i>	1843, 164
<i>maculata</i>	{ 1834, 59	<i>robusta</i>	1843, 161
	{ 1843, 159		{ 149
<i>melanoides</i> ..	1843, 166	<i>rudis</i>	1843, 160
<i>mera</i> ..	1843, 158		{ 60
	{ 166	<i>rustica</i>	1843, 168
<i>mucans</i>	1843, 157		{ 166
<i>monilis</i>	1843, 166	<i>sandwizensis</i>	1843, 168
<i>muscaria</i> ..	{ 1834, 59	<i>scabrella</i>	1843, 163
	{ 1843, 160	<i>scalarina</i>	1843, 168
<i>myuros</i>	{ 1834, 59	<i>senegalensis</i>	1843, 161
	{ 1843, 163	<i>simplex</i>	1843, 167
<i>nassoides</i>	1843, 158	<i>sinuosa</i>	1843, 167
	{ 166	<i>specillata</i>	1843, 155
<i>nebulosa</i>	1843, 160		{ 162
	{ 162	<i>spectabilis</i>	1843, 150
<i>nexilis</i>	1843, 167		{ 161
<i>nimbosa</i>	1843, 151	<i>straminea</i>	{ 1834, 62
	{ 161		{ 1843, 163
<i>nitida</i>	1843, 152		{ 1834, 60
	{ 162	<i>striata</i>	1843, 164
<i>nubeculata</i>	{ 1834, 59		{ 1843, 166
	{ 1843, 126		{ 1843, 167
<i>obesa</i>	1843, 158		{ 1834, 59
	{ 166	<i>stratula</i>	1843, 161
<i>oculata</i>	{ 1834, 59		{ 1843, 165
	{ 1843, 161	<i>strigata</i>	1843, 160
<i>ornata</i> ..	{ 1834, 62	<i>strigilata</i> ..	1843, 165
	{ 1843, 160	<i>strigillata</i>	1834, 63
<i>penicillata</i>	1843, 157	<i>striolata</i>	1843, 166
	{ 165	<i>subulata</i>	{ 1834, 59
<i>pertusa</i>	{ 1834, 59		{ 1843, 160
	{ 1843, 162	<i>stylata</i> ..	1843, 152
	{ 1843, 163		{ 162

	Page		Page
<i>Terebra succinea</i>	1843, { 149, 160	<i>Terebratulula uva</i>	1833, 124
<i>taeniolata</i>	{ 1834, 62 1843, 163	<i>Testudo graeca</i>	{ 1830-1, 63 1830-1, 74 1842, 72 1830-1, 46 1833, 43 1833, 81 1834, 113 1836, 59 1844, 55
<i>tahitensis</i>	{ 1834, 63 1843, 168	<i>indica</i>	{ 1834, 113 1836, 59 1844, 55
<i>tenera</i>	1843, { 158, 165	<i>Tetragonurus</i>	1843, 82
<i>tessellata</i>	{ 1834, 61 1843, 163	<i>atlanticus</i>	1839, 79
<i>textilis</i>	1843, { 156, 165	<i>cuvieri</i>	1839, 79
<i>tigrina</i>	{ 1834, 59 1843, 160	<i>simplex</i>	1833, 143
<i>tricolor</i>	{ 1834, 62 1843, 163	<i>Tetralobus</i>	1842, 73
<i>triseriata</i>	{ 1834, 62 1843, 164	<i>auricomus</i>	1842, 75
<i>tuberculosa</i>	1843, { 154, 164	<i>australasica</i>	1842, 74
<i>tuberosa</i>	1843, { 152, 166	<i>cinereus</i>	1842, 73
<i>undata</i>	1843, { 162, 60	<i>duponti</i>	1842, 73
<i>undulata</i>	{ 1834, 60 1843, 161	<i>fortnumi</i>	1842, 74
<i>varicosa</i>	1843, { 152, 162	<i>goryi</i>	1842, 73
<i>variegata</i>	{ 1834, 61 1843, 164	<i>manglesii</i>	1842, 75
<i>venosa</i>	1843, { 157, 165	<i>parryi</i>	1842, 74
<i>venusta</i>	1843, { 154, 167	<i>robustus</i>	1842, 75
<i>vetusta</i>	1843, { 166, 154	<i>savagei</i>	1842, 74
<i>violascens</i>	1843, { 168, 154	<i>Tetrao caucasica</i>	1842, { 105, 195
<i>vittata</i>	1843, { 160, 154	<i>cupido</i>	1844, 123
<i>vulcani</i>	1843, { 167, 154	<i>hybridus</i>	1830-1, 73
<i>zebra</i>	1843, { 160, 154	<i>medius</i>	1845, 13
<i>Terebratulula algoensis</i>	1846, 95	<i>rupestris</i>	1830-1, 74
<i>chilensis</i>	1833, { 124, 126	<i>tetrix</i>	{ 1830-1, 73 1834, 52 1835, 62
<i>cognata</i>	1846, 94	<i>umbellus</i>	1844, 123
<i>crenulata</i>	1846, 91	<i>urogallus</i>	{ 1834, 110 1845, 13
<i>erythroleuca</i>	1846, 93	<i>Tetraogallus altaicus</i>	1842, 105
<i>inconspicua</i>	1846, 93	<i>caucasicus</i>	1842, 105
<i>japonica</i>	1846, 91	<i>himalayensis</i>	1842, 105
<i>labradorensis</i>	1846, 95	<i>nigellii</i>	{ 1834, 52 1841, 6 1843, 70
<i>nigricans</i>	1846, 91	<i>Tetrapturus georgii</i>	1840, 36
<i>pauciflora</i>	1833, 126	<i>herschellii</i>	1837, 101
<i>pulchella</i>	1846, 93	<i>Tetrodon</i>	1835, 205
<i>rosea</i>	1846, 92	<i>argyropleura</i>	1832, 184
<i>rubella</i>	1846, 94	<i>capistratus</i>	1839, 90
<i>rubicunda</i>	1846, 92	<i>guttafer</i>	1830-1, 148
<i>sanguinea</i>	1846, { 92, 93	<i>physa</i>	1834, 46
<i>transversa</i>	1846, 94	<i>stellatus</i>	1833, 115
		<i>strigosus</i>	1834, 46
		<i>Thalasseus torresii</i>	1842, 140
		<i>Thalassidroma bulweri</i>	1839, 139
		<i>nercis</i>	1840, 178
		<i>pelagica</i>	{ 1830-1, 151 1839, 139 1847, 40

	Page		Page
<i>Thalassidroma wilsoni</i>	1839, 139	<i>Timalia chataræa</i>	1830-1, 118
	1847, 40		1832, 88
<i>Thamnophilus doliiatus</i>	1837, 117	<i>erythronotus</i>	1846, 103
<i>fuliginosus</i>	1837, 80	<i>erythroptera</i>	1846, 103
<i>rufilus</i>	1837, 117	<i>hyperythra</i>	1830-1, 118
<i>Thaumalea picta</i>	1842, 166	<i>hypoleuca</i>	1830-1, 118
<i>Theo</i>	1835, 170		1842, 92
<i>erosa</i>	1835, 171	<i>hypoleucos</i>	1845, 24
<i>Therates coracina</i>	1837, 128	<i>malcolmi</i>	1832, 83
<i>Theristicus melanops</i>	1843, 117	<i>mgricollis</i>	1846, 103
	1841, 95	<i>pectoralis</i>	1846, 103
<i>Thinocorus d'orbignia-</i>	1843, 115		1830-1, 118
<i>anus</i>	1846, 9	<i>pileata</i>	1839, 61
	1847, 29		1839, 161
<i>eschscholtzii</i>	1843, 116	<i>pyrrhophæa</i>	1846, 103
<i>Thoracantha flabellata</i>	1835, 52	<i>somervillei</i>	1832, 88
<i>Thrasastor harpyia</i>	1837, 108	<i>Tinamotis</i>	1836, 79
<i>Thryothorus guttatus</i>	1836, 89	<i>elegans</i>	1847, 28
	1839, 7		1836, 79
<i>Thylacinus</i>	1843, 148	<i>pentlandi</i>	1847, 28
	1838, 120		1847, 29
<i>harrisii</i>	1838, 147	<i>Tinnunculus sparverius</i>	1843, 109
	1843, 148	<i>Todus cinereus</i>	1837, 117
	1838, 120	<i>viridis</i>	1847, 38
<i>Thylacotherium</i>	1838, 147	<i>Tomogerus turbinatus</i>	1845, 45
	1839, 9		65
<i>Thynnus alalonga</i>	1839, 78	<i>Tonicia</i>	1847, 67
<i>albacora</i>	1839, 77	<i>atrata</i>	1847, 67
<i>communis</i>	1846, 27	<i>castanea</i>	1847, 67
<i>obesus</i>	1839, 78	<i>cerasina</i>	1847, 67
<i>pelamys</i>	1846, 27	<i>disjuncta</i>	1847, 67
<i>Thyrates acanthoder-</i>		<i>elegans</i>	1847, 67
<i>ma</i>	1839, 78	<i>fastigiata</i>	1847, 67
	1839, 99	<i>fulva</i>	1847, 67
<i>altivelis</i>	1840, 29	<i>grayii</i>	1847, 67
<i>atun</i>	1840, 29	<i>lineata</i>	1847, 67
<i>Tiara attenuata</i>	1835, 197	<i>lævigata</i>	1847, 67
<i>aurantia</i>	1835, 196	<i>lyrata</i>	1847, 67
<i>catenata</i>	1835, 195	<i>rubra</i>	1847, 67
<i>crenata</i>	1835, 196	<i>swainsonii</i>	1847, 67
<i>foaminata</i>	1835, 194	<i>Topaza pyra</i>	1846, 85
<i>lineata</i>	1835, 195	<i>Tornia</i>	1844, 24
<i>millecostata</i>	1835, 195	<i>Tornatella auricula</i>	1842, 62
<i>mucronata</i>	1835, 195	<i>bullata</i>	1842, 61
<i>multicostata</i>	1835, 195	<i>clathrata</i>	1840, 41
<i>muricata</i>	1835, 194	<i>coccinata</i>	1842, 60
<i>nivea</i>	1835, 195	<i>fasciata</i>	1842, 61
<i>rosea</i>	1835, 195	<i>flammea</i>	1835, 206
<i>rubra</i>	1835, 196		1842, 59
<i>semiplicata</i>	1835, 197	<i>glabra</i>	1842, 60
	1835, 196	<i>insculpta</i>	1842, 62
<i>terebrahs</i>	1835, 198	<i>nitidula</i>	1842, 61
<i>Tichodroma muraria</i>	1834, 51	<i>oryza</i>	1842, 62
<i>phœnicoptera</i>	1841, 6	<i>pedipes</i>	1842, 62
<i>Tiga rafflesii</i>	1846, 108	<i>sieboldii</i>	1842, 61
<i>tridactyla</i>	1846, 104	<i>solidula</i>	1842, 60
<i>Tihqua cumminghamii</i>	1832, 40	<i>tessellata</i>	1843, 60
<i>fernandi</i>	1836, 62	<i>venusta</i>	1842, 61

	Page		Page
<i>Tornatella virgata</i>	1842, 61	<i>Trichas personatus</i>	1847, 38
<i>Torpedo hebetans</i>	1843, 94	<i>Trichina</i>	1836, 26
<i>marmorata</i>	1843, 94	<i>spiralis</i>	1836, 26
<i>nobiliana</i>	1843, 94	<i>Trichiurus</i>	1836, 205
<i>oculata</i>	1840, 27	<i>purpureus</i>	1837, 55
<i>pantheri</i>	1843, 94	<i>Trichoglossus concinnus</i> ..	1839, 113
<i>picta</i>	1843, 93	<i>purpureus</i>	1839, 113
<i>vulgaris</i>	1836, 109	<i>Trichophorus caniceps</i> ..	1846, 101
<i>Tosia</i>	1847, 80	<i>flaveolus</i>	1836, 6
<i>aurata</i>	1847, 80	<i>flaveolus</i>	1839, 158
<i>australis</i>	1847, 78	<i>Trichotropis</i>	1843, 17
<i>grandis</i>	1847, 80	<i>bicarinata</i>	1843, 17
<i>rubra</i>	1847, 81	<i>cancellata</i>	1843, 17
<i>tubercularis</i>	1847, 80	<i>flavida</i>	1843, 18
<i>Totanus calidris</i>	1834, 51	<i>inermis</i>	1843, 18
<i>chloropygius</i>	1842, 94	<i>Trigla aspera</i>	1837, 61
<i>damascensis</i>	1839, 107	<i>cuculus</i>	1837, 57
<i>flavipes</i>	1847, 39	<i>gurnardus</i>	1837, 61
<i>fuscus</i>	1842, 94	<i>hirundo</i>	1836, 79
<i>glareola</i>	1832, 162	<i>kumu</i>	1837, 61
<i>glottis</i>	1842, 94	<i>lineata</i>	1839, 96
<i>glottoides</i>	1834, 51	<i>pauciradiata</i> ...	1835, 79
<i>hypoleucos</i>	1830-1, 173	<i>pini</i>	1839, 77
<i>macularius</i>	1842, 93	<i>pociloptera</i>	1835, 91
<i>ochropus</i>	1832, 163	<i>polyommata</i>	1837, 61
<i>sempalmata</i> . . .	1839, 133	<i>vanessa</i>	1839, 96
<i>Trachelotrachys</i>	1842, 94	<i>Trigon altavela</i>	1839, 92
<i>fumicolor</i>	1847, 39	<i>Trigona</i>	1844, 110
<i>pustulatus</i>	1832, 162	<i>Trigonalis</i> ...	1835, 52
<i>Trachichthys</i>	1834, 30	<i>melanoleuca</i>	1835, 53
<i>australis</i>	1834, 52	<i>Trigonocephalus erythru-</i>	
<i>pretiosus</i>	1842, 94	<i>rus</i>	1839, 31
<i>Trachops</i>	1847, 14	<i>nucrosquamatus</i> ..	1839, 32
<i>fuliginosus</i>	1847, 14	<i>Tringa canutus</i>	1834, 15
<i>Tragelaphus</i>	1836, 138	<i>glareola</i>	1830-1, 124
<i>Tragopan hastingsi</i> ..	1830-1, 8	<i>hypoleuca</i>	1830-1, 124
<i>satyrus</i>	1830-1, 122	<i>minuta</i>	1839, 122
<i>temminckii</i>	1834, 33	<i>minutella</i>	1842, 94
<i>Tragus</i>	1836, 63	<i>ochropus</i>	1847, 39
<i>Treron capellii</i> ...	1846, 105	<i>pectoralis</i>	1830-1, 124
<i>crassirostris</i>	1843, 35	<i>pusilla</i>	1847, 39
<i>fulvicollis</i>	1846, 105	<i>rufescens</i>	1842, 93
<i>tenuirostris</i>	1846, 105	<i>subarcuata</i>	1842, 94
<i>Tribura</i>	1845, 30	<i>pusilla</i>	1839, 122
<i>luteoventris</i>	1845, 30	<i>rufescens</i>	1842, 94
		<i>subarcuata</i>	1834, 15
		<i>temminckii</i>	1842, 93
		<i>variabilis</i>	1842, 94
			1834, 51
			1844, 67

	Page		Page
<i>Trionyx aegyptiacus</i>	1840, 57	<i>Triton niveus</i>	1844, 116
<i>euphraticus</i>	1840, 57	<i>obscurus</i>	1844, 117
<i>Triphoxia collaris</i>	1843, 23	<i>pagodus</i>	1844, 121
<i>deshayesi</i>	1843, 22	<i>palustris</i>	1843, 71
<i>pagodus</i> ...	1843, 22	<i>pfeifferianus</i>	1844, 112
<i>Tripterygion nasus</i>	1839, 83	<i>pictus</i> ...	1844, 121
<i>Triton acuminatus</i>	1844, 116	<i>quoyi</i>	1844, 118
<i>ægrotus</i>	1844, 114	<i>ranelloides</i> ..	1844, 111
<i>angulatus</i>	1844, 120	<i>reticulatus</i>	1833, 71
<i>anomalus</i>	1844, 22	<i>retusus</i> ...	1844, 115
<i>antiquatus</i>	1844, 21	<i>ridens</i>	1844, 115
<i>aquatilis</i> ..	1844, 114	<i>rubecula</i>	1844, 117
<i>australis</i> ...	1844, 113	<i>rudis</i>	1833, 6
<i>bacillum</i> ...	1844, 120	<i>sarcostoma</i>	1844, 113
<i>bracteatus</i> ..	1844, 21	<i>sauliae</i> ...	1844, 112
<i>canaliferus</i>	1844, 112	<i>scalariformis</i> ...	1833, 7
<i>cancellinus</i>	1844, 113	<i>scrobiculator</i>	1844, 138
<i>carduus</i>	1844, 121	<i>sculptilis</i>	1844, 118
<i>ceylonensis</i>	1833, 71	<i>sinensis</i> ..	1844, 113
<i>clathratus</i>	1833, 71	<i>siphonatus</i>	1844, 119
<i>clavator</i>	1844, 111	<i>tessellatus</i>	1844, 120
<i>concinus</i>	1844, 120	<i>thersites</i>	1844, 115
<i>constrictus</i>	1833, 5	<i>tigrinus</i>	1833, 5
<i>convolutus</i> ..	1833, 7	<i>tortuosus</i>	1844, 118
<i>crispus</i>	1844, 118	<i>trilineatus</i>	1844, 114
<i>cristatus</i>	1838, 23	<i>truncatus</i>	1844, { 21 120
<i>cynocephalus</i>	1844, { 114 115	<i>tuberosus</i>	1844, 115
<i>decapitatus</i>	1844, 119	<i>variegatus</i>	1844, 113
<i>decipiens</i>	1844, 121	<i>verrucosus</i>	1844, 118
<i>decollatus</i>	1833, 72	<i>vespaceus</i> ..	1844, 117
<i>digitale</i> ..	1844, 120	<i>vestitus</i> ..	1844, 21
<i>distortus</i>	1833, 71	<i>viperinum</i>	1844, 118
<i>eburneus</i>	1844, 118	<i>Trochilus</i> ..	1846, 28
<i>egregius</i>	1844, 119	<i>æneocauda</i>	1847, 94
<i>elongatus</i>	1844, 117	<i>alardi</i>	1847, 94
<i>encausticus</i>	1844, 115	<i>amazili</i>	1847, 47
<i>exaratus</i>	1844, 116	<i>amethysticollis</i> ...	1847, 46
<i>exilis</i>	1844, 111	<i>amethystinus</i>	1847, 47
<i>eximius</i>	1844, 119	<i>angustipennis</i> ...	1840, 18
<i>ficoides</i>	1844, 116	<i>antonia</i> ..	1847, 46
<i>fictilis</i>	1844, 21	<i>aquila</i>	1847, 42
<i>gallinago</i>	1844, 110	<i>aurogaster</i>	{ 1840, 16 1843, 122
<i>gemmatus</i> ..	1844, 117	<i>brachyrhynchus</i> ..	1840, 16
<i>gibbosus</i>	1833, 7	<i>buffoni</i>	1847, 96
<i>gracilis</i> ..	1844, 117	<i>caroli</i>	1847, 48
<i>grandimaculatus</i> ..	1844, 113	<i>chimboraço</i>	1847, 10
<i>lativaricosus</i> ...	1844, 120	<i>colubris</i>	1837, 37
<i>lignarius</i>	1833, 5	<i>columbicus</i> ..	1847, 44
<i>lineatus</i> ..	1833, { 6 72	<i>conradi</i>	1847, 45
<i>lotorium</i>	1844, 113	<i>coruscus</i>	{ 1840, 15 1843, 122
<i>marmoratus</i>	1838, 23	<i>cristatus</i>	1847, 42
<i>mediterraneus</i> ...	1833, 71	<i>cupreocauda</i>	1847, 94
<i>montanctus</i>	1844, 115	<i>cupreo-ventris</i> ..	{ 1840, 15 1847, 17
<i>nitidulus</i>	1833, 71	<i>cyanopterus</i> ...	1840, 17

	Page		Page
<i>Trochilus cyanopterus</i> ..	1843, 122	<i>Trochilus yarrellii</i>	1847, 45
<i>cyanotus</i>	1847, 8	(<i>Calothorax</i>) <i>calliopo</i>	1847, 11
<i>derbianus</i>	{ 1840, 16	(<i>Doryfera</i>) <i>louise</i> ..	1847, 95
<i>derbyi</i>	{ 1843, 122	(—) <i>violifrons</i> ..	1847, 95
<i>doubledayi</i>	1847, 17	(<i>Glaucis</i>) <i>cæruleo-</i>	
<i>eurypterus</i>	1847, 46	<i>gaster</i>	1847, 96
<i>evelynæ</i>	{ 1832, 7	(<i>Lampornis</i>) <i>auro-</i>	
<i>exortis</i>	{ 1847, 48	<i>cens</i>	1846, 88
<i>fernandensis</i>	1847, 44	(—) <i>cyanopterus</i> ..	1846, 88
<i>flavescens</i>	1840, 14	(—) <i>fulviventris</i> ..	1846, 88
<i>flavicaudatus</i>	{ 1830-1, 30	(<i>Lesbia</i>) <i>gracilis</i> ..	1846, 86
<i>furcatus</i>	1832, 7	(—) <i>smaragdinus</i> ..	1846, 85
<i>fuscicaudatus</i>	{ 1840, 18	(<i>Lophornis</i>) <i>regulus</i>	1846, 89
<i>galeritus</i>	{ 1843, 122	(<i>Ocreatus</i>) <i>ligoni-</i>	
<i>geoffroyi</i>	1847, 38	<i>caudus</i>	1846, 86
<i>georginæ</i>	1840, 17	(—) <i>rufocaligatus</i> ..	1846, 86
<i>gibsoni</i>	1843, 115	(<i>Potasophora</i>) <i>co-</i>	1846, 44
<i>gigas</i>	1847, 9	<i>ruscans</i>	1846, 90
<i>gouldii</i>	1847, 48	(<i>Topaza</i>) <i>pyra</i>	1846, 85
<i>johannæ</i>	1840, 17	(—) <i>æneocauda</i> ..	1846, 87
<i>langii</i>	{ 1843, 114	(—) <i>cupreicauda</i> ..	1846, 87
<i>loddigesii</i>	1832, 7	(—) <i>flabelliferus</i> ..	1846, 45
<i>ludovicicæ</i>	1847, 45	(—) <i>hispidus</i> ..	1846, 90
<i>matthewsii</i>	1847, 43	(—) <i>hypoleucus</i> ..	1846, 90
<i>mazeppa</i>	1847, 43	(—) <i>inornata</i> ..	1846, 89
<i>melanogenys</i> ..	1840, 18	(—) <i>nigrofasciata</i> ..	1846, 89
<i>meriphilus</i> ..	1847, 44	(—) <i>ruficeps</i> ..	1846, 89
<i>millerii</i>	{ 1843, 114	(—) <i>strophianus</i> ..	1846, 45
<i>murabilis</i>	{ 1847, 43	(—) <i>violifer</i> ..	1846, 87
<i>mittellii</i>	1847, 42	<i>Trochus agglutinans</i> ...	1842, 160
<i>mosquera</i>	1847, 47	<i>asteriscus</i> ..	1842, 184
<i>nigrofasciata</i>	1847, 17	<i>conchyliophorus</i> ..	1842, 161
<i>norrisii</i>	1847, 44	<i>cumingii</i>	1845, 138
<i>parvirostris</i>	1847, 47	<i>eximius</i>	1842, 185
<i>ruckeri</i>	{ 1840, 18	<i>finbratus</i>	1842, 184
<i>ruficollis</i>	{ 1843, 122	<i>gemmosus</i>	1842, 184
<i>schreibersii</i>	1847, 46	<i>hanleyanus</i>	1842, 184
<i>sephanoides</i>	1847, 46	<i>indicus</i>	1842, 162
<i>serrirostris</i>	1847, 43	<i>lithophorus</i>	1842, 161
<i>smaragdinecollis</i> ..	1843, 115	<i>melanostoma</i>	1842, 185
<i>spencei</i>	1847, 8	<i>modestus</i>	1842, 185
<i>stokesii</i>	1847, 94	<i>pileolum</i>	1842, 184
<i>strophianus</i> ..	1847, 46	<i>solaris</i>	1842, 161
<i>thalassinus</i> ..	1830-1, 30	<i>Troglodytes communis</i> ..	1834, 51
<i>torquatus</i> ..	1847, 46	<i>leucogastra</i>	1830, 89
<i>tylenthinus</i> ..	{ 1832, 6	<i>magellanicus</i> ..	{ 1830, 88
<i>uropygialis</i> ..	{ 1840, 18	{ 1843, 111	
<i>watertonii</i> ..	{ 1843, 122	{ 1835, 160	
<i>williamsi</i> ..	{ 1840, 15	{ 1830, 28	
	{ 1847, 17	<i>niger</i> ..	{ 1841, 97
	{ 1843, 122	{ 1846, 2	
	{ 1847, 17	{ 1840, 15	
	{ 1847, 44	<i>Trogon ambiguus</i> ..	1835, 30
	1847, 94	<i>assimilis</i> ..	1846, 67
		<i>citreolus</i> ..	1835, 30

	Page		Page
<i>Trogon elegans</i>	1834, 26	<i>Turdus merula</i>	{ 1835, 105 1839, 131 1842, 167
<i>erythrocephalus</i> . .	1834, 25	<i>migratorius</i>	1837, 111
<i>hodgsoni</i>	1839, 166	<i>mindanensis</i>	1839, 103
<i>malabaricus</i>	1834, 26	<i>modestus</i>	{ 1839, 103 1846, 100 1835, 90
<i>mexicanus</i>	1837, 109	<i>musicus</i>	{ 1839, 131 1842, 71
<i>paradiseus</i>	1837, 101	<i>pilaris</i>	1839, 131
<i>pavoninus</i>	{ 1833, 107 1836, 12	<i>pocillopterus</i> . .	{ 1830-1, 54 1842, 92
<i>puella</i>	1845, 18	<i>polyglottus</i>	1833, 114
<i>resplendens</i>	{ 1835, 29 1836, 12 1837, 101	<i>sularis</i>	{ 1830-1, 118 1832, 87 1842, 92
<i>strigilatus</i>	1837, 116	<i>unicolor</i>	1837, 136
<i>temnurus</i>	1847, 38	<i>viscivorus</i>	1842, 93
<i>Tropidonotus mceatus</i> .	1839, 54	<i>Turnix pugnax</i>	{ 1842, 167 1846, 105
<i>plumbicolor</i>	1839, 54	<i>Turnitella</i>	1840, 40
<i>quinque</i>	1839, 54	<i>cancellata</i>	1840, 41
<i>surgens</i>	1839, 54	<i>elegantissima</i> *	1840, 41
<i>Tropidorhynchus argen-</i>		<i>Turtur auritus</i>	1841, 6
<i>ticeps</i>	1839, 144	<i>suratensis</i>	1842, 168
<i>citreogularis</i>	1836, 143	<i>Tythe</i>	{ 1835, 172 1847, 85
<i>Tropiopoda</i>	1841, 74	<i>emarginata</i>	1847, 85
<i>Truncatella scalariformis</i>	1842, 197	<i>lamellifrons</i>	{ 1835, 173 1847, 85
<i>Trygon altavela</i> . . .	1845, 94	<i>Typhus</i>	1843, 18
<i>Tubularia gracilis</i> . . .	1836, 54	<i>arcuatus</i>	1843, 19
<i>indivisa</i>	1836, 54	<i>belcheri</i>	1832, 178
<i>Turbinella armata</i> . . .	1833, 7	<i>coronatus</i>	1832, 178
<i>cæstus</i>	1833, 8	<i>cumingi</i>	1832, 177
<i>tuberculata</i>	1833, 7	<i>nitens</i>	1843, 19
<i>Turbinellus imperialis</i> .	1842, 198	<i>pinnatus</i>	1832, 178
<i>vexillulum</i>	1842, 198	<i>quadratus</i>	1843, 18
<i>Turbo crenatus</i>	1840, 41	<i>sowerbii</i>	{ 1832, 178 1843, 18
<i>elegantissimus</i>	1840, 41	<i>Tyrannula coronata</i> . . .	1837, 112
<i>pulcher</i>	1842, 185	<i>divaricata</i>	1837, 112
<i>sumillimus</i>	1840, 42	<i>saya</i>	1847, 38
<i>squamiger</i>	1842, 186	<i>Tyrannus intrepidus</i> . .	1847, 38
<i>ticaonicus</i>	1842, 185	<i>supercilius</i>	1837, 118
<i>unicus</i>	1840, 42	<i>Uma novæ hollandiæ</i> . .	1834, 57
<i>unidentatus</i>	1840, 40	<i>Upeneus biæmatus</i> . .	1830-1, 59
<i>variabilis</i>	1842, 186	<i>immaculatus</i>	1830-1, 59
<i>Turbonella</i>	1840, 40	<i>mauritanus</i>	1830-1, 59
<i>humboldtii</i>	1840, 41	<i>pleurostigma</i>	1830-1, 59
<i>Turdus albicollis</i> . . .	1842, 92	<i>Upucerthia dumetoria</i> .	{ 1841, 94 1843, 111
<i>atrogularis</i>	1841, 6	<i>Upupa</i>	1840, 124
<i>cafer</i>	1839, 161	<i>epops</i>	{ 1839, 133 1839, 105 1841, 72
<i>chalybeus</i>	1839, 103	<i>minor</i>	1830-1, 121
<i>cyaneus</i>	1832, 87		
<i>erythrogaster</i>	1830-1, 171		
<i>falklandicus</i>	{ 1843, 111 1847, 53		
<i>fuscater</i>	1843, 120		
<i>gigas</i>	1840, 59		
<i>grayi</i>	1837, 118		
<i>guttatus</i>	1830-1, 92		
<i>macrourus</i>	{ 1830-1, 118 1832, 87 1836, 7		
<i>magellanicus</i>	1830-1, 14		

	Page		Page
<i>Upupa minor</i>	1832, 97	<i>Vanellus goensis</i>	1842, 92
<i>Uracantha</i>	1835, 62	<i>keptschka</i>	1830, 122
<i>triangularis</i>	1833, 64	<i>ventralis</i>	1842, 92
<i>Uracanthus</i>	1833, 64	<i>ventralis</i>	1830-1, 124
<i>margnellus</i>	1840, 53	<i>Varicorhinus bobree</i>	1838, 159
<i>pallens</i>	1840, 54	<i>Varranus cumingi</i>	1838, 69
<i>Urania fernandinæ</i>	1840, 53	<i>1833</i>	1833, 14
<i>leilus</i>	1834, 10	<i>Veleva limbosa</i>	1836, 70
<i>Urogallus medius</i>	1834, 11	<i>Velutina cancellata</i>	1843, 137
<i>Uromastix acanthinurus</i>	1830-1, 73	<i>sigaretiformis</i>	1843, 137
	1833, 10	<i>Venerupus tenuistriata</i>	1840, 35
	1841, 44	<i>Venus</i>	1844, 150
<i>Ursus americanus</i>	1842, 63	<i>asporima</i>	1835, 42
	1842, 68	<i>australis</i>	1835, 22
	1842, 97	<i>brugueri</i>	1845, 21
<i>arctos</i>	1841, 44	<i>californiensis</i>	1835, 43
— var. <i>niger</i>	1834, 110	<i>chemnitzii</i>	1844, 160
<i>brasiliensis</i>	1837, 46	<i>chilensis</i>	1835, 41
<i>ferox</i>	1841, 44	<i>cingulata</i>	1844, 102
<i>isabellinus</i>	1834, 96	<i>columbiensis</i>	1835, 21
	1840, 40	<i>compta</i>	1835, 43
	1830-1, 100	<i>contraria</i>	1842, 45
<i>labiatus</i>	1830, 128	<i>costellata</i>	1835, 42
	1841, 44	<i>crenifera</i>	1835, 43
	1842, 68	<i>cypria</i>	1835, 43
<i>maritimus</i>	1841, 44	<i>decipiens</i>	1844, 162
	1846, 11	<i>decorata</i>	1844, 161
<i>ornatus</i>	1833, 114	<i>discors</i>	1835, 42
<i>syriacus</i>	1840, 46	<i>discrepans</i>	1835, 22
<i>thibetanus</i>	1830-1, 76	<i>divaricata</i>	1842, 45
	1834, 96	<i>dysena</i>	1844, 161
<i>Utica</i>	1847, 85	<i>fasciata</i>	1844, 162
<i>graculipes</i>	1847, 86	<i>fuscolineata</i>	1835, 41
		<i>histrionica</i>	1835, 41
<i>Valdivia</i>	1847, 85	<i>lacerata</i>	1844, 161
<i>serrata</i>	1847, 85	<i>lenticularis</i>	1835, 42
<i>Valvata</i>	1845, 11	<i>leucodon</i>	1835, 43
— <i>P</i>	1845, 11	<i>listeri</i>	1844, 161
<i>Vampyrus cirrhosum</i>	1847, 14	<i>lyra</i>	1844, 161
<i>Vanga cuneata</i>	1836, 143	<i>lysteri</i>	1844, 161
<i>nigroregularis</i>	1836, 143	<i>mactracea</i>	1835, 44
<i>Vanellus</i> —	1834, 51	<i>magnifica</i>	1845, 21
	1841, 32	<i>marica</i>	1844, 160
	1834, 45	<i>multicostata</i>	1835, 22
<i>albiceps</i>	1841, 33	<i>obscura</i>	1835, 44
	1830-1, 124	<i>opaca</i>	1835, 42
<i>bilobus</i>	1832, 166	<i>ornatissima</i>	1835, 44
<i>cayanus</i>	1843, 117	<i>ovata</i>	1844, 161
<i>cayanensis</i>	1841, 32	<i>peruviana</i>	1835, 22
	94	<i>puerpera</i>	1844, 161
<i>chilensis</i>	1847, 54	<i>pulicaria</i>	1835, 44
	1839, 121	<i>reticulata</i>	1844, 160
<i>cristatus</i>	1842, 92	<i>roborata</i>	1844, 161
	1844, 146	<i>scabra</i>	1844, 161
<i>cucullatus</i>	1841, 33	<i>sinensis</i>	1842, 124
	1830-1, 124	<i>spurca</i>	1835, 23
<i>goensis</i>	1830-1, 173	<i>subimbricata</i>	1835, 21
	1832, 165	<i>subnodulosa</i>	1844, 160

	Page		Page
<i>Venus tricolor</i>	1835, 41	<i>Voluta cumingii</i> ..	1832, 33
<i>undatella</i>	1835, 22	<i>cylleniformis</i>	1844, 151
<i>variabilis</i>	1835, 42	<i>flammea</i> ..	1842, 59
<i>Veretillum</i>	1844, 110	<i>fulminata</i>	1844, 151
<i>Vernetus eburneus</i>	1839, 178	<i>guldinigi</i>	1844, 151
<i>Vermula triquetra</i> ..	1842, 197	<i>ignea</i>	1844, 174
<i>Vermivora solitaria</i> ..	1835, 128	<i>lynformis</i>	1844, 151
<i>Vespertilio</i>	1847, 38	<i>mammilla</i>	1844, 149
<i>eschscholtzii</i>	1845, 3	<i>megaspira</i>	1844, 150
<i>macrotarsus</i>	1845, 4	<i>nivosa</i>	1844, 150
<i>meyeni</i>	1845, 5	<i>norrisi</i>	1844, 150
<i>nattereri</i>	1845, 7	<i>piperita</i>	1844, 150
<i>noctula</i>	1837, 52	<i>reticulata</i>	1843, 144
<i>pellucidus</i>	1834, 129	<i>solidula</i>	1842, 60
<i>pipistrellus</i>	1842, 68	<i>tornatilis</i>	1842, 61
<i>rufo-pictus</i>	1845, 6	<i>Volvarina</i>	1844, 75
<i>tristis</i>	1842, 68	<i>Vomer</i>	1843, 86
<i>Vidua chrysonota</i> ..	1842, 96	<i>Vulpes bengalensis</i> ..	1837, 68
<i>erythrorhynchus</i> ..	1845, 8	<i>dorsalis</i>	1837, 132
<i>paradisea</i>	1845, 3	<i>fulva</i>	1837, 68
<i>Vinago militaris</i>	1843, 52	<i>fulvipes</i>	1837, 11
<i>olax</i>	1843, 52	<i>vulgaris</i>	1837, 68
<i>sphenura</i>	1844, 10	<i>xanthura</i>	1837, 68
<i>vernans</i>	1830-1, 122	<i>Vultur angolensis</i> ..	1830-1, 13
<i>Vipera berus</i>	1839, 107	<i>aura</i>	1830-1, 67
<i>communis</i>	1830-1, 173	<i>auricularis</i>	1842, 193
<i>euphratica</i>	1839, 107	<i>bengalensis</i>	1837, 33
<i>Viralva anglica</i>	1834, 101	<i>fulvus</i>	1830-1, 66
<i>Vireo olivaceus</i>	1842, 71	<i>indicus</i>	1833, 45
<i>Viverra zibethica</i>	1838, 82	<i>kolbi</i>	1832, 78
<i>boiei</i>	1832, 172	<i>papa</i>	1833, 81
<i>bondar</i>	1847, 38	<i>ponticerianus</i> ..	1836, 107
<i>civetta</i>	1832, 68	<i>Xanthornis chrysocarpus</i>	1830-1, 67
<i>hermaphrodita</i>	1842, 114	<i>Xanthornus gularis</i>	1832, 77
<i>indica</i>	1832, 66	<i>mentalis</i>	1837, 100
<i>larvata</i>	1841, 44	<i>Xema ridibundum</i> ..	1837, 120
<i>musanga</i>	1842, 63	<i>cirrocephalum</i> ..	1842, 167
<i>nigra</i>	1842, 69	<i>Xenia desjardinsiana</i> ..	1843, 119
<i>prehensilis</i>	1832, 67	<i>Xenocarcinus tubercula-</i>	1835, 111
<i>rasse</i>	1830-1, 101	<i>tus</i>	1847, 119
<i>tigrina</i>	1832, 23	<i>Xerophila</i>	1840, 175
<i>trivirgata</i>	1834, 96	<i>leucopsis</i>	1840, 175
<i>undulata</i>	1832, 68	<i>Xiphias gladius</i>	1839, 79
<i>vittata</i>	1834, 96	<i>Xolmis pyrope</i>	1846, 27
<i>Voluta aulica</i>	1837, 46	<i>Xylophaga globosa</i> ..	1843, 111
<i>beckii</i>	1842, 53		1835, 110
<i>concinna</i> ..	1836, 43	<i>Yuhina flavicollis</i>	1845, 24
	1836, 43	<i>Yunx pectoralis</i>	1830-1, 93
		<i>torquilla</i>	1839, 133
			1839, 165
			1842, 92

	Page		Page
<i>Yunx torquilla</i>	1842, { 94 108	<i>Zeus roseus</i>	1843, 85
<i>Zanclus cornutus</i>	1833, 117	<i>Zonites fuliginosus</i> . . .	1834, 63
<i>Zapornia pusilla</i>	1839, 134	<i>walkeri</i>	1834, 63
<i>Zebrida adamsi</i>	1847, 121	<i>Zoothera</i>	1830-1, 172
<i>Zenaida aurita</i>	{ 1843, 115 1847, 53	<i>monticola</i>	{ 1830-1, 172 1832, 15
<i>Zeus aper</i>	1833, 114	<i>Zonotrichia matutina</i> . .	1843, 113
<i>childreni</i>	1843, 85	<i>Zophosis nodosa</i>	1841, 110
<i>conchifer</i>	1845, 103	<i>Zosterops</i>	1845, 24
<i>faber</i>	{ 1839, 82 1846, 27	<i>albogularis</i>	1830, 75
		<i>chloronotus</i>	1840, 165
		<i>maderaspatanus</i> . . .	1839, 161
		<i>tenuirostris</i>	1836, 76

THE END OF THE INDEX.

PROCEEDINGS
OF THE
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.
1848—1860.

PRINTED FOR THE SOCIETY;
SOLD AT THEIR HOUSE IN HANOVER SQUARE,
AND AT
MESSRS LONGMAN, GREEN, LONGMANS, AND ROBERTS,
PATERNOSTER-ROW
1863.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

CONTENTS.

	Page
List of the Names of Contributors, from 1848 to 1860, with the Titles of and References to the several Articles con- tributed by each	1
List of the Illustrations, 1848 to 1860	67
Index of Species described and referred to, 1848 to 1860	91

LIST OF THE NAMES

OF

CONTRIBUTORS,

FROM 1848 TO 1860,

*With the Titles of and References to the several Articles contributed
by each.*

	Page
<hr/>	
ADAMS, A. LEITH, M.D., A.M., Surgeon 22nd Regiment.	
Notes on the Habits, Haunts, &c. of some of the Birds of India (communicated by Messrs. T. J. and F. Moore)	1858, 466
Remarks on the Habits and Haunts of some of the Mammals found in various parts of India and the West Himalayan Mountains (communicated by Messrs. T. J. and F. Moore)	1858, 512
The Birds of Cashmere and Ladakh	1859, 169
 ADAMS, ARTHUR, F.L.S., Surgeon R.N.	
Description of a New Genus of Acephalous Mol- lusca, of the Family <i>Pectinacea</i>	1848, 133
Monograph of the Recent Species of <i>Trigonia</i> , in- cluding the description of a New Species from the Collection of Hugh Cuming, Esq.	1849, 159
On the animal of <i>Geomelania</i>	1849, 169
Descriptions of New Species of Shells from the Col- lection of Hugh Cuming, Esq.	1849, 169
PROC. ZOOLOG. SOC. INDEX, 1848-60.	1

	Page
ADAMS, ARTHUR, F.L.S., Surgeon R.N. (<i>continued</i>).	
Monograph of the Species of <i>Myochama</i> , including the descriptions of Two New Species from the Collection of Hugh Cuming, Esq.	1850, 22
Description of New Species of the Genus <i>Cumingia</i> , with some additional generic characters.....	1850, 24
An arrangement of <i>Stomatellidæ</i> , including the characters of a New Genus and of several New Species	1850, 29
Monograph of the Genus <i>Anatinella</i>	1850, 40
Monographs of <i>Cyclostrema</i> , Marryatt, and <i>Separatista</i> , Gray, two genera of Gasteropodous Mollusks	1850, 41
On the Animal of <i>Liota</i> , with descriptions of New Species of <i>Delphinula</i> and <i>Liota</i> , from the Cumingian Collection	1850, 50
Monograph of <i>Sphænia</i> , a genus of Lamellibranchiate Mollusca	1850, 86
Monograph of <i>Scarabus</i> , a genus of air-breathing Gasteropodous Mollusca, from specimens in the Cumingian Collection	1850, 147
Monograph of <i>Phos</i> , a genus of Gasteropodous Mollusca	1850, 152
Monograph of <i>Macrochisma</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i>	1850, 202
Monograph of <i>Mochulus</i> , a genus of Gasteropodous Mollusca, of the Family <i>Littorinidæ</i>	1850, 203
Monograph of <i>Cyllene</i> , a genus of Gasteropodous Mollusca	1850, 204
Catalogue of the Species of <i>Emarginula</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i> , in the Collection of Hugh Cuming, Esq. . .	1851, 82
Catalogue of the Species of <i>Nassa</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Buccinidæ</i> , in the Collection of Hugh Cuming, Esq.; with the Descriptions of some New Species	1851, 94
Descriptions of Fifty-two New Species of the Genus <i>Mitra</i> , from the Cumingian Collection	1851, 132

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Contributions towards a Monograph of the <i>Trochidae</i> , a family of Gasteropodous Mollusca	1851, 150
A Monograph of <i>Scutus</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 221
A Monograph of the Genus <i>Monoptygma</i> of Lea ..	1851, 222
Descriptions of New Shells from the Cumingian Collection ..	1851, 224
Note on the Genus <i>Nematura</i>	1851, 225
A Monograph of the Recent Species of <i>Rimula</i> , a genus of Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 226
A Monograph of <i>Puncturella</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 227
Descriptions of Sixteen New Species of <i>Rissoina</i> , a genus of Marine Gasteropodous Mollusks, from the Cumingian Collection	1851, 264
Descriptions of several New Species of <i>Murex</i> , <i>Rissoina</i> , <i>Planaxis</i> , and <i>Eulima</i> , from the Cumingian Collection	1851, 267
Descriptions of New Species of <i>Eulima</i> , <i>Trophoris</i> , &c., from the Collection of Hugh Cuming, Esq.	1851, 276
Descriptions of New Shells, from the Cumingian Collection	1852, 90
Descriptions of a New Genus, and of several New Species, of Mollusca, from the Cumingian Collection	1852, 92
Descriptions of New Shells, from the Collection of Hugh Cuming, Esq. ..	1853, 69
Descriptions of New Species of <i>Semele</i> , <i>Rhazochilus</i> , <i>Plotia</i> , and <i>Trara</i> , in the Cumingian Collection	1853, 94
Descriptions of New Species of the Genus <i>Conus</i> , from the Collection of Hugh Cuming, Esq.	1853, 116
Monograph of <i>Plecotrema</i> , a New Genus of Gasteropodous Mollusks, belonging to the Family <i>Auricu-</i>	

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

ludæ, from specimens in the Collection of Hugh Cum-
ing, Esq. 1853, 120

Descriptions of New Species of Shells in the Col-
lection of Hugh Cuming, Esq. 1853, 173

A Monograph of *Pyramidella*, a genus of Gastero-
podous Mollusca, belonging to the Family *Pyrami-
dellidæ* 1853, 176

Contributions towards a Monograph of the Genus
Chemnitzia 1853, 178

Descriptions of New Genera and Species of Gaste-
ropodous Mollusca 1853, 182

A Monograph of *Fossar*, a genus of Gasteropo-
dous Mollusca 1853, 186

A Monograph of *Umbonium* (*Rotella*), a genus of
Trochidæ 1853, 187

A Monograph of *Isanda*, a New Genus of *Trochidæ*,
allied to *Umbonium* 1853, 189

Further Contributions towards the Natural History
of the *Trochidæ*; with a Description of a New Genus,
and of several New Species, from the Cumingian Col-
lection 1854, 37

Description of a New Genus and of several New
Species of Gasteropodous Mollusca, from the Cum-
ingian Collection 1854, 41

Monographs of *Actæon* and *Solidula*, two genera of
Gasteropodous Mollusca; with Descriptions of several
New Species from the Cumingian Collection 1854, 58

A Monograph of *Cerithidea*, a genus of Mollusca;
with Descriptions of several New Species from the
Collection of Hugh Cuming, Esq.; to which are added
Descriptions of Two New Species of *Colma*, and One
of *Donax* 1854, 83

Descriptions of Thirty-nine New Species of Shells,
from the Collection of Hugh Cuming, Esq. 1854, 130

	Page
ADAMS, ARTHUR, F.L.S., Surgeon R.N. (<i>continued</i>).	
Descriptions of Twenty-seven New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854, 311
Descriptions of Two New Genera and several New Species of Mollusca, from the Collection of Hugh Cuming, Esq.	1855, 119
Descriptions of Twenty-five New Species of Shells from the same Collection	1855, 221
Descriptions of Two New Shells discovered by Robert M'Andrew, Esq., on the coast of Norway ..	1856, 1
Descriptions of Thirty-four New Species of Bivalve Mollusca (<i>Leda</i> , <i>Nucula</i> , and <i>Pythina</i>), from the Cumingian Collection	1856, 47
Notice of a New Species of <i>Trichotropis</i> , from the Collection of Hugh Cuming, Esq.	1856, 369
Notes on the Scaly Ant-eater (<i>Manis javanica</i>), taken during life and after death	1859, 133
Description of a New Conchiferous Mollusk of the Genus <i>Pandora</i>	1859, 487
Note on the Fox of Japan	1860, 195
ADAMS, HENRY, F.L.S.	
Description of a New Genus of Freshwater Bivalve Mollusca, belonging to the Family <i>Corbulidæ</i> , from the Collection of Hugh Cuming, Esq.	1860, 203
Description of a New Genus and Species of Mollusk.	1860, 241
On New Genera of Acephalous Mollusks	1860, 369
Descriptions of a New Genus and Species of Mol- lusca	1860, 450
ADAMS, H. & A.	
Monographs of <i>Ellobium</i> and <i>Melampus</i> , two ge- nera of Pulmoniferous Mollusca	1854, 7
Contributions towards the Natural History of the <i>Auriculidæ</i> , a Family of Pulmoniferous Mollusca; with Descriptions of many New Species from the Cumingian Collection	1854, 30

	Page
ALLEN, WILLIAM, Capt. R.N.	
Letter relating to skull of Antelope	1848, 88
ANGAS, G. F.	
Description of <i>Tragelaphus Angasi</i>	1848, 89
BAIKIE, Dr. BALFOUR, F.R.G.S.	
On the Skull of a <i>Manatus</i> from Western Africa .	1857, 29
On the Species of <i>Crocodilus</i> inhabiting the rivers Kwóra and Bínuc (Níger and Tsádda) in Central Africa	1857, 48
On the Skull of a Species of <i>Mecistops</i> inhabiting the river Bínuc or Tsádda, in Central Africa.	1857, 57
BAIRD, W., M.D., F.L.S., &c.	
Monograph of the Family <i>Limnadiadæ</i> , a family of Entomostracous Crustacea ...	1849, 84
Description of a New Crustacean	1850, 102
Descriptions of several New Species of Entomostraca	1850, 254
Monograph of the Family <i>Apodidæ</i> , a family of Crustaceans belonging to the Division Entomo- straca; with a Description of a New Species of <i>Apus</i> , and Two Species of <i>Ostracoda</i> belonging to the Genus <i>Cypris</i>	1852, 1
Monograph of the Family <i>Branchipodidæ</i> , a family of Crustaceans belonging to the Division Entomo- straca; with a Description of a New Genus and Species of the Family, and Two New Species belonging to the family <i>Limnadiadæ</i>	1852, 18
Descriptions of some New Species of Entozoa, from the Collection of the British Museum	1853, 18
Description of a New Species of <i>Cypris</i>	1854, 6
Description of Two New Species of Entozoa	1858, 224
Description of a New Species of <i>Tæma</i>	1859, 111
Description of a Rare Entozoon from the Stomach of the Dugong	1859, 148

	Page
BAIRD, W., M.D., F.L.S., &c. (<i>continued</i>).	
Description of some new recent Entomostraca from Nagpur, collected by the Rev. S. Hislop	1859, 231
Description of a New Species of Entozoon (<i>Sclerostoma sipunculiforme</i>) from the Intestines of the Elephant	1859, 425
Description of a New Species of <i>Estheria</i> from Nagpoor, Central India	1860, 188
Note on the Genus <i>Cypridina</i> , Milne-Edwards, with a Description of some New Species	1860, 199
Description of a New Entomostracous Crustacean, belonging to the Order <i>Phyllopoda</i> , from South Australia	1860, 392
Description of Two New Species of Entomostracous Crustacea from India	1860, 445
Description of some New Species of Intestinal Worms (Entozoa) in the Collection of the British Museum	1860, 446
BARTLETT, A. D.	
On the Genus <i>Apteryx</i>	1850, 274
On some Bones of <i>Didus</i>	1851, 280
Letter addressed to Dr. Gray respecting the Living African <i>Lepidosiren</i> in the Crystal Palace	1856, 346
Description of Chinese Sheep sent to H. R. H. Prince Albert by Rutherford Alcock, Esq., H. M. Vice-Consul at Shanghai, and presented by H. R. H. to the Zoological Society in April 1855	1857, 104
Description of a Rabbit said to be found on the Himalayan Mountains	1857, 159
Note on the Artificial Propagation of Salmon	1859, 125
Indications of the existence of a second species of Emeu (<i>Dromæus</i>)	1859, 205
Remarks on the Habits of a Herring Gull (<i>Larus argentatus</i>)	1859, 467

BARTLETT, A.D. (*continued*).

- On the most efficient mode of preserving the Eggs
of Birds in order that they may be afterwards hatched 1859, 468
- Exhibition of the Head of a variety of the Common
Goose, with the feathers of the back of the head re-
versed 1860, 99
- Exhibition of the Gizzard of a Nicobar Pigeon 1860, 99
- Note on some Young Hybrid Bears bred in the
Gardens of the Society 1860, 130
- Exhibition of a series of Eggs of Struthious Birds.. 1860, 205
- Notes on the Reproduction of the Australian Wattle-
bird (*Talegalla lathamii*) in the Society's Gardens 1860, 426
- Note on the *Baleniceps rex* 1860, 461

BATES, H. W.

- Exhibition of an undescribed species of *Phyllostoma*,
from Ega, Upper Amazon 1860, 99

BEARDSWORTH, Rev. G.

- Extract of a letter relating to two Cetaceans killed
on the North Kentish coast, near Whitstable 1860, 373

BEATTIE, WILLIAM, Hon. Sec. Montrose Nat. Hist. Soc.

- Note on the Reproduction of *Nemertes borlassii* (in
a letter to Dr. Gray) 1858, 307

BECKER, LUDWIG.

- Notes on the Young of *Menura superba*, in a letter
addressed to John Gould, Esq., from Melbourne,
Victoria, Sept. 24, 1859 1860, 61

BENNETT, G., M.D., of Sydney, F.Z.S., &c.

- Notes on the Habits of the *Scythrops novæ-hollandiæ*
(communicated by John Gould, Esq.) 1858, 462
- Notes on the Mooruk (*Casuarus bennettii*) 1859, 32
- Notes on the Habits of the *Mycteria australis* or
New Holland Jabiru (Gigantic Crane of the Colonists) 1859, 47

	Page
BENNETT, G., M.D., of Sydney, F.Z.S., &c. (<i>continued</i>).	
Description of a New Species of <i>Perga</i> , or Saw-fly, found feeding upon the <i>Eucalyptus citriodora</i> of Hooker, or Wide Bay Lemon-scented Gum-tree	1859, 209
Notes on the Duck-bill (<i>Ornithorhynchus anatinus</i>)	1859, 213
On the Long-tailed Flying Opossum (<i>Behdeus flavi- ventris</i>) in a state of nature and in captivity.....	1859, 218
Notes on Australian Cuckoos	1859, 221
On the Fish called <i>Glyphisodon brochellatus</i>	1859, 222
Notes on Sharks, particularly on two enormous spe- cimens of <i>Carcharias leucas</i> captured in Port Jackson, Sydney, New South Wales	1859, 223
Notes on the range of some species of <i>Nautilus</i> , on the mode of capture, and on the use made of them as an article of food.....	1859, 226
Exhibition of specimens of the Egg of the Mooruk (<i>Casuarus bennettii</i>)	1859, 351
Exhibition of a series of twelve coloured drawings of various species of Nudibranchiate Mollusks from the harbour and vicinity of Port Jackson, New South Wales, made by Mr. G. F. Angas, Sec. of the Au- stralian Museum, Sydney	1859, 351
Notes on the habits of the Brown Coati (<i>Nasua fusca</i> , Desm.)	1860, 323
BLAND, Dr., Corr. Memb.	
Letter	1849, 91
BOILEAU, T. S.	
Letter relating to an Indian Wild Hog and an Owl .	1848, 98
BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN.	
On the Lorine Genus of Parrots, <i>Eclectus</i> ; with the Description of a New Species, <i>Eclectus corneha</i>	1849, 142
On the Trichoglossine Genus of Parrots, <i>Eos</i> , with the Descriptions of Two New Species	1850, 26

	Page
BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN (<i>continued</i>).	
On the Garruline Birds, or Jays ; with Descriptions of New Species	1850, 79
Descriptions of Two New Species of Oriole	1850, 279
On the largest known Species of Phalcridine Bird..	1851, 201
BONYAN, Dr. G. R.	
Notes on the Raptorial Birds of British Guiana ..	1851, 53
BOURCHIER, R. J., Corr. Memb.	
Letters.....	1849, { 91 94
BOURGUIGNAT, M. J. R.	
Descriptions d'Ancyles nouveaux, de la Collection de M. Cuming, précédées d'une courte notice sur le genre <i>Ancylus</i> , et d'un Catalogue complet des espèces qui le con posent.....	1853, 76
BOWERBANK, J. S., LL.D., F.R.S., &c.	
On the Pterodactyles of the Chalk Formation	1851, 14
BOWLES, Rear-Admiral.	
Letter relating to presentation of specimens of <i>Habatus aguia</i> , Temm., and a male Condor, by Sir G. Seymour.. ..	1848, 112
BRODERIP, WILLIAM JOHN, B.A., F.R.S., V.P.Z.S., &c.	
Exhibition of a Picture containing a figure of the Dodo	1852, 70
Notice of an original Painting, including a figure of the Dodo, in the Collection of His Grace the Duke of Northumberland at Sion House.....	1853, 54
BUCKLAND, FRANK T.	
Exhibition of the Egyptian Ibis	1860, 184
BUIST, GEORGE, LL.D., F.R.S., &c.	
On Shark-fishing at Kurrachee (communicated by Col. Sykes).....	1850, 100

	Page
BURGESS, Captain B.	
Note on the Indian Weaver Bird (<i>Ploceus philip- pensis</i>)	1852, 88
	1
	45
Notes on the Habits of Indian Birds	1854, 102
	142
	158
	255
	27
	32
Notes on the Habits of Indian Birds	1855, 70
	79
	184
BUTTERWORTH, Lieut.-Col.	
Letter relating to a Leopard and Tree Kangaroo ..	1848, 98
Letter relating to the shipment of some additions to the Society's Menagerie	1849, 17
CARPENTER, P. P.	
Descriptions of (supposed) New Species and Varie- ties of Shells, from the Californian and West Mexican Coasts, principally in the Collection of H. Cuming, Esq.....	1855, 228
Notes on the Species of <i>Hipponyx</i> inhabiting the American coasts; with Descriptions of New Species..	1856, 3
Descriptions of New Species of Shells collected by Mr T. Bridges in the Bay of Panama and its vicinity, in the Collection of H. Cuming, Esq.	1856, 159
Descriptions of New Species and Varieties of <i>Caly- ptæridæ</i> , <i>Trochidæ</i> , and <i>Pyramidelldæ</i> , principally in the Collection of H. Cuming, Esq... ..	1856, 166
Descriptions of Shells from the Gulf of California and the Pacific Coasts of Mexico and California ..	1856, 198
Monograph of the Shells collected by T. Nuttall, Esq., on the Californian coast, in the years 1834-5 ..	1856, 209
First Steps towards a Monograph of the Recent Species of <i>Petalocochnus</i> , a genus of <i>Vermetidæ</i>	1856, 313

CARPENTER, P. P. (*continued*).

- First Steps towards a Monograph of the *Caculæ*, a family of the Rostriferous Gasteropoda 1858, 413

CHITTY, Hon. EDWARD.

- On the Jamaican *Cyclotus*, and the Descriptions of Twenty-one proposed New Species and Eight New Varieties of that subgenus from Jamaica 1857, 142

- On *Stoastomidæ* as a Family, and on Seven proposed New Genera, Sixty-one New Species, and Two New Varieties from Jamaica 1857, 162

CHURTON, H.

- Extracts from a Letter respecting Collections in New Zealand 1853, 30

CLERK, Rt. Hon. Sir GEORGE, Bart.

- Letter relating to Monaul 1848, 112

COBBOLD, T. SPENCER, M.D., F.L.S.

- Letter respecting the Cause of Death of a young Giraffe in the Society's Gardens 1859, 494
- Contributions to the Anatomy of the Giraffe. 1860, 99

CRISP, EDWARDS, M.D., F.Z.S.

- On the Anatomy of the Cuckoo 1853, 67
- On Two Species of Entozoa 1853, 68
- On the Splenic Vein of the Giraffe 1853, 99
- On the Relative Weight of the Body and of the Viscera of the Elephant 1855, 186
- On some points relating to the Anatomy of the Tasmanian Wolf (*Thylacinus cynocephalus*) and of the Cape Hunting-Dog (*Lycan pictus*) 1855, 188
- Observations on *Strongylus filaria* and *Botaurus stellaris* 1856, 53
- On the Viscera of *Esox lucius* 1856, 106
- Remarks on *Mus musculus*. 1856, 106

	Page
CRISP, EDWARD, M.D., F.Z.S. (<i>continued</i>).	
On the Head and Brain of a Monoculous Lamb	1856, 149
On the presence or absence of Air in the Bones of Birds	1857, { 9 215
Exhibition of a Nest believed to be that of the Great Grey Shrike (<i>Lanius excubitor</i>)	1857, 219
Exhibition of a Hen that had assumed the plumage of the Cock	1859, 127
Occurrence of a Bantam Hen sitting upon the Eggs of a Water Ouzel (<i>Cinclus aquaticus</i>), and hatching and rearing a young Bird	1859, 200
Exhibition of specimens of the Cock of the Rock (<i>Rupicola crocea</i>) which had been brought alive to and had died in this country	1860, 98
On the Causes of Death of the Animals in the So- ciety's Gardens from 1851 to 1860	1860, { 175 190
Exhibition of specimens and drawings of <i>Cænurus</i> <i>cerebralis</i> from the brains of the Common Sheep	1860, 185
Note on the Blood-corpuscles of the Japanese Gi- gantic Salamander (<i>Sieboldia maxima</i>)	1860, 203
On the Structure, Relative Size, and Use of the Tail- glands in Birds	1860, 254
DAVIDSON, THOMAS, F.G.S., &c.	
Descriptions of a few New Recent Species of Bra- chiopoda	1852, 75
DAVY, JOHN, M.D., F.R.S. L. & E.	
Notice of a peculiarity of structure observed in the Aorta of the Wild Swan (communicated by Mr. Gul- liver)	1849, 28
Observations on the Eye of the Mole (In a letter to W. Spence, Esq., F.R.S.)	1851, 129
DESHAYES, G. P.	
Descriptions of Twenty New Species of the Genus <i>Cardita</i> , from the Collection of Hugh Cuming, Esq.	1852, 100

DESHAYES, G. P. (*continued*).

Descriptions of New Species of Shells, in the Collection of Mr. Cuming. 1853, 1

Descriptions of Fourteen New Species of *Mactra*, in the Collection of Mr. Cuming 1853, 14

Descriptions of Two Species of *Clementia*, in the Collection of Mr. Cuming 1853, 17

Observations sur les Animaux de quelques genres de Mollusques Acéphales (*Chamostrea*, *Glauconome*, *Circe*, et *Capsa*) 1853, 167

Descriptions of New Species of Shells, from the Collection of Hugh Cuming, Esq. 1854, { 13
62
317

Sur le Genre *Galeomma* 1855, 167

Sur le Genre *Scintilla* 1855, 171

Descriptions de Nouvelles Espèces du Genre *Erycina* 1855, 181

A General Review of the Genus *Terebra* 1859, 270

DILLWYN, L. LLEWELLYN, M.P., F G.S., &c.

On an undescribed Species of *Megapodus*. 1851, 118

DOLMATOFF, M. DIMITRE DE.

Note on the capture of the Aurochs 1848, 16

DOHRN, H.

Description of Thirteen New Species of *Paludinacea* from Ceylon, in the Collection of Hugh Cuming, Esq. 1857, 123

Descriptions of New Species of Land and Fresh-water Shells from Ceylon, in the Collection of Hugh Cuming, Esq. 1858, 133

Description of New Species of the Genus *Paludomus*, from Ceylon, in the Collection of H. Cuming, Esq. . 1858, 535

Descriptions of New Species of *Mitra* from the Collection of Hugh Cuming, Esq. 1860, 366

	Page
DOUBLEDAY, E., F.L.S.	
Description of a New Genus of <i>Notodontidæ</i>	1848, 117
Exhibition of specimens of the Larva, Pupa, and perfect Insect of <i>Sirex gigas</i>	1849, 95
DUGUID, Dr.	
Letter on the Deal Fish (communicated by Mr. Yarrell)	1851, 116
DUNCAN, JOHN, H. M. Vice-Consul at Whydah.	
Letter	1849, 106
Letter relating to his interview with the King of Dahomey	1849, 163
DUNKER, Dr. W.	
Diagnoses Specierum novarum generis <i>Planorbis</i> collectionis Cumingiæ ..	1848, 40
Linnæacea nova Collectionis Cumingianæ	1853, 53
On New Shells from the Collection of Mr. Cuming. 1856, {	354 358
EARL, G. WINSOR.	
Notes on the Bovine Animals of the Malay Peninsula	1853, 29
ELLIOT, DANIEL G., of New York, F.Z.S., &c.	
Exhibition of three specimens of Hybrid Ducks from his own collection, obtained on the South Shore of Long Island, U. S. A.	1859, 437
ELPHINSTON, A.	
Letter relating to a Collection made for the Society in India	1849, 106
ELSEY, M.	
Letter containing Observations respecting various Species of Birds met with in the neighbourhood of the Victoria River Dépôt, N. W. Australia, lat. south 17° 34' 30" (communicated by John Gould, F.R.S., &c.	1857, 23

	Page
EYTON, THOMAS CAMPBELL, F.Z.S., F.L.S., &c.	
Note on the Skeleton of the Sheath-bill (<i>Chionis alba</i>)	1858, 99
FAIRHOLME, J.K.E., F.Z.S.	
Observations on the <i>Pteropus</i> of Australia	1856, 311
On the Australian Dugong (<i>Halicore australis</i>) ..	1856, 352
The Blacks of Moreton Bay and the Porpoises	1856, 353
FLOWER, W. H., F.R.C.S., F.Z.S., &c.	
Note on the Dissection of a Species of <i>Galago</i> ...	1852, 73
Exhibition of <i>Exocetus volitans</i> , to which was attached a specimen of <i>Penellus blainvillu</i> , Milne-Edwards (<i>Leoneopenna blainvillu</i> of Lesueur)	1858, 372
On the Structure of the Gizzard of the Nicobar Pigeon and other Granivorous Birds	1860, 333
FORBES, Prof. EDWARD, F.R.S., &c.	
Introductory Note to Mr. Huxley's Paper on <i>Trigona</i> 1849,	30
On the Species of Mollusca collected during the Surveying Voyages of the Herald and Pandora, by Capt. Kellett, R N., C.B., and Lieut. Wood, R N. ...	1850, { 53 270
On a Species of <i>Æguorea</i> inhabiting the British Seas	1851, 272
FRASER, LOUIS, Corr. Memb. Z.S., &c.	
On New Birds in the Collection at Knowsley	1850, 245
Description of a New Species of <i>Anomalurus</i> from Fernando Po	1852, 16
Description of a New Species of <i>Hyrax</i> from Fernando Po	1852, 99
On the occurrence of a large Ape in the vicinity of Fernando Po ..	1853, 13
Descriptions of Two New Birds from Fernando Po..	1853, 13
Exhibition of Birds from the Collection of T. C. Eyton, Esq.	1856, 368

FRY, EDWARD.

- Remarks on the Morphology of the Vertebrate
Skeleton 1850, 15

GASKOIN, J. S., F.Z.S., F.L.S.

- Descriptions of New Species of the Genus *Cypræa* 1848, 90
Descriptions of Seven New Species of *Margarella*,
and Two of *Cypræa* 1849, 17
On the Habits of *Helix lactea* 1850, 243
Descriptions of Twenty Species of *Columbella* and
One Species of *Cypræa* 1851, 2
Descriptions of Two New Species of Land Shells . . 1854, 152
On a peculiar Variety of *Mus musculus* 1856, 38
On some Defects in the Growth of the Antlers, and
some Results of Castration, in the *Cervidæ* 1856, 151

GATKE, HERR H., of Heligoland.

- On the Occurrence of American Birds in Europe . . 1860, 105

GOODWIN, WILLIAM.

- On an apparently New Species of Paradise-bird. . . . 1860, 243

GOSSE, P. H., F.R.S.

- On the Habits of *Ameiva dorsalis* 1848, 24
On the Habits of *Mabouya agilis* 1848, 59
On the Habits of *Cyclura lophoma*. 1848, 99

GOULD, AUGUSTUS A., M.D.

- On the true *Nautilus umbilicatus* of Lister 1857 20

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S.

- Drafts for a New Arrangement of the *Trochilidæ* . 1848, 11
On Seven New Species of Australian Birds 1848, 38
Description of a New Heron 1848, 58
Description of a New Species of *Cinclosoma* 1848, 139
Description of a New Species of Nutcracker 1849, 23
PROC. ZOOL. SOC. INDEX, 1848-60. 2

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Description of Two New Species, with the characters of a New Genus, of <i>Trochilidæ</i>	1849, 95
On New Species of Mammalia and Birds from Au- stralia	1849, 109
Descriptions of Three New Species of Indian Birds	1849, 112
Descriptions of New Birds	1850, 91
On Six New Species of Humming-Birds	1850, 162
On New Species of Birds from Australia	1850, 200
Remarks on <i>Notornis mantelli</i>	1850, 212
On New Australian Birds in the Collection of the Zoological Society of London	1850, 276
On a New and most Remarkable Form in Ornitho- thology.....	1851, 1
Letter from J. W. G. Spicer, Esq., concerning Two Hybrid Birds	1851, 61
On a New Species of <i>Musophaga</i>	1851, 93
On a New Species of the Genus <i>Montifringilla</i> ..	1851, 114
On some New Species of <i>Trochilidæ</i>	1851, 115
Remarks on the Genus <i>Ilapalotis</i>	1851, 126
Descriptions of Two New Species of Mammalia of the Genus <i>Antechinus</i>	1851, 284
Descriptions of a New Species of <i>Ptilotis</i> and a New Species of <i>Eopsaltria</i>	1851, 285
On the Genus <i>Thalurania</i>	1852, 8
Description of a new Species of <i>Aulacorhamphus</i> ..	1853, 45
On the Nest and Eggs of <i>Menura alberta</i>	1853, 45
Description of New Species of <i>Tetraogallus</i>	1853, 47
Description of Five New Species of Humming-Birds	1853, 61
Observations on the Nests of Humming-Birds	1853, 100
Descriptions of Two New Species of Humming-Birds from Peru	1853, 109
On a New Species of <i>Musophaga</i>	1854, 23

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Exhibition of <i>Fuligula ferminoides</i> , Bartlett.	1854, 95
Descriptions of Two New Species of <i>Pucrasia</i>	1854, 99
Description of a New Species of Humming-Bird from Quijos	1854, 109
Description of a New Species of <i>Momotus</i>	1854, 154
Description of a New Bird from Guatemala, form- ing the type of a New Genus	1854, 285
Extracts from the Letters of his Son, Dr. Henry Gould, relating to the Natural History of Western India	1855, 39
Exhibition of a Collection of Birds from Scinde, being the first of his Son's Contributions to Indian Ornithology.	1855, 50
Descriptions of Eight New Species of Birds from South America	1855, 67
Exhibition of a portion of a Collection of Birds formed by Mr. Hauxwell on the Eastern Side of the Peruvian Andes	1855, 77
Description of a New Species of <i>Ruticilla</i> from Er- zeroum	1855, 78
On Two New Species of Humming-Birds.	1855, 86
On a New Species of the Genus <i>Prion</i>	1855, 87
On some New Species of Birds collected by Mr. M'Gillivray	1855, 164
On a New Genus and Species of <i>Trochilidæ</i> from Ecuador	1855, 192
On a New Turkey (<i>Meleagris mexicana</i>)	1856, 61
On Two New Species of Birds (<i>Nestor notabilis</i> and <i>Spatula variegata</i>) from the Collection of Walter Mantell, Esq.	1856, 94
Descriptions of Two New Species of True Cuckoos (Genus <i>Cuculus</i> as restricted)	1856, 96
Descriptions of a New <i>Trogon</i> and a New <i>Odonto-</i> <i>phorus</i>	1856, 107

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

On some Birds collected by Mr. John MacGillivray, the Naturalist attached to H.M. Surveying Ship Rattlesnake, and lately sent home by Capt. Denham, the Commander of the Expedition 1856, 135

On Two New Species of Humming-Birds belonging to the Genus *Amazilius* 1856, 150

Descriptions of Three New Species of the Genus *Phaethornis*, Family *Trochilidae* 1857, 14

Descriptions of Three New and very beautiful Species of Birds from Guatemala and from the Island of Lombok..... 1857, 64

Observations on his visit to the United States of America; with Description of a New Species of *Ce-rnornis* found in the Collection of Dr. Cabot, of Boston, U.S..... 1857, 160

On several New Species of Birds from various parts of the World 1857, 220

On Four New Species of *Mus* and One of *Hapalotis*, from Australia 1857, 241

On a New Species of Cassowary 1857, 268

Exhibition of British specimens of the *Motacilla flava*, Ray, and note from Mr. Thistle of Lowestoft, as to its occurrence in that part of England 1858, 77

Remarks on three specimens of Steller's Duck exhibited by Mr. Stevens 1858, 78

Remarks on a series of Birds collected by Mr. A. R. Wallace in the Aru Islands 1858, 95

On a New Species of Toucan (*Andigena spilorhynchus*) 1858, 149

Exhibition of specimens of the American *Regulus calendulus* and the Night Heron 1858, 290

Extract from a Letter addressed to him by his son Mr. Charles Gould 1858, 290

On a New Species of Ptarmigan 1858, 354

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Descriptions of Two New Species of the Family
Hirundinæ 1858, 355

Exhibition of a Drawing of *Molossus australis* of
Gray 1858, 372

Extract from a Letter addressed to him by Dr.
George Bennett of Sydney, respecting the Sempal-
mated Goose 1859, 39

Exhibition of a Drawing of a Pheasant (*Diardigal-
lus fasciolatus*) 1859, 40

List of Birds from the Falkland Islands, with de-
scriptions of the Eggs of some of the Species, from
specimens collected principally by Capt. C. C. Abbott,
of the Falkland Islands Detachment 1859, 93

On a New Species of *Odontophorus* 1859, 98

On the Members of the Genus *Rupicola*, and whether
there are two or more species..... 1859, 99

On a New Species of *Dendrochelidon* or Tree Swift 1859, 100

Exhibition of all the known species of the Genus
Elanus, with description of a New Species 1859, 126

Description of Two New Species of Birds; one be-
longing to the Family *Cuculidæ*, the other to *Cotur-
niceæ* 1859, 128

List of Birds collected at Tavoy, in the Tenasserim
Provinces, by Captain Briggs, Deputy Commissioner
of Tavoy 1859, 149

List of Birds collected in Siam by Sir R. H. Schom-
burgk, H. B. M. Consul at Bangkok 1859, 151

On the Nidification of the Kingfisher (*Alcedo ispida*) 1859, 152

Exhibition of some specimens of Birds of the Genus
Urocissa (*Corvidæ*)..... 1859, 200

Exhibition of specimens of the New Paradise Bird
(*Semioptera wallacu*), and a Drawing of the Nest and
Egg of *Sittella chrysoptera* 1859, 351

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Exhibition of a fine species of Pheasant from Siam, <i>Diardigallus crawfurdi</i> (<i>D. fasciolatus</i> of Blyth), and of a specimen of the Royal Spoonbill of Australia, <i>Platalea regia</i>	1859, 353
On Two New Species of <i>Cinclus</i>	1859, 493
Description of a New Species of American Partridge	1860, 62
Exhibition of specimens of the Chough of the Hi- malayas (<i>Fregilus himalayanus</i>)	1860, 206
Descriptions of Twenty-two New Species of Hum- ming-birds	1860, 304
Remarks on a Kangaroo living in the Society's Gardens	1860, 373
On a New Species of Kangaroo, of the Genus <i>Hal- maturus</i>	1860, 375
Description of a New Species of Hornbill from Western Africa	1860, 380
Description of a New Species of the Genus <i>Moho</i> of Lesson	1860, 381
Description of a New <i>Odontophorus</i>	1860, 382
Exhibition of a series of Penguins, and descriptions of two New Species.	1860, 418

GRACE, W.

Letter	1849, 106
------------------	-----------

GRAY, G. R., F.L.S., F.Z.S.

On a New Species of Parrot	1848, 20
On a New Species of <i>Podica</i>	1848, 90
Description of a New Species of Parrot.	1848, 125
Notice of two examples of the Genus <i>Gallus</i>	1849, 62
On a New Species of the Genus <i>Glareola</i>	1849, 63
Description of a New Species of the Genus <i>Cultrides</i>	1849, 63
On a New Species of <i>Suthora</i> , from China	1852, 70
On the Species of the Genus <i>Serrius</i>	1852, 70

GRAY, G. R., F.L.S., F.Z.S. (*continued*).

Descriptions of Two New Species of <i>Ptilonopus</i> ..	1853, 48
On a New Species of <i>Thalassidroma</i>	1853, 62
On a New Species of <i>Somateria</i> , and the Female of <i>Lampronetta fischeri</i> , Brandt	1855, 211
On a New Species of Pigeon	1856, 6
On a New Species of Lepidopterous Insect	1856, 7
A List of Birds, with Descriptions of New Species, obtained by Mr. Alfred R. Wallace in the Aru and Ké Islands	1858, 169
On a New Genus of Goat-sucker, and on a New Species of <i>Enicurus</i> , both from Darjeeling, from the Collection of Brian H. Hodgson, Esq., Corr. Memb. Z.S.....	1859, 101
Notes on the New Bird of Paradise discovered by Mr. Wallace	1859, 130
Exhibition of a drawing of <i>Tringa pectoralis</i> ...	1859, 130
List of the Birds lately sent by Mr. A. R. Wallace from Dorey or Dorery, New Guinea ...	1859, 153
List of New-Caledonian Birds	1859, 160
Description of a New Species of Diver (<i>Colymbus</i>)	1859, 167
On a New Species of the Family <i>Papilionidæ</i> from Batchian	1859, 424
Synopsis of the Species of the Genus <i>Penelope</i> ...	1860, 269
List of Birds collected by Mr. Wallace at the Mo- lucca Islands, with descriptions of New Species, &c. ...	1860, 341

GRAY, JOHN EDWARD, Ph.D., F.R.S., F.L.S., V.P.Z.S.,
&c.

Description of a New Species of <i>Galudictis</i> from Madagascar	1848, 21
Description of a New Genus of Insectivorous Mam- malia or <i>Talpida</i> from Borneo	1848, 23
Observations on <i>Myodes hudsonicus</i> and the other species of the Genus <i>Myodes</i>	1848, 43

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Species of <i>Anatifu</i>	1848, 44
On <i>Thaliella</i> , a New Genus of Cirripedes allied to <i>Scalpellum</i>	1848, 44
Description of <i>Sarcoptilus</i> , a New Genus of <i>Pennatulidæ</i>	1848, 45
On a New Species of Monkey from Angola	1848, 56
Observations on some Brazilian Bats, with the Description of a New Genus	1848, 57
On the species of the Genus <i>Placenta</i> of Retzius ..	1848, 114
Description of Two Species of Mammalia from <i>Carracas</i>	1848, 138
Descriptions of Three New Species of <i>Delphinidæ</i> ..	1849, 1
On some New or little-known Species of Monkeys ..	1849, 7
Description of a New Species of <i>Herpestes</i>	1849, 11
Description of a New Species of Box Tortoise, from Mexico	1849, 16
Notes on the Skull of <i>Equus hemionus</i> and <i>Equus kiang</i>	1849, 29
On a very large Roe Deer (<i>C. leucotis</i>) in the Collection of the Earl of Derby	1849, 64
On the Genus <i>Bradypus</i> of Linnæus	1849, 65
Description of some Corals, including a New British Coral discovered by W. MacAndrew, Esq.	1849, 74
On the British Specimens of <i>Regalecus</i>	1849, 78
On the variation in the Teeth of the Crested Seal (<i>Cystophora cristata</i>), and on a New Species of the Genus from the West Indies	1849, 91
On the Species of <i>Anomiadæ</i>	1849, 113
On the <i>Cypræa umbilicata</i> and <i>C. exima</i> of Sowerby	1849, 125
Descriptions of New Species of <i>Gorgonia</i> from Australia	1849, 146

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Genus and several New Species of Terrestrial, Fluvial, and Marine Molluscan Animals inhabiting New Zealand.....	1849, 164
Description of a New Species of <i>Chrysodomus</i> from the mouth of the Mackenzie River	1850, 14
On a Leech New to the British Fauna	1850, 52
On the occurrence of <i>Regalecus glesne</i> at Redcar, Yorkshire, in 1850	1850, 52
On the Characters of the Genera <i>Pusionella</i> and <i>Clavatula</i>	1850, 56
Description of a New Species of Monkey, recently living in the Society's Menagerie ...	1850, 77
Synopsis of the Species of Antelopes and Strepsicercus, with descriptions of some New Species	1850, 111
Synopsis of the Species of Deer (<i>Cervina</i>), with the description of a New Species in the Gardens of the Society.....	1850, 222
Descriptions of Two New Genera and some New Species of <i>Scutellidae</i> and <i>Echinolampidae</i> , in the Collection of the British Museum	1851, 34
Description of a New Genus and Family of Cyclo-saurian Lizards from Para	1851, 38
Description of a New Species of <i>Bulinus</i> from Cal-lao, collected by Ernest Denicke	1851, 92
Description of a New Genus of <i>Gorgoniadae</i>	1851, 124
Description of a New Genus of Bivalve Shells, and a Sea Egg, from New Zealand	1851, 125
Notice of Two <i>Viverridae</i> from Ceylon, lately living in the Gardens.....	1851, 131
On a New Genus of <i>Anomadae</i> , in the Collection of Mr. Cuming	1851, 197
Description of a New Form of Lamprey from Australia, with a Synopsis of the Family ..	1851, 235
On the Painted Pig of the Camaroons (<i>Potamo-chærus penicillatus</i>)	1852, 129

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On the Horns of the *Sanga*, or Galla Oxen, of
Gibba 1852, 132

Description of a New Genus and some New Species
of Tortoises 1852, 133

On a New Species of Salamander from California .. 1853, 11

Description of a New Species of Tortoise (*Testudo*
planiceps), from the Galapagos Islands 1853, 12

Description of the Animal of *Cyclina sinensis* 1853, 25

On the Division of the Ctenobranchous Gasteropo-
dous Mollusca into larger Groups and Families 1853, 32

Notice of a presumed New Species of *Rhinoceros*
from South Africa 1853, 46

On the Synonyms of *Johnstonella catharina*, Gosse 1853, 94

Descriptions of Two New Genera (*Pfeifferia* and
Janella) of Land Mollusca 1853, 109

On the attitudes and figures of the Morse 1853, 112

Observations on some Rare Indian Mammalia 1853, 190

Description of a New Genus and Species of Seal
(*Hehopoca atlantica*) from Madeira 1854, 43

On the Reproduction of the Lost Part of the Oper-
culum, and its probable Restoration when entirely
destroyed... 1854, 100

On *Runcina hancockii*..... 1854, 107

On the Genus *Modiolarca* 1854, 108

On the Genus *Mulleria* of Sowerby, or *Acostæa*,
D'Orbigny 1854, 129

Description of a New Species of *Petrogale* 1854, 249

On a New Species of *Rhinoceros* 1854, 250

Notice of the Horns of an unrecorded Species of the
Prong Horn (*Antilocapra*), in the Collection of the
Derby Museum, Liverpool 1855, 9

Notice of the Horns and Skull of the Arnee 1855, 17

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Extracts from Letters received from Francis Brent, Esq., of Sandgate, regarding the Destruction of Conger Eels	1855, { 49 26
An Arrangement of the Families of <i>Echinida</i> , with Descriptions of some New Genera and Species	1855, 35
Observations on the Species of Volutes— <i>Volutidæ</i>	1855, 50
On some species of Freshwater Tortoises from North America, Ceylon, and Australia, in the Collection of the British Museum	1855, 197
On a New Genus of Fish-scaled Lizards (<i>Scissosara</i>) from New Guinea	1855, 217
On the Genus <i>Assiminea</i> (Leach)	1856, 20
Description of the Animals and Teeth of <i>Tylodina</i> and other Genera of Gasteropodous Mollusca	1856, 41
On the Position of the Genus <i>Proserpina</i> in the System, and a Description of its Dentation	1856, 99
On the Nucleus of the Operculum of <i>Cyclostoma elegans</i>	1856, 147
On a Monstrosity of <i>Halotis</i> (<i>albicans</i> ?)	1856, 147
Notice of some Indian Tortoises (including the Description of a New Species presented to the British Museum by Professor Oldham)	1856, 181
On a New Species of Squirrel (<i>Sciurus macrotis</i>) from Borneo	1856, 341
Observations on a Living African <i>Lepidosiren</i> in the Crystal Palace	1856, 342
Description of a New Species of <i>Chelodina</i> from Australia	1856, 369
On the Structure of the Pelvis of <i>Chlamyphorus truncatus</i>	1857, 8
Observations on the Species of the Genus <i>Manatus</i>	1857, 59
On the Genus <i>Necturus</i> or <i>Menobranchus</i> , with an Account of its Skull and Teeth	1857, 61
On the Animal and Bark of the Genus <i>Antipathes</i>	1857, 113

GRAY, JOHN EDWARD, PH.D., F.R.S., &c. (*continued*).

Description of a New Genus of <i>Gorgoniadæ</i>	1857, 128
Description of a New Species of Antilope (<i>Oryx beatrix</i>) lately living in the Menagerie of the Society	1857, 157
Description of New Genera of <i>Gorgonadæ</i>	1857, 158
Notice of a Large Species of <i>Lineus</i> taken on the Coast of Montrose	1857, 210
Observations on the Genus <i>Furcella</i> , Oken; and on the Genera <i>Teredo</i> and <i>Chæna</i>	1857, 243
On the Duiker Boks in the Society's Gardens	1857, 277
Notice of a New Species of Jaguar from Mazatlan, living in the Society's Gardens	1857, 278
Synopsis of the Families and Genera of Axiferous Zoophytes or Baked Corals	1857, 278
An attempt to distribute the Species of Olive (<i>Oliva</i> , Lamarck) into Natural Groups, and to define some of the Species	1858, 38
Notice of a New Genus of <i>Uropeltidæ</i> , from Ceylon, in the Collection of the British Museum	1858, 57
Notice of the Bosch Vark (<i>Potamochærus africanus</i>) living in the Society's Gardens	1858, 58
On a New Genus of <i>Mytilidæ</i> , and on some distorted forms which occur among Bivalve Shells	1858, 90
Observations on the Genus <i>Nerita</i> and its Operculum	1858, 92
Observations on the Genus <i>Cuscus</i> , with the Description of a New Species	1858, 100
List of Species of Mammalia sent from the Aru Islands by Mr. A. R. Wallace to the British Museum	1858, 106
Description of <i>Aphroceras</i> , a New Genus of Calcareous <i>Spongiadæ</i> , brought from Hong-Kong by Dr. Harland	1858, 113
On <i>Aphrocallistes</i> , a New Genus of <i>Spongiadæ</i> from Malacca	1858, 114

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

- Proposal to separate the Family of *Salumandridæ*, Gray, into Two Families, according to the form of the Skull 1858, 136
- On the power of Dissolving Shells possessed by the Bernard Crab (*Pagurus*) 1858, 144
- Description of a New Genus of *Boidæ* from Old Calabar, and a List of West African Reptiles 1858, 154
- Description of a New Genus of Sponge (*Xenospongia*) from Torres Strait 1858, 229
- Additional Observations on the Genus *Furcella* .. 1858, 258
- On a New Genus and several New Species of *Uropeltidæ*, in the Collection of the British Museum 1858, 260
- On *Carpenteria* and *Dujardinia*, two genera of a New Form of Protozoa with attached Multilocular Shells filled with Sponge, apparently intermediate between *Rhizopoda* and *Porifera* 1858, 266
- Note on the Egg of the Mooruk (*Casuarus bennettii*, Gould) from New Britain, in the British Museum 1858, 271
- On the Families *Aspergillidæ*, *Gastrochæmidæ*, and *Humphreyiadæ* 1858, 307
- On *Charadella* and *Lichenella*, New Forms of *Polyzoa* from Australia 1858, 319
- Description of *Riama*, a New Genus of Lizards, forming a distinct Family 1858, 444
- On the *Dysidea papillosa* of Dr. Johnston 1858, 531
- Description of the Adult State of *Voluta mamilla*, Gray 1859, 34
- Notice of *Notopteris*, a New Genus of Pteropine Bat from the Feejee Islands 1859, 36
- Notice of a New Genus of Lophobranchiate Fishes from Western Australia 1859, 38
- On the Sea-Bear of Forster, the *Ursus marinus* of Steller, *Arctocephalus ursinus* of Authors..... 1859, 102

	Page
GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (<i>continued</i>).	
On the Eared Seal of the Cape of Good Hope (<i>Otaria delalandi</i>)	1859, 107
Descriptions of New Species of Salamanders from China and Siam	1859, 229
Description of <i>Scapha maria-emma</i> , a New Species of Volute	1859, 230
On the Sea-Lions, or Lobos marinos of the Spaniards, on the Coast of California	1859, 357
Description of <i>Macandrewia</i> and <i>Myliusia</i> , two new forms of Sponges.	1859, 437
Description of a New Species of Squirrel (<i>Sciurus siamensis</i>) from Siam, in the Collection of the British Museum	1859, 478
Description of a New Species of Freshwater Tortoise from Siam	1859, 478
Description of some New Genera of Lithophytes, or Stony Zoophytes.	1859, 479
Description of a New Species of <i>Cuscus</i> (<i>C. ornatus</i>) from the Island of Batchian, with a List of the Mam- malia collected in that Island by Mr. A. R. Wallace .	1860, 1
Description of a Soft Tortoise (<i>Aspidocheelys living- stonii</i>) from the Zambesi, sent to the British Mu- seum by Dr. Livingstone	1860, 5
Description of a New Genus of <i>Boidæ</i> discovered by Mr. Bates on the Upper Amazon	1860, 132
Note on the Species of the Genus <i>Pithecia</i> , with De- scription of a New Species, <i>P. albicans</i>	1860, 228
Description of a New Species of <i>Geoclenmys</i> from Esmeraldas	1860, 231
Description of a New Species of <i>Emys</i> lately living in the Gardens of the Zoological Society ...	1860, 232
Description of a New Species of <i>Distichopora</i> from New Caledonia	1860, 244
On the African Trionyces with Hidden Feet (<i>Emyda</i>)	1860, 314

	Page
GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (<i>continued</i>).	
Note on the Female of <i>Cuscus ornatus</i>	1860, 374
Description of a New Coral (<i>Corallium johnsoni</i>) from Madeira	1860, 393
On the Genus <i>Manouria</i> and its affinities	1860, 395
On the Genus <i>Hyperoodon</i> : the two British kinds and their food	1860, 422
Note on <i>Aspidochelys livingstonii</i>	1860, 430
GRIFFITH, R. C., F.Z.S.	
Notice of the Habits of a Beaver	1848, 52
Exhibition of some specimens of "Tsetze"	1850, 78
GULLIVER, GEORGE, F.R.S., F.Z.S.	
Additional Measurements of the Red Corpuscles of the Blood of Vertebrata	1848, 36
Note on the Spermatozoa of the Giraffe.....	1849, 7
Notes on a Cetaceous Animal stranded on the North- east coast of Ireland	1853, 63
On the size of the Red Corpuscles of the Blood of the Great Ant-eater (<i>Myrmecophaga jubata</i>)	1854, 24
GUNN, RONALD CAMPBELL, F.R.S.	
On the Habitat of <i>Cypræa umbilicata</i> , Sowerby. In a letter to J. E. Gray, Esq.	1849, 124
Letter relating to two young living specimens of <i>Thylacinus cynocephalus</i> , presented to the Society by himself and Dr. James Grant of Launceston	1850, 90
GÜNTHER, Dr. ALBERT, For. Mem. Z. S.	
On the Systematic Arrangement of the Tailless Batrachians, and the Structure of <i>Rhinophrynus dor-</i> <i>salis</i>	1858, 339
On the Geographical Distribution of Reptiles	1858, 373
On the Genus <i>Elaps</i> of Wagler	1859, 79

GÜNTHER, DR. ALBERT, For. Memb. Z. S. (*continued*).

List of the Cold-blooded Vertebrata collected by	} 1859, 89
Mr. Fraser in the Andes of Western Ecuador . . .	
Second list of Cold-blooded Vertebrata collected by	
Mr. Fraser in the Andes of Western Ecuador . . .	1859, 402
Description of a New Species of <i>Anolis</i> from Central	
America	1859, 421
On the Reptiles and Fishes collected by the Rev. H.	
B. Tristram in Northern Africa	1859, 469
On a New Snake from the Galapagos Islands . . .	1860, 97
On the Reptiles of Siam	1860, 113
Contributions to a Knowledge of the Reptiles of the	
Himalaya Mountains	1860, 148
Third List of Cold-blooded Vertebrata collected by	
Mr. Fraser in Ecuador	1860, 233
Description of <i>Homalocranium laticeps</i> , a new Snake	
from Carthage	1860, 240
Exhibition of a dried Specimen of a Fish of the	
Genus <i>Centrolophus</i> , obtained by Mr. J. Crouch at	
Polperro, Cornwall	1860, 302
On New Reptiles and Fishes from Mexico	1860, 316
On a New Species of Fish, belonging to the Genus	
<i>Pagrus</i>	1860, 319
On a West-African Genus of Snakes (<i>Meizodon</i>) . .	1860, 427

HAMILTON, EDWARD, M.D., F.Z.S., &c.

Exhibition of three curiously plumaged Pheasants .	1859, 437
Exhibition of large Specimens of Hybrids between	
the Pheasant and Domestic Hen	1860, 1
Exhibition of Hen Pheasants in Male Plumage . .	1860, 373

HANLEY, H., Serjeant-Major 1st Life Guards.

Observations on the Breeding of the Nightingale	
in captivity	1850, 196

HANLEY, SYLVANUS, F.L.S., &c.

Descriptions of Four New Species of <i>Kelhudæ</i> in	
the Collection of Hugh Cuming, Esq.	1856, 340

HANLEY, SYLVANUS, F.L.S., &c. (*continued*).

Description of a New <i>Cyrena</i> from Ceylon, and of New <i>Siphonaria</i>	1858, 23
Descriptions of Two New Species of <i>Pinna</i>	1858, 136
On <i>Siphonaria</i>	1858, 151
Descriptions of New <i>Pinna</i>	1858, { 225 254
Description of a New <i>Oniscia</i>	1858, 255
Description of a New <i>Cyrena</i> and <i>Bulla</i>	1858, 543
Descriptions of New Univalve Shells from the Col- lections of H. Cuming, Esq., and S. Hanley, Esq. ..	1859, 429
Systematic List of the Species of <i>Dolium</i>	1859, 487
On New Species of <i>Nuculaceæ</i> in the Collection of Hugh Cuming, Esq.	1860, 370
Description of New <i>Nuculidæ</i>	1860, 440

HARCOURT, EDWARD VERNON, F.Z.S.

Notice of the Birds of Madeira (in a letter ad- dressed to the Secretary)	1851, 141
Description of a New Species of <i>Regulus</i> from Ma- deira	1854, 153

HARDY, Lieut.

Note upon <i>Buceros ginginianus</i> (communicated by Colonel Sykes)	1850, 276
---	-----------

HARLEY, GEORGE, M.D., F.R.C.S.

On the Anatomy of a New Species of <i>Pentastoma</i> found in the Lung and Air-sac of an Egyptian Cobra	1857, 115
--	-----------

HARRIS, Lord, F.Z.S.

Letter	1849, 64
--------------	----------

HARTLAUB, Dr. GUSTAV, of Bremen, For. Memb. Z.S.

Note upon <i>Turdus vulpinus</i>	1850, 276
On New Species of Birds from Western Africa, in the Collection of the British Museum	1858, 291
PROC. ZOOLOG. SOC. INDEX, 1848-60.	3

- HARTLAUB, DR. GUSTAV, of Bremen, F.M.Z.S. (*continued*).
 Synopsis of the Fringilline Genus *Erythrura* 1858, 461
 On a New Form of Grallatorial Bird nearly allied
 to the *Cariama* (*Dicholophus cristatus*) 1860, 334
- HARTLAUB, DR. G., and J. J. MONTEIRO.
 On some Birds collected in Angola. 1860, 109
- HAY, J. H. DRUMMOND, C.B., H. M. Consul-General in
 Morocco, Corr. Memb. Z.S.
 Letter offering to present Gazelles, and promising
 to transmit the Reptiles found in the neighbourhood
 of Tangier 1849, 62
- HAY, Major W. E., F.Z.S., &c.
 Notes on the Kiang of Thibet (*Equus kiang*) 1859, 353
- HEDDLE, ROBERT.
 On a Whale of the Genus *Physalus*, Gray, captured
 in Orkney 1856, 187
- HERRMANNSEN, Dr., of Kiel.
 On some Genera of Shells, established in 1807 by
 the late H. F. Link 1851, 228
- HEWITSON, W. C., F.Z.S.
 Description of a New Species of Butterfly, of the
 Genus *Agrias* 1848, 45
 Description of a New Species of *Satyræ* 1848, 115
 Descriptions of some Butterflies from the Collection
 of Mr. Wallace 1858, 464
 Descriptions of Butterflies from the Collection of
 Mr. Wallace 1859, 422
- HILL, RICHARD.
 Letter relating to the subject of procuring Reptiles
 for the Society from Jamaica 1849, 91

HODGSON, BRIAN HOUGHTON, Corr. Memb. Z.S.

- On the Geographical Distribution of the Mammalia
and Birds of the Himalaya..... 1855, 124

HOLDSWORTH, E. W. H., F.L.S., F.Z.S., &c.

- Description of a New Sea Anemone 1855, 85
- Description of Two New Species of *Actinia* from the
South Coast of Devon..... 1855, 235
- Description of a New Species of *Actinia* from the
Devonshire Coast..... 1856, 172
- On *Electra verticillata*, with a Notice of its different
Forms of Growth..... 1858, 306
- On *Zoanthus couchii*, Johnston 1858, 557
- Some additional observations on *Zoanthus couchii*.. 1859, 124
- On the Development of *Aurelia aurita*, in the So-
ciety's Aquaria 1859, 201

HORA, J. H.

- Exhibition of a Female Specimen of *Ovis gmelinii*
from Tauri, in the Persian Gulf 1849, 91

HORSFIELD, THOMAS, M.D., F.R.S., &c.

- Catalogue of a Collection of Mammalia from Nepal,
Sikkim, and Thibet, presented to the Hon. East India
Company by B. H. Hodgson, Esq. 1856, 393

HUTTON, Major THOMAS.

- Extract from a Letter addressed to Adam White,
Esq., dated Mussoree, Nov. 27, 1855 1856, 5

HUXLEY, G., R.N.

- Description of the Animal of *Trigonia*, from actual
dissection, with an Introductory Note by Prof. E.
Forbes, F.R.S. 1849, 30

HUXLEY, THOMAS H., F.R.S., F.L.S., F.Z.S.

- On the Anatomy and Development of *Echinococcus*
veterinorum..... 1852, 110

JONAS, Dr.

- Description of a New Species of the Genus *Thracia*.
 Communicated by Hugh Cuming, Esq. 1849, 170

JONES, J. MATTHEW, F.L.S.

- Extract from the Bermuda 'Royal Gazette,' relating
 to the recent capture of a large Species of *Gymnetrus* 1860, 185

KAUF, Dr. J., Director of the Museum of Darmstadt.

- Description of some New Birds in the Museum of
 the Earl of Derby 1851, 39
 On the Classification of the *Strigidae* 1852, 88
 On *Nemophis*, a New Genus of Riband-shaped
 Fishes 1858, 163
 Description of a New Species of Fish, *Peristethus*
rieffeltii 1859, 103

KELAART, Dr. W. C., F.L.S., Corr. Memb.

- Letter 1849, 91
 Catalogue of the Mammalia of Ceylon 1850, 155

KEPPEL, Hon. Capt., R.N.

- Letter relating to a Young Female Urang Utan .. 1849, 106

KREFFT, GERARD. †

- A few Remarks on the Habits and Economy of the
 Brown-capped *Pomatorhinus* (*P. ruficeps*, Hartlaub) 1858, 352

LAYARD, EDGAR L., F Z S., &c.

- Observations on the Genus *Paludomus* of Swainson,
 with descriptions of several New Species, and the
 description of a New Species of *Anculotus* 1854, 87

LEA, ISAAC, LL.D.

- Description of Five New Species of *Anodontæ*, col-
 lected by H. Cuming, Esq., in the East Indies 1850, 197

LEA, ISAAC and HENRY C.

Description of a New Genus of the Family *Melania*, and of many New Species of the Genus *Melania*, chiefly collected by Hugh Cuming, Esq., during his Zoological Voyage to the East, and now first described 1850, 179

LEADBEATER, B., F.Z.S.

Exhibition of some Heads and Antlers of the American Wapiti Stag, and three Specimens of Buffon's Skua 1860, 322

LEYCESTER, A. A.

Notes on the Habits of *Memura alberti*, in a letter addressed to John Gould, Esq. 1860, 113

LOWE, Rev. R. T., M.A., Corr. Memb. Z.S.

An account of Fishes discovered or observed in Madeira since the year 1842 1850, 247

Catalogus Molluscorum Pneumonatorum Insularum Maderensium : or a List of all the Land and Fresh-water Shells, Recent and Fossil, of the Madeiran Islands : arranged in Groups according to their Natural Affinities : with Diagnoses of the Groups, and of the new or hitherto imperfectly defined Species 1854, 16

LYALL, DAVID, M.D., R.N.

On the Habits of *Strigops habroptilus*, or Kakapo 1852, 31

MACDONALD, Professor.

On the Vertebral Homologies as applicable to Geology 1848, 139

Exhibition of Diagrams illustrative of a New Scheme of Zoological Classification 1860, 303

MACK, Mr.

Remarks on the fact of Black Eggs being laid by a White Duck (communicated by Mr. Oswald) 1851, 192

MANTELL, Dr., F.R.S., &c.

- Notice of the Discovery by Mr. Walter Mantell in the Middle Island of New Zealand of a living specimen of the Notornis, a Bird of the Rail family allied to *Brachypteryx*, and hitherto unknown to Naturalists, except in a fossil state..... 1850, 209

MARTENS, Dr. EDUARD VON.

- On the Mollusca of Siam (communicated by Dr. A. Günther, For. Memb.) 1860, 6

MELVILLE, Dr., M.R.C.S.

- On the Ideal Vertebra..... 1848, 145
Continuation of his Observations concerning the Ideal Vertebra..... 1849, 11
Oral exposition of Dr. Kaup's views of the Natural Arrangement of Birds 1849, 94

METCALFE, W.

- An enumeration of Species of recent Shells, received by W. J. Hamilton, Esq., from Borneo, in November 1850, with descriptions of the New Species ... 1851, 70

MEVES, M. W., Conservator at the Zoological Riks-Museum in Stockholm.

- On the Snipe's "Neighing" or Humming Noise, and on its Tail-feathers' Systematic Value. Translated and communicated by John Wolley, jun., Esq., F.Z.S., &c. 1858, 199

MITCHELL, D.W., B.A., F.L.S.

- Notice of a Hybrid Crowned Pigeon, hatched in the Menagerie 1849, 170
Notice of a Hybrid Pigeon, between *Ectopistes migratorius* ♂ and *Turtur risorius* ♀ 1849, 172
Notice of a Hybrid Bull 1849, 172
On the Indian Pheasants bred in the Menagerie .. 1858, 544

MOORE, FREDERIC, Assistant Mus. East India Company.

A Monograph of the Genus *Ruticilla*, with descriptions of some New Species 1854, 25

Descriptions of some New and little-known Species of Birds from Northern India, contained in the Museum of the Honourable East India Company 1854, 74

Notice of the Species of the Genus *Orthotomus* of Horsfield, with descriptions of a New Species and of those hitherto known 1854, 78

Notice of a New Indian Swallow 1854, 104

Notice of some New Species of Birds contained in the Museum of the Honourable East India Company 1854, 104

Notice of all the known Species of the Genus *Acentor*, with the descriptions of an uncharacterized Species from Nepal 1854, 116

Descriptions of Three New Species of Titmice ... 1854, 139

Notice of some imperfectly known Species of Birds contained in the Museum of the Honourable East India Company 1854, 141

List of Malayan Birds collected by Theodore Cantor, Esq., M.D., with descriptions of the imperfectly known Species 1854, 258

Descriptions of Two New Species of the Genus *Orthotomus* 1854, 309

Notice of some New Species of Birds 1855, 215

Descriptions of some New Species of Lepidopterous Insects from Northern India 1857, 102

Monograph of the Asiatic Species of *Neptis* and *Athyma*, two genera of diurnal Lepidoptera belonging to the Family *Nymphalidae* 1858, 3

Descriptions of some Asiatic Lepidopterous Insects belonging to the tribe *Bombyces* 1859, 197

Synopsis of the known Asiatic Species of Silk-producing Moths, with descriptions of some New Species from India 1859, 237

MOORE, FREDERIC, Assist. Mus. E.I.C. (*continued*).

Notice of a rare Asiatic Pigeon 1859, 400

List of Malayan Birds collected by Theodore Cantor, M.D., with Descriptions of imperfectly known Species 1859, 443

MOORE, THOMAS J., Keeper of the Derby Museum, Liverpool.

List of Mammals and Birds collected by Mr. Joseph Leyland in Honduras, Belize, and Guatemala 1859, 50

MÖRCH, OTTO A. L., of Copenhagen.

Review of the Genus *Tenagodus*, Guettard 1860, 400

MURCHISON, Sir R. I., G.C.St.S., &c.

Letter relating to the Aurochs 1849, 32

MURRAY, Hon. C. A., H. M. Consul-General in Egypt.

Letters relating to Collections made in Egypt 1849, { 33
64
106

Letter relating to a Hippopotamus presented to the Society by H. H. Abbas Pasha 1849, 163

NEWCOMB, W., M.D., &c.

Descriptions of seventy-nine New Species of *Achatinella*, Swainson, a genus of Pulmoniferous Mollusks, in the Collection of Hugh Cuming, Esq. 1853, 128

Abstract of descriptions of some Animals of *Achatinella*, and other Remarks 1854, 310

NEWMAN, EDWARD, F.L.S., &c.

First Thoughts on a Physiological Arrangement of Birds 1850, 46

A few words on the Synonymy of *Distichocera*, a genus of Longicorn Coleoptera from New Holland, with Characters of Three Species supposed to be undescribed 1851, 75

NEWTON, ALFRED, M.A., F.Z.S., &c.

- Note on the supposed Occurrence of the *Hirundo*
bicolor of North America in England..... 1860, 131
- On some Hybrid Ducks 1860, 336
- Remarks on the *Anas* (*Anser*) *erythropus*, Linn... 1860, 339
- Notice of the recent Discovery of Bones, supposed
to be those of the Dodo 1860, 443

NICHOLSON, Dr., H. E. I. C. Medical Service.

- Note on a New Species of Francolin 1851, 128
- Notes on an undescribed Species of Tailor-Bird .. 1851, 194
- Notes on a New Species of *Artamus* from India .. 1851, 195

OWEN, Professor RICHARD, M.D., F.R.S., F.Z.S., Director of the Nat. Hist. Depart., British Museum.

- On the Remains of the Gigantic and presumed extinct Wingless or Terrestrial Birds of New Zealand .. 1848, 1
- On a New Species of Chimpanzee 1848, { 27
53
- Notes on the Anatomy of the Male Aurochs..... 1848, 126
- On the Gigantic Wingless Birds of New Zealand .. 1850, 45
- On the Cranium of the large Species of *Dinornis*
called *giganteus* and *ingens*..... 1850, 208
- On a New Species of Pterodactyle (*Pterodactylus*
compressirostris, Owen) from the Chalk; with some
Remarks on the Nomenclature of the previously de-
scribed Species..... 1851, 21
- On the Anatomy of the Wart Hog (*Phacochærus*
pallasii, Van der Hoeven) 1851, 63
- On the Skeleton of *Troglodytes gorilla* 1851, 263
- On the Capacity of the Cranium in the Negro, the
Orang, and the Gorilla 1851, 264

OWEN, PROFESSOR RICHARD, F.R.S., &c. (*continued*).

Notes on the Eggs and Young of the <i>Apteryx</i> , and on the Casts of the Eggs and certain Bones of the <i>Æpyornis</i> (Isid. Geoffroy), recently transmitted to the Zoological Society of London	1852, 9
Notes on the Anatomy of the Tree-Kangaroo (<i>Dendrolagus inustus</i> , Gould)	1852, 103
On the Anatomy of the Walrus ..	1853, 103
On the Anatomy of the Great Anteater (<i>Myrmecophaga jubata</i>)	1854, 154
On the Bones of the Leg of <i>Dinornis</i> (<i>Palapteryx</i>) <i>struthioides</i> and the <i>Palapteryx gracilis</i> ..	1854, 244
On <i>Dinornis</i> (Part 7) : containing a Description of the Bones of the Leg and Foot of the <i>Dinornis elephantopus</i> , Owen	1856, 54
Osteological Contributions to the Natural History of the Chimpanzees and Orangs (<i>Troglodytes Pithecus</i>). No. 6	1856, 369
On the Anatomy of the Great Anteater (<i>Myrmecophaga jubata</i> , Linn.)	1857, 22
On the Gorilla (<i>Troglodytes gorilla</i> , Sav.)	1859, 1

PARKER, W. K., F.R.C.S.

Abstract of Notes on the Osteology of <i>Balaniceps rex</i>	1860, 324
---	-----------

PARLBY, Major.

Notice of the Capture of <i>Orthagoriscus mola</i> off the Chesil Bank, Dorsetshire	1849, 6
---	---------

PEASE, W. HARPER.

Descriptions of New Species of Mollusca from the Sandwich Islands. Part I.	1860, 18
Descriptions of New Species of <i>Planariidæ</i> collected in the Sandwich Islands	1860, 37

PEASE, W. HARPER (*continued*),

- Descriptions of New Species of Mollusca from the Sandwich Islands. Part II. 1860, 141
- Descriptions of Three Species of Marine Shells from the Pacific Ocean 1860, 189
- Descriptions of Seventeen New Species of Marine Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 397
- Descriptions of Forty-seven New Species of Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 431
- Descriptions of Six New Species of Land Shells, from Ebon, Marshall's Group, in the Collection of H. Cuming, Esq. 1860, 439

PEGUS, Lieut.

- On the Habits of the Mungoos (*Herpestes griseus*) 1852, 89

PETHERICK, JOHN, Corr. Memb. Zool. Soc., F.R.G.S.,
H. M. Consul in the Soudan.

- Exhibition of the Head and Horns of a rare Antelope from Central Africa 1860, 193
- Memoranda on the Hippopotamus and *Balænicæps* recently imported into England, and now in the Gardens of the Society 1860, 195

PFEIFFER, Dr. LOUIS.

- Descriptions of Twenty-three New Species of *Vitrina* 1848, 104
- Descriptions of Twenty-nine New Species of *Helicina* 1848, 119
- Descriptions of Twenty-four New Species of *Helicea*, from the Collection of Hugh Cuming, Esq. 1849, 126
- Descriptions of Twelve New Species of *Vitrina* and *Succinea*, from the Collection of H. Cuming, Esq. . . 1849, 132
- Descriptions of Thirty New Species of *Tornatellina*, *Cylindrella*, and *Clausilia*, from the Collection of Hugh Cuming, Esq. 1849, 134

PFEIFFER, DR. LOUIS (*continued*).

Description of a new <i>Pupina</i> and two new <i>Helicinas</i> , from the Collection of H. Cuming, Esq.	1850, 97
Descriptions of New Land Shells from the Collection of H. Cuming, Esq.	1851, 147
Descriptions of Forty-three New Species of <i>Cyclotomacea</i> , from the Collection of H. Cuming, Esq. ..	1851, 242
Descriptions of Fifty-four New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1851, 252
Descriptions of Sixty-six New Land Shells, from the Collection of H. Cuming, Esq.	1852, 56
Descriptions of Eighteen New Species of Land Shells, from the collection of H. Cuming, Esq.	1852, 83 .
Descriptions of Fourteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 135
Descriptions of Twenty-four New Species of Land Shells, collected by M. Sallé on the Island of St. Domingo, from Mr. Cuming's Collection	1852, 138
Descriptions of Fourteen New Species of Operculated Land Shells from Mr. Cuming's Collection	1852, 144
Descriptions of Twelve Species of Land Shells, from New Zealand	1852, 147
Descriptions of Eight Species of Land Shells, from the Island of Mauritius	1852, 149
Descriptions of Nineteen New Species of Land Shells, collected by M. Bourcier, Consul-General, Quito	1852, 151
Descriptions of Eighteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 156
Descriptions of Twenty-three New Species of Land Shells, from the Collection of Hugh Cuming, Esq. ..	1853, 48
Descriptions of Eighteen New Species of Land Shells, from the Collections of Mr. Denuison and Mr. Cuming	1853, 57

PFEIFFER, Dr. LOUIS (*continued*).

Descriptions of Nineteen New Species of <i>Helicea</i> , from the Collection of Hugh Cuming, Esq.	1853, 124
Descriptions of Forty-two New Species of <i>Helix</i> , from the Collection of H. Cuming, Esq.	1854, 49
Descriptions of Four New Species of <i>Bulimus</i> , from the Collection of H. Cuming, Esq.	1854, 57
Descriptions of Six New Species of <i>Auriculacea</i> , from the Collection of H. Cuming, Esq.	1854, 121
Descriptions of Sixteen New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 122
Descriptions of Eleven New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq.	1854, 126
Descriptions of Twenty-three Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 145
Descriptions of Seven Species of <i>Cyclostomacea</i> and <i>Auriculacea</i> , from Mr. Cuming's Collection	1854, 150
Descriptions of Fifty-seven New Species of <i>Helicea</i> , from Mr. Cuming's Collection	1854, 286
Descriptions of Three New Species of <i>Pythia</i>	1854, 298
Descriptions of Eighteen New Species of <i>Cyclostomacea</i> , from Mr. Cuming's Collection	1854, 299
A Monograph of the Genera <i>Realia</i> and <i>Hydrocena</i>	1854, 304
Descriptions of Twenty-seven New Species of <i>Achatinella</i> , from the Collection of H. Cuming, Esq., collected by Dr. Newcomb and Mons. D. Frick in the Sandwich Islands.....	1855, 1
Descriptions of Nine New Species of Land Shells, also from the Collection of Mr. Cuming	1855, 7
Descriptions of Forty-seven New Species of <i>Helicea</i> , from the same Collection	1855, 91
Description of a New Genus and Twenty-three New Species of <i>Pneumonopoma</i> , from the same Collection .	1855, 101
Descriptions of Nine New Species of <i>Helicea</i> , from the same Collection	1855, 106

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Thirty-eight New Species of Land Shells, from the same Collection	1855, 111
Descriptions of Twenty-three New Species of <i>Achatinella</i> , collected by Mons. D. Frick in the Sandwich Islands, from the same Collection	1855, 202
Descriptions of Sixteen New Species of <i>Achatinella</i> , collected by Dr. Newcomb in the Sandwich Islands, from the same Collection	1855, 207
Descriptions of Five New Species of Terrestrial Mollusca, from the same Collection	1855, 210
Descriptions of Twenty-five New Species of Land Shells, from the Collection of H. Cuming, Esq. . . .	1856, 32
Descriptions of Twenty-seven New Species of Land Shells collected by M. Sallé in the State of Vera Cruz, Mexico	1856, 318
Descriptions of Fifty-eight New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1856, 324
Descriptions of Sixteen New Species of <i>Pneumopoma</i> , from the Collection of H. Cuming, Esq. . . .	1856, 336
Descriptions of Nineteen New Species of Land Shells, from the Collection of H. Cuming, Esq., collected by M. Ghiesbreght at Chiapa, Mexico	1856, 377
Descriptions of Eighteen New Species of Land Shells, collected on the Admiralty Islands, from the Collection of H. Cuming, Esq.	1856, 381
Descriptions of Thirty-three New Species of Land Shells, from the Collection of H. Cuming, Esq. . . .	1856, 385
Descriptions of Two New Species of <i>Melampus</i> , from Mr. Cuming's Collection	1856, 393
Descriptions of Thirty-one New Species of Land Shells, from the Collection of H. Cuming, Esq. . . .	1857, 107
Descriptions of Eleven New Species of Land Shells, from the Collection of H. Cuming, Esq.	1858, 20
Descriptions of Ten New Species of <i>Bulmus</i> , from the Collection of Hugh Cuming, Esq.	1858, 256

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Twenty-seven New Species of Land Shells, from the Collection of H. Cuming, Esq.	1859, 23
Descriptions of Two New Species of <i>Melampus</i> , from the same Collection	1859, 29
Descriptions of Eight New Species of <i>Achatinella</i> , from the same Collection	1859, 30
Descriptions of Thirty-six New Species of Land Shells, from the Collection of Hugh Cuming, Esq. ..	1860, 133

PHILIPPI, Dr.

Descriptiones Naticarum quarundam novarum ex collectione Cumingiana	1851, 233
---	-----------

PHILIPPS, Rev. T.

Notes on the Habits of some Birds observed in the Plains of N.W. India in 1849 (communicated by Frederic Moore) ;.....	1857, 85
--	----------

PRIME, TEMPLE, of New York.

Descriptions of New Shells from the Collection of Hugh Cuming, Esq.	1860, 319
--	-----------

PROUDFOOT, Mr.

Note on <i>Tragelaphus angasii</i>	1850, 199
--	-----------

RADDI, Professor.

Exhibition of numerous Preparations illustrative of one of the Processes of his New Method of Preserving Animal Substances	1859, 200
--	-----------

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c.

On <i>Fastigiella</i> , a New Genus of Shells of the Lamarckian Family <i>Canalifera</i>	1848, 14
Descriptions of New Species of <i>Turbo</i>	1848, 49
Description of a New Genus of Acephalous Mollusca, of the Family <i>Pectinacea</i>	1848, 133

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c. (*continued*).

Description of a New Species of *Bulimus*, from the
Collection of A. L. Gubba, Esq., of Havre 1849, 16

Descriptions of Sixteen New Species of *Bulimus*, in
the Collection of H. Cuming, Esq., discovered by Mr.
W. Lobb in the Andes of Peru 1849, 96

Description of a New Species of *Cytherea*..... 1849, 126

On a New Species of *Lymnæa* from Thibet 1850, 49

Description of a New Species of *Bulimus* from Au-
stralia 1851, 198

Description of a New Species of *Helix* from Van
Diemen's Land 1852, 31

Descriptions of New Species of *Paludomus*, a Genus
of Freshwater Mollusks 1852, 126

Description of a New Volute from New Caledonia . 1854, 73

Description of Three New Volutes from the Collec-
tions of the Hon. Mrs. Cathcart and Mr. Cuming .. 1856, 2

Descriptions of Seven New Shells from the Collec-
tion of the Hon. Sir David Barclay, of Port Louis,
Mauritius 1857, 207

Descriptions of Two New Species of *Bulimus* from
the Collection of Mrs. De Burgh 1859, 123

A Commentary on M. Deshayes's Revision of the
Genus *Terebra*..... 1860, 448

REHÜLLER, M.

On the Capture of *Delphinus orca* in South Green-
land 1853, 103

REINHARDT, Professor J., For. M.Z.S.

On the Affinities of *Balaniceps* 1860, 377

RICHARDSON, Sir JOHN, M.D., C.B., F.R.S.L. & E., &c.

Notices of Australian Fishes 1850, 58

On some Fishes from Asia Minor and Palestine .. 1856, 371

On *Siphonognathus*, a New Genus of *Fistulariæ*.. 1857, 237

RÖMER, Dr. E., of Cassel.

Descriptions of New Species of the Genera *Dossinia* and *Cyclina* from the Collection of Hugh Cumming, Esq. 1860, 117

SALLÉ, M. AUGUSTE.

Liste des Oiseaux rapportés et observés dans la République Dominicaine (ancienne partie Espagnole de l'Ile St. Domingue ou d'Haiti), par M. A. Sallé, pendant son voyage de 1849 à 1851 .. . 1857, 230

SALMON, JOHN D., F.L.S., F.Z.S.

Exhibition of a Specimen of Baillon's Crake, with Seven Eggs 1858, 560

SALVIN, OSBERT, M.A., F.Z.S.

Exhibition of the Eggs of the Quesal (*Pharomacrus paradiseus*) 1860, 374

On the Reptiles of Guatemala .. . 1860, 451

SANDWICH, HUMPHREY, C.B.

Notice of the Habits of the Aye-Aye of Madagascar (*Chromys madagascariensis*) 1859, 111

SCHIODTE, M.

On some *Staphylinidæ* found in the Nests of *Termites* .. . 1853, 101

SCHLAGINTWEIT, HERMANN.

Exhibition of Specimens of Heads of a Sheep from Thibet, showing a curious modification in the form of the Horns 1859, 350

SCHLEGEL, Dr. H., Curator of the Royal Zoological Museum, Leyden.

Description of a New Genus of Batrachians from Swan River (extracted from a Letter to J. E. Gray, Esq.) 1850, 9
PROC. ZOOL. SOC. INDEX, 1848-60. 4

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society.

On Two New Species of Birds of the Genus <i>Tæmo- ptera</i>	1851, 193
On Two New Species of South American Buds	1852, 34
On some New Species of <i>Dendrocolaptes</i>	1853, 68
Descriptions of New Species of <i>Buconidae</i>	1853, 122
Characters of some New or imperfectly described Species of Tanagers	1854, 95
List of a Collection of Birds received by Mr. Gould from the Province of Quijos in the Republic of Ecuador	1854, 109
Description of Two New Tanagers in the British Museum	1854, 157
Description of a New Tanager of the Genus <i>Calliste</i>	1854, 248
Description of a second Species of the Genus <i>Pro- cias</i>	1854, 249
On Two New Species of <i>Dacnis</i> , and on the General Arrangement of the Genus	1854, 251
Descriptions of Six New Species of the Subfamily <i>Formicariinae</i>	1854, 253
On the Genus <i>Culicivora</i> of Swainson, and its com- ponent Species	1855, 11
Remarks on the Arrangement of the Jacamars (<i>Gal- bulidae</i>), with Descriptions of some New Species	1855, 13
Characters of Six New Species of the Genus <i>Tham- nophilus</i>	1855, 18
Note on the Sixteen Species of Texan Buds named by Mr. Giraud, of New York, in 1841	1855, 65
On a New Species of the Genus <i>Todirostrum</i> of Lesson	1855, 66
On some New or little-known Species of Birds in the Derby Museum at Liverpool	1855, 74

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Descriptions of Four New or little-known Tanagers	1855,	83
Descriptions of some New Species of Ant-Thrushes (<i>Formicariinæ</i>) from Santa Fé di Bogota	1855,	88
Descriptions of some New Species of Birds from Santa Fé di Bogota	1855,	109
On the Birds received in collections from Santa Fé di Bogota.	1855,	131
Characters of some apparently New Species of <i>Bucconidae</i> , accompanied by a Geographical Table of the Family.	1855,	193
Note on the Genus <i>Legriocinclus</i> , Lesson, and its Synonyms	1855,	212
Description of a newly discovered Tanager of the Genus <i>Buarremon</i>	1855,	214
Characters of Two New Species of Tanagers	1855,	227
Note on the Zoological Appendix to the 'Report of the U.S Naval Astronomical Expedition to the Southern Hemisphere,' and on the Geographic Range and Distribution of the Tanagrine Genera <i>Calliste</i> and <i>Euphonia</i>	1856,	18
On some additional Species of Birds received in collections from Bogota	1856,	25
Note on <i>Psaltia flaviceps</i> , a third American Spe- cies of the Parne Genus <i>Psaltia</i>	1856,	37
Synopsis Avium Tanagrarum —A Descriptive Ca- talogue of the known Species of Tanagers	1856,	64 108 230
Note on <i>Buglodytes albicollis</i> , Bp.	1856,	97
On some New or Imperfectly-known Species of <i>Synallaxis</i>	1856,	97
List of Mammals and Birds collected by Mr. Bridges in the vicinity of the town of David, in the province of Chiriqui, in the State of Panama	1856,	138
Note on some Birds from the Island of Ascension	1856,	144

SCLATER, PHILIP LUTLEY, Ph D., &c. (*continued*).

On the Species of the American Genus <i>Parra</i>	1856, 282
Catalogue of Birds collected by M. Auguste Sallé in Southern Mexico, with Descriptions of New Species ..	1856, 283
On a New Tanager of the Genus <i>Caliste</i>	1856, 311
Notes on the Birds in the Museum of the Academy of Natural Sciences of Philadelphia, and other Collections in the United States of America	1857, 1
Further Additions to the List of Birds received in Collections from Bogota	1857, 15
Characters of some apparently New Species of American Ant-Thrushes	1857, 46
Description of a New Tanager of the Genus <i>Euphonia</i>	1857, 66
Review of the Species of the South American Sub-family <i>Tityrinæ</i>	1857, 67
On <i>Parus meridionalis</i> and some other Species mentioned in the Catalogue of Birds collected by M. Sallé in Southern Mexico	1857, 81
On Three New Species of the Genus <i>Todirostrum</i>	1857, 82
List of Birds collected by Mr. Thomas Bridges, Corr. Memb., in the Valley of San José, in the State of California	1857, 125
Note on the Upland Goose	1857, 128
Descriptions of Twelve New or little-known Species of the South American Family <i>Formicariidæ</i> . . .	1857, 129
List of Additional Species of Mexican Birds obtained by M. Auguste Sallé from the environs of Jalapa and S. Andres Tuxtla	1857, 201
On a collection of Birds made by Signor Matteo Botteri in the vicinity of Orizaba in Southern Mexico	1857, 210
Notes on an unnamed Parrot from the Island of St. Domingo, now living in the Society's Gardens, and on some other Species of the same Family	1857, 224

SCLATER, PHILIP LUTLEY, Ph D., &c. (*continued*).

- On a Collection of Birds received by M. Sallé from
Southern Mexico 1857, 226
- Review of the Species of the Fissirostral Family *Momotidae* 1857, 248
- On a Collection of Birds transmitted by Mr. H. W.
Bates from the Upper Amazon 1857, 261
- Description of Eleven New Species of Birds from
Tropical America 1857, 271
- Notes on Californian Birds By Thomas Bridges,
Corresponding Member. Communicated, with Re-
marks, by Mr Sclater 1858, 1
- Notes on a Collection of Birds received from M.
Verreaux, of Paris, from the Rio Napo, in the Re-
public of Ecuador 1858, 59
- Notes on some Birds from Southern Mexico 1858, 95
- On some New or little-known Species of *Accipitres*,
in the Collection of the Norwich Museum 1858, 128
- Note on the Variation of the Form of the Upper
Mandible in a Rapacious Bird 1858, 150
- Synopsis of the American Ant-birds (*Formicariidae*).
Part I., containing *Thamnophilinae* 1858, 202
- . Part II., containing the *Formicivorinae*, or
Ant-Wrens 1858, 232
- . Part III., containing the *Formicarumae*, or
Ant-Thrushes 1858, 272
- Additional Note on the Upland Goose (*Chloephaga magellanica*) 1858, 289
- On some New or little-known Species of Tanagers,
from the Collection of M. Verreaux, of Paris 1858, 293
- On a Collection of Birds received by M. Auguste
Sallé from Oaxaca in Southern Mexico 1858, 294
- Descriptions of a New Species of the Genus *Buteo*,
from Mexico 1858, 356

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

- List of Birds collected by George Cavendish Taylor, Esq., in the Republic of Honduras 1858, 356
- Characters of Five New Species of American Birds 1858, 446
- List of Birds collected by Mr. Louis Fraser at Cuenca, Gualaquiza and Zamora, in the Republic of Ecuador 1858, 449
- On Two New Species of Ant-birds in the Collection of the Derby Museum, Liverpool 1858, 540
- Note on the Genus *Cichlopsis* of Cabanis ... 1858, 541
- On the Birds collected by Mr. Louis Fraser in the vicinity of Riobamba, in the Republic of Ecuador .. 1858, 549
- Descriptions of New Species of the American Family *Tyrannidæ* 1859, 40
- Description of a New Species of Owl of the Genus *Occuba* 1859, 131
- Note on the Spur-winged Geese (*Plectropterus*) now living in the Society's Gardens 1859, 131
- List of the First Collection of Birds made by Mr. Louis Fraser at Pallatanga, Ecuador, with Notes and Descriptions of New Species 1859, 135
- On some New Species of *Synallaxis*, and on the Geographical Distribution of the Genus..... 1859, 191
- Exhibition of two rare Species of Arctic Birds, *Colymbus adamsi* and *Eurymorhynchus pygmaeus* 1859, 201
- A Record of the Number of Days of Incubation of Birds which breed in the Society's Gardens 1859, 205
- Remarks on exhibiting specimens of Two Species of Divers (*Colymbus*) from Mr. Gurney's Collection.. 1859, 206
- On a Collection of Birds from Vancouver's Island.. 1859, 235
- A Synopsis of the Thrushes (*Turdidæ*) of the New World 1859, 321
- Exhibition of an Egg laid by the Apteryx (*A. mantelli*) which had been living in the Gardens since 1852 1859, 350

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Exhibition of Eggs of *Grus montignesia*, *G. virgo*,
and *G. cinerea*, also of an Egg of *Balæniceps rex*. 1859, 353

On a series of Birds collected in the vicinity of
Jalapa in Southern Mexico 1859, 362

List of Birds collected by M. A. Boucard in the
State of Oaxaca in South-western Mexico, with De-
scriptions of New Species 1859, 369

On some New or little-known Birds from the Rio
Napo 1859, 440

On some Hybrid Ducks bred in the Society's Gardens 1859, 442

Further Evidence of the Distinctness of the Gambian
and Ruppell's Spur-winged Geese (*Plectropterus gam-
bensis* and *P. ruppelli*) 1860, 38

List of Additional Species of Birds collected by Mr.
Louis Fraser at Pallatanga, Ecuador; with Notes and
Descriptions of New Species 1860, 63

List of Birds collected by Mr. Fraser in the vicinity
of Quito, and during excursions to Pichincha and Chim-
borazo, with Notes and Descriptions of New Species 1860, 73

List of Birds collected by Mr. Fraser in Ecuador,
at Nanegal, Calacali, Perucho, and Puellaró; with
Notes and Descriptions of New Species 1860, 83

Exhibition of a large Horned Owl (*Bubo maximus*,
var.) from Pángkóng Lake, Thibet 1860, 99

Note on the Punjab Sheep living in the Society's
Gardens 1860, 126

Additions to the Menagerie during the months of
January and February 1860, 183

Exhibition of *Oreophasis derbianus*; and announce-
ment of the addition of *Sieboldia maxima* and *Balæ-
niceps rex* to the Society's Menagerie 1860, 184

Exhibition of an Egg of the King Vulture, and of a
second Egg of the *Apteryx* 1860, 193

On the Rheas in the Society's Menagerie, with Re-
marks on the known Species of Struthious Birds . . . 1860, 207

SCLATER, PHILIP LUTLEY, Ph D, &c. (*continued*).

On the Black-shouldered Peacock of Latham (*Pavo nigripennis*) 1860, 221

On the Species of the Genus *Prioniturus*, and on the Geographical Distribution of the *Psittacidae* in the Eastern Archipelago 1860, 223

Additions to the Menagerie during the months of March and April 1860, 242

List of Mammalia collected by Mr. J. J. Monteiro in Angola 1860, 245

Notes on Two Struthious Birds now living in the Society's Gardens 1860, 247

Notes on a Collection of Birds from the Vicinity of Orizaba and neighbouring parts of Southern Mexico 1860, 250

Exhibition of a specimen of a New Form of Dormouse (*Platacanthomys lasiurus*) 1860, 260

List of Birds collected by Mr. Fraser at Babahoyo in Ecuador, with descriptions of New Species 1860, 272

List of Birds collected by Mr. Fraser at Esmeraldas, Ecuador, with descriptions of New Species 1860, 291

Note on the Skull of the Red River-Hog (*Potamochoerus penicillatus*) 1860, 301

Exhibition of a Male example of the Bimaculated Duck of Yarrell 1860, 303

Description of a New Species of Manakin from Northern Brazil 1860, 312

Description of a New Tyrant-bird of the Genus *Elainea* from the Island of St. Thomas, West Indies 1860, 313

Exhibition of a Drawing of a species of Rock-Kangaroo just received by the Society from South Australia 1860, 323

Additions to the Menagerie during the month of May 1860, 371

Additions to the Menagerie during the month of June 1860, 372

Note on the Japanese Deer living in the Society's Menagerie 1860, 375

Catalogue of the Birds of the Falkland Islands . . . 1860, 382

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Additions to the Menagerie during the months of July, August, September, and October	1860, 415
Exhibition of Bird-skins from Port Churchill, Hudson's Bay	1860, 418
Notice of some Rare Species of <i>Quadrumanæ</i> , now living in the Society's Menagerie	1860, 419
Additions to the Menagerie during the month of November	1860, 442
On the <i>Baburussa</i> and other <i>Sundæ</i> , now living in the Society's Menagerie	1860, 443
Note on the <i>Ovis polii</i> of Blyth	1860, 443
Report on the Indian Pheasants bred in the Society's Menagerie during the years 1858, 1859, and 1860 ..	1860, 444
Characters of Ten New Species of American Birds	1860, 461

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society, and OSBERT SALVIN, M.A.
F.Z.S.

Characters of Eleven New Species of Birds discovered by Osbert Salvin in Guatemala ..	1860, 298
---	-----------

SCOTT, A.W., M.A., Member of the Legislative Assembly, New South Wales.

On <i>Cystosoma saundersi</i>	1852, 14
On a New Lepidopterous Insect from Australia ..	1859, 207
Description of a species of <i>Perga</i> , or Sawfly ..	1859, 209

SHAW, A. N., F.Z.S.

Letters relating to Collections made at Bombay ..	1849, { 33 94
---	------------------

SHORTT, Dr., F.Z.S.

Remarks on the Civet Cats of India ..	1860, 98
---------------------------------------	----------

SIMMONDS, P. L.

- Extract from a letter, announcing the capture of a
young female Gorilla 1860, 184

SMITH, J. P. G.

- Note on *Callicthys* and *Anableps* 1850, 53
On a living *Octopus* (in a letter addressed to Dr.
Gray) 1858, 533

SOTHEY, S. LEIGH.

- Note on a Talking Canary (addressed to Dr. Gray) 1858, 231

SOWERBY, G., F.L.S.

- Description of a New Species of the Genus *Tomigerus* 1849, 14
Description of Two newly discovered Species of *Cy-
lostoma* 1849, 15
Description of Shells in the Collection of Hugh
Cuming, Esq. 1859, 428

SOWERBY, G. B., JUN., F.L.S.

- Descriptions of some New Species of *Ovulum* . . . 1848, 135
Descriptions of some New Species of *Cancellaria* . 1848, 136
On a New Genus of *Pholadidæ*, with notices of se-
veral New Species, and of a remarkable specimen of
Pholas calva in Mr. Cuming's Collection 1849, 160

SPEKE, Capt. J. H., 46th B N. I.

- Notes on the Habits of Two Mammals observed
in the Somál Country, Eastern Africa 1859, 234

STEVENS, SAMUEL.

- Exhibition of two beautiful new Butterflies col-
lected by Mr. Wallace in the Island of Batchian . . 1859, 351
Exhibition of Birds and Lepidopterous Insects col-
lected by Mr. Wallace in the Island of Batchian . . . 1860, 1

STEVENSON, Mrs.

- Letter 1849, 106

STEWART, THOMAS HOWARD, F.Z.S., M.R.C.S.

- Exhibition of specimens of *Corystes cassivelaunus*,
and the Young of *Comatula rosea* 1859, 495

- Remarks on the Stomach of the *Potamochærus*
penicillatus 1860, 194

STRICKLAND, H. E., M.A.

- On the Habits of a living specimen of *Nannia vitri-*
noides 1848, 142

- List of Birds procured in Kordofan by Mr. J. Pe-
therick, with Notes 1850, 214

- On some Bones of Birds allied to the Dodo 1852, 75

TAYLOR, E. CAVENDISH, M.A., F.Z.S., &c.

- Note on the Eggs of the Frigate Bird and the Cro-
codile of Jamaica 1858, 318

TEGETMEIER, W. B.

- On the remarkable Peculiarities existing in the
Skulls of the Feather-crested variety of the Domestic
Fowl, now known as the Polish 1856, 366

- Exhibition of a Collection of Skins of New Va-
rieties of Domestic Fowls, the property of Charles
Darwin, Esq. 1857, 46

- Exhibition of Specimens illustrating the differences
produced in the Hens of the Common Pheasant and
Domestic Fowl by disease or degeneration of the Ovary 1857, 81

TEMPLE, ROBERT, Chief Justice of British Honduras.

- Letter referring to a species of Peccary 1860, 206

TEMPLETON, R.

- Description of a New Species of *Sorex*, from India 1853, 100

THOMASON, Hon. J.

Letter relating to a young Kiang ... 1848, 62

THOMPSON, Captain J. WYCLIFFE.

Notes on the Gouwa (*Bos frontalis*) of Western
India, called "the Bison" by English residents 1852, 96

THOMPSON, General PERRONET, F.R.S., M.P.

On the *Lepidosiren* (in a note to Dr. Gray) 1858, 535

THOMPSON, WILLIAM.

Description of a New Species of *Corynactis* 1853, 107

Remarks on *Nila edulis*, Risso .. 1856, 102

Remarks on the British *Actinadæ* and Re-arrangement of the Genera .. 1858, 145

On a species of *Eolis*, and also a species of *Lomanotus* new to science, with the description of a specimen of *Eolis cærulea* of Montagu 1859, 65

TOMES, JOHN, F.R.S., &c.

On the Blood-coloured Exudation from the Skin of the Hippopotamus ... 1850, 160

On the Structure of the Teeth of the American and Indian Tapirs 1851, 121

TOMES, ROBERT F., Corr. Mem. Z.S.

On the Occurrence and Habits of *Vespertilio emarginatus* ... 1848, 112

On Three Genera of Vespertilionidæ, *Furypterus*, *Natalus* and *Hyonycteris*, with the Descriptions of Two New Species 1856, 172

Monograph of the Genus *Lasurus* 1857, 34

Descriptions of Four undescribed Species of Bats . 1857, 50

On Two Species of Bats inhabiting New Zealand 1857, 134

A Monograph of the Genus *Nyctophilus* 1858, 25

TOMES, ROBERT F., Corr. Memb. Z S. (*continued*).

On the Characters of Four Species of Bats inhabiting Europe and Asia, and the description of a New Species of <i>Vespertilio</i> inhabiting Madagascar . . .	1858, 78
A Monograph of the Genus <i>Mimopterus</i>	1858, 115
A Monograph of the Genus <i>Kerivoula</i>	1858, 322
On the <i>Vespertilio sullus</i> of Temminck, the type of the Genera <i>Murina</i> (Gray) and <i>Ocyptes</i> (Lesson) . .	1858, 367
Notes of Five Species of Bats in the Collection of L. L. Dillwyn, Esq., M.P., collected in Labuan by Mr. James Motley	1858, 536
Notes on a Collection of Mammalia made by Mr. Fraser at Gualaquiza	1858, 546
Description of Six hitherto undescribed Species of Bats	1859, 68
A Monograph of the Genus <i>Epomophorus</i> , with the Description of a New Species	1860, 42
Description of a New Species of Opossum, obtained by Mr. Fraser in Ecuador	1860, 58
Notes on a Second Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador	1860, 211
Notes on a Third Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador	1860, 260
Additional Note on <i>Didelphys waterhousii</i> . . .	1860, 303

TORRENS, H., B.A., V P.As.Soc. Bengal.

On Native Impressions regarding the Natural History of certain (Indian) Animals	1855, 129
---	-----------

TRISTRAM, Rev. H. B., Corr. Memb. Z S.

Exhibition of some Mammals, Reptiles, Batrachians, and Fishes collected in the Algerian Sahara . .	1859, 353
Notes on the Reptiles and Fishes of the Sahara . .	1859, 475

TURNER, H. N., Jun.

- Observations on some of the Foramina at the Base
of the Skull in Mammalia, and on the Classification
of the Order *Carnivora* 1848, 63

- Notes on the dissection of *Paradoxurus typus* and
of *Dipus ægyptius* 1849, 24

- On the Evidences of Affinity afforded by the Skull
in the Ungulate Mammalia 1849, 147

- Contributions to the Anatomy of the Tapir . . . 1850, 102

- On the Generic Subdivision of the *Bovidæ*, or Hol-
low-horned Ruminants 1850, 164

- Note on the Suborbital Gland of the Nylghau . . . 1851, 116

- On the Change of Colour in a Chameleon (*Chamæleo*
vulgaris) 1851, 203

- On the Arrangement of the Edentate Mammalia . . . 1851, 205

TWEEDIE, J. N., Corr. Memb. Z S.

- Letter relating to Collections made at Hayti . . . 1849, 33

TYLER, Lieut. R. E.

- Letters 1849, { 64
94
106

- Notes on the Serpents of Santa Lucia, communi-
cated by the Secretary 1849, 100

- On the Iguana of Santa Lucia 1850, 106

VAN DER HOEVEN, J.

- Contributions to the knowledge of the Animal of
Nautilus pompilius 1850, 1

VEKEMANS, M.

- Letter 1849, 33

VERREAUX, M. JULES, Corr. Memb. Z S.

- Note sur un Genre des Oiseaux de Pioie 1856, 145

- Note sur le Messager ou Serpenteaire du Cap du
Bonne-Espérance (*Serpentarius reptilivorus*, Daud.). 1856, 348

VERREAUX, M. JULES, Corr. Memb. Z.S. (*continued*).

Description d'une nouvelle espèce de Barbu de
l'Afrique occidentale 1859, 393

VON DEM BUSCH, Dr.

On some New Freshwater Shells from Ecuador and
New Granada, in the Collection of H. Cuming, Esq. 1859, 167

WALLACE, ALFRED R.

On the Umbrella Bird (*Cephalopterus ornatus*);
communicated by Mr. S. Stevens 1850, 206

On the Monkies of the Amazon 1852, 107

On some Fishes allied to *Gymnotus* . . . 1853, 75

Extract from a letter received by Mr. S. Stevens
from Mr. Wallace, dated Batchian, October 29, 1858,
referring to a new Bird of Paradise 1859, 129

Notes on *Semioptera wallacii*, Gray, from a Letter
addressed to John Gould, Esq., dated Amboyna,
Sept. 30, 1859 1860, 61

WALLICH, G. C., M.D.

Note on a New Preservative Process 1858, 536

WALPOLE, The Hon. F, Lieut. R.N.

Notes on the *Didunculus*, a species of Pigeon, sup-
posed to be peculiar to the Navigators' Islands . . 1852, 87

WALTER, H. F, F.Z.S.

On the Eggs of *Otogyps* and *Prosthemadera* . . 1853, 192

WATERHOUSE, G. R.

Description of a New Species of *Tupaia*, discovered
in Continental India by W. Elliot, Esq. . . . 1849, 106

WESTERMANN, M.

Letter 1849, 33

WESTWOOD, J. O., F.L.S.

- Monograph of the large African Species of Nocturnal *Lepidoptera* belonging or allied to the Genus *Saturnia* 1849, 33
- Observations on the destructive species of Dipterous Insects known in Africa under the names of the Tsetse, Zimb, and Tsaltsalya, and on their supposed connexion with the fourth plague of Egypt 1850, 258
- Observations on the Dentition of the Tiger Beetles 1851, 198
- Descriptions of New Species of *Cleridæ*, from Asia, Africa, and Australia 1852, 34
- Descriptions of some New Species of Exotic Moths, belonging or allied to the Genus *Saturnia* 1853, 157
- Descriptions of some Species of Lepidopterous Insects belonging to the Genus *Onketicus* 1854, 219
- Descriptions of some New Species of *Cleridæ*, collected at Singapore by Mr. Wallace 1855, 19
- Exhibition of several new and remarkable Species of Beetles, belonging to the Families *Cicindelidæ* and *Carabidæ* 1855, 119

WHITE, ADAM, F.L.S., Assist. Zool. Dep. Brit. Mus.

- Description of *Echinocerus cibarius* 1848, 47
- Description of Two New Species of *Crustacea* 1848, 144
- Description of apparently New Species of *Aptera*, from New Zealand 1849, 3
- Description of some apparently New Species of Longicorn Coleoptera, in the Collection of the British Museum 1850, 10
- Descriptions of Two Species of *Crustacea* in the British Museum 1850, 95
- Monograph of the Genus *Egosoma*, Serville, with the Description of a New Genus and Species allied to it 1853, 26
- Descriptions of some Coleopterous Insects in the Collection of the British Museum, hitherto apparently unnoticed 1856, { 8
406

WHITE, ADAM, F.L.S., &c. (*continued*).

- Some remarks on *Crustacea* of the Genus *Lithodes*,
with a brief Description of a Species apparently
hitherto unrecorded..... 1856, 132
- Description of *Mygale emilia*, a Spider from Panama
hitherto apparently unrecorded 1856, 183
- Descriptions of some Longicorn Coleoptera, appa-
rently as yet unrecorded 1858, 398
- Description of an *Attacus* from the East Indies,
hitherto apparently unrecorded 1859, 115
- Descriptions of unrecorded Species of Australian
Coleoptera of the Families *Carabidæ*, *Buprestidæ*,
Lamellicornia, *Longicornia*, &c. 1859, 117

WILSON, F. H.

- Exhibition of four examples of a curiously coloured
variety of the Common Mole (*Talpa europæa*)..... 1860, 206

WING, W., M.E.S.

- Character of Three New Genera and Species of *Le-
pidoptera*..... 1849, 104

WOLLEY, JOHN, JUN., F.Z.S.

- On the Nest and Eggs of the Waxwing (*Bombycilla
garrula*, Temm.) 1857, 55

WOODWARD, S. P., F.G.S.

- On *Panopæa aldrovandi*, Lam. 1855, 218
- On the Land and Freshwater Shells of Kashmir and
Tibet, collected by Dr. T. Thompson..... 1856, 185
- Exhibition of Preparations of the Mantle and Oral
Apparatus of the Recent British Terebratulæ (*T. caput-
serpentis* 1856, 368
- On a New Species of Mollusk of the Genus *Scissu-
rella*, D'Orb. 1859, 202
- Note on *Cyclostoma articulatum* 1859, 204
- On some New Freshwater Shells from Central Africa 1859, 348
- PROC. ZOOL. SOC. INDEX, 1848-60. 5

WOODWARD, S. P., and LUCAS BARRETT.

On the Genus *Synapta* (communicated by J. S.
Gaskoin, Esq.) 1858, 360

YARRELL, W., F.L.S., F.Z.S., &c.

Letter on the Deal-fish, from Dr. Duguid to Dr.

Barker 1851, 116

Exhibition of *Echiodon drummondii* 1852, 14

Notice of the occurrence of *Otis tarda* in Berkshire 1856, 1

LIST OF THE ILLUSTRATIONS.

1848 to 1860.

MAMMALIA.

No. of Plate.			Page
I.	<i>Galidictis vittata</i> , Gray	1848,	22
II.	<i>Ptilocercus lowii</i> , Gray	1848,	24
III.	<i>Cercopithecus phuto</i> , Gray	1848,	56
IV.	<i>Tragelaphus angassii</i> , Gray. ♂	1848,	89
V.	— Gray. ♀ et juv.		
VI.	<i>Mycetes palhatus</i> , Gray	1848,	138
VII.	<i>Sciurus dorsalis</i> , Gray		
VIII.	<i>Herpestes ochraceus</i> , Gray	1849,	7
IX.	<i>Cercopithecus melanogenys</i> , Gray. Fig. 1 . .		
	— <i>ludio</i> , Gray. Fig. 2	1849,	8
X.	<i>Bradypus crinitus</i> , Browne. Fig. 1 (skull) . .	1849,	67
	— <i>affinis</i> , Gray. Fig. 2 (skull)	1849,	68
	<i>Arctopithecus flaccidus</i> , Gray. Fig. 1 (skull) . .	1849,	72
	— <i>blainvillii</i> , Gray. Fig. 2 (skull)	1849,	71
XI.	— <i>marmoratus</i> , Gray. Figs. 3, 4 (skull), pt. . .	1849,	71
	— <i>problematicus</i> , Gray. Fig. 5 (skull), pt. . .	1849,	73
	— <i>gularis</i> , Gray. Fig. 6, skull, pt.	1849,	70
XII.	<i>Capreolus leucotis</i> , Gray.	1849,	64
XIII.	<i>Tupaia ellioti</i> , Waterh	1849,	107
XIV.	Young Hippopotamus	1849,	163
XV.	Hybrid Bull	1849,	172
XVI.	<i>Presbytes albigena</i> , Gray	1850,	77
XVII.	<i>Phacochoerus æthiopicus</i> , juv.	1850,	78
XVIII.	<i>Thylacinus cynoccephalus</i> , juv.	1850,	89
XIX.	<i>Hippopotamus amphibius</i> , Linn.	1850,	
XX.	<i>Adenota lechæ</i> , Gray	1850,	130
XXI.	Exudation from the skin of the Hippopotamus . .	1850,	160
XXII.	<i>Coassus nemorivagus</i> , ♂	1850,	240
XXIII.	— Gray. ♀		
XXIV.	— <i>rufus</i> , Gray	1850,	241
XXV.	— <i>superciliaris</i> , Gray	1850,	242
XXVI.	— <i>auritus</i> , Gray		

No. of Plate.			Page
	<i>Coassus nemorivagus</i> , Gray. Figs. 1, 3, 5 ..	1850,	240
XXVII.	— <i>rufus</i> , Gray. Fig. 2 ..	1850,	241
	— <i>superciliaris</i> , Gray. Fig. 4 ..	1850,	242
	— <i>auritus</i> , Gray. Fig. 6 ..	1850,	242
XXVIII.	<i>Cariacus punctulatus</i> , Gray ..	1850,	239
XXIX.	Molar Tooth of the American Tapir ..	1851,	121
XXX.	<i>Herpestes smithi</i> ..	1851,	131
XXXI.	<i>Cynictis macarthuri</i> , Gray ..	1852,	17
XXXII.	<i>Anomalurus beecroftii</i> , Fraser ..	1852,	99
XXXIII.	<i>Hyrax dorsalis</i> , Fraser ..	1852,	131
XXXIV.	<i>Potamochoerus penicillatus</i> , Gray ..	1853,	191
XXXV.	<i>Poepagus grummiens</i> , juv. ..	1853,	192
XXXVI.	<i>Budorcas taxicolor</i> , Hodgs. ..	1853,	192
XXXVII.	<i>Porcula salvoma</i> , Hodgs. ..	1854,	249
XXXVIII.	<i>Felis macrosceloides</i> , Hodgs. ..	1855,	17
XXXIX.	<i>Petrogale xanthopus</i> , Gray ..	1855,	38
XL.	<i>Bos arnee</i> , H. Smith (head) ..	1856,	172
XLI.	<i>Mus musculus</i> , var. 7, <i>nudo-plucatus</i> , Gasc. ..	1856,	187
XLII.	<i>Furciferus coerulescens</i> , Tomes ..	1856,	341
XLIII.	<i>Natalus stramineus</i> , Gray ..	1856,	396
XLIV.	<i>Physalus duguidi</i> , Heddle ..	1856,	398
XLV.	<i>Sciurus macrotis</i> , Gray ..	1857,	29
XLVI.	<i>Paradoxurus strictus</i> , Hodgs. ..	1857,	104
XLVII.	— <i>quadriscriptus</i> , Hodgs. ..	1857,	135
XLVIII.	<i>Mustela strigidorsa</i> , Hodgs. ..	1857,	138
XLIX.	<i>Arctonyx isonyx</i> , Hodgs. ..	1857,	157
L.	<i>Manatus vogeli</i> ?, Owen. ..	1857,	159
LI.	Shanghai Sheep ..	1857,	277
LII.	<i>Scotophilus tuberculatus</i> , Forster ..	1858,	278
LIII.	<i>Mystacina tuberculata</i> , Gray ..	1858,	58
LIV.	<i>Oryx beatrix</i> , Gray ..	1858,	82
LVI.	<i>Lepus nigripes</i> , Bartlett ..	1858,	104
LVI.	<i>Cephalophus grimm</i> , Gray ..	1858,	105
LVI.	— <i>burchellii</i> , Gray ..	1858,	111
LVIII.	<i>Leopardus hernandesii</i> , Gray ..	1858,	112
LIX.	<i>Pomatochoerus africanus</i> , Gray ..	1858,	117
LX.	<i>Vespertilio formosus</i> ?, Hodgs. ..	1858,	121
LXI.	<i>Cuscus orientalis</i> , ♂ ♀, Gray ..	1858,	332
LXII.	— <i>celebensis</i> , Gray ..	1858,	331
LXIII.	<i>Dactylopsila trivirgata</i> , Gray ..	1859,	38
LXIV.	<i>Myonctis wallacii</i> , Gray ..	1859,	102
LXV.	<i>Miniopterus schreibersii</i> ..	1859,	107
	— <i>blepotis</i> ..	1859,	110
LXVI.	<i>Kerwoula arosa</i> , Tomes ..	1859,	213
LXVI.	— <i>lanosa</i> , Smith ..	1859,	213
LXVII.	<i>Notopterus macdonaldii</i> , Gray ..	1859,	213
LXVIII.	<i>Arctocephalus w sinus</i> (skull) ..	1859,	213
LXIX.	— <i>delalandi</i> (skull) ..	1859,	213
LXX.	— <i>gillespi</i> (skull) ..	1859,	213
LXXI.	<i>Ornithorhynchus anatinus</i> ..	1859,	213

No. of Plate.			Page
LXXII.	<i>Arctocephalus monteriensis</i> (skull).....	1859,	358
LXXIII.	<i>Equus kyang</i>	1859,	353
LXXIV.	<i>Cuscus ornatus</i>	1860,	1
LXXV.	<i>Epomophorus franqueti</i> , Tomes	1860,	54
LXXVI.	<i>Didelphys waterhousii</i>	1860,	58
LXXVII.	Section of the head of young Giraffe.	1860,	99
LXXVIII.	Sacculated Peyerian gland of young Giraffe..		
LXXIX.	<i>Ovis vignei</i>	1860,	127
LXXX.	— <i>cycloceros</i>	1860,	128
LXXXI.	<i>Pithecia albicans</i>	1860,	228
LXXXII.	<i>Macacus ocreatus</i>	1860,	420
LXXXIII.	<i>Babirussa alfurus</i>	1860,	443

AVES.

I.	<i>Trochilus (Helianthea) eos</i> , Gould	1848,	11
II.	— (<i>Heliangelus</i>) <i>mavors</i> , Gould	1848,	12
III.	<i>Coracopsis? personata</i> , Gray	1848,	21
IV.	<i>Podica personata</i> , Gray	1848,	90
V.	<i>Psittacus ruppelli</i> , Gray	1848,	125
VI.	<i>Oncosoma castaneothorax</i> , Gould	1848,	139
VII.	<i>Gallus temminckii</i> , Gray	1849,	62
VIII.	— <i>aneus?</i> , Temm.	1849,	63
IX.	<i>Glareola nuchalis</i> , Gray		
X.	<i>Cultrides rufipennis</i> , Gray	1849,	143
XI.	<i>Eclectus cornelia</i> , Bonap.		
XII.	<i>Ptilorhus victoriae</i> , Gould	1849,	111
XIII.	Hybrid Crowned Pigeon	1849,	171
XIV.	<i>Eos cyanogenia</i> , Bonap.	1850,	27
XV.	— <i>semilarvata</i> , Bonap.		
XVI.	<i>Chalcopsitta rubiginosa</i> , Bonap.	1850,	26
XVII.	<i>Garrulus lidthi</i> , Bonap.	1850,	80
XVIII.	<i>Oriolus broderipii</i> , Bonap.	1850,	279
XIX.	<i>Aquila audax</i> , Lath. (egg)	1850,	91
XX.	<i>Cephalopterus glabricollis</i> , Gould	1850,	92
XXI.	<i>Notornis mantelli</i> , Owen	1850,	212
XXII.	<i>Buteo rufipennis</i> , Strickl.	1850,	214
XXIII.	<i>Mirafra cordofanica</i> , Strickl.	1850,	218
XXIV.	<i>Alauda erythropygia</i> , Strickl.	1850,	219
XXV.	<i>Palaeornis derbianus</i> , Fraser	1850,	245
XXVI.	— <i>erythrogyne</i> , Fraser		
XXVII.	<i>Craw alberti</i> , Fraser ♂	1850,	246
XXVIII.	— —, Fraser. ♀		
XXIX.	<i>Penelope niger</i> , Fraser. ♂ ♀	1850,	274
XXX.	<i>Apteryx australis</i> , Shaw. Figs. 1, 2		
	— <i>mantelli</i> , Bartl. Figs. 3, 4		
	— <i>australis</i> , Shaw. Fig. 1		
XXXI.	— <i>mantelli</i> , Bartl. Fig. 2	1850,	276
XXXII.	<i>Turdus vulpinus</i> , Hartl.		

No. of Plate.			Page
XXXIII.	<i>Macherirhynchus flaviventer</i> , Gould	1850,	277
XXXIV.	<i>Ptilotis filigera</i> , Gould	1850,	278
XXXV.	<i>Baleniceps rex</i> , Gould	1851,	2
XXXVI.	<i>Saurophagus derbianus</i> , Kaup	1851,	44
XXXVII.	<i>Psaris fraserii</i> , Kaup. ♂	1851,	47
XXXVIII.	—, Kaup. ♀		
XXXIX.	<i>Megapodius cumingii</i> , Dillwyn	1851,	119
XL.	<i>Francolinus yemensis</i> , Nicholson	1851,	128
XLI.	<i>Tenioptera erythropygia</i> , Selater ..	1851,	193
XLII.	— <i>striaticollis</i> , Selater		
XLIII.	<i>Artamus cucullatus</i> , Nicholson	1851,	196
XLIV.	<i>Sagmatorrhana lathamii</i> , Bonap.	1851,	202
XLV.	Metatarsal bone of <i>Didus nazareus</i> . Fig. 1 ..	1851,	284
	— of <i>Didus solitarius</i> . Fig. 2 ..	1851,	283
	— of <i>Didus ineptus</i> . Fig. 3	1851,	281
	Egg of <i>Apteryx mantelli</i>	1852,	12
XLVI.	— of <i>Sterna</i> —?	1852,	
	— of <i>Strigops habroptilus</i>	1852,	32
	— of <i>Ocydromus australis</i>	1852,	
	— of <i>Ocydromus australis</i>	1852,	
XLVII.	<i>Oulicivora boliviana</i> , Selater ..	1852,	34
XLVIII.	<i>Pipra flavo-tincta</i> , Selater ..		
XLIX.	<i>Suthora webbiana</i> , G. R. Gray	1852,	70
L.	<i>Bucco radiatus</i> , Selater	1853,	122
LI.	<i>Malacoptila substriata</i> , Selater	1853,	123
LII.	<i>Dendrocolaptes eytoni</i> , Selater	1853,	68
LIII.	Nest and Eggs of <i>Memura alberti</i> ..	1853,	45
LIV.	<i>Ptilonopus chrysogaster</i> , G. R. Gray	1853,	48
LV.	— <i>purpureocinctus</i> , G. R. Gray		
LVI.	Egg of <i>Otrogys auritus</i>	1853,	192
	<i>Prothemadera novae zelandiae</i>		
LVII.	<i>Ruticilla phoenicuroides</i> , F. Moore ..	1854,	25
LVIII.	— <i>hodgsonii</i> , F. Moore ..	1854,	26
LIX.	— <i>rufogularis</i> , F. Moore ..	1854,	27
LX.	— <i>vigorsii</i> , F. Moore ..		
LXI.	— <i>nigrogularis</i> , F. Moore ..	1854,	29
LXII.	<i>Nemura hodgsonii</i> , F. Moore ..	1854,	76
LXIII.	<i>Delichon nipalensis</i> , F. Moore ..	1854,	104
LXIV.	<i>Buthraupis chloronota</i> , Selater ..	1854,	97
LXV.	<i>Euphonia hirundinacea</i> , Bonap.	1854,	98
	— <i>concinna</i> , Selater		
LXVI.	<i>Tyrannula phenicura</i> , Selater. Fig. 1	1854,	113
	— <i>ornata</i> , Lafr. Fig. 2		
LXVII.	<i>Arremon spectabilis</i> , Selater ..	1854,	114
LXVIII.	<i>Chlorospingus melanotis</i> , Selater ..	1854,	157
LXIX.	<i>Tachyphonus xanthopygicus</i> , Selater ..	1854,	158
LXX.	<i>Myrmeciza leucapsis</i> , Selater ..	1854,	253
LXXI.	— <i>margaritata</i> , Selater ..		
LXXII.	<i>Pithys erythrophrys</i> , Selater ..	1854,	255
	<i>Hypocnemis melanolema</i> , Selater ..		
LXXIII.	— <i>melanosticta</i> , Selater ..	1854,	254
LXXIV.	<i>Formicivora caudata</i> , Selater ..		

No. of Plate.			Page
LXXV.	<i>Malacocichla dryas</i> , Gould.....	1854,	285
LXXVI.	<i>Orthotomus derbianus</i> , F. Moore	1854,	309
LXXVII.	<i>Galbula fuscicapilla</i> , Selater	1855,	13
LXXVIII.	{ Egg of <i>Pterocles exustus</i>	1855,	30
	— of <i>Pterocles quadricinctus</i>		
LXXIX.	<i>Thamnophilus leucauchen</i> , Selater	1855,	18
LXXX.	— <i>melanonotus</i> , Selater		
LXXXI.	— <i>nigrocinereus</i> , Selater	1855,	19
LXXXII.	— <i>cæsius</i> , Selater		
LXXXIII.	— <i>melanurus</i> , Gould	1855,	69
LXXXIV.	{ <i>Todirostrum nigriceps</i> , Selater	1855,	66
	— <i>spiciferum</i> , Lafr.	1855,	67
LXXXV.	<i>Conurostrum ferrugineiventris</i> , Selater	1855,	74
LXXXVI.	<i>Synallaxis erythrothorax</i> , Selater	1855,	75
LXXXVII.	<i>Ramphocænis cinereiventris</i> , Selater	1855,	76
LXXXVIII.	<i>Cyphorhinus albigularis</i> , Selater		
LXXXIX.	<i>Arremon erythrorhynchus</i> , Selater	1855,	83
XC.	<i>Tachyphonus canthopygius</i> , Selater		
XCI.	<i>Tanagra notabilis</i> , Jardine	1855,	84
XCI.	<i>Saltator arremonops</i> , Jardine		
XCI.	<i>Prion brevirostris</i> , Gould	1855,	87
XCIV.	<i>Grallaria modesta</i> , Selater		
XCV.	<i>Chamaea mollissima</i> , Selater	1855,	89
XCVI.	<i>Formicivora callinota</i> , Selater		
XCVII.	<i>Dysithamnus semicinereus</i> , Selater	1855,	90
XCVIII.	<i>Pyrglena tyrannina</i> , Selater		
XCVIII.	<i>Nemosia albigularis</i> , Selater		
C.	<i>Pyrglena ellisiana</i> , Selater	1855,	109
CI.	<i>Anthus bogotensis</i> , Selater		
CII.	<i>Otocorys peregrina</i> , Selater	1855,	110
CIII.	<i>Vireolanius icterophrys</i> , Bonap.	1855,	151
CIV.	<i>Ampelion cinctus</i> , Tsch.	1855,	152
CV.	<i>Bucco hyperhynchus</i> , Selater	1855,	193
CVI.	— <i>pulmentum</i> , Selater	1855,	194
CVII.	<i>Somateria V-nigra</i> , G. R. Gray	1855,	211
CVIII.	<i>Lampronetta fischeri</i> , Brandt		
CIX.	<i>Buarremon leucopterus</i> , Jardine	1855,	214
CX.	<i>Iridornis porphyrocephala</i> , Selater	1855,	227
CXI.	<i>Otocorys longirostris</i> , Moore		
CXII.	<i>Emberiza stracheyi</i> , Moore	1855,	215
CXIII.	<i>Propasser thura</i> , male		
CXIV.	— —, female		
CXV.	<i>Calocænas (Phlegænas) staira</i> , G. R. Gray	1856,	6
CXVI.	<i>Margarornis brunescens</i> , Selater	1856,	27
CXVII.	<i>Ochoeca fumicolor</i> , Selater	1856,	28
CXVIII.	<i>Euscarthmus agilis</i> , Selater		
CXIX.	<i>Conopophaga cucullata</i> , Selater	1856,	29
CXX.	<i>Granatellus sallæi</i> , Selater	1856,	292
CXXI.	<i>Pipra mentalis</i> , Selater	1856,	299
CXXII.	Nest and eggs of <i>Bombycilla garrula</i> , Temm. . .	1957,	55
CXXIII.	<i>Cotinga amabilis</i> , Gould. ♂ ♀	1857,	64
CXXIV.	<i>Euphonia gouldii</i> , Selater	1857,	66

No. of Plate.			Page
	<i>Todirostrum calopterum</i> , Selater	1857,	82
CXXV.	— <i>capitale</i> , Selater	1857,	83
	— <i>exile</i> , Selater		
CXXVI.	<i>Formicivora urosticta</i> , Selater	1857,	130
	— <i>hauswelli</i> , Selater	1857,	131
CXXVII.	<i>Polychlorus westermani</i> (Bonap.)	1857,	224
CXXVIII.	<i>Prionirhynchus carinatus</i> (Du Bus)	1857,	257
CXXIX.	<i>Casuarus bennettii</i> , Gould	1857,	268
CXXX.	<i>Anabazenops guttulatus</i> , Selater	1857,	272
CXXXI.	<i>Melanerpes rubigularis</i> , Selater	1858,	2
CXXXII.	<i>Euchates coccineus</i> , Selater	1858,	73
	<i>Oreurgops verticalis</i> , Selater		
CXXXIII.	<i>Dacelo tyro</i> , G. R. Gray	1858,	171
CXXXIV.	<i>Todopsis cyanocephala</i> , G. R. Gray	1858,	177
CXXXV.	<i>Chalcopsitta rubrifrons</i> , G. R. Gray	1858,	182
CXXXVI.	<i>Ptilonopus wallacii</i> , G. R. Gray		
CXXXVII.	— <i>aurantiifrons</i> , G. R. Gray	1858,	185
CXXXVIII.	— <i>coronulatus</i> , G. R. Gray		
CXXXIX.	<i>Thamnophilus amazonicus</i> , ♂ ♀, Selater	1858,	214
CXL.	<i>Dysithamnus leucostictus</i> , Selater	1858,	223
CXLI.	<i>Myrmotherula surinamensis</i> , ♂, Selater	1858,	234
	— <i>multostriata</i> , ♂ ♀, Selater		
CXLII.	<i>Formicivora erythrocerca</i> , Selater	1858,	240
CXLIII.	<i>Myrmelastes plumbeus</i> , ♂ ♀, Selater	1858,	274
CXLIV.	Egg of <i>Casuarus bennettii</i>	1858,	271
CXLV.	<i>Phrygilus ocularis</i> , ♂ ♀, Selater	1858,	449
CXLVI.	<i>Elainea griseigularis</i> , Selater	1858,	554
	— <i>stictoptera</i> , Selater		
CXLVII.	<i>Catreus wallichii</i> , juv. Fig. 1		
	<i>Lophophorus impeyanus</i> , juv. Fig. 2		
CXLVIII.	<i>Gallophegus albocristatus</i> , juv. Fig. 1		
	— <i>horsfieldii</i> , juv. Fig. 2	1858,	544
CXLIX.	Eggs of <i>Gallophegus horsfieldii</i> (fig. 1), <i>G. melanotus</i> (fig. 2), <i>G. albocristatus</i> (fig. 3), <i>Catreus wallichii</i> (fig. 4), and <i>Lophophorus impeyanus</i> (fig. 5)		
CL.	<i>Dendrocincla anabatina</i> , Selater	1859,	54
CLI.	<i>Chloronerypes sanguinolentus</i> , Selater	1859,	60
CLII.	<i>Otothrix hodgsoni</i> , Gray	1859,	101
CLIII.	<i>Plectropterus gambensis</i> . Fig. 2 ♂	1859,	131
	— <i>ruppelli</i> . Fig. 1 ♂		
CLIV.	<i>Vireo josephæ</i> , Selater	1859,	137
CLV.	<i>Carpophaga goliath</i> , G. R. Gray	1859,	165
CLVI.	<i>Montifringilla adamsi</i> , Moore	1859,	169
CLVII.	<i>Laimodon albibentris</i>	1859,	393
CLVIII.	Hybrid between <i>Tadorna vulpanser</i> and <i>Casarca cana</i>	1859,	442
CLIX.	<i>Oreomanes fraseri</i>	1860,	75
CLX.	<i>Euchloris jurunda</i>	1860,	89
CLXI.	<i>Pytelia monteiri</i>	1860,	111
CLXII.	Egg of <i>Casuarus bennettii</i>	1860,	206
CLXIII.	<i>Coccothraustes maculipennis</i>	1860,	251

No. of Plate.		1860,	Page
CLXIV.	<i>Cyclorhis virenticeps</i>	1860,	274
CLXV. }	Structure of the Gizzard of the Nicobar Pigeon	1860,	330
CLXVI. }	and other granivorous birds		
CLXVII. }	Hybrid between <i>Fuligula collaris</i> and <i>F. americana</i>	1860,	336
CLXVIII. }	Hybrid between <i>Antis boschas</i> and <i>Dafila acuta</i>		
CLXIX.	<i>Aquila gurneyi</i>	1860,	342
CLXX.	<i>Tanyptera sabrina</i>	1860,	347
CLXXI.	<i>Megapodius wallacii</i>	1860,	362
CLXXII.	<i>Habroptila wallacii</i>	1860,	365
CLXXIII.	<i>Ohloephaga rubidiceps</i>	1860,	387

REPTILIA.

I.	<i>Cyclura lophoma</i> , Gosse	1848,	99
II.	<i>Cistudo (Onychotria) mexicana</i> , Gray	1849,	17
III. }	<i>Iguana rhinolophus</i>	1850,	106
IV. }	<i>Metopocerus cornutus</i> , Wagl.		
V.	<i>Pterodactylus longirostris</i> , Bowerbank	1851,	14
V.	Cancelled.		
VI. }	<i>Anadia ocellata</i> . Fig. 1	1851,	39
VI. }	<i>Emminia olivacea</i> . Fig. 2		
VII.	<i>Iphisa elegans</i> . Fig. 3	1851,	11
VIII.	<i>Amblyostoma californiense</i> , Gray	1853,	217
IX.	<i>Corucia zebrata</i>	1855,	181
IX a.	<i>Testudo elongata</i> , Gray	1856,	182
X.	<i>Batagur ocellata</i> , Gray	1856,	342
X a.	<i>Lepidosiren annectens</i>	1856,	369
XI.	<i>Chelodina expansa</i> , Gray	1858,	57
XII.	<i>Mitylia gerrardii</i> , Gray	1858,	155
XII a.	<i>Calabaria fusca</i> , Gray	1858,	446
XIII.	<i>Argalia olivacea</i> . Fig. 1	1859,	82
XIV.	<i>Riama unicolor</i> , Gray. Fig. 2		
XV.	<i>Callophis intestinalis</i> . Figs. A, B, C	1859,	83
XVI.	— <i>trimaculatus</i> . Fig. D, magnified	1859,	84
XVI.	— <i>maculiceps</i> . Fig. E, magnified	1859,	83
XVII.	— <i>univirgatus</i> . Fig. A	1859,	87
XVIII.	<i>Vermicella occipitalis</i> . Fig. B	1859,	85
XVIII.	<i>Elaps decoratus</i> , Jan. Fig. A, a	1859,	86
XVIII.	— <i>filiformis</i> , Gthr. Fig. B, b	1859,	229
XIX.	<i>Cynops chinensis</i> , Gray. Fig. 1	1859,	230
XIX.	<i>Plethodon persimilis</i> , Gray. Fig. 2	1859,	405
XX.	<i>Cercosaurus rhombifer</i> , Gthr. Fig. A	1859,	409
XX.	<i>Liocephalus viridescens</i> , Gthr. Fig. B	1859,	414
XX.	<i>Lachesis nitidus</i> , Gthr. Fig. C	1859,	479
XXI.	<i>Geoclemmys macrocephala</i>	1860,	5
XXII.	<i>Aspidocheilus livingstonii</i>	1860,	114
XXIII.	<i>Herpeton tentaculatum</i>	1860,	

No. of Plate.		Page
XXIV.	<i>Chrysenis batesii</i>	1860, 132
	<i>Barycephalus sykesii</i> , Gthr. Fig. A	1860, 150
XXV.	<i>Tiaris elliottii</i> , Gthr. Fig. B	1860, 151
	<i>Tiliqua schlegelii</i> , Gthr. Fig. C	1860, 153
XXVI.	<i>Ablapes owenii</i> , Gthr. Fig. A, a	1860, 155
	— <i>rappii</i> , Gthr. Fig. B, b	1860, 154
XXVII.	<i>Spilotes hodgsoni</i> , Gthr.	1860, 156
XXVIII.	<i>Rana liebighi</i> , Gthr. Fig. A, a	1860, 157
	<i>Dicroglossus adolfi</i> , Gthr. Fig. B, b	1860, 158
XXIX.	<i>Geoclemmys annulata</i>	1860, 231
XXX.	<i>Emys fuliginosus</i>	1860, 232
XXXI.	<i>Manouria fusca</i>	1860, 395
XXXII.	<i>Thamnecenchris aurifer</i> . Fig. 1	1860, 459
	<i>Hyla holochlora</i> . Fig. 2	1860, 460

PISCES.

I.	<i>Aploactis milesii</i> , Richdn. Figs. 1, 2	1850, 60
	<i>Apistes panduratus</i> , Richdn. Figs. 3, 4	1850, 58
II.	<i>Threpterus maculosus</i> , Richdn. Figs. 1, 2	1850, 70
	<i>Cheilodactylus gibbosus</i> , Solander. Figs. 3, 4	1850, 65
III.	<i>Olisthops cyanomelas</i> , Richdn. Figs. 1, 2	1850, 75
	<i>Cossyphus gouldii</i> , Richdn. Figs. 3, 4	1850, 72
	<i>Petromyzon marinus</i> . Fig. 1	1851, 236
	<i>Lampetra fluviatilis</i> . Fig. 2	1851, 237
IV.	<i>Geotria australis</i> . Fig. 3	1851, 239
	<i>Velasia chilensis</i> . Fig. 4	
	<i>Caragola lapicida</i> . Fig. 5	
	<i>Mordacia mordax</i> . Fig. 6	1851, 240
V.	<i>Geotria australis</i> , Gray	1851, 239
VI.	<i>Siphonognathus argyrophanes</i> , Richdn.	1857, 237
VII.	<i>Halicichthys tenuiphora</i>	1859, 39
VIII.	<i>Peristethus cataphractus</i> . Fig. 1	1859, 105
	— <i>orientalis</i> . Fig. 2	
	— <i>rieffelii</i> . Fig. 3	
IX.	<i>Glyphisodon biocellatus</i> . Fig. 1	1859, 222
	<i>Haligenes tristranii</i> . Fig. 2	1859, 471
	<i>Pimelodus cinerascens</i> , Gthr.	1860, 237
X.	— <i>elongatus</i> , Gthr.	1860, 238
	— <i>modestus</i> , Gthr.	1860, 239
XI.	<i>Pagrus bocagvi</i> , Gthr.	1860, 391

MOLLUSCA.

I.	<i>Placenta lincolni</i> , Gray. Fig. 1	1848, 114
	<i>Hemipecten forbesianus</i> , Adams & Reeve. Fig. 2	1848, 133
	<i>Nanina vitrinoides</i> , Gray. Figs. 1, 2, 3	1849, 15
	<i>Cyclostoma aplustre</i> , Sow. Figs. 4, 5	1849, 14
II.	<i>Tomigerus principalis</i> , Sow. Figs. 6, 7	1849, 15
	<i>Cyclostoma formosum</i> , Sow. Figs. 8, 9	1849, 16
	<i>Bulimus irroratus</i> , Reeve. Fig. 10	1849, 16

No. of Plate.		Page
III.	<i>Trigonia pectinata</i> . Figs. 1, 2, 3	1849,
	— <i>jukesii</i> , A. Adams. Figs. 4, 5, 6	1849, 159
IV.	<i>Anomia</i> (<i>Patros</i>) <i>elyros</i> , Gray. Fig. 1	1849, 118
	— <i>achæus</i> , Gray. Fig. 2	1849, 116
	<i>Triumphalia globosa</i> (Quoy). Fig. 1	1849, 160
	— <i>pulcherrima</i> , G. B. Sow. Figs. 2, 2 <i>a</i> , 2 <i>b</i> } Insides of the valves of the same. Figs. 2 <i>c</i> , 2 <i>d</i> } 1849, 161	
V.	<i>Triumphalia cunningii</i> , G. B. Sow. Figs. 3, 3 <i>a</i> } <i>Pholas calva</i> , Sow., <i>in situ</i> , with a stony tube. } Fig. 4 } 1849, 162	
	— <i>tubifer</i> , Sow., <i>in situ</i> , with shelly tube. } Fig. 5 }	
	<i>Tellina squamulosa</i> , A. Adams. Fig. 1	1849, 169
VI.	<i>Geomelania jamaicensis</i> , Pfr. Figs. 2, 3, 4	
	<i>Panopæa japonica</i> , A. Adams. Fig. 5	1849, 170
	<i>Sanguinolaria tellinoides</i> , A. Adams. Fig. 6. } <i>Thracia magnifica</i> , Jonas. Fig. 7 }	
VII.	<i>Chrysodomus heros</i> , Gray	1850, 15
	<i>Myochama transversa</i> . Fig. 1	1850, 23
	— <i>strangei</i> . Fig. 2	
	<i>Cunningia clerii</i> . Fig. 3	1850, 24
	— <i>similis</i> . Fig. 4	
	— <i>striata</i> . Fig. 5	1850, 25
	— <i>sinuosa</i> . Fig. 6	
	— <i>fragilis</i> . Fig. 7	
VIII.	<i>Microtis tuberculata</i> . Figs. 8, 9, 10, 11, 12.	1850, 36
	<i>Stomatia duplicata</i> . Figs. 13, 14, 15	1850, 34
	— <i>notata</i> . Fig. 16	1850, 35
	<i>Gena ornata</i> . Fig. 17	1850, 39
	<i>Liotia peronii</i> . Figs. 18, 19, 20	1850, 50
	— <i>pulcherrima</i> . Fig. 21	
	<i>Cyclostrema spirula</i> . Fig. 22	1850, 42
	<i>Helix vellicata</i> , Forbes. Fig. 1, <i>a</i> , <i>b</i> , <i>c</i>	1850, 55
	— <i>kelletti</i> , Forbes. Fig. 2, <i>a</i> , <i>b</i>	
	— <i>pandora</i> , Forbes. Fig. 3, <i>a</i> , <i>b</i>	1850, 53
	— <i>labyrinthus</i> , var. <i>sipunculata</i> . Fig. 4, <i>a</i> , <i>b</i>	1850, 56
IX.	<i>Bulmus achatinellinus</i> , Forbes. Fig. 5, <i>a</i> , <i>b</i>	1850, 55
	— <i>chemnitzoides</i> , Forbes. Fig. 6, <i>a</i> , <i>b</i>	
	— <i>fimbriatus</i> , Forbes. Fig. 7, <i>a</i> , <i>b</i>	1850, 56
	<i>Succinea cingulata</i> , Forbes. Fig. 8, <i>a</i> , <i>b</i>	
	<i>Cyclostoma purum</i> , Forbes. Fig. 9, <i>a</i> , <i>b</i>	1850, 274
	<i>Fusus kelletii</i> , Forbes. Fig. 10	1850,
	<i>Temostoma politum</i> , A. Adams. Figs. 1, 2, 3	1850,
	<i>Hindia nivea</i> , Pfeiffer. Figs. 4, 5	1850,
	— <i>bitubercularis</i> , A. Adams. Fig. 6	1850,
X.	<i>Sphæria philippinarum</i> , A. Adams. Figs. 7, 8, 9	1850, 89
	<i>Pseudoliva zebрина</i> , A. Adams. Fig. 10	1850,
	— <i>kelletii</i> , A. Adams. Fig. 11	1850,
	<i>Pinaxia coronata</i> , A. Adams. Fig. 12	1850,
	<i>Trochita spirata</i> , Forbes. Fig. 1	1850, 271
XI.	<i>Natica pritchardi</i> , Forbes. Fig. 2	1850, 272
	<i>Nassa woodwardi</i> , Forbes. Fig. 3	1850, 273

No. of Plate.		Page
XI.	<i>Nassa cooperi</i> , Forbes. Fig. 4	1850, 273
	<i>Planaxis pigra</i> , Forbes. Fig. 5	
	— <i>nigritella</i> , Forbes. Fig. 6	1850, 271
	<i>Trochus aureotinctus</i> , Forbes. Fig. 7	
	— <i>gallina</i> , Forbes. Fig. 8	1850, 272
	— <i>castaneus</i> , Nuttall. Fig. 9	
	— <i>hillii</i> , Forbes. Fig. 10	1850, 273
	— <i>purpuratus</i> , Forbes. Fig. 11	
	<i>Purpura analoga</i> , Forbes. Fig. 12	1850, 274
	— <i>fusca</i> , Forbes. Fig. 13	1851, 198
XII.	<i>Bulimus maconellii</i> , Reeve.	1852, 144
	<i>Cyclostoma bairdii</i> , Pfr. Fig. 1	1852, 142
XIII.	— <i>nobile</i> , Pfr. Fig. 2	
	— <i>magnificum</i> , Sallé. Fig. 3	1852, 145
	<i>Cataulus pyramidatus</i> , Pfr. Fig. 4	
	— <i>eurytremata</i> , Pfr. Fig. 5	1852, 160
	— <i>layardii</i> , Gray. Fig. 6	
	<i>Cylindrella menckema</i> , Pfr. Fig. 7	1852, 140
	— <i>flammulata</i> , Pfr. Fig. 8	1852, 141
	<i>Cyclostoma bicolor</i> , Pfr. Fig. 9	1852, 145
	<i>Achatina richardii</i> , Pfr. Fig. 10	1852, 140
	<i>Helix launcestonensis</i> , Reeve. Fig. 11	1852, 81
XIV.	<i>Terebratulina grayii</i> . Figs. 1, 2, 3	1852, 76
	— <i>bouchardii</i> . Figs. 4, 5, 6	1852, 77
	— <i>evansii</i> . Figs. 7, 8, 9	
	— ? <i>cumingii</i> . Figs. 10 to 16	1852, 78
	<i>Terebratulina cumingii</i> . Figs. 17, 18, 19 ..	1852, 79
	<i>Kraussia deshayesii</i> . Figs. 20, 21	1852, 80
	— <i>lamarchiana</i> . Figs. 22, 23	
	<i>Argiope neapolitana</i> . Figs. 24, 25	1852, 81
	— <i>decollata</i> . Fig. 26	
	— <i>cuneata</i> . Fig. 27	1852, 79
XV.	— <i>cistellula</i> . Fig. 28	
	<i>Morrisia anomoides</i> . Fig. 29	1852, 79
	<i>Rhynchonella nigricans</i> . Figs. 30, 31	1852, 81
	<i>Orbicula evansii</i> . Figs. 32, 33, 34	1852, 82
	<i>Myochama keppelliana</i> , A. Adams. Fig. 1 ..	1852, 90
	— <i>strangei</i> , A. Adams. Fig. 2	1852, 90
	— <i>transversa</i> , A. Adams. Fig. 3	
	— <i>stutchburyi</i> , A. Adams. Fig. 4	1852, 91
	<i>Aspergillum strangei</i> , A. Adams. Fig. 5	1852, 90
	<i>Crassatella cumingii</i> , A. Adams. Fig. 1	
XVI.	— <i>obesa</i> , A. Adams. Fig. 2	1852, 91
	<i>Trigonia strangei</i> , A. Adams. Fig. 3	
	<i>Chiton insculptus</i> , A. Adams. Fig. 4	1852, 92
	— <i>versicolor</i> , A. Adams. Fig. 5	
	— <i>muricatus</i> , A. Adams. Fig. 6	1852, 91
	<i>Cardita excavata</i> , Desh. Figs. 1, 2, 3	1852, 100
	— <i>bimaculata</i> , Desh. Figs. 4, 5	1852, 102
	— <i>elegantula</i> , Desh. Figs. 6, 7	1852, 101
	— <i>amabilis</i> , Desh. Figs. 8, 9	1852, 102
	— <i>vestita</i> , Desh. Fig. 10	

No. of Plate.			Page	
XVII.	<i>Cardita castanea</i> , Desh. Fig. 11	1852,	102	
	— <i>purpurata</i> . Figs. 12, 13	1852,	100	
	— <i>jukesii</i> . Fig. 14	1852,	101	
	— <i>cumingi</i> . Fig. 15	1852,	102	
	— <i>difficilis</i> . Figs. 16, 17	1852,	103	
	<i>Venerupis siliqua</i> , Desh. Fig. 1	1853,	5	
	— <i>elegans</i> . Fig. 2			
— <i>cumingi</i> . Fig. 3	1853,			4
— <i>insignis</i> . Fig. 4	1853,			6
XVIII.	— <i>foliacea</i> . Fig. 5	1853,	4	
	<i>Petricola bipartita</i>			
	<i>Venerupis pulcherrima</i> , Desh. Fig. 7 ..			
	— <i>macrophylla</i> . Fig. 8			
	<i>Petricola gracilis</i> . Fig. 9			
	— <i>cultellus</i> . Fig. 10			
	— <i>serratus</i> . Fig. 11			
XIX.	— <i>rostralis</i> . Fig. 12	1853,	8	
	<i>Venus tuberosa</i> . Fig. 1			
	— <i>jukesii</i> . Fig. 2			
	<i>Tapes inflata</i> Fig. 3			
	— <i>turgidula</i> . Fig. 4			
	— <i>bradiata</i> . Fig. 5			
	— <i>quadrirradiata</i> . Fig. 6			
XX.	<i>Metula cumingii</i> , A. Adams. Figs. 1, 2	1853,	173	
	<i>Hyponyx granulata</i> , A. Adams. Fig. 3 ..	1853,	176	
	<i>Vanicoro quoyana</i> , A. Adams. Fig. 4	1853,	175	
	<i>Holcostoma setigerum</i> , A. Adams. Fig. 5 ..	1853,	174	
	<i>Pyramdella subulata</i> , A. Adams. Fig. 6	1853,	177	
	<i>Harpa striatula</i> , A. Adams. Figs. 7, 8	1853,	173	
	— <i>solidula</i> , A. Adams. Figs. 9, 10			
XXI.	<i>Fossar bicarinatus</i> , A. Adams. Figs. 11, 12 ..	1853,	187	
	— <i>reticulatus</i> , A. Adams. Fig. 13	1853,	186	
	<i>Colina pupiformis</i> , A. Adams. Fig. 14	1853,	176	
	<i>Chemnitzia varicosa</i> , A. Adams. Fig. 15	1853,	181	
	<i>Clementia papyracea</i> , Gray. Fig. 1	1853,	171	
	<i>Glaucanome cerea</i> , Reeve. Fig. 2	1853,	169	
	<i>Circe divaricata</i> , Chemn. Fig. 3 ..	1853,	171	
XXII.	<i>Chamostrea albida</i> , Desh. Figs. 4, 5, 6, 7 ..	1853,	167	
	<i>Achatinella gouldi</i> . Fig. 1	1853,	129	
	— <i>ovata</i> . Figs. 2, 2 a ..	1853,	130	
	— <i>rufa</i> . Fig. 3			
	— <i>splendida</i> . Fig. 4	1853,	131	
	— <i>redfieldii</i> . Fig. 5			
	— <i>nivosa</i> . Fig. 6	1853,	132	
— <i>melanostoma</i> . Fig. 7				
XXII.	— <i>cestus</i> . Fig. 8 ..	1853,	133	
	— <i>swiftii</i> . Figs. 9, 9 a ..			
	— <i>turgida</i> . Figs. 10, 10 a ..	1853,	134	
	— <i>cylindrica</i> . Fig. 11			
	— <i>casta</i> . Fig. 12	1853,	135	
	— <i>intermedia</i> . Fig. 13			

No. of Plate.		Page
XXII.	<i>Achatinella violacea</i> . Fig. 14	1853, 135
	— <i>sanguinea</i> . Fig. 15	
	— <i>porphyrea</i> . Fig. 16	1853, 136
	— <i>gigantea</i> . Fig. 17	
	— <i>subvirens</i> . Fig. 18	
	— <i>ampla</i> . Fig. 19	1853, 137
	— <i>adamsii</i> . Fig. 20	
	— <i>rutila</i> . Fig. 21	1853, 138
	— <i>rugosa</i> . Figs. 22, 22 a ..	
	— <i>multilineata</i> . Fig. 23	
	— <i>glabra</i> . Fig. 25	1853, 139
	— <i>tessellata</i> . Fig. 26	
	— <i>sordida</i> . Fig. 27	1853, 140
	— <i>fumosa</i> . Fig. 28	
	— <i>lineolata</i> . Fig. 29	
	— <i>nitida</i> . Fig. 30	1853, 141
	— <i>crassilabrum</i> . Fig. 31	
	— <i>cornea</i> . Fig. 32	1853, 142
	— <i>labrata</i> . Fig. 33	
	— <i>vitrea</i> . Fig. 34	
XXIII.	— <i>affinis</i> . Fig. 35	1853, 143
	— <i>acuta</i> . Fig. 36	
	— <i>polita</i> . Fig. 37	1853, 144
	— <i>soror</i> . Fig. 38	
	— <i>obesa</i> . Figs. 39, 39 a ..	
	— <i>terebra</i> . Fig. 40	1853, 145
	— <i>melanosis</i> . Fig. 41	
	— <i>pupoides</i> . Fig. 42	
	— <i>curta</i> . Fig. 43	1853, 146
	— <i>fusca</i> . Fig. 44	
	— <i>recta</i> . Fig. 45	
	— <i>grana</i> . Fig. 46	1853, 147
	— <i>porcellana</i> . Fig. 47	
	— <i>venulata</i> . Figs. 48, 48 a ..	
	— <i>mucronata</i> . Fig. 49	1853, 148
	— <i>johnsonii</i> . Fig. 50	
	— <i>aplustis</i> . Fig. 51	
	— <i>hybrida</i> . Fig. 52	1853, 149
	— <i>assimilis</i> . Fig. 53	
	— <i>reticulata</i> . Fig. 54	
XXIV.	— <i>ornata</i> . Fig. 55	1853, 150
	— <i>albo-labris</i> . Fig. 56	
	— <i>elegans</i> . Fig. 57	
	— <i>pfeifferi</i> . Fig. 58	1853, 151
	— <i>cumingi</i> . Fig. 59	
	— <i>solitaria</i> . Fig. 60	
	— <i>germana</i> . Fig. 61	1853, 152
	— <i>flavescens</i> . Fig. 62	
	— <i>helena</i> . Fig. 63	
	— <i>physa</i> . Fig. 64	1853, 152
	— <i>dubia</i> . Fig. 65	

No of Plate.		Page
	<i>Achatinella grisea</i> . Fig. 66	
	— <i>mastersii</i> . Fig. 67	1853, 153
	— <i>decipiens</i> . Fig. 68	
	— <i>rubiginosa</i> . Fig. 69	1853, 154
	— <i>variabilis</i> . Fig. 70	
	— <i>crassa</i> . Fig. 71	
XXIV.	— <i>baldwini</i> . Fig. 72	1853, 155
	— <i>buddii</i> . Fig. 73	
	— <i>emersonii</i> . Fig. 74	
	— <i>biplicata</i> . Fig. 75	1853, 156
	— <i>semicarinata</i> . Fig. 76	
	— <i>mæsta</i> . Fig. 77	
	— <i>obscura</i> . Fig. 78	1853, 157
	— <i>concinna</i> . Fig. 79	
	<i>Ancylus cumingianus</i> . Figs. 1 to 9	1853, 91
XXV.	— <i>drouetianus</i> . Figs. 10 to 17	1853, 92
	— <i>baconii</i> . Figs. 18 to 25	1853, 89
	— <i>sauleyanus</i> . Figs. 26 to 33	1853, 92
XXVI.	<i>Voluta deshayesii</i> , Reeve	1854, 73
	<i>Turcica monilifera</i> . Fig. 1	1854, 37
	<i>Clanculus nodulosus</i> . Fig. 2	1854, 39
	<i>Larina strangeri</i> . Fig. 3	1854, 41
	<i>Typhus grandis</i> . Fig. 4	
XXVII.	<i>Eudora coronata</i> . Fig. 5	1854, 42
	<i>Desmoulea ringens</i> . Fig. 6	
	<i>Zizyphus spectabilis</i> . Fig. 7	1854, 37
	<i>Delphinula martinii</i> . Fig. 8	
	<i>Rostellaria melanocheilus</i> . Fig. 9	1854, 42
	<i>Rapana rhodostoma</i> . Fig. 1	1854, 138
	<i>Stomatia decorata</i> . Fig. 2	1854, 133
	<i>Olypidella baikiei</i> . Fig. 3	1854, 136
	<i>Tudicula recurva</i> . Fig. 4	1854, 135
XXVIII.	<i>Mitra morchii</i> . Fig. 5	1854, 134
	<i>Sconsia grayi</i> . Fig. 6	1854, 136
	<i>Pisania rhodia</i> . Fig. 7	
	<i>Amphiperas rhodia hermannsenii</i> . Fig. 8 ..	1854, 130
	<i>Volva rosea</i> . Fig. 9	
XXIX.	<i>Mulleria lobata</i> . Figs. 1, 2, 2 a, 3, 3 a	1854, 129
	<i>Bulimus bivaricosus</i> , Gask. Figs. 4, 5 ..	1854, 152
	<i>Achatinella (Newcombia) aptycha</i> . Fig. 1 ..	1855, 1
	— (<i>Achatinellastrum</i>) <i>pulchella</i> . Fig. 2 ..	1855, 6
	— (<i>Frickella</i>) <i>amæna</i> . Fig. 3	
	— (<i>Bulmella</i>) <i>candida</i> . Fig. 4	1855, 2
	— (—) <i>cinerosa</i> . Fig. 5	
XXX.	— (—) <i>macrostoma</i> . Fig. 6	
	— (—) <i>frickii</i> . Fig. 7	
	— (—) <i>planospira</i> . Fig. 8	1855, 3
	— (—) <i>monacha</i> . Fig. 9	
	— (—) <i>vidua</i> . Fig. 10	
	— (—) <i>multicolor</i> . Fig. 11	1855, 4

No. of Plate.		Page
XXX.	<i>Achatinella (Bulinella) attenuata</i> . Fig. 12 ..	1855, 4
	— (—) <i>swainsonii</i> . Fig. 13	
	— (—) <i>sowerbyana</i> . Fig. 14	
	— (—) <i>dolum</i> . Fig. 15 ..	1855, 5
	— (—) <i>forbesiana</i> . Fig. 16	
	— (<i>Laminella</i>) <i>rudis</i> . Fig. 17	
	— (—) <i>fusiiformis</i> . Fig. 18 ..	1855, 6
	— (<i>Achatinellastrum</i>) <i>napus</i> . Fig. 19 ..	
	— (—) <i>ventrosa</i> . Fig. 20 ..	
	— (<i>Auriculella</i>) <i>cerea</i> . Fig. 21 ..	1855, 2
	— (—) <i>gracilis</i> . Fig. 22 ..	1855, 6
	— (—) <i>crassidentata</i> . Fig. 23 ..	
	— (—) <i>valida</i> . Fig. 24 ..	
	— (—) <i>globosa</i> . Fig. 25 ..	1855, 7
	— (—) <i>consersa</i> . Fig. 26 ..	
XXXI.	— (<i>Labiella</i>) <i>dentata</i> . Fig. 27 ..	
	<i>Bulinus protractus</i> . Fig. 1 ..	1855, 94
	— <i>saccatus</i> . Fig. 2 ..	1855, 95
	— <i>musvus</i> . Fig. 3 ..	1855, 96
	— <i>amandus</i> . Fig. 4 ..	1855, 93
	— <i>yatesii</i> . Fig. 5 ..	1855, 94
	— <i>serratus</i> . Fig. 6 ..	1855, 96
	— <i>rectilinearis</i> . Fig. 7 ..	1855, 91
	— <i>melanacme</i> . Fig. 8 ..	1855, 92
	<i>Helix mozambicensis</i> . Fig. 9 ..	1855, 100
	— <i>matura</i> . Fig. 10 ..	1855, 92
	<i>Achatina insignis</i> . Figs. 11, 12 ..	1855, 94
	<i>Helix yatesii</i> . Figs. 13, 14 ..	1855, 106
	<i>Bulinus lacerta</i> . Fig. 15 ..	1855, 108
XXXII.	<i>Spraxia cumingiana</i> . Fig. 1 ..	1855, 107
	<i>Bulinus macgillivrayi</i> . Fig. 2 ..	1855, 106
	<i>Helix migratoria</i> . Fig. 3 ..	1855, 107
	— <i>travillii</i> . Fig. 4 ..	1855, 107
	<i>Bulinus cinereus</i> . Fig. 5 ..	1855, 106
	— <i>travillii</i> . Fig. 6 ..	1855, 107
	<i>Helix palawanica</i> . Fig. 7 ..	1855, 108
	— <i>melagris</i> . Fig. 8 ..	1855, 105
	— <i>vitiensis</i> . Fig. 9 ..	1856, 2
	<i>Anaulus bombycinus</i> . Fig. 10 ..	1856, 147
XXXIII.	<i>Voluta americana</i> . Figs. 1, 2 ..	1856, 321
	— <i>africana</i> . Figs. 3, 4 ..	1856, 322
	— <i>cathartice</i> . Figs. 5, 6 ..	1856, 320
XXXIV.	<i>Halotis albicans</i> ..	1856, 321
	<i>Cylindrella boucardii</i> . Fig. 1 ..	1856, 320
	— <i>polygyra</i> . Figs. 2, 3 ..	1856, 321
XXXV.	— <i>apiostoma</i> . Figs. 4, 5 ..	1856, 320
	<i>Achatina (Varicella) orizabae</i> . Fig. 6 ..	1856, 321
	— (—) <i>speciosa</i> . Fig. 7 ..	1856, 320
	<i>Spraxia shuttleworthii</i> . Fig. 8 ..	1856, 319
	— <i>turgidula</i> . Fig. 9 ..	
	<i>Bulinus aurifluus</i> . Fig. 10 ..	

No. of Plate.			Page
	<i>Bulimus sulphureus</i> , Fig. 11	1856,	318
	— <i>drouetii</i> , Fig. 12	1856,	319
	<i>Helix caduca</i> and var. Figs. 13, 14		
	<i>Simpulopsis salleana</i> , Figs. 15, 16	1856,	319
XXXV.	<i>Heleina heloise</i> , Fig. 17	1856,	322
	— <i>notata</i> , Figs. 18, 19, 20	1856,	323
	<i>Proserpina</i> (<i>Ceres</i>) <i>salleana</i> , Figs. 21, 22 ..	1856,	322
	— <i>eolna</i> , Figs. 23, 24	1856,	324
	<i>Cyclostoma</i> (<i>Cyclophorus</i>) <i>boucardi</i> , Fig. 25	1856,	323
	<i>Cylindrella gheisbreghtii</i> , Pfr. Fig. 1		
	— <i>turris</i> , Pfr. Fig. 2	1856,	380
XXXVI.	— <i>clava</i> , Pfr. Fig. 3		
	<i>Helix meta</i> , Pfr. Figs. 4, 5	1856,	381
	— <i>lombei</i> , Pfr. Figs. 6, 7	1856,	382
	— <i>grevillei</i> , Pfr. Fig. 8	1856,	387
	<i>Cyclostoma eugenice</i> , Reeve. Fig. 1		
XXXVII.	— <i>tubulum</i> , Reeve. Fig. 2	1857,	209
	<i>Strombus taurus</i> , Reeve. Fig. 3	1857,	207
	<i>Trochus</i> (<i>Euchele</i>) <i>alabastrum</i> , Reeve. Fig. 1	1857,	209
XXXVIII.	<i>Murex barclayi</i> , Reeve. Fig. 2		
	<i>Pyrula</i> (<i>Rhizochulus</i>) <i>duburghiae</i> , Reeve. Fig. 3	1857,	208
	<i>Cypræa barclayi</i> , Reeve. Fig. 4		
	<i>Furcella gigantea</i> , Figs. 1, 2, 3		
XXXIX.	<i>Chena annulata</i> , Fig. 4	1857,	248
	— <i>tessellata</i> , Fig. 5		
	<i>Cylindrella eximia</i> , Fig. 1	1858,	23
	<i>Bulimus marica</i> , Fig. 2		
	<i>Helix frickii</i> , Fig. 3	1858,	21
	— <i>purchasi</i> , Fig. 4		
	— <i>wallacei</i> , Fig. 5	1858,	20
XI.	— <i>testudo</i> , Fig. 6	1858,	21
	— <i>congrua</i> , Fig. 7		
	<i>Achatinella gemma</i> , Fig. 8		
	— <i>cinnamomea</i> , Fig. 9	1858,	22
	— <i>minuscule</i> , Fig. 10		
	— <i>sulcata</i> , Fig. 11		
XII.	<i>Stavela torta</i> , Gray. Figs. 1, 1a	1858,	90
	<i>Hyria lanceolata</i> , Figs. 2, 3		
	<i>Bulimus williamsi</i> , Pfr. Fig. 1	1858,	257
	— <i>platystomus</i> , Pfr. Fig. 2	1858,	256
	— <i>vespertinus</i> , Pfr. Fig. 3	1858,	257
	— <i>binneyanus</i> , Pfr. Fig. 4		
XLII.	— <i>catamarcanus</i> , Pfr. Fig. 5	1858,	256
	— <i>patasensis</i> , Pfr. Fig. 6	1858,	257
	— <i>ptychostylus</i> , Pfr. Fig. 7 ..	1858,	256
	— <i>farrisii</i> , Pfr. Fig. 8	1858,	258
	<i>Oniscia ponderosa</i> , Hanley. Figs. 9, 10 ..	1858,	255
	<i>Helix rejecta</i> , Pfr. Fig. 1 ..	1859,	25
XLIII.	— <i>entodontia</i> , Pfr. Fig. 2 ..	1859,	24
	— <i>plagioglossa</i> , Pfr. Fig. 3 ..	1859,	26
	— <i>brevibarbis</i> , Pfr. Fig. 4 ..	1859,	25

No. of Plate.			Page
XLIII.	<i>Achatina layardii</i> , Pfr. Fig. 5	1859,	27
	<i>Helix patasensis</i> , Pfr. Fig. 6	1859,	24
	— <i>monacha</i> , Pfr. Fig. 7	1859,	25
	— <i>gibbosa</i> , Pfr. Fig. 8		
	<i>Cyclostoma fraserii</i> , Pfr. Fig. 1	1859,	28
XLIV.	<i>Helix aphrodite</i> , Pfr. Fig. 2	1859,	26
	— <i>farrisii</i> , Pfr. Fig. 3	1859,	23
	— <i>patricia</i> , Pfr. Fig. 4		
	— <i>jaspidea</i> , Pfr. Fig. 5	1859,	24
	— <i>vipera</i> , Pfr. Fig. 6		
XLV.	<i>Cyclostoma principalis</i> , Pfr. Fig. 7	1859,	27
	<i>Volva mamilla</i>	1859,	34
XLVI.	<i>Scissurella elegans</i> , D'Orb. Figs. 1 to 7	1859,	202
	— <i>mantellii</i> , Fig. 8		
	— <i>crispata</i> , Flem. Fig. 9	1859,	203
	<i>Cyclostoma articulatum</i> , Figs. 10 to 13 . .	1859,	204
XLVII.	<i>Unio burtoni</i> , Fig. 1	1859,	349
	<i>Iridina (Pleiodon) spelii</i> , Fig. 2	1859,	348
	<i>Lithoglyphus zonatus</i> , Fig. 3	1859,	349
	<i>Melania nassa</i> , Fig. 4		
XLVIII.	<i>Scapha maria-emma</i>	1859,	230
XLIX.	<i>Conus proximus</i> , Fig. 1	1859,	429
	— <i>nigrescens</i> , Fig. 2		
	<i>Murex tenuatus</i> , Fig. 3	1859,	428
	— <i>nubilus</i> , Fig. 4		
	— <i>expansus</i> , Fig. 5	1859,	429
	— <i>roseotinctus</i> , Fig. 6		
	— <i>octogonus</i> , Fig. 7	1859,	428
	<i>Spondylus victoriae</i> , Fig. 8		
I.	<i>Cylindrella splendida</i> , Pfr. Fig. 1	1860,	139
	— <i>arctospira</i> , Pfr. Fig. 2		
	— <i>grandis</i> , Pfr. Fig. 3	1860,	135
	<i>Helix acmella</i> , Pfr. Fig. 4		
	— <i>mouhoti</i> , Pfr. Fig. 5	1860,	136
	— <i>aequatoria</i> , Pfr. Fig. 6		
	— <i>bougainvillei</i> , Pfr. Fig. 7	1860,	133
	— <i>isis</i> , Pfr. Fig. 8		
	— <i>apollo</i> , Pfr. Fig. 9	1860,	189
	<i>Cypraea compta</i> , Pease. Fig. 1		
II.	<i>Turrica coreensis</i> , Pease. Fig. 2	1860,	189
	<i>Neptunea fuscolineata</i> , Pease. Fig. 3		
	<i>Bulimus colubrinus</i> , Pfr. Fig. 4	1860,	138
	— <i>fraserii</i> , Pfr. Fig. 5	1860,	137
	— <i>saturanus</i> , Fig. 6	1860,	136
	— <i>boucardi</i> , Pfr. Fig. 7	1860,	138
	— <i>stutchburyi</i> , Pfr. Fig. 8	1860,	137
	— <i>schomburgkii</i> , Pfr. Fig. 9		
	— <i>turneri</i> , Pfr. Fig. 10	1860,	138

ANNULOSA.

I.	<i>Agrias cædon</i> , Hewitson	1848,	46
II.	<i>Echinocerus cibarius</i> , White	1848,	48
	—, White. Figs. 1 to 4		
III.	<i>Scalpellum ornatum</i>	Fig. 5	1848,
	<i>Thalrella ornatum</i> , Gray.		44
	<i>Anatifa ovalis</i> . Fig. 6		
IV.	<i>Corades enyo</i> , Hewitson	1848,	117
V.	<i>Hyleora eucalypti</i> , Doubleday	1848,	118
VI.	<i>Squilla multicarinata</i> , White. Fig. 1	1848,	144
	<i>Cancer (Galene) dorsalis</i> , White. Fig. 2		
VII.	<i>Saturnia vacuna</i> , Westw. Fig. 1	1849,	39
	— <i>arata</i> , Westw. Fig. 2	1849,	41
	— <i>tyrrhena</i> , Westw. Fig. 1	1849,	51
VIII.	— <i>belina</i> , Westw. Fig. 2	1849,	41
	— <i>mythinina</i> , Westw. Fig. 3	1849,	40
	— <i>hersilia</i> , Westw. Fig. 1	1849,	42
IX.	— <i>menippe</i> , Westw. Fig. 2	1849,	43
	— <i>nemata</i> , Westw. Fig. 3	1849,	57
	— <i>ethra</i> , Westw. Fig. 1	1849,	56
X.	— <i>sinope</i> , Westw. Fig. 2	1849,	60
	— <i>herilla</i> , Westw. Fig. 3	1849,	57
	— <i>delegorguei</i> , Westw. Fig. 4	1849,	59
	<i>Limnadia hermannii</i> , Brong. Fig. 1	1849,	86
	<i>Estheria melitensis</i> , Baird. Fig. 2	1849,	88
	— <i>polita</i> , Baird. Fig. 3		
XI.	— <i>brasilensis</i> , Baird. Fig. 4	1849,	89
	— <i>donaciformis</i> , Parreyss. Fig. 5		
	— <i>boysii</i> , Baird. Fig. 6		
	— <i>similis</i> , Baird. Fig. 7	1849,	90
XII.	<i>Sirex gigas</i>	1849,	95
	<i>Lamia (Ceroasteria) trifasciella</i> . Fig. 1	1850,	13
	<i>Bemia bicolor</i> . Fig. 2	1850,	13
XIII.	<i>Calocomus morosus</i> . Fig. 3	1850,	11
	<i>Prionacalus atys</i> . Fig. 4	1850,	10
	<i>Pyrodes tenuicornis</i> . Fig. 5	1850,	11
	<i>Calloctenus pulcher</i> . Fig. 6	1850,	12
	<i>Trichomaplata vittata</i> , Wing. Fig. 1	1849,	105
XIV.	<i>Cahgatus angasii</i> , Wing. Figs. 2, 3	1849,	104
	<i>Palparia lambertella</i> , Wing. Figs. 4, 5	1849,	105
XV.	<i>Potamobius serratus</i>	1850,	95
XVI.	<i>Gonodactylus cultrifer</i> . Figs. 1, 2	1850,	96
	<i>Acanthonotus testudo</i> . Figs. 3 to 5	1850,	97
	<i>Lepidurus viridis</i> . Fig. 1	1850,	254
	<i>Estheria dahalacensis</i> . Figs. 2, 3, 4		
XVII.	<i>Cypridina marice</i> . Figs. 5, 6, 7	1850,	257
	— <i>interpuncta</i> . Figs. 8, 9, 10		
	— <i>zealandica</i> . Figs. 11, 12, 13	1850,	102 257

No. of Plate.		Page
XVIII.	<i>Cythereis fistulosa</i> . Figs. 1, 2, 3	1850, 256
	— <i>deformis</i> . Figs. 4, 5, 6	
	— <i>runcinata</i> . Figs. 7, 8, 9	
	— <i>australis</i> . Figs. 10, 11, 12	1850, 255
	— <i>prava</i> . Figs. 13, 14, 15	
	— <i>senticosa</i> . Figs. 16, 17, 18	1850, 250
	<i>Cypris donnetii</i> . Figs. 19, 20, 21	
	— <i>cuneata</i> . Figs. 22, 23, 24	1850, 254
	<i>Candona lactea</i> . Figs. 25, 26, 27....	
	<i>Cythere setosa</i> . Figs. 28, 29, 30	
XIX.	— <i>tarentina</i> . Figs. 31, 32, 33	
	<i>Glossina morsitans</i> , Westw. Fig. 1	1850, 261
	— <i>tachinodes</i> , Westw. Fig. 2	1850, 267
	— <i>tabaniformis</i> , Westw. Fig. 3 ..	1850, 268
XX.	<i>Stylomyia leonum</i> , Westw. Fig. 4	1850, 269
XXI.	<i>Distichocera kirbi</i> ♂, Newman	1851, 79
XXII.	<i>Cystocoma saundersii</i>	1852, 14
XXIII.	<i>Apus dominicensis</i> . Fig. 1	1852, 5
	<i>Lepidurus glacialis</i> . Fig. 2	1852, 6
	<i>Streptocephalus similis</i> . Figs. 3, 4	1852, 22
	<i>Limnadia antillarum</i> . Fig. 1	1852, 30
XXIV.	<i>Cypris cuneata</i> ? Fig. 2 ..	1852,
	— <i>schomburgkii</i> . Fig. 3	1852, 8
	— <i>belcheri</i> . Fig. 4	1852, 7
	<i>Estheria dallasi</i> . Fig. 5 ...	1852, 30
	<i>Cladiscus longipennis</i> . Fig. 1	1852, 39
XXV.	— <i>parriani</i> . Fig. 2	
	— <i>bipectinatus</i> . Fig. 3 ...	
	<i>Olerus (Xylobius?) albo-varius</i> . Fig. 4	1852, 40
	<i>Tillus (Tillecerus) chalybeus</i> . Fig. 5	1852, 41
	<i>Olerus (Xylobius?) dulcis</i> . Fig. 6	1852, 40
	<i>Tillus afzelii</i> . Fig. 7	1852, 38
	<i>Enoplium pustuliferum</i> . Fig. 8	1852, 52
	<i>Tillus (Macrotelus, Monophylla) uniformis</i> . Fig. 9	1852, 37
	<i>Olerus (Xylotretus) excavatus</i> . Fig. 10	1852, 46
	<i>Tillus duv.</i> Fig. 11	
XXVI.	<i>Erymanthus horridus</i> . Fig. 12	1852, 35
	<i>Olerus (Hoplocerus) biaculeatus</i> . Fig. 1 ...	1852, 52
	— <i>(Lemidius) corallipennis</i> . Fig. 2	1852, 47
	— <i>(—) festivus</i> . Fig. 3	
	<i>Thanasimus irregularis</i> . Fig. 4 ...	1852, 38
	— <i>cursorius</i> Fig. 5	1852, 53
	— <i>subscutellaris</i> . Fig. 6	1852, 44
	<i>Olerus sanguinalis</i> . Fig. 7	1852, 36
	<i>Thanasimus sellatus</i> . Fig. 8	1852, 42
	<i>Olerus sepulchralis</i> Fig. 9	1852, 52
XXVII.	— <i>subfasciatus</i> . Fig. 10	1852, 41
	— <i>bengala</i> . Fig. 11	
	— <i>posticalis</i> . Fig. 12	1852, 42
XXVIII.	— <i>(Omadus) mediofasciatus</i> . Fig. 1	1852, 44

No. of Plate.			Page
	<i>Clerus (Omadius) prasinus</i> . Fig. 2.....	1852,	53
	— (—) <i>olivaceus</i> . Fig. 3	1852,	44
	— (<i>Stigmatius</i>) <i>nebulifer</i> . Fig. 4 .. .	1852,	36
	— (—) <i>rufiventris</i> . Fig. 5 .. .	1852,	45
	— (—) <i>elaphroides</i> . Fig. 6... ..		
XXVI.	<i>Opilus</i> 6-notatus. Fig. 7	1852,	51
	<i>Clerus (Stigmatius) dorsiger</i> . Fig. 8	1852,	37
	<i>Opilus sordidus</i> . Fig. 9	1852,	42
	— <i>moerens</i> . Fig. 10	1852,	50
	<i>Clerus zebratus</i> . Fig. 11	1852,	43
	<i>Opilus hilaris</i> . Fig. 12	1852,	50
	<i>Clerus (Hydnocerus?) flavo-lineatus</i> . Fig. 1.	1852,	48
	— (<i>Hydnocerus</i>) <i>bellus</i> . Fig. 2	1852,	47
	— (<i>Hydnocerus?</i>) <i>flavo-varius</i> . Fig. 3 ..	1852,	49
	— (<i>Hydnocerus</i>) <i>exilis</i> . Fig. 4	1852,	48
	— (—) <i>V-reversus</i> . Fig. 5		
XXVII.	— (—) <i>pectoralis</i> . Fig. 6	1852,	49
	<i>Corynetes compactus</i> . Fig. 7.....	1852,	54
	<i>Thanasimus anthracoides</i> . Fig. 8	1852,	43
	<i>Clerus novem-guttatus</i> . Fig. 9	1852,	49
	<i>Necrobia pinguis</i> . Fig. 10	1852,	52
	<i>Opetiopalpus obesus</i> . Fig. 11	1852,	46
	<i>Necrobia eximia</i> . Fig. 12....	1852,	54
XXVIII.	Development of <i>Echinococcus</i>		1852, 110
XXIX.	<i>Ascaris laevis</i> ima, Baird. Fig. 1.....	1853,	19
	<i>Mermis rigidus</i> , Baird. Fig. 2		
	<i>Gordius violaceus</i> , Baird. Fig. 3	1853,	20
XXX.	— <i>pustulosus</i> , Baird. Fig. 4		
	— <i>sphaerura</i> , Baird. Fig. 5.....	1853,	21
	— <i>fasciatus</i> , Baird. Fig. 6		
	<i>Pentastoma annulatum</i> , Baird. Fig. 7.....	1853,	22
	<i>Taenia calva</i> , Baird. Fig. 1	1853,	24
XXXI.	— <i>zederi</i> , Baird. Fig. 2		
	— <i>falciformis</i> , Baird. Fig. 3	1853,	25
	<i>Bothriocephalus antarcticus</i> , Baird. Fig. 4 ..		
XXXII.	<i>Saturnia jorulla</i> . Fig. 1	1853,	159
	— <i>orizaba</i> . Fig. 2	1853,	158
	— <i>lavendera</i> . Fig. 3	1853,	160
	— <i>sapatoza</i> . Fig. 1.	1853,	163
XXXIII.	— <i>calleta</i> . Fig. 2.	1853,	161
	— <i>janeira</i> . Fig. 3	1853,	164
	— <i>zacateca</i> . Fig. 4	1853,	159
	<i>Oileticus nigricans</i> . Fig. 1 and details	1854,	220
XXXIV.	— <i>kurbii</i> . Fig. 2 and details .. .	1854,	221
	— <i>macleanii</i> . Fig. 3 and details .. .	1854,	222
	— <i>doubledayi</i> . Fig. 4 and details	1854,	235
XXXV.	— <i>saunderesi</i>	1854,	223
	— <i>hubnerii</i> . Fig. 1 and details .. .	1854,	228
XXXVI.	— <i>templetonii</i> . Fig. 2 and details .. .	1854,	234
	— <i>consortus</i> . Fig. 3 and details	1854,	235

No. of Plate.			Page
XXXVII.	<i>Oilcticus lewini</i> . Fig. 1 and details	1854,	231
	— <i>boisdualii</i> . Fig. 2 and details	1854,	232
	— <i>herrickii</i> . Fig. 3 and details	1854,	236
	— <i>cramerii</i> . Fig. 4 and details	1855,	20
	<i>Stigmatium ignavum</i> . Fig. 1	1855,	21
XXXVIII.	— <i>torulentum</i> . Fig. 2	1855,	22
	— <i>fervidum</i> . Fig. 3	1855,	23
	— <i>granulosum</i> . Fig. 4	1855,	22
	— <i>ambulator</i> . Fig. 5	1855,	23
	— <i>cylindrinum</i> . Fig. 6	1855,	23
XXXIX.	— <i>cursor</i> . Fig. 7	1855,	24
	<i>Omadirus ctenostomoides</i> . Fig. 8	1855,	25
	— <i>fasciipes</i> . Fig. 9	1855,	26
	— <i>vigilans</i> . Fig. 10	1856,	7
	— <i>seticornis</i> . Fig. 11	1856,	13
XL.	— <i>clytiformis</i> . Fig. 12	1856,	14
	<i>Papilio (Ornithoptera) victorica</i> , G. R. Gray ..	1856,	406
	<i>Tragocephala comitessa</i> . Fig. 1	1856,	407
	— <i>chevrolati</i> . Fig. 2	1856,	408
	— <i>ducalis</i> . Fig. 3	1856,	409
XLI.	— <i>gemmaria</i> . Fig. 4	1856,	410
	— <i>guerini</i> . Fig. 5	1856,	14
	<i>Deucalion wollastonii</i> . Fig. 6	1856,	15
	<i>Moneilema albopictum</i> . Fig. 7	1856,	17
	<i>Anisocerus onca</i> . Fig. 8	1856,	16
XLII.	— <i>capucinus</i> . Fig. 9	1856,	17
	— <i>dulcissimus</i> . Fig. 10	1856,	18
	<i>Phædinus xanthomelas</i> . Fig. 11	1856,	19
	<i>Phoebe concinna</i> . Fig. 12	1856,	20
	<i>Agelasta calhzona</i> . Fig. 13	1856,	21
XLIII.	— <i>amica</i> . Fig. 14	1856,	22
	— <i>neumannii</i> . Fig. 15	1856,	23
	<i>Trigonophorus hookeri</i> , ♂, ♀. Figs. 1, 2 ..	1856,	24
	<i>Stethodesma scrullei</i> . Fig. 3	1856,	25
	<i>Clinteria ducalis</i> . Fig. 4	1856,	26
XLIV.	— <i>hoffmeisterii</i> . Fig. 5	1856,	27
	<i>Cetonia procera</i> . Fig. 6	1856,	28
	<i>Schizorhina ida</i> . Fig. 7	1856,	29
	— <i>bassii</i> . Fig. 8	1856,	30
	— <i>emilia</i> . Fig. 9	1856,	31
XLV.	<i>Cetonia schaumii</i> . Fig. 10	1856,	32
XLVI.	<i>Lathodes (Petalocerus) bellianus</i> , White	1856,	33
XLVII.	<i>Mygale emilia</i> , White	1856,	34
XLVIII.	<i>Peris nama</i> , Moore, ♂, ♀. Figs. 1, 2	1857,	102
	— <i>seta</i> , Moore. Fig. 3	1857,	103
	— <i>sanaca</i> , Moore. Fig. 4	1857,	104
	— <i>indra</i> , Moore. Fig. 5	1857,	105
	— <i>durvasa</i> , Moore, ♀. Fig. 6	1857,	106
XLIX.	<i>Papilio janaka</i> , Moore	1857,	107
L.	<i>Pentastoma multicoloratum</i> , Harley	1857,	108
L.I.	— <i>polyzonum</i> , Harley	1857,	109

No. of Plata.		Page
XLVII.	<i>Pentastoma multicinctum</i> . Ova in different stages of development	1857, 115
XLVIII.	<i>Lineus beattiae</i> , Gray	1857, 210
	<i>Neptis pata</i> , Moore. Fig. 1	1858, 4
	— <i>antara</i> , Moore. Fig. 2	1858, 6
	— <i>narayana</i> , Moore. Fig. 3	1858, 7
XLIX.	— <i>amba</i> , Moore. Fig. 4	1858, 9
	— <i>columella</i> , ♂, ♀. Fig. 5	1858, 10
	— <i>soma</i> . Fig. 6	1858, 8
	— <i>ida</i> , Moore. Fig. 7	1858, 12
	— <i>duryodana</i> , Moore. Fig. 8	1858, 13
	— <i>shepherdia</i> , Newm. Fig. 1	1858, 16
	<i>Athyma bahula</i> , Moore. Fig. 2	1858, 17
L.	— <i>reta</i> , Moore. Fig. 3	1858, 18
	— <i>lresna</i> , Moore. Fig. 4	1858, 19
	— <i>nefte</i> , ♂, ♀. Fig. 5	1858, 20
	— <i>inara</i> , Bd., ♂, ♀. Fig. 6	1858, 225
	— <i>abiasa</i> , Moore. Fig. 7	1858, 224
	— <i>subrata</i> , Moore, ♀. Fig. 1	1858, 225
	— <i>kanwa</i> , Moore. Fig. 2	1858, 398
	— <i>idita</i> , Moore. Fig. 3	1858, 402
LI.	— <i>illigera</i> , Esch. Fig. 4	1858, 405
	— <i>dama</i> , Moore. Fig. 5	1858, 399
	— <i>kasa</i> . Fig. 6	1858, 412
	— <i>gutama</i> , Moore. Fig. 7	1858, 400
	<i>Hedruris siredonis</i> . Figs. 1, 2, 3, 4	1858, 464
LII.	Tail of <i>Hedruris androphora</i> . Fig. 5	1858, 465
	<i>Leptodera elongata</i> . Figs. 6, 7, 8, 9	1859, 148
	<i>Monohammus bowringii</i> . Fig. 1	1859, 111
	— <i>championi</i> . Fig. 2	1859, 115
	<i>Phymasterna leucostictica</i> . Fig. 3	1859, 117
LIII.	<i>Diastocera catherina</i> . Fig. 4	1859, 118
	<i>Anoplosthaeta jardinei</i> . Fig. 5	1859, 122
	<i>Batocera una</i> . Fig. 6	1859, 122
	<i>Cereopsius helena</i> . Fig. 7	1859, 119
	<i>Acmocera ferruginosa</i> . Fig. 8	1859, 120
LIV.	<i>Diadema pandarus</i> . Figs. 1, 2	1859, 120
	— <i>devis</i> . Figs. 3, 4, 5	1859, 120
LV.	<i>Melanitis melane</i>	1859, 120
LVI.	<i>Ascaris hahichoris</i> , Owen. Figs. 2, 2a, 2b, 2c	1859, 120
	<i>Tenia sulciiceps</i> , Baird. Figs. 1, 1a, 1b	1859, 120
LVII.	<i>Attacus edwardsii</i>	1859, 120
	<i>Platysma sturtii</i> . Fig. 1	1859, 120
	— <i>findersii</i> . Fig. 2	1859, 120
	<i>Catadromus elseyi</i> . Fig. 3	1859, 120
LVIII.	<i>Oryctes mullerianus</i> . Fig. 4	1859, 120
	<i>Aulacopris reichii</i> . Fig. 5	1859, 120
	<i>Distichocera thomsonella</i> . Fig. 6	1859, 120
	<i>Schizoxhina bakewellii</i> . Fig. 7	1859, 120
	<i>Diaphonia metallescens</i> . Fig. 8	1859, 120
LIX.	<i>Chrysodema louisa</i> . Fig. 1	1859, 120

No. of Plate.		1859,	Page
	<i>Stigmodera guillemi</i> . Fig. 2	1859,	120
	— <i>parallela</i> . Fig. 3	1859,	119
	— <i>bacawellii</i> . Fig. 4	1859,	119
LIX.	<i>Temognatha imperatrix</i> . Fig. 5	1859,	120
	<i>Zopherosis georgii</i> . Fig. 6	1859,	121
	<i>Rhytiphora amacula</i> . Fig. 7	1859,	122
	<i>Platymopsis armatula</i> . Fig. 8	1859,	122
	<i>Trypanophara semihyalina</i> , ♂, ♀. Figs. 1, 2	1859,	197
	<i>Syntomis marsdenii</i> , Moore. Fig. 3	1859,	198
	— <i>vigorsii</i> , Moore. Fig. 4	1859,	198
	— <i>pfeifferae</i> , Moore. Fig. 5	1859,	198
	— <i>wallacii</i> , Moore. Fig. 6	1859,	198
	— <i>penanga</i> , Moore. Fig. 7	1859,	198
LX.	— <i>rafflesii</i> , Moore. Fig. 8	1859,	199
	— <i>walkeri</i> , Moore. Fig. 9	1859,	199
	— <i>pravata</i> , Moore. Fig. 10	1859,	199
	— <i>crawfordii</i> , Moore. Fig. 11	1859,	199
	— <i>cantorii</i> , Moore. Fig. 12	1859,	200
	<i>Phalanna horsfieldii</i> , Moore. Fig. 13	1859,	200
	<i>Phausta mahisa</i> , Moore. Fig. 14	1859,	207
LXI.	<i>Hyphantidum sericarium</i>	1859,	207
LXII.	<i>Perga eucalypti</i>	1859,	209
	<i>Estheria laslopi</i> . Figs. 1, 1 a, 1 d	1859,	232
	<i>Cypris subglobosa</i> . Figs. 2, 2 a, 2 e	1859,	232
LXIII.	— <i>cylindrica</i> . Figs. 3, 3 a, 3 e	1859,	233
	— —, var. <i>major</i> . Figs. 4, 4 a, 4 f. .	1859,	233
	— <i>marginato-dentata</i> . Figs. 5, 5 a, 5 c ..	1859,	233
	— —, var. Figs. 5 d, 5 f	1859,	233
LXIV.	<i>Antheraea roylli</i> . Fig. 1	1859,	256
	— <i>helferii</i> . Fig. 2	1859,	257
	— <i>frühii</i> . Fig. 1	1859,	256
LXV.	<i>Saturnia grotei</i> . Fig. 2	1859,	265
	<i>Attacus guerini</i> . Fig. 3	1859,	269
LXVI.	<i>Papilio paradoxa</i> , var. Fig. 4	1859,	422
	— <i>noctis</i> . Figs. 5, 6	1859,	423
LXVII.	— <i>paradoxa</i> , var. Figs. 1, 2, 3	1859,	422
LXVIII.	— <i>cræsus</i> , ♂	1859,	424
LXIX.	— —, ♀	1859,	424
	<i>Peasia reticulata</i> . Figs. 1, 2	1860,	37
	— <i>inconspicua</i> . Figs. 3, 4	1860,	37
LXX.	— <i>tentaculata</i> . Figs. 5, 6	1860,	38
	— <i>maculata</i> . Figs. 7, 8	1860,	38
	— <i>irrorata</i> . Figs. 9, 10	1860,	38
	<i>Cypridina albomaculata</i> . Figs. 1, 1 a to 1 d	1860,	201
	— <i>godehevi</i> . Figs. 2, 2 a to 2 c	1860,	200
	— <i>ovum</i> . Figs. 3, 3 a, 3 b	1860,	201
LXXI.	— <i>norvegica</i> . Figs. 4, 4 a to 4 d	1860,	200
	<i>Philomedes longicornis</i> . Figs. 5, 5 a to 5 c ..	1860,	202
	<i>Estheria compressa</i> . Figs. 6, 6 a, 6 b	1860,	188
	— <i>birchii</i> . Figs. 1, 1 e	1860,	392
LXXII.	<i>Streptocephalus dichotomus</i> . Figs. 2, 2 a ..	1860,	445
	<i>Daphnia newportii</i> . Figs. 3, 3 c	1860,	446

RADIATA.

I.	<i>Sarcoptilus grandis</i> , Gray	1848,	45
	<i>Heterocyathus cochlea</i> (Gm.). Figs. 1, 2, 2 a.		
	— <i>hemisphærica</i> , Gray. Figs. 3, 3 a, 4	1849,	77
II.	— <i>eupsammides</i> , Gr., & var. Figs. 5, 5 a, 6, 7		
	<i>Primnoa australasæ</i> , Gray. Figs. 8, 9	1849,	146
	<i>Flabellum macandrewii</i> , Gray. Figs. 10, 11.	1849,	75
III.	<i>Gonigoria clavata</i> , Gray. Fig. 1	1851,	125
	<i>Nidalia occidentalis</i> , Gray. Fig. 2		
IV.	<i>Æquorea forskalea</i> , Peron	1851,	272
	<i>Scolanthus sphaeroides</i> . Figs. 1, 2, 3	1855,	85
V.	<i>Actinia pallida</i> . Fig. 4	1855,	236
	— <i>ornata</i> . Figs. 5, 6, 7		
	—, var. Fig. 8	1855,	237
VI.	<i>Antipathes spiralis</i> ?	1857,	114
VII.	<i>Nidalia occidentalis</i> , Gray	1857,	128
VIII.	<i>Sarcogorgia phidippus</i> , Gray	1857,	158
IX.	<i>Hyalonema mirabilis</i> , Gray	1857,	279
	<i>Aphroceras alaicornis</i> , Gray. Figs. 1, 2	1858,	113
X.	<i>Zoanthus couchii</i> , Johnston. Figs. 3-7	1858,	557
	<i>Sidisia barleei</i> , Gray. Fig. 8	1858,	531
XI.	<i>Aphrocallistes beatrix</i> , Gray	1858,	114
XII.	<i>Xenospongia patelliformis</i> , Gray	1858,	229
XIII.	<i>Electra verticillata</i>	1858,	306
	<i>Synapta digitata</i> . Figs. 1-17	1858,	361
	— <i>inhærens</i> . Figs. 18-22	1858,	363
XIV.	— <i>bidentata</i> . Figs. 23-25		
	<i>Chiridota lævis</i> . Fig. 26	1858,	365
	<i>Myriotrochus rinkii</i> . Figs. 27-31	1858,	366
XV.	<i>Macandrewia azorica</i>	1858,	438
XVI.	<i>Myliusia callocyathes</i>	1859,	439
XVII.	<i>Distichopora coccinea</i>	1860,	244
XVIII.	<i>Corallium johnsonii</i>	1860,	393

2

1000

1000

1000 1000 1000

3

1000

1000 1000 1000

1000 1000

4

1000 1000 1000 1000

1000 1000 1000 1000

5

1000

1000 1000 1000

1000 1000

1000 1000

1000

1000

1000

6

1000

1000

7

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1848—60.

	Page		Page
<i>Ablabes collaris</i>	{ 1858, 382 1860, 161 1860, 168 1860, 170 1860, 167	<i>Accentor cacharensis</i> ..	1854, 116
<i>hodgsonii</i>	1860, 167	<i>calliope</i>	1854, 120
<i>owenii</i>	1860, { 155 161 172 154	<i>himalayanus</i>	1854, 117
<i>rappii</i>	1860, { 161 168 171	<i>huttoni</i>	1854, 119
<i>rufulus</i>	1860, 428	<i>immaculatus</i>	1854, 119
<i>Abornis affinis</i>	1854, 106	<i>modularis</i>	{ 1854, 118 1857, 13
<i>albogularis</i>	1854, 106	<i>mollis</i>	1854, 119
<i>poliogenys</i>	1854, 106	<i>montanellus</i>	1854, 118
<i>xanthoschistos</i> ..	1854, 106	<i>nipalensis</i>	1854, 116
<i>Aburria carunculata</i> ..	{ 1857, 19 1858, 76 1860, 272	<i>rubeculoides</i>	1854, 118
<i>Acabaria divaricata</i>	1859, 485	<i>rubidus</i>	1854, 118
<i>Acanthiza flavolateralis</i>	1859, 161	<i>strophuatus</i>	{ 1854, 119 1859, 183
<i>Acanthocyathus grayii</i> ..	1849, 76	<i>temminckii</i>	1854, 118
<i>Acanthogorgia hirsuta</i> ..	1857, 128	<i>variegatus</i>	1854, 117
<i>Acanthonotus testudo</i> ..	1850, 97	<i>Accipiter affinis</i>	1854, 260
<i>Acanthophis antarctica</i> .	1858, 384	<i>badius</i>	{ 1859, 150 1860, 151 1860, 170
<i>Acanthylis albicollis</i> ..	{ 1854, 110 1858, 60	<i>besra</i>	1854, 260
<i>caudacuta</i>	1854, 266	<i>carbonarius</i>	1850, 215
<i>collaris</i>	1854, 110	<i>chicquera</i>	1851, 42
<i>giganteus</i>	1854, 266	<i>cooperi</i>	1859, 389
<i>rutula</i>	1855, 135	<i>dussumieri</i>	{ 1854, 260 1858, 473
<i>Acca aceris</i>	1858, 9	<i>erythrauchen</i>	1860, 344
<i>columena</i>	1858, 7	<i>erythrocnemius</i> ..	{ 1855, 134 1860, 96
<i>heliodora</i>	1858, 8	<i>erythrorhynchus</i> ..	1850, 215
<i>matuta</i>	1858, 9	<i>fringillarius</i>	1854, 260
<i>sulpitia</i>	1858, 18	<i>fuscus</i>	{ 1857, 125 1858, 295
<i>Accentor alpinus</i>	1854, { 116 117	<i>hyogaster</i>	1860, 343
<i>altaicus</i>	1854, 120	<i>nisus</i>	{ 1858, 473 1860, 416 1859, 389
<i>atrogularis</i>	1854, { 119 120	<i>pileatus</i>	{ 1860, 72 1860, 298
		<i>poliocephalus</i>	1858, 170
		<i>sphenurus</i>	{ 1859, 153 1850, 215

	Page		Page
<i>Accipiter virgatus</i>	1854, 260	<i>Achatina triticea</i>	1854, 205
<i>Acheus torquatus</i>	1840, 67	<i>trypanodes</i>	1856, 379
<i>Achatina acicula</i>	1854, 201	<i>tuberculata</i>	1854, 204
<i>albersii</i>	1854, 295	<i>vestita</i>	1854, 293
<i>albicans</i>	1851, 259	<i>violacea</i>	1851, 259
<i>ambigua</i>	1856, 321	<i>virens</i>	1854, 125
<i>atramentaria</i>	1855, 116	<i>yatesii</i>	1855, 99
<i>attenuata</i>	1851, 259	(<i>Glandina</i>) <i>conularis</i>	1855, 100
<i>aurora</i>	1854, 294	(—) <i>filosa</i>	1855, 100
<i>capillacea</i>	1854, 294	(—) <i>insignis</i>	1855, 100
<i>carnea</i>	1852, 157	(—) <i>nystiana</i>	1855, 100
<i>cerea</i>	1852, 86	(<i>Oleacina</i>) <i>binneyana</i>	1855, 117
<i>chiapensis</i>	1856, 379	(—) <i>ghiesbreghtii</i>	1856, 379
<i>chinensis</i>	1854, 294	(—) <i>pulchella</i>	1856, 379
<i>chrysalis</i>	1855, 99	(<i>Varicella</i>) <i>cordovana</i>	1856, 321
<i>conspersa</i>	1852, 67	(—) <i>guadeloupensis</i>	1856, 335
<i>corrosula</i>	1856, 35	(—) <i>orizabæ</i>	1856, 320
<i>cylichna</i>	1854, 206	(—) <i>speciosa</i>	1856, 321
<i>deshayesi</i>	1852, 86	<i>Achatinella acuta</i>	1853, 142
<i>dunkeri</i>	{ 1851, 148 1855, 9	<i>adamsii</i>	1854, 311
<i>erecta</i>	1855, 9	<i>adansonii</i>	1853, 137
<i>eulima</i>	1854, 201	<i>affinis</i>	1853, 142
<i>flexuosa</i>	1854, 150	<i>alba</i>	1850, 54
<i>folliculus</i>	1854, 200	<i>albida</i>	1855, 203
<i>fulgens</i>	1859, 27	<i>albolabris</i>	1853, 149
<i>fulgurata</i>	1851, 258	<i>amœna</i>	1855, 2
<i>fuliginea</i>	1852, 66	<i>ampla</i>	1853, 137
<i>fusca</i>	1852, 67	<i>apicata</i>	1855, 210
<i>glutinosa</i>	{ 1852, 86 1859, 350	<i>aplustro</i>	1853, 147
<i>gracilis</i>	1854, 200	<i>aptycha</i>	1855, 1
<i>granulata</i>	1852, 66	<i>assimilis</i>	1853, 148
<i>grevillei</i>	1860, 138	<i>attenuata</i>	1855, 4
<i>impressa</i>	1851, 148	<i>baldwinii</i>	1853, 155
<i>inequalis</i>	1855, 99	<i>buddii</i>	1853, 155
<i>inornata</i>	1851, 259	<i>candida</i>	1855, 2
<i>isotoma</i>	1852, 86	<i>cerea</i>	1855, 2
<i>lævigata</i>	1854, 294	<i>cestus</i>	1853, 132
<i>layardii</i>	1859, 27	<i>chamissoi</i>	1855, 98
<i>leacociana</i>	1854, 205	<i>chlorotica</i>	1855, 202
<i>maderensis</i>	1854, 199	<i>cinerosa</i>	1855, 2
<i>maniensis</i>	1854, 126	<i>clementina</i>	1855, 205
<i>margaritacea</i>	1856, 321	<i>concaospira</i>	1859, 30
<i>melampoides</i>	1854, 203	<i>concinna</i>	1853, 157
<i>mitriformis</i>	1854, 203	<i>conspersa</i>	1855, 7
<i>natalensis</i>	1854, 204	<i>cornea</i>	1853, 141
<i>newcombi</i>	1851, 262	<i>crassa</i>	{ 1853, 128 1855, 155
<i>oryza</i>	1854, 204	<i>crassidentata</i>	1855, 6
<i>ovuliformis</i>	1854, 206	<i>crassilabrum</i>	1853, 141
<i>pallens</i>	1856, 35	<i>cumingii</i>	{ 1853, 129 1855, 150
<i>plicatula</i>	1851, 258	<i>cuneus</i>	1855, 205
<i>portoricensis</i>	1848, 111	<i>curta</i>	1853, 144
<i>producta</i>	1854, 202	<i>cylindrica</i>	1853, 134
<i>reeveana</i>	1848, 111	<i>decepiens</i>	{ 1853, 153 1854, 310
<i>richardi</i>	1852, 140	<i>dentata</i>	1855, 7
<i>shuttleworthii</i>	1856, 34	<i>dimidiata</i>	1855, 205
<i>tornatellina</i>	1854, 203		

	Page		Page
<i>Achatinella dolium</i>	1855, 5	<i>Achatinella morbida</i>	1859, 30
<i>dubia</i>	1853, 152	<i>mucronata</i>	1853, 140
<i>dunkeri</i>	1855, 208	<i>multicolor</i>	1855, 4
<i>duplicata</i>	1853, 156	<i>multilineata</i>	1853, 138
<i>dwightii</i>	1855, 207	<i>napus</i>	1855, 5
<i>elegans</i>	1853, 140	<i>nigra</i>	1855, 209
<i>elevata</i>	1855, 209	<i>nitida</i>	1853, 140
<i>emersonii</i>	1853, 156	<i>nivosa</i>	1853, 132
<i>extincta</i>	1855, 204	<i>nobilis</i>	1855, 202
<i>faba</i>	1850, 30	<i>obclavata</i>	1855, 98
<i>ferussaci</i>	1855, 203	<i>obelisca</i>	1855, 206
<i>flavescens</i>	1853, 151	<i>obesa</i>	1853, 143
<i>forbesiana</i>	1855, 5	<i>obscura</i>	1853, 157
<i>frickii</i>	1855, 3	<i>obtusa</i>	1855, 209
<i>fulgens</i>	1853, 131	<i>ornata</i>	1853, 140
<i>fulva</i>	1855, 208	<i>orvza</i>	1855, 206
<i>fumosa</i>	1853, 140	<i>ovata</i>	1853, 130
<i>fusca</i>	1853, 145	<i>oviformis</i>	1855, 203
<i>fusiformis</i>	1855, 5	<i>perdiv</i>	1854, 311
<i>germana</i>	1853, 151	<i>petricola</i>	1855, 203
<i>gigantea</i>	1853, 136	<i>pfeifferi</i>	1853, 129
<i>glabra</i>	1853, 139		150
	1854, 310	<i>physa</i>	1853, 152
<i>globosa</i>	1855, 7		1854, 311
<i>glutinosa</i>	1855, 204	<i>picta</i>	1854, 311
<i>goniostoma</i>	1855, 203	<i>planospira</i>	1855, 3
<i>gouldii</i>	1853, 129	<i>phicata</i>	1851, 261
<i>gracilis</i>	1855, 6		1853, 129
<i>grana</i>	1853, 146	<i>polita</i>	1853, 142
<i>grayana</i>	1855, 204	<i>porcellana</i>	1853, 146
<i>grisea</i>	1853, 153	<i>porphyrea</i>	1853, 136
<i>grossa</i>	1855, 204	<i>pulchella</i>	1855, 6
<i>hanleyana</i>	1855, 202	<i>pulla</i>	1855, 209
	1853, 151	<i>pupoidea</i>	1853, 144
<i>helena</i>	1854, 311	<i>radata</i>	1854, 310
<i>humilis</i>	1855, 207	<i>recta</i>	1853, 145
<i>hybrida</i>	1853, 147		1853, 131
<i>inflata</i>	1855, 203	<i>redfieldii</i>	1854, 311
<i>intermedia</i>	1853, 135	<i>remyii</i>	1855, 207
<i>irregularis</i>	1855, 205	<i>reticulata</i>	1853, 143
<i>johnsonii</i>	1853, 147	<i>rubens</i>	1854, 310
<i>labiata</i>	1853, 141		1853, 154
<i>lilacea</i>	1850, 30	<i>rubiginosa</i>	1854, 310
<i>lineolata</i>	1853, 140	<i>rudis</i>	1855, 5
<i>livida</i>	1850, 54	<i>rufa</i>	1853, 130
<i>luctuosa</i>	1853, 204	<i>rugosa</i>	1853, 138
<i>lurida</i>	1855, 206		1853, 138
<i>macrostoma</i>	1855, 2	<i>rutila</i>	1854, 310
<i>maniensis</i>	1855, 207	<i>saccata</i>	1850, 30
<i>marginata</i>	1855, 206	<i>sanguinea</i>	1853, 135
	1853, 153	<i>semicarinata</i>	1853, 156
<i>mastersii</i>	1854, 311	<i>semicostata</i>	1855, 206
<i>melampoides</i>	1851, 262	<i>soricea</i>	1850, 31
<i>melanostoma</i>	1853, 132	<i>soharia</i>	1853, 150
<i>melanotus</i>	1853, 144	<i>sordida</i>	1853, 139
<i>micans</i>	1850, 31	<i>soror</i>	1853, 143
<i>moesta</i>	1853, 157	<i>sowerhyana</i>	1855, 4
<i>monacha</i>	1855, 3	<i>splendida</i>	1853, 131

	Page		Page
<i>Achatinella subrostrata</i>	1859, 31	<i>Aciculina glabrata</i>	1851, 114
<i>subvirens</i>	{ 1853, 136	<i>labiata</i>	1851, 114
<i>succincta</i>	{ 1854, 310	<i>maculata</i>	1851, 114
<i>swainsonii</i>	1855, 209	<i>striata</i>	1851, 114
<i>swiftii</i>	1855, 4	<i>vittata</i>	1851, 114
<i>taeniolata</i>	1853, 133	<i>Aclesia areola</i>	1860, 24
<i>terebra</i>	1854, 310	<i>Aclis acuminata</i>	1860, 241
<i>teres</i>	1853, 144	<i>Acmea ancylus</i>	1856, 221
<i>tessellata</i>	1855, 206	<i>mammillata</i>	1856, 222
<i>tetrao</i>	{ 1853, 139	<i>marmorea</i>	1856, 222
<i>transversalis</i>	{ 1854, 311	<i>mitra</i>	1856, 222
<i>turgida</i>	{ 1854, 311	<i>paleacea</i>	1856, 204
<i>umbilicata</i>	1855, 207	<i>patina</i>	1856, 221
<i>undulata</i>	1855, 204	<i>pelta</i>	1856, 221
<i>valida</i>	1853, 134	<i>persona</i>	1856, 221
<i>variabilis</i>	1855, 205	<i>radiata</i>	1856, 221
<i>ventrosa</i>	1855, 209	<i>scabra</i>	1856, 222
<i>venulata</i>	1855, 6	<i>scurra</i>	1856, 222
<i>vidua</i>	1853, 154	<i>scutum</i>	1856, 222
<i>violacea</i>	1855, 6	<i>spectrum</i>	1856, 222
<i>virgulata</i>	1853, 146	<i>Acrocera ferruginosa</i> ..	1858, 400
<i>viridans</i>	1855, 3	<i>triangularis</i>	1858, 400
<i>vitrea</i>	1853, 135	<i>Acontias elegans</i>	1858, 156
<i>zebrina</i>	1854, 311	<i>punctata</i>	1858, 157
(<i>Achatinellastrum</i>)	1854, 310	<i>Acostrea guaduasana</i> ..	1854, 129
<i>ovum</i>	1853, 142	<i>Acridotheres cristatellus</i>	1859, 433
(<i>Anriculella</i>) <i>cha-</i>	1855, 202	<i>fuscus</i>	{ 1859, 150
<i>missoi</i>	1856, 334	<i>ginginianus</i>	{ 1858, 445
(<i>Labiella</i>) <i>callosa</i> ..	1855, 98	<i>griseus</i>	{ 1858, 480
(<i>Laminella</i>) <i>farcimen</i>	1856, 334	<i>javanicus</i>	{ 1859, 173
(<i>Leptachatina</i>) <i>ob-</i>	1856, 334	<i>negricollis</i>	{ 1860, 372
<i>clavata</i>	1855, 98	<i>tristis</i>	{ 1859, 445
(<i>Newcombia</i>) <i>cin-</i>	1857, 97	<i>acuminata</i>	{ 1858, 480
<i>namomea</i>	1858, 22	<i>gracilis</i>	{ 1859, 173
(<i>—</i>) <i>gemma</i>	1858, 22	<i>Acrilla acuminata</i>	1860, 241
(<i>—</i>) <i>minuscula</i> ..	1858, 22	<i>gracilis</i>	1860, 241
(<i>—</i>) <i>sulcata</i>	1858, 22	<i>Acrocephalus arundina-</i>	
<i>Achatinellastrum cle-</i>		<i>ceus</i>	1858, 493
<i>mentinum</i>	1855, 205	<i>brunnescens</i>	1859, 183
<i>consersum</i>	1855, 7	<i>fasciolatus</i>	1860, 349
<i>crassidentatum</i> ..	1855, 6	<i>orientalis</i>	1860, 349
<i>cuneum</i>	1855, 205	<i>Acrocynus longimanus</i> ..	1860, 372
<i>globosum</i>	1855, 7	<i>Acronotus bubalis</i>	1860, 139
<i>gracile</i>	1855, 6	<i>caama</i>	1850, 140
<i>liliaceum</i>	1859, 31	<i>Actæon bevaletii</i>	1854, 59
<i>ovum</i>	1856, 334	<i>cumingii</i>	1854, 59
<i>napus</i>	1855, 5	<i>denticulata</i>	1854, 32
<i>pulchellum</i>	1855, 6	<i>dianæ</i>	1854, 59
<i>saccatum</i>	1859, 30	<i>flammeus</i>	1854, 59
<i>validum</i>	1855, 6	<i>mariae</i>	1854, 60
<i>ventrosus</i>	1855, 6	<i>modestus</i>	1854, 60
<i>Acheus torquatus</i>	1849, 67	<i>oryza</i>	1854, 59
<i>Acicula acicula</i>	1854, 201	<i>pudicus</i>	1854, 60
<i>eulma</i>	1854, 201	<i>punctostriatus</i>	1854, 59
<i>Aciculina costata</i>	1851, 114	<i>senegalensis</i>	1854, 59

	Page		Page
<i>Actæon sieboldii</i>	1854, 59	<i>Adamsiella longicollis</i> ..	1854, 128
<i>tornatilis</i>	1854, 59	<i>Addax nasomaculata</i> ..	1850, { 135 175
<i>venustus</i>	1854, 59		
<i>virgatus</i>	1854, 59		
<i>Actæas lima</i>	1849, 36	<i>Adelomyia melano-</i>	{ 1855, 140 1859, 145
<i>luna</i>	1856, 5	<i>genys</i>	{ 1860, 63 1860, 70 1860, 94
<i>manas</i>	1859, 264		
<i>selene</i>	{ 1856, 5 1859, 261	<i>Adenota kob</i>	1850, 129
<i>sinensis</i>	1859, 264	<i>leché</i>	1850, 130
<i>Actinella actinophora</i> ..	1854, 180	<i>Admeta borealis</i>	1855, 122
<i>arcta</i>	1854, 180	<i>viridula</i>	1855, 122
<i>arridens</i>	1854, 180	<i>Ægialites cantianus</i> ..	1860, 415
<i>lentiginosa</i>	1854, 180	<i>falklandicus</i>	1860, 386
<i>stellaris</i>	1854, 180		{ 1857, 127 1857, 203
<i>Actinia bellis</i>	1858, { 145 146	<i>vociferus</i>	{ 1857, 236 1859, 369 1859, 393
<i>biserialis</i>	1858, 148		
<i>candida</i>	1856, 235	<i>Ægithalus flammiceps</i> ..	1858, 480
<i>clavata</i>	1858, { 146 148	<i>flaviceps</i>	{ 1855, 75 1856, 37
<i>coriacea</i>	1858, { 146 148		1856, 404
<i>crassicornis</i>	{ 1855, 85 1859, 435	<i>Ægoceros argali</i>	1860, 129
<i>dianthus</i>	1858, { 145 146	<i>Ægosoma cingalense</i> ..	1853, 27
<i>equina</i>	1858, 146	<i>marginale</i>	1853, 27
<i>gemmaea</i>	1858, 146	<i>ornaticolle</i>	1853, 27
<i>mesembryanthemum</i> ..	1858, 148	<i>scabricorne</i>	1853, 26
<i>ornata</i>	1856, 237	<i>sinicum</i>	1853, 27
<i>pallida</i>	1856, 236	<i>sulcipenne</i>	1853, 28
<i>parasitica</i>	1858, { 145 146	<i>tabiale</i>	1853, 28
<i>rubida</i>	1855, 237	<i>Ægotheles wallacii</i>	1859, 154
<i>trogodytes</i>	1859, 434	<i>Æolis parvula</i>	1860, 35
<i>viduata</i>	1858, { 146 148	<i>semidecora</i>	1860, 36
<i>vinosa</i>	1856, 172	<i>Æpyceros melampus</i> ..	1850, 116
<i>Actiniloba dianthus</i>	1858, 149	<i>Æquorea atlantica</i>	1851, 275
<i>Actinodura rufifrons</i>	1854, 105	<i>ciliata</i>	1851, 275
<i>Actitis brevipes</i>	1860, 364	<i>danica</i>	1851, 275
<i>hypoleuca</i>	{ 1855, 50 1859, 150	<i>forskalea</i>	1851, 275
<i>hypoleucus</i>	{ 1859, 151 1858, 506	<i>forskalina</i>	1851, 275
<i>ochropus</i>	1860, 364	<i>groenlandica</i>	1851, 275
<i>schlegelii</i>	1860, 365	<i>stauroglypha</i>	1851, 275
<i>Actiturus bartramius</i> ..	1860, 253	<i>violacea</i>	1851, 275
<i>Acus sartoria</i>	1859, 316	<i>Æthopyga mules</i>	1858, 496
	{ 1858, 149 1859, 68	<i>siparaja</i>	1859, 461
<i>Adamsia palliata</i>	1859, 432		1858, 157
<i>typica</i>	1856, 357	<i>Agama colonorum</i>	{ 1859, 470 1860, 453
		<i>cristata</i>	1858, 157
		<i>occipitalis</i>	1860, 454
		<i>torquata</i>	1859, 452
		<i>Agapornis azureus</i>	1860, 242
		<i>cana</i>	1859, 212
		<i>pullaria</i>	1858, 51
		<i>Agaronia cincta</i>	1858, 52
		<i>contortuplicata</i>	1858, 52
		<i>hiatula</i>	1858, 51
		<i>indusica</i>	1858, 52
		<i>nitelina</i>	1858, 52

	Pago		Pago
<i>Agaronia testacea</i>	1858, 51	<i>Aglaia nigrocincta</i>	1850, 261
<i>Agathurses dubius</i>	1860, 411	<i>nigroviridis</i>	1856, 260
<i>florina</i>	1860, 411	<i>paradisea</i>	1856, 244
	{ 411	<i>peruviana</i>	1850, 255
<i>furcellus</i>	1860, 413	<i>ruficervix</i>	1856, 259
	{ 414	<i>schrunkii</i>	1856, 243
	{ 411	<i>striata</i>	{ 1856, 235
<i>lima</i>	1860, 413		1858, 453
<i>multistriatus</i>	1860, 411	<i>tatao</i>	1856, 244
<i>occlusus</i>	1860, 411	<i>tau</i>	1849, 34
<i>striatus</i>	1860, 411	<i>viridissima</i>	1856, 256
<i>sulcatus</i>	1860, 411	<i>vittata</i>	1856, 265
<i>Agathopus micropterus</i> ..	1858, 69		{ 1855, 158
	{ 1857, 127	<i>wilsonii</i>	{ 1856, 18
<i>Agelæus gubernator</i> ..	{ 1857, 213		1856, 261
	{ 1859, 365	<i>yeni</i>	1850, 245
	{ 1857, 205	<i>Agrias ædon</i>	1848, 46
<i>phœniceus</i>	{ 1859, 58	<i>Agrilorhinus bonapartei</i> ..	1855, 138
	{ 1859, 381	<i>Agriornis andicola</i>	1860, 78
	{ 1860, 243		{ 92
<i>Agelaius coronatus</i>	1856, 114		{ 1858, 553
<i>Agelasta amica</i>	1856, 410	<i>solitaria</i>	{ 1860, 78
<i>callizona</i>	1856, 409		1860, 92
<i>newmannii</i>	1856, 410	<i>Agrodroma spraguei</i>	1857, 5
<i>polynæsus</i>	1856, 410	<i>Ahæotulla irregularis</i> ...	1858, 161
<i>wallacii</i>	1856, 409	<i>lateralis</i>	1858, 380
<i>Agelastes meleagrides</i> ..	1849, 145	<i>liocercus</i>	1859, 412
<i>Aglaeactis caumatotus</i> ..	1848, 12		{ 1859, 413
	{ 1857, 17	<i>occidentalis</i>	1859, 412
	{ 1860, 63	<i>mexicana</i>	1860, 457
<i>cupreipennis</i>	{ 1860, 70	<i>smaragdina</i>	1858, 161
	{ 1860, 81	<i>Aigocerus equinus</i>	1850, 132
<i>Aglaia atricapilla</i>	1856, 259	<i>leucophæus</i>	1850, 133
<i>aurulenta</i>	1856, 250		{ 175
<i>cæruleocephala</i>	1856, 262	<i>niger</i>	1850, 133
<i>cayana</i>	1856, 254		{ 175
<i>chilensis</i>	1856, 245	<i>Ailurus fulgens</i>	{ 1848, 80
<i>chrysoptera</i>	1856, 255		{ 1856, 399
<i>citrinella</i>	1856, 247	<i>ochraceus</i>	1856, 390
<i>cucullata</i>	1856, 253	<i>Aimophila rufescens</i> ..	{ 1856, 305
<i>cyanicollis</i>	1856, 262		{ 1857, 7
	{ 247	<i>ruficauda</i>	1857, 7
<i>cycanocephala</i>	1856, 236	<i>superciliosa</i>	1856, 305
<i>cyanoptera</i>	1856, 254	<i>Aix galericulata</i>	1859, 206
<i>diva</i>	1856, 264		{ 1859, 206
<i>erythrotis</i>	{ 1856, 157	<i>sponsa</i>	{ 1859, 477
	{ 1856, 241		{ 1860, 442
<i>fanny</i>	1856, 142		{ 1851, 145
	{ 261	<i>Alauda arvensis</i>	{ 1857, 12
<i>flava</i>	1856, 253		{ 1858, 484
<i>gyrola</i>	1856, 255		{ 1859, 184
<i>gyrolodes</i>	1856, 255		{ 1860, 442
<i>igniventris</i>	1856, 242	<i>chendoala</i>	1857, 95
<i>labradorides</i>	1856, 262	<i>chrysolaema</i>	1856, 66
<i>melanota</i>	1856, 254	<i>deva</i>	1854, 161
<i>melanotis</i>	1856, 248	<i>erythropygia</i>	1850, 219
<i>mexicana</i>	1856, 258	<i>minor</i>	1855, 66
<i>montana</i>	1856, 230	<i>pratensis</i>	1854, 285

	Page		Page
<i>Alauda raytal</i>	1859, 185	<i>Alcyonium glaucum</i> ...	1859, 438
<i>spragui</i>	1857, 5	<i>latum</i>	1859, 438
<i>trivialis</i>	1860, 350	<i>ocellatum</i>	1858, 532
<i>Alcadia rhamplostyla</i> ..	1856, 301	<i>Alectheia uvilli</i> .. .	1860, 362
<i>rubella</i>	1853, 60	<i>Alectrion complanata</i> ..	1851, 104
<i>Alcedo asiatica</i>	1854, 269	<i>crenulata</i>	1851, 103
<i>atricapilla</i>	1854, 268	<i>hirta</i>	1851, 103
<i>bengalensis</i>	1858, 474	<i>jacksoniana</i>	1851, 103
<i>chlorocephala</i>	1859, 150	<i>monilis</i>	1851, 103
<i>collaris</i>	1859, 151	<i>nassoides</i>	1851, 103
<i>dea</i>	1859, 174	<i>nodifera</i>	1851, 103
<i>drops</i>	1854, 269	<i>papillosa</i>	1851, 103
<i>erythaca</i>	1854, 269	<i>seminodosa</i>	1851, 104
<i>fusca</i>	1854, 268	<i>variabilis</i>	1851, 103
<i>gaudichaudi</i>	1858, 171	<i>Aletes squamigerus</i> .. .	1856, 226
<i>ispida</i>	1851, 145	<i>Alexia acuta</i>	1854, 33
<i>lazuli</i>	1859, 152	<i>bermudensis</i>	1854, 33
<i>leucocephala</i>	1859, 435	<i>biasolettiiana</i>	1854, 33
<i>meninting</i>	1860, 348	<i>denticulata</i>	1854, 32
<i>purpurea</i>	1860, 371	<i>kutschigiana</i>	1854, 33
<i>rubra</i>	1860, 346	<i>myosotis</i>	1854, 33
<i>rudis</i>	1854, 268	<i>personata</i>	1854, 32
<i>sacra</i>	1854, 269	<i>reflexilabris</i>	1854, 33
<i>senegalensis</i>	1854, 269	<i>Alopecion fasciatum</i> ..	1858, 150
<i>smyrnensis</i>	1854, 268	<i>Alopius vulpes</i>	1850, 253
<i>tridactyla</i>	1854, 269	<i>Alsodes monticola</i> .. .	1858, 343
<i>Alcelaphus bubalis</i> .. .	1850, 172	<i>Alvearella abbreviata</i> ..	1854, 212
<i>caama</i>	1850, 172	<i>cassidula</i>	1854, 212
<i>lunatus</i>	1850, 172	<i>concinna</i>	1854, 212
<i>pygargus</i>	1850, 172	<i>gibba</i>	1854, 212
<i>senegalensis</i>	1850, 172	<i>Alycaeus distortus</i> .. .	1860, 10
<i>Alces malchis</i>	1850, 224	<i>Alytes obstetricans</i> .. .	1858, 374
<i>Alcippe affinis</i>	1854, 277	<i>Amadina acuticauda</i> .. .	1859, 444
<i>albogularis</i>	1854, 277	<i>cantans</i>	1850, 218
<i>cantoni</i>	1854, 277	<i>fasciata</i>	1850, 218
<i>cinerea</i>	1854, 276	<i>moluca</i>	1860, 355
<i>maguirostris</i>	1854, 277	<i>nitens</i>	1850, 218
<i>monacha</i>	1858, 175	<i>punctularia</i>	1859, 443
<i>striata</i>	1854, 277	<i>Amalthea effodiens</i> .. .	1856, 5
<i>Alcira elegans</i>	1860, 451	<i>grayana</i>	1856, 4
<i>Alcyon rubra</i>	1860, 436	<i>panamensis</i>	1856, 3
<i>subangulata</i>	1860, 436	<i>Amastira irregularis</i> ..	1855, 205
<i>Alcyon affinis</i>	1860, 348	<i>Amathella biserialis</i> ..	1858, 320
<i>azurea</i>	1858, 172	<i>uniserialis</i>	1858, 320
<i>lessonii</i>	1859, 155	<i>Amathia cornuta</i>	1858, 319
<i>pulchra</i>	1857, 25	<i>lendigera</i>	1858, 320
	1858, 172	<i>Amathina bicarinata</i> ..	1860, 399
		<i>Amazilia alticola</i> .. .	1860, 309
		<i>dumerilii</i>	1860, 283
		<i>riefferii</i>	1860, 283
			286
		<i>Amazilia arsinoe</i> .. .	1856, 287
			1837, 212
			1858, 297
			1859, 367
			1859, 386
		<i>castaneiventris</i> .. .	1856, 150

	Page		Page
<i>Amazilius castaneiventris</i> 1857,	16	<i>Ampelis garrula</i> 1860,	183
<i>cerviniventris</i> 1856,	150	<i>riefferi</i> 1854,	113
<i>corallirostris</i> { 1858,	358	<i>Amphidesma decisa</i> 1856,	213
..... { 1859,	386	<i>flavescens</i> 1856,	199
<i>dubusii</i> { 1856,	287	<i>roseum</i> 1856,	213
..... { 1859,	386	<i>rubrolineata</i> 1856,	212
<i>ocai</i> 1859,	367	<i>Amphiperas bimaculata</i> . 1854,	131
..... { 1856,	140	<i>concinna</i> 1854,	131
..... { 1856,	287	<i>margarita</i> 1854,	130
<i>riefferi</i> { 1857,	16	<i>ovum</i> 1853,	40
..... { 1859,	145	<i>pudica</i> 1854,	131
<i>Ambassia thermalis</i> 1856,	372	<i>pyrulina</i> 1854,	131
<i>Amblypneustes ovum</i> .. 1855,	36	<i>rhodia</i> 1854,	130
<i>Ambystoma californiense</i> 1853,	11	<i>scitula</i> 1854,	131
<i>carolinæ</i> 1853,	11	<i>traillii</i> 1855,	222
<i>punctulatum</i> 1853,	11	<i>Amphisbæna fuliginosa</i> . 1859,	{ 89
<i>opacum</i> 1853,	144 { 402	
<i>Ameiva dorsalis</i> 1848,	{ 24	<i>Amphorella melampodea</i> 1854,	203
..... { 27		<i>mitriformis</i> 1854,	203
..... { 1859,	402	<i>tornatellina</i> 1854,	203
<i>sexscutata</i> { 1860,	233	<i>Ampullaria celebensis</i> . { 1851,	74
..... { 1860,	234 { 1860,	12
<i>Ammocetes bicolor</i> 1851,	241	<i>corrugata</i> 1860,	12
<i>branchialis</i> 1851,	240	<i>globosa</i> 1860,	12
<i>concolor</i> 1851,	241	<i>modesta</i> 1859,	168
<i>ruber</i> 1851,	241	<i>novæ-granadæ</i> 1859,	169
<i>unicolor</i> 1851,	241	<i>quitensis</i> 1859,	168
..... { 1857,	214	<i>polita</i> 1860,	12
<i>Ammodromus ruficeps</i> . { 1859,	380	<i>solida</i> 1859,	168
..... { 1858,	503	<i>tischbeini</i> 1858,	134
<i>Ammoperdix bonhami</i> .. 1858,	503	<i>woodwardii</i> 1858,	134
<i>Amnicola P antipodarum</i> 1849,	169	(<i>Lamistes</i>) <i>sinistrorsa</i> 1859,	349
<i>zelandiæ</i> 1849,	169	<i>Anabasitta squamigera</i> . 1855,	142
<i>Amoria lineata</i> 1855,	64	<i>Anabates amazonus</i> 1858,	61
<i>maculata</i> 1855,	64	<i>atricapillus</i> 1856,	288
<i>marmorata</i> 1855,	64	<i>boissoneauui</i> 1855,	141
<i>reticulata</i> 1855,	64	<i>cervinigularis</i> { 1856,	288
<i>turneri</i> 1855,	64 { 1859,	382
<i>undulata</i> 1855,	64	<i>erythropterus</i> { 1856,	27
<i>zebra</i> 1855,	64 { 1858,	61
<i>Ampelion arcuatus</i> { 1855,	152	<i>erythrophthalmus</i> .. 1858,	62
..... { 1858,	553	<i>ferruginolentus</i> 1856,	288
..... { 1860,	89	<i>flammulatus</i> 1855,	141
..... { 1855,	152	<i>guianensis</i> { 1856,	27
<i>cinctus</i> { 1860,	67 { 1858,	62
..... { 1860,	89	<i>gutturatus</i> 1858,	62
<i>rubricristatus</i> 1855,	152	<i>infuscatus</i> 1858,	61
..... { 1858,	553	<i>lineaticeps</i> 1858,	61
<i>rubrocristatus</i> { 1860,	78	<i>melanopezus</i> 1858,	61
..... { 1860,	89	<i>melanorhynchus</i> .. 1858,	61
<i>rufocristatus</i> 1855,	152	<i>ochraceus</i> 1858,	62
..... { 1856,	299	<i>ochrolæmus</i> 1858,	61
<i>Ampelis cedrorum</i> { 1853,	302	<i>pulvericolor</i> 1858,	62
..... { 1859,	364	<i>pyrrhodes</i> 1858,	62
..... { 1855,	152	<i>rubiginosus</i> { 1856,	288
<i>cincta</i> { 1860,	67 { 1859,	365
..... { 1856,	212 { 1856,	26
<i>garrula</i> 1859,	{ 432	<i>ruficaudatus</i> { 1858,	61

	Page		Page
<i>Anabates ruficaudus</i>	1858, 456	<i>Anas rafflesii</i>	{ 1859, 96
<i>squamiger</i>	1856, 27		{ 1860, 389
<i>striatocollis</i>	1857, 17	<i>spinosa</i>	1860, 41
<i>subalaris</i> ..	1859, 141	<i>superciliosa</i>	{ 1859, 166
<i>temporalis</i>	1859, 141		{ 1860, 371
<i>Anabazenops guttulatus</i> ..	1857, 272	<i>urophasianus</i>	1860, 389
<i>rufo-superciliaris</i> ..	1856, 289	<i>versicolor</i>	1860, 389
<i>variegaticeps</i>	{ 1856, 289	<i>Anastomus lamelligerus</i> ..	1860, 197
	{ 1859, 382	<i>Anatifa crassa</i>	1848, 44
<i>Anadema cœlata</i>	1854, 39	<i>Anatinella dilatata</i>	1850, 41
	{ 1858, 510	<i>sibbaldii</i>	1850, 40
<i>Anas acuta</i>	{ 1860, 258	<i>ventricosa</i>	1850, 41
<i>antarctica</i>	1860, 388	<i>Anatomus angulatus</i>	1859, 203
	{ 1851, 146	<i>asper</i>	1859, 203
	{ 1858, 510	<i>bertheloti</i>	1859, 203
	{ 1859, 190	<i>conicus</i>	1859, 203
<i>boschas</i>	{ 1859, 437	<i>costatus</i>	1859, 203
	{ 1860, 303	<i>crispatus</i>	1859, 203
	{ 1860, 333	<i>d'orbignyi</i>	1859, 203
	{ 1860, 337	<i>indicus</i>	1859, 203
	{ 1860, 338	<i>lævigatus</i>	1859, 203
	{ 1859, 96	<i>reticulatus</i>	1859, 203
<i>brachyptera</i>	{ 1860, 389	<i>striatulus</i>	1859, 203
<i>cæruleata</i>	1860, 389	<i>Anaulus bombycinus</i> ..	1855, 105
<i>chiloensis</i>	1860, 389	<i>lorrainii</i>	1856, 36
<i>cinereus</i>	1860, 389	<i>Anazola acuminata</i>	1858, 50
<i>clangula</i>	1860, 336	<i>gibbosa</i>	1858, 50
<i>clypeata</i>	{ 1858, 510	<i>leucozonalis</i> ..	1858, 50
	{ 1860, 258	<i>paniculata</i> ..	1858, 51
	{ 1851, 146	<i>pulchella</i>	1858, 51
<i>crecca</i>	1860, 258	<i>subulata</i> ...	1858, 50
<i>crecoides</i>	1860, 389	<i>undatella</i>	1858, 51
<i>cristata</i>	{ 1859, 96	<i>Ancilla maculata</i>	1858, 52
	{ 1860, 389	<i>Ancillaria candida</i>	1853, 35
<i>cyanopterus</i>	1860, 389	<i>lineolata</i>	1851, 271
<i>erythropus</i>	1860, 339	<i>Anculotus carinatus</i> ...	1854, 94
<i>fretensis</i>	1860, 389	<i>Ancylus acutus</i>	1853, 89
<i>gambensis</i>	1860, 41	<i>albus</i>	1853, 87
<i>inornata</i>	{ 1857, 128	<i>aduncus</i>	1853, 80
	{ 1858, 290	<i>baconii</i>	1853, 89
<i>inornatus</i>	1860, 388	<i>bahiensis</i> ..	1853, 84
<i>intermedia</i>	1860, 337	<i>barlensis</i> ...	1853, 81
<i>leucomelas</i>	1860, 365	<i>beani</i>	1853, 81
<i>leucophrys</i>	1859, 166	<i>caffer</i>	1853, 81
<i>maculirostris</i>	1860, 389	<i>calcarius</i>	1853, 81
<i>magellanca</i>	1860, 387	<i>capuloides</i>	1853, 83
<i>maxima</i>	1859, 369	<i>charpentierianus</i> ..	1853, 81
<i>mergoides</i>	1860, 336	<i>compressus</i>	1853, 81
<i>mollissima</i>	1857, 215	<i>concentricus</i>	1853, 81
<i>nigricollis</i>	1860, 338	<i>corneus</i>	1853, 87
	{ 1859, 442	<i>costatus</i>	1853, 86
<i>obscura</i>	{ 1860, 117	<i>costulatus</i>	1853, 81
	{ 1860, 337	<i>crassus</i>	1853, 81
<i>picta</i> ...	1860, 387	<i>culicoides</i>	1853, 81
<i>pœcilorhyncha</i> ...	1858, 510	<i>cumingianus</i>	1853, 91
<i>punctata</i>	1859, 166	<i>cyclostoma</i>	1853, 82
<i>pyrogaster</i>	1860, 389	<i>decussatus</i>	1853, 88
<i>radjah</i>	1860, 365	<i>deperditus</i>	1853, 82

	Page		Page
<i>Ancylus depressus</i>	1853, 88	<i>Ancylus vitraceus</i>	1853, 88
<i>deshayesianus</i>	1853, 82	<i>Andigena baillonii</i>	1850, 93
<i>diaphanus</i>	1853, 82	<i>cucullatus</i>	1850, 93
<i>drouetianus</i>	1853, 92	<i>hypoglaucus</i>	1850, 93
<i>elegans</i>	1853, 88	<i>laminirostris</i>	1850, 93
<i>excentricus</i>	1853, 85	<i>laminirostris</i>	1859, 146
<i>fabrii</i>	1853, 86	<i>laminirostris</i>	1860, 95
<i>filosus</i>	1853, 82	<i>laminirostris</i>	1850, 93
<i>fluviatilis</i>	1853, 83	<i>laminirostris</i>	1854, 115
<i>fluviatilis</i>	1854, 218	<i>nigrirostris</i>	1855, 161
<i>frayssianus</i>	1853, 87	<i>nigrirostris</i>	1858, 75
<i>fuscus</i>	1853, 82	<i>nigrirostris</i>	1858, 149
<i>gayanus</i>	1853, 84	<i>spilorhynchus</i>	1858, 149
<i>gibbosus</i>	1853, 82	<i>Andiopadus erythropterus</i>	1858, 292
<i>gussonii</i>	1853, 89	<i>Andiopadus erythropterus</i>	1858, 292
<i>haldemanii</i>	1853, 83	<i>Anguinaria obtusa</i>	1860, 407
<i>havanensis</i>	1853, 83	<i>Anguinaria obtusa</i>	1860, 414
<i>hermannii</i>	1853, 89	<i>Anguinaria obtusa</i>	1860, 403
<i>irroratus</i>	1853, 83	<i>Anguinaria obtusa</i>	1860, 414
<i>jani</i>	1853, 83	<i>Anguinaria obtusa</i>	1860, 174
<i>lacustris</i>	1853, 88	<i>Anguinaria obtusa</i>	1860, 416
<i>luteolus</i>	1853, 86	<i>Anguis flagilis</i>	1860, 407
<i>marginatus</i>	1853, 83	<i>Anisocerus capucinus</i> ..	1856, 407
<i>matheronii</i>	1853, 89	<i>Anisocerus capucinus</i> ..	1856, 407
<i>meridionalis</i>	1853, 86	<i>Anisocerus capucinus</i> ..	1856, 407
<i>moquinianus</i>	1853, 89	<i>Anisognathus igniventris</i> ..	1856, 242
<i>moreleti</i>	1853, 83	<i>Anisognathus igniventris</i> ..	1856, 157
<i>moriciandii</i>	1853, 84	<i>Anisognathus igniventris</i> ..	1856, 242
<i>navicula</i>	1853, 84	<i>Anisognathus igniventris</i> ..	1857, 287
<i>nuttalli</i>	1853, 89	<i>Annella reticulata</i>	1859, 483
<i>obliquus</i>	1853, 84	<i>Annella reticulata</i>	1859, 202
<i>oblongus</i>	1853, 83	<i>Anodon cicoma</i>	1856, 218
<i>oblongus</i>	1853, 89	<i>Anodon cicoma</i>	1856, 218
<i>obscurus</i>	1853, 84	<i>Anodon cicoma</i>	1856, 218
<i>obtus</i>	1853, 84	<i>Anodon cicoma</i>	1856, 218
<i>orbignyanus</i>	1853, 84	<i>Anodon cicoma</i>	1856, 218
<i>parallelus</i>	1853, 84	<i>Anodon cicoma</i>	1856, 218
<i>petitianus</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>pileolus</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>radiatilis</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>radiatus</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>radiolatus</i>	1853, 89	<i>Anodon cicoma</i>	1856, 218
<i>raymondii</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>recurvus</i>	1853, 83	<i>Anodon cicoma</i>	1856, 218
<i>riparius</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>rivularis</i>	1853, 85	<i>Anodon cicoma</i>	1856, 218
<i>rotundatus</i>	1853, 89	<i>Anodon cicoma</i>	1856, 218
<i>rubicola</i>	1853, 87	<i>Anodon cicoma</i>	1856, 218
<i>saulcyanus</i>	1853, 92	<i>Anodon cicoma</i>	1856, 218
<i>simplex</i>	1853, 86	<i>Anodon cicoma</i>	1856, 218
<i>sinuosus</i>	1853, 87	<i>Anodon cicoma</i>	1856, 218
<i>spina-rosæ</i>	1853, 82	<i>Anodon cicoma</i>	1856, 218
<i>stagnalis</i>	1853, 89	<i>Anodon cicoma</i>	1856, 218
<i>striatus</i>	1853, 88	<i>Anodon cicoma</i>	1856, 218
<i>strictus</i>	1853, 88	<i>Anodon cicoma</i>	1856, 218
<i>strigatus</i>	1853, 88	<i>Anodon cicoma</i>	1856, 218
<i>tardus</i>	1853, 88	<i>Anodon cicoma</i>	1856, 218
<i>thermalis</i>	1853, 87	<i>Anodon cicoma</i>	1856, 218

	Page		Page
<i>Anomala insignis</i>	1854, 20	<i>Anomia striatula</i>	1849, { 115
<i>isocardioides</i>	1854, 22		118
<i>maritima</i>	1854, 345	<i>sulcata</i>	1849, 114
<i>nitidula</i>	1854, 21	<i>tenuistriata</i>	1849, 118
<i>notabilis</i>	1854, 21	<i>undulata</i>	1849, 122
<i>Anomalurus beecrofti</i> ..	1852, 17	<i>violacea</i>	1849, 114
<i>fraserii</i>	1852, 16	<i>Anoplosthaeta jardinei</i> ..	1858, 405
<i>pelu</i>	1852, 17	<i>Anorrhinus galeritus</i> ..	1850, 450
<i>Anomia achæus</i>	1849, 116	<i>Anostoma carinatum</i> ..	1853, 57
<i>acontes</i>	1849, 116	<i>Anoura geoffroyi</i>	1858, 547
<i>aculeata</i>	1849, 115		1858, 509
<i>adamas</i>	1849, 117	<i>Anser albifrons</i>	{ 1860, 340
<i>æmigmatica</i> ..	1849, 118	<i>cygnoides</i>	1859, 435
<i>alectus</i>	1849, 117	<i>ferus</i>	1859, 189
<i>amabæus</i>	1849, 115	<i>finmarchicus</i>	1860, 341
<i>aspera</i>	1849, 115	<i>gambensis</i>	1860, 41
<i>belesis</i>	1849, 116	<i>leucopsus</i>	1860, 341
<i>bifida</i>	1849, 115	<i>minutus</i>	1860, 341
<i>cepa</i>	1849, 114		{ 1851, 146
<i>coronata</i>	1849, 115	<i>segetum</i>	{ 1857, 215
<i>costata</i>	1849, 114		{ 1859, 477
<i>cucullata</i>	1849, 115		{ 1860, 340
<i>cylindrica</i>	1849, 115	<i>temminckii</i>	1860, 341
<i>cymbiformis</i>	1849, 115	<i>Antechinus maculatus</i> ..	1851, 284
<i>cytæum</i>	1849, 115	<i>minutissimus</i>	1851, 284
<i>dryas</i> ..	1849, 115		{ 1858, 148
<i>electrica</i> ..	1849, 114	<i>Anthea cereus</i>	{ 1859, 434
<i>elegans</i>	1849, 115	<i>Antherea assama</i>	1859, 258
<i>elyros</i>	1849, 118	<i>frithi</i>	1859, 256
<i>ephippium</i>	1849, { 114	<i>helferi</i>	1859, 257
	{ 118	<i>jana</i>	1859, 256
<i>fidenas</i>	1849, 116	<i>katinka</i>	1859, 260
<i>formicata</i>	1849, 115	<i>larissa</i>	1859, 258
<i>hamillus</i>	1849, 117	<i>lola</i>	1859, 246
<i>lampe</i>	1849, 117	<i>mylitta</i>	1859, 247
<i>larbas</i>	1849, 117	<i>paphia</i>	1859, 247
<i>lens</i> ..	1849, 115	<i>pernyi</i>	1859, 255
<i>macrochisma</i>	1849, 121	<i>perrotteta</i>	1859, 257
<i>margaritacea</i> ..	1849, 114	<i>royli</i>	1859, 256
<i>membranacea</i> ..	1849, 115	<i>simla</i> ..	1859, 257
<i>naviformis</i>	1849, 118	<i>thibeta</i>	1859, 260
<i>pacilus</i>	1849, 117	<i>zuleika</i> ..	1859, 245
<i>patellaris</i> ..	1849, 115	<i>Anthus buphthalmos</i> ..	1849, 145
<i>patelliformis</i>	1849, { 115	<i>gibbiceps</i>	1849, 145
	{ 122	<i>Anthochaera senex</i> ..	1860, 349
<i>pectiniformis</i> ..	1849, 114	<i>Anthothreptes malaccen-</i>	
<i>plicata</i> ..	1849, 114	<i>sis</i> ..	1859, 461
<i>polymorpha</i> ..	1849, 114	<i>Anthreptes flavigaster</i> ..	1859, 460
<i>punctata</i>	1849, 115	<i>hypogrammica</i> ..	1859, 461
<i>pyriformis</i> ..	1849, 115	<i>macularia</i> ..	1859, 461
<i>radiata</i> ..	1849, 114	<i>malaccensis</i>	1859, { 151
<i>rosea</i> ..	1849, 118		{ 461
<i>scabra</i>	1849, 115	<i>modesta</i>	1859, 460
<i>scabrella</i> ..	1849, 114	<i>nuchalis</i>	1859, 461
<i>sella</i> ..	1848, 114	<i>phænicotis</i>	1859, 463
<i>squama</i>	1849, 122	<i>Anthropoides virgo</i> ..	{ 1855, 34
<i>squamula</i>	1849, 115		{ 1859, 436
<i>striata</i>	1849, 122	<i>Anthus agilis</i>	1858, 485

	Page		Page
<i>Anthus aquaticus</i>	1860, 417	<i>Antilope caama</i>	{ 1850, 132
<i>arboreus</i>	{ 1857, 13		{ 1850, 139
	1860, 350	<i>campestris</i>	{ 1860, 182
<i>bogotensis</i>	{ 1855, 109	<i>capreolus</i>	{ 1850, 118
	1855, 144		{ 1850, 126
	1858, 550	<i>cervicapra</i>	{ 1850, 135
<i>correndera</i>	{ 1859, 95		{ 1850, 167
	1860, 384	<i>chicara</i>	{ 1850, 117
<i>euonyx</i>	{ 1854, 285	<i>chickara</i>	{ 1850, 117
<i>gouldii</i>	{ 1860, 110	<i>chiru</i>	{ 1850, 112
	1856, 293	<i>christii</i>	{ 1850, 116
<i>ludovicianus</i>	{ 1857, 126	<i>cinerea</i>	{ 1850, 127
	1854, 285	<i>coerulea</i>	{ 1850, 124
<i>malayensis</i>	{ 1859, 150	<i>colus</i>	{ 1850, 112
	1851, 142		{ 1850, 167
<i>pratensis</i>	{ 1859, 151	<i>cora</i>	{ 1850, 112
	1859, 150	<i>corrugum</i>	{ 1850, 140
<i>richardii</i>	{ 1859, 151	<i>crispa</i>	{ 1850, 136
	1858, 550	<i>cuvieri</i>	{ 1850, 113
<i>rufescens</i>	{ 1854, 285	<i>dama</i>	{ 1850, 114
	1858, 485	<i>dammah</i>	{ 1850, 134
<i>rufulus</i>	{ 1859, 151	<i>decula</i>	{ 1850, 145
	1858, 485	<i>defassa</i>	{ 1850, 131
<i>trivialis</i>	{ 1850, 116		{ 1850, 141
<i>Antidorcas euchore</i>	{ 1850, 137		{ 1849, 94
<i>Antilocapra americana</i> .	{ 1855, 10		{ 1850, 112
<i>anteflexa</i>	{ 1855, 10	<i>dorcas</i>	{ 1850, 113
	1850, 135		{ 1850, 140
<i>Antilope addax</i>	{ 1860, 183		{ 1850, 141
	1850, 129	<i>doria</i> ...	{ 1850, 142
<i>adenota</i>	{ 1850, 167	<i>dorsata</i>	{ 1850, 116
<i>albifrons</i>	{ 1850, 141	<i>durvancellii</i>	{ 1850, 136
<i>albipes</i>	{ 1850, 146		{ 1850, 127
<i>algazella</i>	{ 1850, 134	<i>eleotragus</i>	{ 1850, 134
<i>americana</i>	{ 1850, 136	<i>ellipsiprymnus</i>	{ 1850, 131
	1850, 137	<i>ensicornis</i>	{ 1850, 134
<i>andra</i>	{ 1850, 114	<i>euchore</i>	{ 1850, 116
	1850, 115		{ 1848, 88
<i>annulipes</i>	{ 1850, 129	<i>euryceros</i>	{ 1850, 144
<i>arabica</i>	{ 1850, 113		{ 1850, 130
<i>arundinacea</i>	{ 1850, 127	<i>forfex</i> ..	{ 1850, 167
<i>aurita</i>	{ 1850, 132		{ 1850, 124
	1850, 132	<i>frederici</i>	{ 1850, 118
<i>barbata</i> ..	{ 1850, 133	<i>fulvo-rubescens</i>	{ 1850, 137
<i>beisa</i>	{ 1850, 134	<i>furcifer</i>	{ 1850, 112
<i>bennettii</i> ..	{ 1850, 116	<i>gazella</i>	{ 1850, 135
	1850, 168	<i>gibbosa</i>	{ 1850, 132
	1850, 117	<i>glauca</i>	{ 1850, 138
<i>bezoartica</i>	{ 1850, 134	<i>gnu</i>	{ 1850, 136
	1858, 522	<i>goral</i>	{ 1856, 403
<i>bharatensis</i>	{ 1850, 116	<i>gorgon</i>	{ 1850, 139
<i>bilineata</i>	{ 1850, 117	<i>goural</i>	{ 1850, 120
<i>bohor</i>	{ 1850, 128		{ 1850, 124
	1850, 135	<i>grimmia</i>	{ 1850, 118
<i>bubalina</i>	{ 1856, 403	<i>grisea</i>	{ 1850, 115
	1860, 183	<i>gutturosa</i>	{ 1850, 167
<i>bubalis</i> ..	{ 1850, 139		
<i>burchellii</i>	{ 1850, 120		

	Page		Page
<i>Antilope harrissii</i>	1850, 133	<i>Antilope osanne</i>	1850, 132
<i>hazenna</i>	1850, 116	<i>ourebi</i>	1850, 119
<i>hemprichianus</i>	1850, 120	<i>pallida</i>	1850, 118
<i>hemprichii</i>	1850, 120	<i>palmata</i> ..	1850, 137
<i>hodgsonii</i>	{ 1850, 112	<i>pediotragus</i>	1850, 118
1856, 403		<i>perpusilla</i>	1850, 124
<i>ibex</i>	1850, 116	<i>persica</i>	1850, 113
<i>interscapularis</i>	1850, 135	<i>personata</i>	1850, 141
<i>iridis</i>	1850, 113	<i>philantomba</i> ..	1850, 124
<i>isabellina</i>	1850, { 127	<i>picta</i>	1850, 146
128		<i>platous</i>	1850, 120
<i>kemas</i>	1850, { 112	<i>ptoox</i>	1850, 120
168		<i>pygarga</i>	1850, { 116
<i>kob</i>	1850, 129	141	
<i>koba</i>	1850, { 131	<i>pygargus</i>	1850, 132
140		<i>pygmaea</i>	1850, { 124
141		126	
<i>laevipes</i>	1850, 115	<i>quadricornis</i>	1850, 117
<i>lalandiana</i>	1850, 127	<i>recticornis</i>	1850, 134
<i>lalandi</i>	1850, 127	<i>redunca</i>	1850, { 127
<i>lanata</i>	1850, 126	128	
<i>lanigera</i>	1850, 137	<i>regia</i>	1850, 126
<i>leptoceros</i>	1850, 118	<i>reversa</i>	1850, 128
<i>leucophaeus</i>	1850, 133	<i>rubra</i>	1850, 114
<i>leucopus</i>	1850, 146	<i>rubro-albescens</i> ..	1850, 118
{ 1849, 94		<i>rufa</i>	1850, 128
1850, 134		<i>rufescens</i>	1850, 113
<i>leucoryx</i>	{ 1860, 182	<i>ruficollis</i>	1850, 114
1860, 190		<i>rupestris</i>	1850, 118
<i>leucotis</i>	1860, 193	<i>rupicapra</i>	1850, 137
<i>lunata</i>	1850, 140	<i>saiga</i>	1850, 112
<i>maculata</i>	1850, 145	<i>saliens</i>	1850, 116
<i>madoqua</i>	1850, 122	<i>saltatrix</i>	1850, { 116
<i>marsupialis</i>	1850, 116	119	
<i>maxwelli</i>	1850, 124	<i>saltiana</i>	1850, 120
<i>mazama</i>	1850, 137	<i>scoparius</i>	1850, { 119
<i>melampus</i>	1850, { 116	168	
167		<i>scripta</i>	1850, 145
<i>melanotis</i>	1850, 118	{ 132	
<i>melanura</i>	1850, 119	<i>senegalensis</i>	1850, { 140
120		141	
<i>mergens</i>	1850, { 121	<i>sing-sing</i>	1850, { 129
114		131	
<i>mohr</i>	1850, 114	<i>soemmeringii</i>	1850, 114
<i>montanus</i>	1850, 119	<i>spiniger</i>	1850, 126
<i>monticola</i>	1850, 124	<i>straticollis</i>	1850, 117
<i>mytilopus</i>	1850, 135	<i>subgutturosa</i>	1850, 113
<i>nasomaculata</i>	1849, 94	<i>subquadricornutus</i> ..	1850, 117
<i>nasomaculatus</i>	1850, 135	<i>sumatrensis</i>	1850, 135
<i>natalensis</i>	1850, 123	<i>suturosa</i>	1850, 135
<i>nictitans</i>	1850, { 120	<i>sylvatica</i>	1850, 146
121		<i>sylvicultrix</i>	1850, 122
123		<i>tao</i>	1850, 135
<i>niger</i>	1850, { 133	<i>taurina</i>	1850, 138
123		<i>tetracornis</i>	1850, 117
<i>ogilbii</i>	1850, 123	<i>thar</i>	1850, 135
<i>oreas</i>	1850, 143	<i>tragocamelus</i>	1850, 146
<i>oreotragus</i>	1850, 119	<i>tragulus</i>	1850, 118
{ 134			
<i>oryx</i>	1850, { 143		

	Page		Page
<i>Antilope truteri</i>	1850, 132	<i>Aphantochroa gularis</i> ..	1860, 310
<i>unctuosa</i>	1850, 131	<i>Aphelia apollinaris</i> ..	1849, 61
<i>villosa</i>	1850, 126	<i>Aphruza virgata</i>	1850, 236
<i>zebra</i>	1850, 142	<i>Aphrocallistes beatrix</i> ..	1858, 115
<i>zebrata</i>	1850, 142	<i>Aphroceras albicornis</i> ..	1858, 114
(<i>Mazama</i>) <i>temma-</i>		<i>Aphrodita aculeata</i>	1856, 105
<i>mazama</i>	1850, 242	<i>Apistes panduatus</i>	1850, 58
(<i>Tragelaphus</i>) <i>phale-</i>		<i>Aploactis aspera</i>	1850, 60
<i>iata</i>	1850, 145	<i>milesii</i>	1850, 60
(—) <i>scripta</i> ..	1850, 145	<i>Aplocerus americanus</i> ..	1850, 174
<i>Antiope cristata</i>	1850, 68	<i>femmamazama</i> ..	1850, 137
<i>Antipathes apies</i>	1857, 292	<i>Aplocennia bispecularis</i> ..	1858, 401
<i>alopcuroides</i> ..	1857, 294	<i>Aplois atrorhynchus</i> ..	1859, 164
<i>anguina</i>	1857, 291	<i>brevirostris</i>	1859, 163
<i>arbonea</i>	1857, 294	<i>cassini</i>	1850, 163
<i>atlantica</i>	1857, 291	<i>fusca</i>	1859, 163
<i>boschi</i>	1857, 290	<i>marginatus</i>	1859, 163
<i>clathrata</i>	1857, 290	<i>nigroviridis</i> ..	1859, 163
<i>compressa</i>	1857, 292	<i>obscura</i>	1859, 163
<i>corticula</i>	1857, 293	<i>striata</i>	1850, 163
<i>cupressina</i>	1857, 292	<i>tabuensis</i>	1859, 163
<i>cupressus</i>	1857, 292	<i>viridigrisea</i>	1859, 164
<i>dichotoma</i>	1857, 113	<i>zealandica</i>	1859, 163
<i>ericoides</i>	1857, 294	<i>Aplysia depilans</i>	1850, 45
<i>fiabellum</i>	1857, 294	<i>Aporthais pes-pellicani</i> ..	1858, 41
<i>fœniculacea</i>	1857, 290	<i>Aprosinctus dorsalis</i> ..	1860, 227
<i>fruticosa</i>	1857, 291	<i>erythropterus</i>	1857, 27
<i>furcata</i>	1857, 291	<i>hypophonius</i>	1860, 221
<i>glaberrima</i>	1857, 290	<i>vulneratus</i>	1860, 226
<i>gracilis</i>	1857, 291	<i>Aptenodytes chrysocome</i> ..	1860, 390
<i>hirta</i>	1857, 293	<i>magellanicus</i>	1860, 390
<i>lacerata</i>	1857, 293	<i>papua</i>	1860, 390
<i>laux</i>	1857, 292	<i>patachonica</i>	1860, 390
<i>lingulata</i>	1857, 290	<i>pennantii</i>	1859, 98
<i>mimosella</i>	1857, 292	<i>apteronotus albifrons</i> ..	1853, 75
<i>myriophyllum</i> ..	1857, 292	<i>Apteryx australis</i>	1850, 211
<i>paniculata</i>	1857, 294	<i>mantellii</i>	1850, 275
<i>pectinata</i>	1857, 293	<i>owenii</i>	1850, 211
<i>pedata</i>	1857, 291	<i>Apus cancriformis</i>	1852, 3
<i>pinnacea</i>	1857, 293	<i>domingensis</i>	1852, 5
<i>pinnatifida</i>	1857, 292	<i>guldinii</i>	1852, 3
<i>pluma</i>	1857, 291	<i>longicaudatus</i>	1852, 4
<i>pyramidata</i>	1857, 293	<i>obtusius</i>	1852, 4
<i>reticulata</i>	1857, 291	<i>pisciformis</i>	1852, 19
<i>scoparia</i>	1857, 293	<i>Aquila audax</i>	1850, 91
<i>spinescens</i>	1857, 292	<i>bifasciata</i>	1858, 470
<i>spiralis</i>	1857, 114	<i>bonelli</i>	1859, 435
<i>subpinnata</i>	1857, 293	<i>canadensis</i>	1860, 416
<i>triquetra</i>	1857, 294	<i>chrysaetos</i>	1855, 128
<i>ulex</i>	1857, 292		1858, 470
<i>wollastonii</i>	1857, 293		1860, 371
<i>Antrostomus macromy-</i>			
<i>stax</i>	1858, 296		
<i>vociferus</i>	1859, 367		
<i>Aonyx sikimensis</i>	1856, 399		

	Page		Page
<i>Aquila fusca</i>	1854, 3	<i>Arctocephalus galliespui</i> .	1859, 110
<i>imperialis</i>	1855, 128		358
	1857, 85	<i>hookeri</i>	1859, 109
	1860, 416		360
<i>malayensis</i>	1858, 471		110
	1859, 170	<i>lobatus</i>	1859, 358
	1859, 215		360
<i>nævia</i>	1854, 3	<i>monteriensis</i>	1859, 358
	1858, 470		109
<i>nævioides</i>	1860, 415	<i>nigrescens</i>	1859, 358
	417		360
<i>pennata</i>	1850, 215		103
(<i>Heteropus</i>) <i>gurneyi</i>	1860, 342	<i>usinus</i>	1859, 358
	1857, 266		359
<i>Ara aracanga</i>	1859, 59	<i>Arctomys bobac</i>	1858, 521
	1859, 435	<i>tibetanus</i>	1856, 403
<i>ararauna</i>	1859, 433		1858, 521
<i>chloroptera</i>	1850, 433	<i>Arctonetta fischeri</i>	1855, 212
<i>glauca</i>	1860, 372	<i>Arctonyx collaris</i>	1856, 398
	1857, 230	<i>isonyx</i>	1856, 398
<i>militaris</i>	1858, 76	<i>Arctopithecus blainvillei</i>	1849, 71
	1860, 372		73
<i>pachyrhyncha</i>	1859, 368	<i>blainvillii</i>	1851, 208
	1857, 266	<i>flaccidus</i>	1849, 72
<i>severa</i>	1860, 242		1849, 70
	1860, 371	<i>gularis</i>	1851, 208
<i>Arachnoides antipodarum</i>	1851, 126		1849, 71
<i>Arachnographis flavigaster</i>	1859, 460	<i>marmoratus</i>	1851, 208
<i>Arachnothera chryso-</i>		<i>problematicus</i>	1849, 73
<i>genys</i>	1859, 460	<i>Ardea affinis</i>	1850, 221
<i>flavigastra</i>	1859, 460	<i>alba</i>	1860, 363
<i>flavigenys</i>	1859, 460	<i>albolineata</i>	1859, 166
<i>latirostris</i>	1859, 460	<i>aruensis</i>	1858, 188
<i>modesta</i>	1859, 460	<i>bicolor</i>	1850, 221
<i>novæ-guinææ</i>	1858, 173	<i>bubulcus</i>	1850, 221
	1856, 143	<i>caboga</i>	1850, 221
<i>Aramides cayennensis</i> .	1857, 206		1855, 70
	1859, 64	<i>caledonica</i>	1859, 166
	1859, 393		1860, 364
	1857, 236	<i>chloriceps</i>	1860, 364
<i>Aramus scolopaceus</i> .	1859, 64		1851, 146
	1860, 290		1855, 35
<i>Aibelorhina cærebicolor</i>	1854, 252		1857, 215
<i>Arboricola torquæola</i> .	1858, 503	<i>cinerea</i>	1858, 508
<i>Arca granosa</i>	1860, 17		1859, 188
<i>nodifera</i>	1860, 17		1859, 435
<i>semitorta</i>	1858, 91		1860, 372
<i>tortuosa</i>	1858, 91	<i>comata</i>	1858, 508
<i>Archiplanus leucorham-</i>		<i>coromandelensis</i>	1850, 221
<i>phus</i>	1855, 153	<i>coromandelica</i>	1860, 363
<i>Arctibeus leucomus</i> . . .	1848, 57	<i>ferruginea</i>	1859, 166
<i>hium</i>	1860, 212	<i>flavicollis</i>	1860, 364
<i>peispicillatus</i>	1860, 260	<i>golhath</i>	1849, 106
<i>pusillus</i>	1860, 260	<i>javanica</i>	1860, 364
	107	<i>jugularis</i>	1859, 166
<i>Arctocephalus delalandi</i>	1859, 358	<i>leucophæa</i>	1848, 58
	360		

	Page		Page
<i>Ardea lucida</i>	1850, 221	<i>Arremon assimilis</i>	1856, 85
<i>minuta</i>	1851, 146	<i>atripileus</i>	1856, 91
<i>nigra</i>	1859, 188	<i>aurantiostotis</i>	1854, 114
<i>nycticorax</i>	1860, 364	1856, 83
.....	1851, 146	1859, 377
<i>purpurea</i>	1855, 71	<i>axillaris</i>	1854, 97
<i>robusta</i>	1851, 146	1855, 154
<i>ruficapilla</i>	1860, 363	1856, 82
.....	1850, 221	1855, 154
<i>russata</i>	1850, 221	<i>conirostris</i>	1856, 143
.....	1851, 146	1860, 275
.....	1860, 363	<i>devillii</i>	1856, 81
<i>scapularis</i>	1860, 364	<i>d'orbignii</i>	1856, 81
<i>sparrmannii</i>	1859, 166	1855, 83
<i>stellaris</i>	1851, 146	1855, 154
<i>symmatophorus</i>	1860, 363	<i>erythrorhynchus</i> ..	1856, 83
<i>typhon</i>	1860, 363	1860, 85
<i>verrani</i>	1850, 221	1860, 274
<i>virgo</i>	1858, 507	1860, 293
(<i>Ardeola</i>) <i>coromanda</i> ..	1850, 221	<i>flavipectus</i>	1856, 90
(—) <i>russata</i>	1860, 363	<i>flavirostris</i>	1856, 81
(<i>Ardetta</i>) <i>flavicollis</i> ..	1860, 364	<i>frontalis</i>	1856, 86
(<i>Butorides</i>) <i>viridiceps</i>	1860, 364	<i>giganteus</i>	1856, 69
(<i>Egretta</i>) <i>alba</i>	1860, 363	<i>gutturals</i>	1856, 86
<i>Ardeola bubulcus</i>	1860, 197	<i>leucopterus</i>	1856, 87
<i>coromanda</i>	1850, 221	<i>mystacalis</i>	1855, 155
<i>Ardetta cinnamomea</i> ..	1859, 150	1856, 88
.....	1859, 150	1855, 155
<i>flavicollis</i>	1859, 151	<i>ophthalmicus</i>	1856, 89
.....	1860, 364	<i>pallidinucha</i>	1856, 87
<i>javanica</i>	1848, 40	<i>palmarum</i>	1856, 84
<i>macrorhyncha</i>	1848, 39	<i>personatus</i>	1856, 89
.....	1858, 508	<i>polonotus</i>	1856, 81
<i>minuta</i>	1860, 372	<i>rubrirostris</i>	1856, 92
.....	150	<i>rufinucha</i>	1856, 87
<i>scapularis</i>	1859, 151	1855, 157
<i>Areopagia siamensis</i> ..	1860, 18	<i>rufivertex</i>	1856, 242
<i>Argala javanica</i>	1860, 364	1856, 259
<i>Arges brachycephalus</i> ..	1859, 92	<i>schistaceus</i>	1856, 88
<i>Argiope cistellula</i>	1852, 81	<i>schlegelii</i>	1856, 83
<i>cuneata</i>	1852, 81	<i>semirufus</i>	1856, 88
<i>decollata</i>	1852, 81	<i>semitorquata</i>	1854, 97
<i>forbesii</i>	1852, 81	<i>semitorquatus</i>	1856, 82
<i>neapolitana</i>	1852, 81	<i>silens</i>	1856, 80
<i>Argobuccinum nodosum</i> ..	1856, 209	1854, 114
<i>Argonauta cornu</i>	1850, 45	<i>spectabilis</i>	1855, 83
<i>Argyropellicus hemigymnus</i>	1850, 248	1856, 82
<i>olfersii</i>	1850, 247	1858, 72
<i>Argyrophis horsfieldii</i> ..	1860, 160	<i>superciliaris</i>	1856, 92
<i>Arion ater</i>	1854, 162	<i>taeniatus</i>	1856, 237
<i>empiricorum</i>	1854, 162	<i>torquatus</i>	1856, 80
<i>Aromochelys carinata</i> ..	1855, 199	<i>Arsenura erythrinae</i>	1849, 36
<i>odorata</i>	1855, 199	<i>Arses kaupii</i>	1850, 278
<i>Arremon abeillii</i>	1856, 82	<i>chrysomelas</i>	1858, 177
<i>affinis</i>	1856, 84	<i>telescopthalmus</i> ..	1858, 177
<i>albifrenatus</i>	1856, 88	<i>Artamus cucullatus</i>	1851, 196
		1859, 151
		<i>fuscus</i>	1860, 354

	Page		Page
<i>Artamus leucorhynchus</i>	1860, 354	<i>Aspergillum vaginiferum</i>	1858, 309
<i>melaleucus</i>	1859, 163	<i>zuluensis</i>	1858, 313
<i>papuensis</i>	1858, 179	<i>Aspidelaps lubricus</i>	1859, 88
<i>Artemia arietina</i>	1852, 27	<i>Aspidochelys livingstoni</i>	1860, { 314
<i>eulmene</i>	1852, 26		{ 316
<i>guldinigi</i>	1852, 27		{ 431
<i>koppeniana</i>	1852, 28	<i>Aspis intestinalis</i>	1859, 82
<i>milhausenii</i>	1852, 27	<i>Assiminea francisci</i>	1860, 11
<i>salina</i>	1852, 25	<i>Assiminia fasciata</i>	1856, 23
<i>Artemis guldinigi</i>	1852, 27		{ 1853, 43
<i>Arthemis saccata</i>	1856, 201	<i>grayana</i>	{ 1856, 20
<i>Arvicola amphibius</i>	1857, 241		{ 1856, 21
<i>myothrix</i>	1856, 401	<i>Asterope elliptica</i>	1860, 257
<i>Arytene tuberculatum</i>	1858, 313	<i>Astraliun calcar</i>	1851, 231
<i>Ascaris bifaria</i>	1853, 19	<i>deplanatum</i>	1851, 231
<i>boddaerti</i>	1860, 447	<i>Astropyga depressa</i>	1855, 38
<i>dugonis</i>	1859, 149	<i>Astur atricapillus</i>	1858, 1
<i>halichloris</i>	1859, 149	<i>griseogularis</i>	1860, 343
<i>laevissima</i>	1853, 19	<i>hemicogrammus</i>	1860, 343
<i>leptocephala</i>	1858, 224	<i>iogaster</i>	1860, 343
<i>lonchoptera</i>	1859, 427	<i>longicauda</i>	1859, 153
<i>obconica</i>	1860, 447	<i>novæ-hollandiæ</i>	{ 1859, 432
<i>osculata</i>	1853, 18		{ 1860, 371
<i>salvini</i>	1860, 446	<i>palumbarius</i>	{ 1855, 128
<i>similis</i>	1853, 18		{ 1858, 473
<i>Asinus hemionus</i>	{ 1856, 406	<i>unicolor</i>	1854, 259
<i>kiang</i>	{ 1858, 531	<i>Asturina albifrons</i>	1859, 368
<i>Asio brachyotus</i>	1858, 473		{ 1856, 285
<i>Aspergillum agglutinans</i>	1858, 313		{ 1857, 261
<i>annulus</i>	1858, 312	<i>magnirostris</i>	{ 1858, 451
<i>australe</i>	1858, 310		{ 1859, 52
<i>clavatum</i>	1858, 313		{ 1859, 147
<i>cumingianum</i>	1858, 310		{ 1859, 363
<i>delessertianum</i>	1858, 309		{ 1860, 288
<i>dichotomus</i>	1858, 312		{ 1857, 201
<i>gracilis</i>	1858, 313	<i>nitida</i>	{ 1857, 227
<i>incertum</i>	1858, 310		{ 1859, 363
<i>incrassatum</i>	1858, 313		{ 1859, 389
<i>javanum</i>	1858, { 308		{ 1860, 288
<i>histeri</i>	1858, { 311	<i>schistacea</i>	1858, 123
<i>novæ-hollandiæ</i>	1858, 313	<i>Asychnia modestella</i>	1854, 224
<i>novæ-zelandiæ</i>	1858, 313	<i>Atalanta peronii</i>	1850, 45
<i>ornatum</i>	1858, 313	<i>Atalapha americana</i>	1857, 35
<i>philippense</i>	1858, 313	<i>Ateles beelzebub</i>	1860, 242
<i>pulchellum</i>	1858, 311	<i>paniscus</i>	{ 1852, 107
<i>pulchrum</i>	1858, 312		{ 1856, 422
<i>radix</i>	1858, 312	<i>pentadactylus</i>	1860, { 183
<i>recluzianum</i>	1858, 313		{ 372
<i>semifimbriatum</i>	1858, 312	<i>Athene brahma</i>	{ 1857, 86
<i>sparsum</i>	1858, 312	<i>brodiei</i>	{ 1858, 474
<i>strangei</i>	{ 1852, 91		{ 1857, 86
<i>strangulatum</i>	1858, 313	<i>cuculoides</i>	{ 1858, 474
<i>tuberculatum</i>	1858, 313		{ 1859, 150
<i>vaginiferum</i>	1858, 308	<i>dominicensis</i>	1857, 231
		<i>humeralis</i>	1858, 170
		<i>hypogæa</i>	1857, 201

	Page		Page
<i>Athene hypogramma</i> ..	1860, 344	<i>Attila bolivianus</i>	1859, 41
<i>infuscata</i>	1856, 285	<i>brasiliensis</i>	1859, 41
<i>malayensis</i>	1854, 262	<i>cimereus</i>	1859, 41
<i>noctua</i>	1860, 372	<i>citreopygia</i>	1857, 228
<i>radiata</i>	1854, 262	<i>citreopygius</i>	1859, { 41 366 383
<i>rufostriata</i>	1860, 344	<i>citriniventris</i>	1859, 43
<i>squamipila</i>	1860, 344	<i>flammulatus</i>	1859, 41
<i>theomacha</i>	1858, 170	<i>rufus</i>	1859, 41
<i>undulata</i>	1854, 262	<i>spadiceus</i>	1859, 41
<i>Atherura africana</i>	1859, 432	<i>thamnophiloides</i> ..	1859, 41
<i>Athyma abiasa</i>	1858, 16	<i>torrida</i>	1860, 280
<i>asita</i>	1858, 13	<i>Attus abbreviatus</i>	1849, 5
<i>asura</i>	1858, 17	<i>cookii</i>	1849, 5
<i>bahula</i>	1858, 12	<i>darwini</i>	1849, 4
<i>cama</i>	1858, 14	<i>phrinoides</i>	1849, 5
<i>dama</i>	1858, 19	<i>Atys debilis</i>	1860, 20
<i>eurynome</i>	1858, 10	<i>elongata</i>	1860, 19
<i>gutama</i>	1858, 20	<i>semistrata</i>	1860, 20
<i>helicopis</i>	1858, 8	<i>Auchenna huamel</i>	1850, 236
<i>idita</i>	1858, 16	<i>Angasma smaragdineum</i>	1860, 305
<i>illigea</i>	1858, 19	<i>Aulacopris reichii</i> ..	1859, 118
<i>inaia</i>	1858, 13	<i>Aulacohamphus albivitta</i>	1855, 161
<i>jina</i>	1858, 18	<i>albivittatus</i>	1858, 75
<i>kanwa</i>	1858, 17	<i>caeruleogularis</i> ..	1853, 45
<i>kasa</i>	1858, 19	<i>castaneirhynchus</i> ..	1855, 161
<i>kresna</i>	1858, 12	<i>haematopygius</i>	1859, 146
<i>larymna</i>	1858, 12	<i>prasinus</i>	{ 1853, 308 1859, 368
<i>leucothoe</i>	1858, 11	<i>wagleri</i>	1859, 388
<i>mehesa</i>	1858, 15	<i>Aulapoma grande</i>	1855, 104
<i>nefte</i>	1858, 13	<i>Aulica aulica</i>	1855, 56
<i>opalina</i>	1858, 11	<i>luteostoma</i>	1855, 57
<i>pravara</i>	1858, 19	<i>marmorata</i>	1855, 64
<i>ranga</i>	1858, 15	<i>nivosa</i>	1855, 56
<i>reta</i>	1858, 12	<i>norman</i>	1855, 56
<i>sankara</i>	1858, 18	<i>piperita</i>	1855, 56
<i>selenophora</i>	1858, 14	<i>pulchella</i>	1855, 56
<i>strophia</i>	1858, 18	<i>punctata</i>	1855, 57
<i>subrata</i>	1858, 13	<i>rutala</i>	1855, 56
<i>sulpitia</i>	1858, 18	<i>scapha</i>	1855, 62
<i>venilia</i>	1858, 20	<i>vespertilio</i>	1855, 56
<i>vikasi</i>	1858, 7	<i>Aurelia aurita</i>	1859, 201
<i>Atlantes albinucha</i> ..	1856, 86	<i>Auricella carychium</i> ..	1854, 33
<i>chrysopogon</i>	1856, 86	<i>Auriculella auricula</i> ..	1855, 1
<i>pallidinucha</i>	1856, 88	<i>cerea</i>	1855, 2
<i>pileatus</i>	{ 1858, 304 1859, 380	<i>chamissoi</i>	1855, 98
<i>schistaceus</i>	1859, 88	<i>lurida</i>	1855, 206
<i>Atractaspis corpulentus</i> ..	1858, 163	<i>obelisca</i>	1855, 206
<i>Atropus undulatus</i>	1860, 316	<i>petitana</i>	1855, 1
<i>Attacus atlas</i>	1859, 265	<i>pusilla</i>	1855, 1
<i>edwardsii</i>	{ 115 266	<i>Auricula acuta</i>	1854, 33
<i>guerinii</i>	1859, 269	<i>equalis</i>	1854, 217
<i>lunula</i>	1859, 267	<i>alba</i>	1854, 36
<i>mylitta</i>	1859, 247	<i>angrostoma</i>	1854, 11
<i>ricini</i>	1859, 267	<i>angulifera</i>	1854, 31
<i>Attagis chimborazensis</i> ..	1860, 82	<i>auricella</i>	1854, 217
<i>Atticora pileata</i>	1858, 355		

	Page		Page
Babirussa	1848, 69	Basilenterus brasieri ..	1856, 292
	1849, 158		1859, 374
	1852, 131	chrysogaster	1859, 137
alfurus	1860, 442		1860, 273
	1860, 443		1855, 65
	1851, 2	chrysophrys	1857, 202
	1859, 353		1859, 374
	1860, 195	coronatus	1855, 144
Balaeniceps rex	1860, 243		1859, 137
	1860, 324		1855, 66
	1860, 377	culicivorus	1856, 292
	1860, 461		1859, 374
Balantia orientalis	1853, 104	delatrii	1855, 144
Balea dominicensis	1851, 148		1860, 250
fragilis	1854, 215	mesochrysus	1860, 251
newcombii	1852, 67	nigricapillus	1860, 74
perversa	1854, 215	nigricristatus	1859, 440
Balearica pavonina ..	1859, 433	rubrifrons	1859, 363
	1860, 183	rufifrons	1856, 291
Bananivorus affinis ..	1856, 301		1858, 299
	1859, 365	semicervinus	1860, 84
Bankivia major	1851, 171		291
nitida	1851, 172	vermivorus	1855, 144
purpurascens	1851, 171	Basilinna leucotis	1856, 287
varians	1851, 171	Basiliscus americanus ..	1860, 453
Barbastellus communis ..	1856, 395	bivittatus	1860, 85
daubentonii	1856, 395	seemannii	1860, 233
Barbatula atroflava	1859, 398	Bassaris astuta ..	1848, 81
	1859, 398	Batagur baska	1856, 182
chrysocoma	1859, 397		1856, 182
duchaillii	1859, 398	Batara cinerea ..	1858, 207
erythronotus	1859, 398		1858, 208
flavimentum	1859, 397	othello	1858, 207
flavisquamata	1859, 398	striata	1859, 197
formosa	1859, 397	Bathmidura d'orbignyi ..	1857, 77
fuliginosa	1859, 398	Bathmidurus atricapillus	1851, 48
leucolaima	1859, 399	major	1857, 78
minuta	1859, 399	marginatus	1851, 48
nana	1859, 399	melanoleucus	1857, 79
pusilla	1859, 397	minor	1851, 48
stellata	1859, 398	niger	1857, 76
subsulfurea	1858, 180	surinamus	1857, 74
Barita quoyi	1858, 150	tristis	1851, 48
	161	variegatus	1857, 77
	167	Batassa atrata	1854, 14
Barycephalus sykesii ..	1860, 170	australis	1854, 346
	171	compressa	1860, 320
	172	corbiculoides	1854, 14
	173	elongata	1860, 320
Baryphonus cyanocephalus	1857, 250	fortis	1860, 320
	255	fuscata	1860, 319
ruficapillus	1857, 253	gracilis	1860, 319
semirufus	1857, 254	humerosa	1854, 14
Basilenterus bellii ...	1855, 65	inflata	1860, 320
	1859, 374	insignis	1854, 13
bivittatus	1859, 137	lenticularis	1854, 14
brasieri	1855, 66	megadesma	1854, 14
		minor	1860, 320

	Page		Page
<i>Batissa producta</i>	1854, 13	<i>Biophorus paradisiacus</i> ..	1850, 84
<i>triquetra</i>	1854, 13	<i>Bison americanus</i>	1849, 90
<i>uniformis</i>	1860, 319	<i>europæus</i>	1848, 126
<i>Batocera hercules</i>	1858, 399	<i>poephagus</i>	1856, 405
<i>rubus</i>	1858, 399	<i>Bithynia inconspicua</i> ..	1857, 123
<i>una</i>	1858, 399	<i>orcula</i>	1857, 123
<i>Batrachia anura</i>	1858, 341	<i>stenothyroides</i> ..	1857, 123
<i>Batrachians</i>	1850, 9	<i>tentaculata</i>	1857, 123
<i>Batrachostomus auritus</i> ..	1854, 266	<i>truncata</i>	1860, 13
<i>cornutus</i>	1854, 266	<i>Bittium tricarinarum</i> ..	1860, 433
<i>javanensis</i>	1854, 266	<i>Blagrus leucogaster</i>	1854, 261
<i>psilopterus</i>	1860, 345	<i>stenozone</i>	1857, 169
<i>stellatus</i>	1854, 266	<i>blandiana</i>	1857, 198
<i>Baza jerdoni</i>	1860, 342	<i>hilliana</i>	1857, 169
<i>lophotes</i>	1857, 86	<i>jeffreysiana</i>	1857, 197
<i>reinwardtii</i>	1860, 342	<i>macgillivrayana</i> ..	1857, 169
<i>stenozone</i>	1858, 169	<i>trailliana</i>	1857, 199
<i>Bela arctica</i>	1855, 121	<i>troscheliana</i>	1857, 169
<i>Belideus ariel</i>	1858, 109	<i>Blastocerus campestris</i> ..	1850, 237
<i>flaviventris</i>	1860, 5	<i>paludosus</i>	1860, 237
<i>flaviventris</i>	1859, 212	<i>Blastotrochus nutrix</i> ..	1849, 76
<i>Berenicornis comatus</i> ..	1859, 450	<i>Blaunera gracilis</i>	1860, 145
<i>Bernicla antarctica</i> ..	1857, 128	<i>Blennius palmicornis</i> ..	1859, 432
<i>canadensis</i>	1860, 388	<i>viviparus</i>	1859, 432
<i>hutchinsoni</i>	1860, 418	<i>Blue Hawk of the Cata-</i>	
<i>indica</i>	1858, 509	<i>racts, The</i>	1851, 55
<i>inornata</i>	1857, 128	<i>Boa</i>	1853, 386
<i>inornata</i>	1858, 290	<i>constrictor</i>	1859, 212
<i>leucopsis</i>	1859, 96	<i>diviniloqua</i>	1860, 233
<i>magellanica</i>	1860, 387	<i>heroglyphica</i> ..	1860, 372
<i>melanoptera</i>	1859, 477	<i>liberensis</i>	1860, 416
<i>poliocephala</i>	1860, 183	<i>regia</i>	1858, 164
<i>sandvicensis</i>	1860, 442	<i>Boædon geometricus</i> ..	1858, 169
<i>Berniera viridis</i>	1860, 387	<i>lineatus</i>	1858, 158
<i>Bethylus leverianus</i>	1857, 128	<i>niger</i> ..	1858, 158
<i>medius</i>	1860, 242	<i>quadrivittatus</i> ..	1858, 158
<i>picatus</i>	1859, 206	<i>quadrivittatus</i> ..	1858, 158
<i>Bettongia cuniculus</i>	1858, 288	<i>unicolor</i>	1858, 159
<i>ogilbyi</i>	1856, 79	<i>Borgo</i>	1848, 27
<i>penicillata</i>	1856, 79	<i>Bolborhynchus catharina</i>	1857, 225
<i>Bhuchanga annectans</i> ..	1856, 79	<i>Boletia pileolus</i>	1855, 36
<i>Biancia nigra</i>	1856, 79	<i>Bolitoglossa mexicana</i> ..	1858, 144
<i>Bibos frontalis</i>	1856, 405	<i>rubra</i>	1858, 144
<i>Bimna bicolor</i>	1850, 13	<i>Bombinator igneus</i>	1858, 342
<i>Bingulus caudatus</i> ..	1852, 7		343
			395

	Page		Page
<i>Bombinator sildkimmen-</i>		<i>Botaurus stellaris</i>	{ 1858, 508 1859, 188
<i>sis</i>	1860, 165	<i>Bothriocephalus antar-</i>	
<i>Bombycilla garrula</i> ...	1857, 55	<i>ticus</i>	1853, 25
<i>Bombycistomus fuller-</i>		<i>Bothriophis distinctus</i> ..	1858, 160
<i>tonii</i>	1854, 266	<i>Bourciera fraseri</i>	1859, 28
<i>Bombyx alcinoe</i>	1849, 50	<i>Bourciera fulgidigula</i> .	{ 1859, 145 1860, 81
<i>argus</i>	1849, 49	<i>prunellii</i>	1857, 16
<i>atlas</i>	1859, 265	<i>torquata</i>	1857, 16
<i>caffraria</i>	1849, 50	<i>Brachycephalus ephip-</i>	
<i>certhia</i>	1849, 37	<i>pium</i>	1858, 343
<i>cynthia</i>	1859, 267	<i>Brachyceranium corpulen-</i>	
<i>cytherea</i>	1849, 44	<i>tum</i>	1858, 163
<i>dione</i>	1849, 45	<i>Brachygalba albigularis</i> .	1857, 262
<i>horsfieldi</i>	1859, 244	<i>albiventris</i>	1855, 15
<i>huttoni</i>	1859, 243	<i>inornata</i>	{ 1855, 15 1857, 16
<i>jana</i>	1859, 256	<i>melanosterna</i>	{ 1857, 262 1858, 374
<i>lugubris</i>	1859, 244	<i>Brachymerus fasciatus</i> ..	1858, 374
<i>mori</i>	1859, 237	<i>Brachyorrhos tenuiceps</i> .	1860, { 161 167 171
<i>mylitta</i>	1859, 247	<i>Brachyotus cassini</i>	1859, 390
<i>nictitans</i>	1849, 55	<i>Brachypodius melano-</i>	{ 1854, 278 1859, 160
<i>paphia</i>	1859, 247	<i>cephalus</i>	1854, 279
<i>perrotteti</i>	1859, 257	<i>tristis</i>	{ 1857, 100 1858, 475
<i>petiveri</i>	1849, 46	<i>tius</i>	1859, 174
<i>polyphemus</i> ..	1849, 45	<i>Brachypteryx acutirostris</i>	1854, 276
<i>religiosa</i>	1859, 242	<i>albogularis</i>	1854, 275
<i>spectabilis</i>	1849, 37	<i>cruralis</i>	1854, 74
<i>subnotata</i>	1859, 244	<i>nigrocapitata</i>	1854, 273
<i>tyrhea</i>	1849, 44	<i>nigrogularis</i>	1854, 276
<i>wallchii</i>	1849, 37	<i>npalensis</i>	1854, 74
<i>Bonasa sabini</i>	1859, 236	<i>scapularis</i>	1854, 75
<i>Bornia corbuloides</i>	1856, 340	<i>Brachyrhamphus mar-</i>	
<i>Borsonia bifasciata</i>	1860, 143	<i>moratus</i>	1859, 237
<i>crassicostata</i>	1860, 143	<i>Brachyurus calvus</i>	1849, 10
<i>lutea</i>	1860, 143	<i>couxii</i>	1852, 107
<i>nebulosa</i>	1860, 143	<i>macklotii</i>	1858, 175
<i>Bos amee</i>	1855, 17	<i>novæ-guinææ</i>	1858, 175
<i>connochætes</i>	1850, 138	<i>ouakari</i>	{ 1849, 8 1849, 10 1852, 107
<i>frontalis</i>	1852, 96	<i>rubicundus</i>	1852, 107
<i>gaurus</i>	1850, 157	<i>Bradybates ventricosus</i> .	1858, 138
<i>grunniens</i>	1856, 405	<i>Bradypus affinis</i>	1849, 68
<i>pegaseus</i>	1850, 139	<i>crinitus</i>	{ 1849, 67 1849, 69 1851, 207
<i>taurus</i>	{ 1848, 127 1850, 157	<i>didactylus</i>	{ 1848, 37 1849, 66 1849, { 66 68
<i>urus</i>	1848, { 16 37	<i>torquatus</i>	1849, { 66 68
<i>zebu</i>	{ 1859, 436 1860, 415 1860, 417		
<i>Boselaphus bubalis</i>	1850, 139		
<i>caama</i>	1850, 139		
<i>derbianus</i>	1850, 144		
<i>Botaurus heliosylus</i>	1859, 159		
<i>lentiginosus</i>	{ 1856, 310 1857, 127 1859, 369 1850, 221		
<i>stellaris</i>	{ 1856, 54 1857, 12		

	Page		Page
<i>Bradypus tridactylus</i> ..	1849, 68		
<i>Branchiopoda stagnalis</i> ..	1852, 19	<i>Buarremon brunneinuchus</i>	{ 1858, 303 1859, 138 1859, 304 1859, 377 1859, 441
<i>Branchipus birostratus</i> ..	1852, 24	<i>castaneiceps</i> ..	{ 1860, 86 1856, 86
<i>cafer</i> ..	1852, 21	<i>chrysopogon</i> ..	1856, 88
<i>ferox</i> ..	1852, 29	<i>fulviceps</i> ..	1856, 88
<i>lacunæ</i> ..	1852, 24	<i>gutturalis</i> ..	1856, 86
<i>melanurus</i> ..	1852, 19		{ 1856, 87 1858, 298
<i>middendorffianus</i> ..	1852, 25	<i>latinuchus</i> ..	{ 1860, 76 1860, 85 1855, 214
<i>milhanseni</i> ..	1852, 27	<i>leucopterus</i> ..	{ 1856, 87 1850, 138 1855, 155 1855, 214
<i>pisciformis</i> ..	1852, 19	<i>pallidinuchus</i> ..	{ 1856, 87 1858, 551
<i>schæfferi</i> ..	1852, 19	<i>personatus</i> ..	1856, 89
<i>spinosus</i> ..	1852, 20	<i>phæopleurus</i> ..	1856, 85
<i>stagnalis</i> ..	1852, 19	<i>rufinuchus</i> ..	{ 1856, 87 1858, 298 1855, 155 1855, 214
<i>torvicornis</i> ..	1852, 21	<i>schistaceus</i> ..	{ 1856, 88 1858, 551
<i>Breviceps gouldii</i> ..	1850, 10	<i>semirufus</i> ..	1856, 88
<i>Briareia scolopendra</i> ..	1853, 94	<i>torquatus</i> ..	1856, 84
<i>Briareum suberosum</i> ..	1850, 482	<i>virenticeps</i> ..	1856, 85
<i>Brochuna glabra</i> ..	1858, { 435 437	<i>xanthogenys</i> ..	1856, 86
<i>glabriformis</i> ..	1858, 437	<i>Bubalia albifrons</i> ..	1850, 141
<i>Brochus annulatus</i> ..	1858, { 414 423	<i>buffelus</i> ..	1850, 157
<i>arcuatus</i> ..	1858, { 414 436	<i>koba</i> ..	1850, 140
<i>glaber</i> ..	1858, 436	<i>lunata</i> ..	1850, 140
<i>glabrus</i> ..	1858, 414	<i>mauretanica</i> ..	1850, 139
<i>lævis</i> ..	1858, { 414 436	<i>pygarga</i> ..	1850, 141
<i>reticulatus</i> ..	1858, { 414 423		{ 1848, 98 1857, 86
<i>striatus</i> ..	1858, { 414 425	<i>Bubo bengalensis</i> ..	{ 1858, 473 1858, 451
<i>trachiformis</i> ..	1858, { 414 425	<i>crassirostris</i> ..	1858, 451
<i>Broderipia cumingii</i> ..	1850, 39	<i>maculosus</i> ..	1859, 435
<i>iridescent</i> ..	1850, 39	<i>maximus</i> ..	1860, 99
<i>rosea</i> ..	1850, 39	<i>nudipes</i> ..	1858, 133
<i>Brotogerys pyrrhopterus</i> ..	1860, 287	<i>orientalis</i> ..	1854, 262
<i>Brycon dentex</i> ..	1800, { 234 240	<i>poensis</i> ..	1853, 13
<i>Bryopa aperta</i> ..	1858, 314	<i>virginianus</i> ..	{ 1859, 390 1860, 253
<i>lata</i> ..	1858, 315		
<i>melitensis</i> ..	1857, 244	<i>Bubulcus coromandelensis</i> ..	1860, 363
<i>Buarremon albifrenatus</i> ..	{ 1855, 155 1856, 88 1855, 155 1856, 86	<i>Buccanodon duchailui</i> ..	1859, 397
<i>albinuchus</i> ..	{ 1857, 205 1859, 364 1859, 377 1855, 155	<i>Buccinum</i> ..	1851, 109
		<i>abbreviatum</i> ..	1851, 113
<i>assimilis</i> ..	{ 1856, 85 1859, 441 1860, 76	<i>acicula</i> ..	1859, 316
<i>brunneinuchus</i> ..	{ 1856, 85 1856, 302 1858, 72	<i>aciculatum</i> ..	{ 1859, 275 299
		<i>acus</i> ..	1859, 316

	Page		Page
<i>Buccinum aethiops</i>	1859, 182	<i>Buccinum graniferum</i>	1851, 101
<i>albescens</i>	1851, 96	<i>gruneri</i>	1851, 96
<i>allium</i>	1859, 489	<i>hastatum</i>	1859, 282
<i>ambiguum</i>	1851, 101	<i>hecticum</i>	1859, 318
<i>angulatum</i>	1851, 104	<i>hirtum</i>	1851, 103
<i>antillarum</i>	1851, 95	<i>horridum</i>	1851, 101
<i>arabicum</i>	1855, 58	<i>incrassatum</i>	1851, 111
<i>arcularia</i>	1851, 94	<i>isabellae</i>	1851, 95
<i>ascanias</i>	1851, 111	<i>jacksonianum</i>	1851, 103
<i>asperulum</i>	1851, 111	<i>jonasii</i>	1851, 96
<i>asperum</i>	1859, 316	<i>lacepedii</i>	1851, 111
<i>bifasciatum</i>	1859, 290	<i>lanceatum</i>	1859, 283
<i>bronni</i>	1851, 104	<i>letum</i>	1851, 104
<i>canaliculatum</i>	{ 1851, 106 1859, 316	<i>livescens</i>	1851, 95
<i>caperatum</i>	1851, 96	<i>lividulum</i>	1859, 318
<i>chalybeum</i>	1859, 317	<i>luteostoma</i>	1851, 95
<i>chinense</i>	1859, 491	<i>lyratum</i>	1850, 205
<i>cinereum</i>	1859, 291	<i>macula</i>	1851, 111
<i>clathratum</i>	1851, 101	<i>maculatum</i>	1859, 280
<i>coccinella</i>	1851, 111	<i>margaritifera</i>	1851, 96
<i>commaculatum</i>	1859, { 309 317	<i>marginulatum</i>	1851, 94
<i>concinnum</i>	{ 1850, 205 1859, 287	<i>miga</i>	1851, 109
<i>coronatum</i>	1851, 94	<i>minutum</i>	1851, 111
<i>corrugatum</i>	1851, 104	<i>monile</i>	{ 1851, 103 1859, 319
<i>costatum</i>	1854, 313	<i>mucronotum</i>	1859, 319
<i>costulatum</i>	1851, 104	<i>multigranum</i>	1851, 112
<i>crassum</i>	1851, 96	<i>muricatum</i>	1851, 101
<i>crenulatum</i>	{ 1851, 103 1859, 276	<i>muricatum</i>	1859, 319
<i>cuspidatum</i>	1859, 317	<i>murinum</i>	1859, 319
<i>cuvieri</i>	1851, 104	<i>mutabile</i>	1851, 94
<i>decussatum</i>	1851, 111	<i>nassoides</i>	1851, 103
<i>digitellum</i>	1859, 317	<i>niveum</i>	{ 1859, 290 319
<i>dimidiatum</i>	1859, 281	<i>nodiferum</i>	1851, 95
<i>dolium</i>	1859, 491	<i>noduliferum</i>	1851, 109
<i>duplicatum</i>	1859, 292	<i>nucleolus</i>	1851, 109
<i>echinophora</i>	1851, 229	<i>obliquephcatum</i>	1851, 112
<i>edentulum</i>	1859, 290	<i>obliquum</i>	1859, 319
<i>elegans</i>	1851, 104	<i>olearium</i>	1859, 488
<i>elongatum</i>	1859, 280	<i>olivaceum</i>	1851, 106
<i>erinaceum</i>	1851, 229	<i>ornatum</i>	1851, 106
<i>fasciatum</i>	1851, 111	<i>papillosum</i>	1851, 103
<i>fasciolatum</i>	1859, 317	<i>pauperatum</i>	1851, 95
<i>felinum</i>	1859, 281	<i>perdix</i>	1859, 492
<i>ferussacii</i>	1851, 104	<i>pertusum</i>	1859, 298
<i>flummeum</i>	1859, 318	<i>phallus</i>	1859, 319
<i>fluviale</i>	1859, 318	<i>pictum</i>	1851, 104
<i>galea</i>	1859, 487	<i>plumbeum</i>	1853, 182
<i>geminum</i>	1859, 318	<i>polygonatum</i>	1851, 94
<i>gemma</i>	1851, 96	<i>poulsoni</i>	1856, 227
<i>gemmulatum</i>	1851, 95	<i>pugio</i>	1859, 319
<i>gibbosulum</i>	1851, 101	<i>pullus</i>	1851, 94
<i>glans</i>	1851, 104	<i>punctulatum</i>	1859, 320
<i>glaucum</i>	1851, 229	<i>pyrostoma</i>	1850, 153
<i>grana</i>	1850, 205	<i>radiatum</i>	1859, 320
		<i>reevianum</i>	1851, 105
		<i>retusum</i>	1851, 113

	Page		Page
Buccinum roissyi	1851, 109	Bucco hyperrhynchus .	{ 1855, 196
rudis	1851, 111		{ 1858, 60
rufulum	1851, 104	indicus	1859, 454
scalariforme	1851, 109	lanceolatus	1855, 196
semigranosum	1851, 96	leucocrissus	1860, 284
senticosum	1850, 153	leuconotus	1850, 395
sepimentum	1853, 182	levallantii	1859, 395
signatum	1851, 112		{ 1855, 136
splendidulum	1851, 96		{ 1855, 193
stolatum	1851, 103	macroductylus ..	{ 1857, 261
strigilatum	1859, { 287		{ 1858, 60
	{ 291		{ 1854, 110
sturni	1851, 95	macrorhynchus .	{ 1855, 193
subdiaphanum	1851, 103		{ 1855, 196
subspinosum	1851, 101	maculatus ..	1855, 196
subulatum	1859, 307	margaritatus	1859, 399
succinctum	1859, 320	mystacophanes ..	1859, 454
sulcosum	1859, 489	nanus	1859, 399
suturale	1851, 104	niger	1859, 395
tessellatum	1859, 492		{ 1855, 196
thersites	1851, 102	ordi	{ 1857, 202
tiarula	1851, 94	parvus	1859, 399
tigrinum	1859, 281	pectoralis ..	1855, 196
tritoniformis	1851, 111	personatus	1859, 395
tuberculatum	1859, 320		{ 194
unicolor	1851, 106	picatus ..	{ 1855, 196
variabile	1851, 103		{ 1855, 194
	{ 276	pulmentum	{ 1855, 196
varicosum	1859, { 321		{ 1857, 262
venustum	1851, 95	pusillus	1859, 399
vibex	1851, 101	quadricolor	1859, 454
virgineum	1859, 321		{ 1853, 122
zonale	1851, 103	radiatus ..	{ 1855, 136
Bucco atroflavus	1859, 398		{ 1855, 196
aurovirens	1857, 268	rafflesii	1859, 454
australis	1859, 455	rubecula ..	1853, 124
barbatula	1859, 399	ruficollis	1855, 196
bicinctus	1855, 196	rufifrons	1859, 395
calvus	1859, 397	scolopaceus	1859, 397
cayennensis	1857, 234	striatipectus	{ 1853, 123
chacuru	1855, 196		{ 1855, 196
chrysopogon ..	1859, 454	subsulfureus ...	1859, 398
chrysopterus ..	1859, 399	subtectus ..	1860, 296
chrysozomicus ..	1859, 399	swannsonii	1855, 196
	{ 1854, 110	tamatia	1855, { 194
collaris	{ 1855, 196		{ 196
cyanotis	1859, 455	tectus ..	1855, 196
dubius	1859, 394	trimaculatus	1859, 455
duvaucelli	1859, 455	versicolor	1859, 454
	{ 193	Bucephalus capensis	1858, 162
dysonii	1855, { 196	Buceros africanus ..	1859, 446
elegans	1857, 268		1859, 448
erythronotus	1859, 398	annulatus	1859, 451
frontalis ..	1859, 455	anthracinus ..	1859, 449
gigas	1855, 193	bicolor	1859, 449
grandis	1859, 173	bicornis	1859, 447
hayii	1859, 455	carinatus	1859, 450
hyperrhynchus	1855, 193	cavatus	1859, 447

	Page		Page
<i>Buceros comatus</i>	1859, 450	<i>Bufo aqua</i>	1860, { 233 452 460
<i>convexus</i>	1859, 448	<i>arabicus</i>	1858, 166
<i>diadematus</i>	1859, 446	<i>cæruleostictus</i>	1859, 415
<i>elliotti</i>	1859, 449	<i>calamita</i>	1858, 345
<i>exaratus</i>	1860, 356	<i>chilensis</i>	1858, 395
<i>galeatus</i>	1859, 446	<i>cinereus</i>	1858, 165
<i>galeritus</i>	1859, 450	<i>garganzans</i>	1860, 173
<i>ginginianus</i>	{ 1850, 276 1857, 99	<i>granulosus</i>	{ 1858, 395 1860, 460
<i>homrai</i> ..	1859, 447	<i>guneensis</i>	1858, 166
<i>hydrocorax</i>	1860, 356	<i>intermedius</i>	{ 1859, 89 415
<i>intermedius</i>	1859, 448	<i>kelaartii</i>	1858, 393
<i>javanicus</i>	1859, 451	<i>lævis</i>	1858, 166
<i>javanus</i> ..	1859, 451	<i>lentiginosus</i>	1858, 395
<i>lugubris</i>	1859, 450	<i>maculatus</i>	1858, 165
<i>lunatus</i>	{ 1859, 446 1860, 356		{ 1858, 393 1860, 116 1860, 165
<i>malabaricus</i>	1859, 448	<i>melanostictus</i> ..	{ 1860, 168 1860, 169 1860, 170 1860, 171 1860, 172
<i>malayanus</i> ...	1859, 448	<i>nebulifer</i>	{ 1860, 452 460
<i>niger</i> ..	1859, { 446 451	<i>pantherinus</i>	1858, 166
<i>nigrostris</i>	1859, 449	<i>tuberosus</i>	1858, 165
<i>obscurus</i> ..	1859, 451	<i>viridis</i> ...	{ 1859, 470 473
<i>pusaran</i> ...	1859, 451		{ 1858, 390 1858, 391 1858, 395 1860, 165 1860, 167
<i>payanensis</i>	1860, 356	<i>vulgaris</i> ..	{ 1860, 168 1860, 169 1860, 170 1860, 171 1860, 172 1860, 174
<i>phicatus</i>	{ 1859, 451 1860, 356	<i>Buglodytes albicilius</i> ..	1856, 97
<i>poensis</i>	1853, 14	<i>Bulimella attenuata</i> ..	1855, 4
<i>rhinoceros</i>	1859, 446	<i>candida</i>	1855, 2
<i>ruficollis</i>	{ 1859, 158 1860, 356	<i>cinerosa</i> ...	1855, 2
<i>scutatus</i>	1859, 446	<i>concavospira</i> ..	1859, 30
<i>sylvestris</i>	1859, 446	<i>dolum</i> ..	1855, 5
<i>undulatus</i>	1859, 451	<i>faba</i> ..	1859, 30
<i>violaceus</i>	1859, 448	<i>forbesiana</i>	1855, 5
<i>Bucorax abyssinicus</i> ...	1860, 197	<i>frickii</i>	1855, 3
	{ 1850, 173 1853, 191 1856, 405	<i>hanleyana</i> ...	1855, 202
<i>Budorcas taxicolor</i> ...	{ 1853, 191 1856, 405	<i>monacha</i>	1855, 3
<i>Budytes anthoides</i>	1854, 285	<i>morbida</i> ..	1859, 30
<i>beema</i> ...	1854, 285	<i>multicolor</i>	1855, 4
<i>extreola</i>	{ 1858, 486 1859, 179	<i>nobilis</i>	1855, 202
<i>dubia</i>	1854, 285	<i>planospira</i>	1855, 3
<i>flava</i> ..	1854, 285		
<i>flaviventer</i>	1854, 285		
<i>melanocephala</i> ..	{ 1850, 217 1858, 486		
<i>neglecta</i> ...	1854, 285		
<i>rayi</i>	1860, 371		
<i>schisticeps</i> ...	1854, 285		
	{ 1854, 285 1857, 95 1858, 486 1859, 150 1859, 179		
<i>viridis</i>	{ 1858, 486 1859, 150 1859, 179		
<i>Bufo aqua</i>	1859, { 89 415		

	Page		Page
<i>Bulimella sowerbyana</i> ..	1855, 4	<i>Bulimus clausilioides</i> ..	1850, 56
<i>swainsoni</i>	1855, 4	<i>clouei</i>	1856, 390
<i>vidua</i>	1855, 3	<i>cocapatensis</i>	1855, 115
<i>Bulimus abscissus</i>	1855, 116	<i>cochinchinensis</i>	1856, 331
<i>acalles</i>	1851, 258	<i>colubrinus</i>	1860, 188
<i>achatellinus</i>	1850, 56	<i>columbiensis</i>	1854, 124
<i>achilles</i>	1852, 137	<i>columellaris</i>	{ 1849, 100
<i>acus</i>	1852, 60		{ 1850, 56
<i>acutus</i>	1854, 198	<i>confluens</i>	1855, 115
<i>adumbratus</i>	1854, 291	<i>coniformis</i>	1854, 9
<i>aequatorius</i>	1852, 155	<i>convexus</i>	1855, 116
<i>aestivus</i>	1856, 331	<i>cordovanus</i>	1856, 34
<i>alto-peruvianus</i> ..	1849, 99	<i>coriaceus</i>	1856, 318
<i>alutaceus</i>	1849, 99	<i>costato-striatus</i> ..	1856, 319
<i>amandus</i>	1855, 96	<i>costatus</i>	1848, 111
<i>anthisanensis</i>	1852, 155	<i>cotopaxiensis</i> .. .	1852, 155
<i>antioquiensis</i>	1854, 291	<i>cretaceus</i>	1854, 123
<i>arcuatostratus</i>	1855, 95	<i>cuencanus</i>	1850, 26
<i>ascendens</i>	1852, 136	<i>cuneus</i>	1852, 154
<i>attenuatus</i>	1851, 256	<i>cuticula</i>	1855, 95
<i>aulacostylus</i>	1852, 59	<i>cuzcoensis</i>	1849, 98
<i>aureus</i>	1858, 91	<i>cyathostomus</i> .. .	1856, 34
<i>aurifluus</i>	1856, 319	<i>cyrtopleurus</i>	1852, 139
<i>auris-felis</i>	1854, 31	<i>darnaudi</i>	1856, 34
<i>auris-judæ</i>	1854, 7	<i>deburghiæ</i>	1850, 123
<i>auris-midæ</i>	1854, 7	<i>decollatus</i>	1854, 199
<i>australis</i>	1854, 34	<i>decussatus</i>	1849, 99
<i>barangnullanus</i> .. .	1852, 136	<i>denickei</i>	{ 1851, 92
<i>barbadensis</i>	1852, 61		{ 93
<i>belcheri</i>	1851, 261	<i>denticulatus</i>	1852, 67
<i>blandi</i>	1852, 85	<i>depatus</i>	1849, 97
<i>binneyanus</i>	1858, 257	<i>diaphanus</i>	1854, 125
<i>bivaricosus</i>	1854, 152	<i>dillwynianus</i>	1851, 258
<i>bogotensis</i>	1855, 93	<i>distans</i>	1856, 331
<i>bourcierii</i>	1852, 153	<i>droueti</i>	1856, 319
<i>cærulescens</i>	1853, 257	<i>dubius</i>	1851, 257
<i>cæsar</i>	1854, 293	<i>dutaillii</i>	1856, 390
<i>caillaudii</i>	1859, 350	<i>eddystonensis</i> ...	1855, 8
<i>calvus</i>	1850, 54	<i>eganus</i>	1851, 258
<i>candelaris</i>	1856, 186	<i>elæodes</i>	1851, 250
<i>candidissimus</i>	1859, 26	<i>episcopalis</i>	1855, 115
<i>capillaceus</i>	1855, 93	<i>eschariferus</i>	1850, 54
<i>carlinalis</i>	1852, 58	<i>excelsus</i>	1856, 203
<i>castlensei</i>	1850, 332	<i>excoratus</i>	1854, 123
<i>catamarcanus</i>	1858, 256	<i>faubianii</i>	1857, 109
<i>catharinæ</i>	1856, 389	<i>fallax</i>	1852, 153
<i>catlowiæ</i>	1852, 154	<i>farrisi</i>	1858, 258
<i>ceratacme</i>	1855, 8	<i>filaris</i>	1853, 50
<i>chamaeleon</i>	1855, 116	<i>fimbriatus</i>	1850, 56
<i>charbonnerii</i>	1856, 331	<i>flexilabris</i>	1853, 50
<i>chemnitzoides</i>	1850, 55	<i>flexuosus</i>	1852, 136
<i>chion</i>	1850, 332	<i>floridanus</i>	1856, 390
<i>chlors</i>	1851, 71	<i>fortunei</i>	1852, 137
<i>cinerosus</i>	1855, 107	<i>foveolatus</i>	1849, 97
<i>citrinus</i>	1851, 71	<i>fraseri</i>	1860, 137
<i>clarus</i>	1856, 330	<i>fuligineus</i>	1852, 85
<i>clathratus</i>	1858, 258	<i>galapaganus</i>	1854, 58
<i>clausilioides</i>	1849, 96	<i>gayi</i>	1856, 389

	Page		Page
<i>Bulimus glaucophthal-</i>		<i>Bulimus meobambensis</i> .	1855, 96
mus	1851, 255	mercurius	1852, 59
gracillimus	1850, 56	microdon	1851, 261
grandis	1859, 350	miltecheilus	1850, 54
gueinzii	1856, 330	minimus	1854, 33
guttula	1852, 154	monachus	1856, 333
hæmastoma	1849, 97	monile	1854, 9
hamesii	1855, 115	monozonus	1848, 110
haplochrous	1854, 125	moussonii	1851, 147
hartwegi	1850, 54	musivus	1855, 95
hebraicus	1852, 60	myristicus	1849, 99
hermanni	1852, 140	newcombianus	1851, 261
histrio	1854, 124	nigroapicatus	1856, 333
hololeucus	1855, 93	nigrolimbatus	1851, 257
hyaloideus	1854, 292	nigropileatus	1849, 97
imperator	1848, 110	nubeculatus	1851, 257
inæqualis	1856, 330	nucula	1852, 60
incarnatus	1855, 95	nux	1850, 54
incrassatus	1852, 157	nyctianus	1852, 154
infundibulum	1851, 255	otostomus	1854, 291
integer	1855, 114	ovoideus	1859, 350
intermedius	1854, 291	ovulus	1854, 10
iostomus	1850, 54	palawanensis	1856, 388
iris	1852, 136	pallidior	1856, 203
irroratus	1849, 16	parallelus	1856, 389
janus	1852, 85	patasensis	1858, 257
jucundus	1854, 290	peelii	1859, 123
juvenilis	1855, 97	peregrinus	1855, 9
kanaiensis	1856, 332	pervariabilis	1852, 59
kellettii	1850, 54	perversus	1860, 9
keppellii	1853, 50	pervius	1853, 50
lacerta	1855, 94	petersii	1855, 97
lactifluus	1856, 330	phæostylus	1856, 329
lanceolatus	1854, 292	pictus	1854, 58
lardeus	1852, 157	planospius	1852, 60
latalabris	1855, 7	platystomus	1858, 256
leptochilus	1848, 111	phcatus	1851, 261
liberianus	1859, 350	phiculus	1856, 390
librosus	1856, 388	plumbeus	1855, 114
lindstedti	1856, 388	porphyrostomus	1851, 261
liratus	1851, 261	pretextus	1849, 98
lobbi	1849, 98	primularis	1849, 100
loricatus	1854, 293	pringi	1854, 292
lorraini	1856, 332	proletarius	1854, 292
loxostomus	1852, 59	protractus	1855, 94
luctuosus	1851, 255	ptychostylus	1858, 256
ludovici	1852, 139	puncticulatus	1850, 390
lusorius	1854, 291	purpuratus	1849, 98
macgillivrayii	1855, 108	pyrostomus	1860, 137
maconellii	1851, 198	radiatus	1854, 58
mahoganii	1849, 97	rectilinearis	1856, 96
marcidus	1852, 67	requieni	1852, 137
maræ	1858, 23	reversalis	1860, 9
marmatensis	1854, 125	rhodolarynx	1849, 98
martensii	1856, 318	riparius	1852, 155
mauritanus	1852, 150	rosaceus	1849, 97
melanacme	1855, 96	rugulosus	1850, 54
meleagris	1851, 257	sabatieri	1856, 389

	Page		Page
<i>Bulimus saccatus</i>	1855, 94	<i>Bullia elegans</i>	1856, 355
<i>saquinensis</i>	1854, 290	<i>Bullina lauta</i>	1860, 19
<i>saturanus</i>	1860, 136	<i>undata</i>	1860, 19
<i>scarabæus</i>	1850, 147	<i>vitrea</i>	1860, 19
<i>schomburgki</i>	1860, 137	<i>Bungarus annularis</i>	1855, 130
<i>scitulus</i>	1849, 97	<i>fasciatus</i>	1858, 383
<i>scytodes</i>	1851, 256	<i>Buprestis louisa</i>	1859, 120
<i>segregatus</i>	1856, 186	<i>Buselaphus caji</i>	1850, 139
<i>serratus</i>	1855, 94	<i>Bustramantia capitaurea</i>	1855, 159
<i>siamensis</i>	1860, 9	<i>Butalis lugens</i>	1860, 110
<i>signifer</i>	1855, 8	<i>Buteo abbreviatus</i>	1858, 131
<i>simpliculus</i>	1854, 124	<i>albonotatus</i>	1858, 131
<i>singaporensis</i>	1855, 96	{ 1860, 253	
<i>solidulus</i>	1854, 61	{ 1857, 211	
<i>speciosus</i>	1854, 290	<i>borealis</i>	1859, 368
<i>stenacme</i>	1856, 333	{ 1859, 389	
<i>strangei</i>	1855, 8	{ 1857, 211	
<i>stutchburyi</i>	1860, 137	{ 1859, 93	
<i>subfasciatus</i>	1852, 60	<i>erythronotus</i>	1859, 368
<i>subinterruptus</i>	1851, 256	{ 1859, 389	
<i>sugillatus</i>	1856, 389	{ 1860, 384	
<i>sulphureus</i>	1856, 318	<i>fuliginosus</i>	1858, 356
<i>suturalis</i>	1851, 255	<i>ghiesbreghtii</i>	1857, 227
<i>tasmanicus</i>	1851, 260	<i>harlani</i>	1857, 211
<i>tenuplicatus</i>	1852, 139	{ 1859, 389	
<i>terebralis</i>	1850, 56	<i>insignatus</i>	1856, 285
<i>tibetanus</i>	1856, 331	<i>lineatus</i>	1857, 211
<i>tornatalis</i>	1854, 59	<i>montanus</i>	1857, 211
<i>trallhi</i>	1855, 106	{ 1857, 211	
<i>tricolor</i>	1852, 154	{ 1857, 261	
<i>tristis</i>	1854, 124	<i>pennsylvanicus</i> ..	1858, 451
<i>turneri</i>	1860, 138	{ 1860, 71	
<i>unifasciatus</i>	1850, 54	<i>poliosoma</i>	1860, 384
<i>varicosus</i>	1851, 256	<i>rufipennis</i>	1850, 214
<i>variegatus</i>	1854, 59	<i>scolopterus</i>	1855, 134
<i>vegetus</i>	1856, 203	<i>swainsonii</i>	1857, 211
<i>ventrosus</i>	1854, 198	<i>tachardus</i>	1859, 212
<i>verrucosus</i>	1855, 116	{ 1860, 417	
<i>vesicalis</i>	1856, 203	<i>teesa</i>	1854, 5
<i>vespertinus</i>	1858, 257	{ 1859, 93	
<i>victor</i>	1853, 128	<i>tricolor</i>	1860, 384
<i>vitellinus</i>	1854, 57	{ 1859, 94	
<i>williamsii</i>	1858, 257	<i>varius</i>	1860, 384
<i>woodwardii</i>	1856, 332	<i>vulgans</i>	1860, 416
<i>yatesii</i>	1855, 93	{ 417	
<i>(Laoma) leimonias</i> ..	1840, 167	<i>zonocercus</i>	1858, 130
<i>(Parula) decussatu-</i>		<i>Buteogallus squinotialis</i>	1858, 130
<i>lus</i>	1849, 131	<i>meridionalis</i>	1860, 288
<i>(—) navigatorius</i> ..	1849, 131	{ 1855, 130	
<i>Bulla canaliculata</i>	1859, 489	<i>nigricollis</i>	1860, 253
<i>carpentarii</i>	1858, 543	{ 1854, 97	
<i>culcitella</i>	1856, 203	<i>Buthraupis chloronota</i>	1856, 240
<i>marmorea</i>	1860, 431	{ 1858, 551	
<i>nebulosa</i>	1856, 220	{ 1855, 157	
<i>solidula</i>	1854, 61	<i>cucullata</i>	1856, 239
<i>(Akera) culcitella</i> ..	1856, 203	{ 1854, 98	
<i>(Tornatina) cerealis</i>	1856, 203	<i>eximia</i>	1856, 157
<i>Bullia cumingiana</i>	1856, 355	{ 1856, 240	

	Page		Page
<i>Buthraupis montana</i> ..	1856, 239	<i>Cadus sepa</i>	1859, 489
	{ 1856, 310	<i>Cæcella chinensis</i>	1854, 334
<i>Butorides virescens</i> ..	{ 1857, 236	<i>convexa</i>	1854, 334
	{ 1859, 63	<i>cumingiana</i>	1854, 334
	{ 1859, 309	<i>horsfieldii</i>	1854, 335
<i>Butorion capellii</i> ...	1859, 464	<i>lata</i>	1854, 334
Buzzard, The long and		<i>oblonga</i>	1854, 335
slender-legged ..	1851, 58	<i>tenuis</i>	1854, 336
The Parrot-beaked	1851, 59	<i>transversalis</i>	1854, 335
<i>Byssosarca pernoides</i> ..	1856, 202	<i>turgida</i>	1854, 333
		<i>zebuensis</i>	1854, 334
		<i>zelandica</i>	1854, 335
<i>Cabestana africana</i>	1854, 312	<i>Cæcilia rostrata</i> ..	1858, 164
<i>boltemiana</i> ..	1854, 311	<i>Cæcum abnormale</i>	1858, 420
<i>Cacatua equatorialis</i> ..	1860, 226	<i>annulatum</i>	1858, 423
<i>cyamocristata</i>	1860, 226	<i>antillarum</i>	1858, 433
	{ 226	<i>bimarginatum</i> ..	1858, 431
<i>cristata</i>	{ 227	<i>clarkii</i>	1858, 432
	{ 358	<i>clathratum</i>	1858, 423
<i>ducorpsii</i> ..	{ 1859, 436	<i>corrugulatum</i>	1858, 433
<i>eos</i>	{ 1860, 228	<i>dextroversum</i>	1858, 433
	{ 1857, 26	<i>diminutum</i>	1858, 427
<i>galerita</i>	{ 1857, 26	<i>eburneum</i>	1858, 427
	{ 1860, 415	<i>elegantissimum</i>	1858, 429
<i>leadbeateri</i>	1857, 26	<i>elongatum</i>	1858, 424
<i>leucolopha</i>	1860, 358	<i>farcimen</i>	1858, 431
	{ 1859, 436	<i>firmatum</i>	1858, 427
<i>moluccensis</i>	{ 1860, 226	<i>floridanum</i>	1858, 428
	{ 1860, 358	<i>glabrum</i>	1858, 436
<i>philippinarum</i>	1860, 225	<i>gracile</i>	1858, 429
<i>sanguinea</i>	1857, 26	<i>gurgulio</i>	1858, 426
<i>sulphurata</i>	1860, 358	<i>heptagonum</i> ..	1858, 422
	{ 1858, 184	<i>imbricatum</i> ..	1858, 422
<i>tritoni</i>	{ 1859, 159		{ 413
	{ 1860, 227	<i>imperfectorum</i> ..	1858, 425
	{ 1860, 371	<i>incurvatum</i>	1858, 434
<i>Cacalbis barbara</i>	1859, 436	<i>insculptum</i> ..	1858, 420
<i>chukar</i>	{ 1858, 502	<i>læve</i>	1858, 431
	{ 1859, 185	<i>laqueatum</i>	1858, 420
<i>Cacia antennata</i>	1858, 401	<i>liratocinctum</i> ..	1858, 421
<i>grisella</i>	1858, 401	<i>liratum</i> ..	1858, 421
<i>latifasciata</i>	1858, 401	<i>mamillatum</i> ..	1858, 434
<i>Cacicus bifasciatus</i> ..	1856, 300	<i>monstrosum</i>	1858, 427
<i>cristatus</i>	1858, 72	<i>nitidum</i> ..	1858, 439
<i>devilli</i>	1857, 265	<i>obsoletum</i> ..	1858, 426
<i>icteronotus</i>	1858, 455	<i>obtusum</i>	1858, 421
	{ 1856, 300	<i>plicatum</i>	1858, 421
	{ 1858, 358	<i>pollicare</i> ..	1858, 432
<i>montezumæ</i>	{ 1859, 57	<i>pulchellum</i> ..	1858, 424
	{ 1859, 365	<i>pygmæum</i> ..	1858, 427
<i>persicus</i>	1854, 114	<i>quadratum</i> ..	1858, 428
<i>uropygialis</i>	1855, 173	<i>regulæ</i> ..	1858, 428
<i>yuracarii</i>	1858, 72	<i>reversum</i> ..	1858, 434
<i>yuracarius</i> ..	1857, 265	<i>searles-woodii</i> ..	1858, 430
<i>Cacomantis bronzinus</i> ..	1859, 164	<i>subimpressum</i> ..	1858, 424
<i>sepulchralis</i>	1860, 359	<i>subquadratum</i> ..	1858, 433
<i>tymbonotus</i>	1860, 359	<i>subspirale</i>	1858, 419
<i>Cadus cassius</i>	1859, 491	<i>subulatum</i>	1858, 434
<i>dolium</i>	1859, 491		

	Page		Page
<i>Cæcum teres</i>	1858, 434	<i>Calliphlox iridescent</i> ..	1860, 310
trachea	1858, 424	<i>Callispiza cayana</i>	1856, 252
tumidum	1858, 426	citrinella	1856, 247
undatum	1858, 430	cyanoptera	1856, { 19
vitreum	1858, 432		255
<i>Cæreba cærulea</i>	1857, 263	festiva	1856, 247
carnerpes	1859, 376	flaviventris	1856, 257
cyanea	{ 1857, 263	gyrola	1856, 255
	{ 1859, 376	nigroviridis	1856, 260
lucida	1859, 53	preciosa	1856, 254
nitida	1857, 264	punctata	1856, 249
<i>Caica barrabandi</i> ..	{ 1857, 266	tatao	1856, 244
	{ 1858, 76	thoracica	1856, 248
histrio	1857, 266	tricolor	1856, 246
leucogastra	1857, 266	vitrolina	1856, 252
melanocephala ..	{ 1857, 19	<i>Calliste albiventer</i>	1856, 256
	{ 1858, 76	analis	1856, 243
xanthomeria	1857, 266	argentea	1856, { 19
	{ 1859, 65		259
<i>Cairina moschata</i>	{ 1859, 437	arthusi	1856, { 19
	{ 1860, 258		251
	{ 1860, 337	atricapilla	{ 1854, 249
<i>Calabaria fusca</i>	{ 1858, 155		1856, 158
	{ 1860, 164		1856, 19
<i>Calceas nicobarica</i>	1860, 330		1856, 259
(<i>Phlegænas</i>) <i>stairii</i> ..	1856, 7	atrocærulea	1856, { 19
<i>Calamania atrocincta</i> ..	1860, 454		258
fusca	1860, 161		{ 1855, 157
meleagris	1858, 163		1856, 19
obscuristrata	1860, 161	aurulenta	{ 1856, 250
quadrimaculata	1860, 114		1859, 140
tenueps	1860, 161		1860, 86
<i>Calamohërpe orientalis</i> ..	1860, 349		1860, 87
<i>Calamophilus biarmicus</i> ..	1859, 436		{ 1855, 158
<i>Calandra palmarum</i> ..	1850, 19		1856, 19
<i>Calandrella brachydac-</i>	1856, 50	boliviana	{ 1856, 258
tyla	1857, 95		1857, 264
<i>Calao plicatus</i>	1859, 451	bourcierii	1856, 266
	{ 1851, 146	brasiliensis	1856, { 19
<i>Calidris arenaria</i>	{ 1857, 230		256
	{ 1859, 369	cæruleocephala ...	1856, 266
<i>Caligatus angasii</i> ..	1849, 104	callipara	1856, 266
<i>Callene frontale</i> ...	1854, 75	castaneoventris ...	1856, 266
<i>Callichthys littoralis</i> ..	1856, 345	castanonota	1856, { 19
<i>Callina rotula</i> ..	1854, 183		254
<i>Callope camtschatkensis</i> ..	1854, 120	cayana	1856, { 19
cyana	1858, 402		252
	{ 1858, 402	chilensis	1856, 254
pectoralis	1850, 180	chrysonota	1856, 252
<i>Calliparæa bourcierii</i> ..	1856, 266	chrysophrys	{ 1855, 157
phœnicotis	1856, 266		1856, 249
	{ 1857, 127	chrysotis	1856, { 19
<i>Callipepla californica</i> ..	{ 1859, 206		263
	{ 1859, 432	citrinella	1856, 247
	{ 1859, 436		{ 1855, 157
picta	1858, 2	cœlicolor	1856, 19
<i>Callipara bullata</i>	1858, 62		1856, 245

	Page		Page
<i>Calliste cucullata</i>	1856, { 19 253	<i>Calliste icterocephala</i> ...	1860, 87
	{ 1856, 18	<i>inornata</i>	{ 1855, 158 1856, 19
<i>cyaneicollis</i>	{ 1856, 262 1858, 452 1860, 292		{ 1856, 258 1855, 158
<i>cyaneiventris</i>	1856, { 19 247	<i>labradorides</i>	{ 1856, 19 1856, 262
<i>cyanescens</i>	1856, 260		{ 1856, 294 1854, 248
<i>cyanicollis</i>	{ 1854, 115 1855, 158	<i>lamprotis</i>	{ 1856, 264 1850, 264
<i>cyanolæma</i>	1856, { 19 252	<i>larvata</i>	1856, { 18 19 142 260
<i>cyanoptera</i>	1856, { 19 254 255	<i>leucotis</i>	1856, 259
<i>cyanotis</i>	{ 1858, 294 1859, 441	<i>lunigera</i>	{ 1856, 19 1856, 263 1860, 87
<i>cyanoventris</i>	1856, 255	<i>melanonota</i>	1856, { 254 265
<i>desmaresti</i>	1856, { 19 256	<i>mexicana</i>	{ 1855, 158 1856, 257
<i>diaconus</i>	1856, 233	<i>nigricincta</i>	1856, 261
<i>fanny</i>	1856, 261	<i>nigriviridis</i>	{ 1855, 158 1856, 19 1856, 260
<i>fastuosa</i>	1856, { 19 266		{ 1854, 115 1855, 158
<i>festiva</i>	1856, { 19 246	<i>parzudaki</i>	{ 1856, 19 1856, 263
<i>flava</i>	1856, { 19 253	<i>peruviana</i>	1856, { 19 254
<i>flaviventris</i>	1856, 257	<i>phœnicotis</i> ...	1856, 206
<i>franciscæ</i>	1856, { 142 261	<i>pretiosa</i>	1856, 254
<i>frugilegus</i>	{ 1856, 235 1858, 453		{ 1856, 19 1856, 251
<i>graminea</i>	1856, { 19 250	<i>pulchra</i>	{ 1856, 74 1858, 74
<i>guttata</i>	1856, 249	<i>punctata</i>	1856, { 19 248
<i>guttulata</i>	{ 1855, 157 1856, 19 1856, 249		{ 1855, 158 1856, 19 1856, 252
<i>gyrola</i>	1856, { 19 255		{ 1855, 158 1856, 19 1859, 139
	{ 1854, 115 1855, 158 1856, 18 1856, 19 1856, 142 1856, 255	<i>ruficervix</i> ...	{ 1856, 259 1859, 139
<i>gyroloides</i>	{ 1857, 264 1858, 74 1858, 453 1859, 139 1860, 87 1860, 292	<i>rufigena</i>	1857, 66
	{ 19 251	<i>rufigenis</i>	1856, 311
<i>icterocephala</i>	1856, { 19 251	<i>rufigula</i>	1856, 19
			{ 1856, 250 1859, 440 1860, 86 1854, 115
		<i>ruficularis</i>	{ 1856, 19 1856, 248 1857, 264
			{ 1858, 74 1858, 453
		<i>schrunki</i>	{ 1857, 264 1858, 74 1858, 453

	Page		Page
Calliste sclateri	1855, 158	Callopoma depressum ..	1855, 234
	1856, 19	fluctuatum	1855, 234
	1856, 251	saxosum	1856, 44
tatao	1856, 19	Callorhinus ursinus	1859, 359
	1856, 244	Callospiza barbadensis ..	1856, 256
	1854, 115	boliviana	1856, 258
	1855, 158	brasiliensis	1856, 256
thalassina	1856, 18	calliparæa	1856, 266
	1856, 19	cayennensis	1856, 257
	1856, 261	cyanicollis	1856, 262
thoracica	1856, 19	guttata	1856, 249
	247	gyrola	1856, 255
tricolor	1856, 19	mexicana	1856, 257
	246	schranks	1856, 248
vassorii	1856, 264	xanthocephala ..	1854, 248
	1854, 248		1856, 264
	1855, 158	zeni	1856, 245
	1856, 19	Calobates sulphurea	1854, 248
venusta	1856, 264	Calocitta bullockii	1858, 358
	1858, 74	formosa	1859, 381
	1858, 294	sinensis	1860, 84
vieilloti	1856, 257	Calocomus desmarestii ..	1860, 11
virescens	1856, 250	kreuckelyi	1850, 11
viridissima	1856, 256	lycius	1850, 11
	1856, 252	mososus	1850, 11
vitrolina	1860, 86	Calopsitta novæ hollan-	
vittata	1856, 265	dæ	1860, 242
wilsoni	1856, 261	Calornis amboinensis ..	1860, 355
	1854, 115	chalybeus	1859, 445
	1854, 248	dauricus	1859, 445
xanthocephala ..	1856, 19	metallica	1859, 156
	1856, 264	metallicus	1860, 355
	1858, 294	obscura	1860, 355
	1854, 115	virescens	1859, 158
xanthogastra	1855, 157	viridescens	1858, 181
	1856, 19	Calospiza cayana	1856, 252
	1856, 249	pulchra	1856, 251
	1856, 19		1860
zeni	1856, 245	Calotes mariæ	1860, 166
	1858, 453		167
Callithea layardii	1854, 135		170
Callithrix personatus ..	1852, 107		160
sciureus	1852, 107		166
torquatus	1852, 107	minor	1860, 167
Callocephalon galeatum ..	1859, 433		173
Calloctenus pulcher ...	1850, 12		174
Callogorgia flabella	1859, 484		160
gracilis	1859, 484	tricarinatus	1860, 167
plumatalis	1859, 484		174
verticillata	1857, 286		114
	1859, 484		166
Callophis bivirgatus	1859, 81	versicolor	1860, 167
calligaster	1859, 84		169
gracilis	1859, 83		170
intestinalis	1859, 82	Calothorax decoratus ..	1860, 309
maculiceps	1859, 84	eliza	1856, 288
truncatulus	1859, 83	fanniæ	1858, 450
univirgatus	1859, 83		459

	Page		Page
<i>Calothorax heliodori</i> ..	1855, 141	<i>Campylopterus pampa</i> ..	1859, 355
<i>lucifer</i> ..	1856, 288	<i>Campylorhynchus brevi-</i>	
<i>micrurus</i> ..	1853, 109	<i>rostris</i> ..	1855, 143
<i>multisanti</i> ..	1855, 141	<i>capistratus</i> ..	1859, 363
<i>pulchra</i> ..	1859, 94	<i>griseus</i> ..	1856, 97
<i>Calotragus melanotis</i> ..	1850, 386	<i>gularis</i> ..	1860, 462
<i>tragulus</i> ..	1850, 118	<i>hypostictus</i> ..	1855, 68
<i>Calotriton punctulatus</i> ..	1858, 189	<i>jocosus</i> ..	1859, 371
<i>Calurus antisianus</i> ..	1855, 137	<i>megalopterus</i> ..	1858, 298
<i>auriceps</i> ..	1854, 110	<i>nigriceps</i> ..	1859, 363
<i>fulgidus</i> ..	1855, 137	<i>nuchalis</i> ..	1860, 461
<i>neoxenus</i> ..	1856, 68	<i>pardus</i> ..	1857, 272
<i>resplendens</i> ..	1859, 52	<i>scolopaceus</i> ..	1857, 271
<i>Calypomena caudacuta</i> ..	1854, 267	<i>straticollis</i> ..	1855, 68
<i>raffesii</i> ..	1854, 267	<i>zonatorides</i> ..	1857, 272
<i>vindis</i> ..	1854, 267	<i>zonatus</i> ..	1855, 143
<i>Calyptraea imbricata</i> ..	1856, 169	<i>zonatus</i> ..	1860, 272
<i>sinensis</i> ..	1853, 44	<i>zonatus</i> ..	1856, 290
<i>Camelopardalis giraffa</i> ..	1849, 7	<i>Cancellaria clathrata</i> ..	1859, 363
<i>equinus</i> ..	1860, 99	<i>crenulata</i> ..	1855, 123
<i>Camelus dromedarius</i> ..	1849, 94	<i>excavata</i> ..	1855, 124
<i>equinus</i> ..	1850, 286	<i>foveolata</i> ..	1848, 187
<i>Camilia jamaicensis</i> ..	1860, 233	<i>melanostoma</i> ..	1848, 187
<i>Camitia grayi</i> ..	1854, 42	<i>mitidula</i> ..	1855, 123
<i>Campephaga atriceps</i> ..	1860, 353	<i>taeniata</i> ..	1848, 137
<i>aurea</i> ..	1860, 353	<i>tenuis</i> ..	1855, 123
<i>bicolor</i> ..	1860, 354	<i>undulata</i> ..	1848, 136
<i>cæruleo-grisea</i> ..	1858, 179	<i>Cancer paludosus</i> ..	1852, 29
<i>caledonica</i> ..	1859, 102	<i>salinus</i> ..	1852, 26
<i>ceramensis</i> ..	1860, 354	<i>serratus</i> ..	1850, 95
<i>fimbriata</i> ..	1860, 354	<i>stagnatilis</i> ..	1852, 19
<i>hypoleuca</i> ..	1858, 179	<i>(Galene) dorsalis</i> ..	1848, 144
<i>magnirostris</i> ..	1860, 353	<i>Cancilla morchii</i> ..	1854, 134
<i>melanolora</i> ..	1860, 353	<i>reptans</i> ..	1857, 206
<i>melanops</i> ..	1858, 179	<i>reptans</i> ..	1857, 230
<i>melanotis</i> ..	1860, 353	<i>Cancroma cochlearia</i> ..	1859, 369
<i>nævia</i> ..	1859, 163	<i>reptans</i> ..	1860, 324
<i>novæ guineæ</i> ..	1860, 353	<i>reptans</i> ..	1860, 328
<i>papuensis</i> ..	1860, 354	<i>Candona lactea</i> ..	1850, 255
<i>polygrammica</i> ..	1858, 179	<i>reptans</i> ..	1850, 255
<i>(Lalage) aurea</i> ..	1860, 353	<i>Canis aureus</i> ..	1850, 156
<i>Campephilus malherbii</i> ..	1855, 161	<i>reptans</i> ..	1856, 397
<i>Camptostoma imberbe</i> ..	1857, 203	<i>reptans</i> ..	1858, 515
<i>Campylæa hispana</i> ..	1854, 169	<i>reptans</i> ..	1850, 156
<i>lowei</i> ..	1854, 169	<i>reptans</i> ..	1858, 515
<i>porto-sanctiana</i> ..	1854, 169	<i>reptans</i> ..	1858, 515
<i>Campylopterus cuvieri</i> ..	1856, 140	<i>reptans</i> ..	1860, 415
<i>delatarii</i> ..	1859, 367	<i>Canrena neritoidea</i> ..	1851, 231
<i>latipennis</i> ..	1848, 14	<i>Canthridus articularis</i> ..	1851, 169
<i>laxulus</i> ..	1857, 16	<i>artizona</i> ..	1851, 170
<i>obscurus</i> ..	1848, 13	<i>cinguliger</i> ..	1851, 169
<i>pampa</i> ..	1856, 287	<i>indis</i> ..	1851, 169
<i>reptans</i> ..	1859, 367	<i>moniliger</i> ..	1851, 169
		<i>nigricans</i> ..	1851, 170

	Page		Page
<i>Canthiridus nitadulus</i> ..	1851, 169	<i>Capricornis thar</i>	1856, 403
<i>pallidulus</i>	1851, 170	<i>Caprimulgus cinerascens</i>	1854, 266
<i>punctulosus</i>	1851, 169	<i>europæus</i>	{ 1851, 146
<i>purpuratus</i>	1851, 169		{ 1857, 13
<i>rufozona</i>	1851, 170		{ 1860, 415
<i>tenebrosus</i>	1851, 170	<i>fulviventris</i>	1860, 109
<i>variegatus</i>	1851, 171	<i>imberbis</i>	1854, 266
<i>zealandicus</i>	1851, 169	<i>indicus</i> ..	1854, 266
<i>Capito amazonius</i>	1857, 268	<i>infuscatus</i>	1850, 216
<i>aurovirens</i>	1857, 268	<i>ironatus</i>	1854, 266
<i>bourcierii</i> ..	1855, 162	<i>macromystax</i>	1858, 296
<i>capistratus</i>	1857, 268	<i>macrourus</i>	1854, 266
<i>cayennensis</i>	1857, 268	<i>macrurus</i>	{ 1858, 170
<i>glaucofulais</i>	1857, 267		{ 1859, 154
<i>hartlaubi</i>	1855, 162	<i>pulcher</i>	1854, 266
<i>margaritatus</i>	1859, 399	<i>saturator</i>	1854, 266
<i>maynensis</i>	1857, 268	<i>Caprolagus hispidus</i> ..	1856, 402
	{ 1854, 115	<i>Capromys prehensilis</i> .	1860, 371
<i>peruvianus</i>	{ 1855, 162	<i>Caprovis argali</i>	{ 1856, 404
	{ 1857, 267		{ 1858, 527
	{ 1858, 75	<i>vignei</i>	1858, 526
<i>richardsoni</i>	1855, 162	<i>Capsa chinensis</i>	1854, 348
<i>rubifrons</i>	1859, 399	<i>crassula</i>	1854, 349
<i>subulfureus</i> ..	1859, 398	<i>difficilis</i>	1854, 347
<i>Capra æthiopica</i> ..	1850, 132	<i>layardii</i> ..	1854, 348
<i>ahu</i>	1850, 113	<i>lunulata</i>	1854, 349
<i>americana</i>	1850, 136	<i>minor</i>	1854, 347
<i>bezoartica</i>	1850, 117	<i>radiata</i>	1854, 348
<i>caucasica</i>	1858, 525	<i>rosacea</i>	1854, 348
<i>cei vicapra</i>	1850, { 117	<i>rufa</i> ..	1854, 347
	{ 185, 135	<i>solenella</i> ..	1854, 349
<i>columbiana</i>	1850, 137	<i>tenuis</i> ..	1854, 349
<i>dorcas</i>	1850, { 112	<i>viescens</i>	1854, 349
	{ 139, 134	<i>Capsella violacea</i>	1860, 18
<i>gazella</i>	1850, 134	<i>Capulus hungaricus</i> ..	1853, 44
<i>grimmia</i>	1850, { 120	<i>mitrula</i>	1856, 3
	{ 121, 523	<i>subrufus</i>	1856, 4
<i>himalayana</i>	1858, 523	<i>Caragola lapicida</i>	1851, 239
	{ 1850, 157	<i>Carapus brachyurus</i>	1853, 75
<i>hircus</i>	{ 1860, 242	<i>Carbo cormoranus</i>	1859, 150
	{ 1860, 417	<i>sulcirostris</i>	1860, 366
<i>jemlaica</i>	1856, 404	<i>Carcharias leucas</i>	1859, 223
<i>montana</i>	1850, 137	<i>Cardellina amicta</i> ...	{ 1855, 66
<i>perpusilla</i> ..	1850, 126		{ 1858, 290
<i>rupicapra</i> ..	1850, 137		{ 1856, 202
<i>sylvestris africana</i> .	1850, 121		{ 1852, 299
<i>tatarica</i> ..	1850, 112	<i>rubra</i>	{ 1859, 363
<i>Capreolus caprea</i>	1850, 235		{ 1859, 374
<i>europæus</i>	1850, 236		{ 1855, 66
<i>leucotis</i>	1849, 64	<i>rubrifrons</i>	{ 1858, 299
	{ 1849, 64		{ 1859, 374
<i>pygargus</i>	{ 1850, 236	<i>Cardinalia virgata</i>	1851, 151
	{ 1850, 135	<i>Cardinalis virginiana</i> ..	1860, 243
<i>Capricornis bubalina</i> .	{ 1856, 403		{ 1850, 302
	{ 1858, 522	<i>virginianus</i> ...	{ 1859, 365
<i>crispa</i>	1850, 136		{ 1859, 378
	{ 135, 136	<i>Cardita amabilis</i>	1852, 102
<i>sumatrensis</i>	1850, { 135	<i>belcheri</i>	1852, 101
	{ 136		

	Page		Page
<i>Cardita bimaculata</i>	1852, 102	<i>Cariama cristata</i>	1856, 348
<i>californica</i>	1852, 100	<i>Carmione ventricosa</i> ..	1858, 47
<i>castanea</i>	1852, 102	<i>Carocolla lapicida</i>	1854, 197
<i>corensis</i>	1852, 101	<i>Carpenteria balaniformis</i>	1858, 269
<i>crenulata</i>	1852, 102	<i>Carpodacus erythrinus</i> }	1857, 97
<i>cuningii</i>	1852, 102		1858, 482
<i>difficilis</i>	1852, 103	<i>familiaris</i>	1856, 304
<i>elegantula</i> ..	1852, 101		1857, 127
<i>essingtoniensis</i>	1852, 100	<i>frontalis</i>	1856, 304
<i>excavata</i>	1852, 100		1856, 304
<i>gunnii</i>	1852, 101	<i>hæmorrhous</i>	1858, 308
<i>jukesii</i>	1852, 101		1859, 380
<i>purpurata</i>	1852, 100	<i>rhodochrous</i>	1858, 482
<i>quoyi</i>	1852, 103		1859, 178
<i>sowerbyi</i>	1852, 102	<i>rhodocolpus</i> ...	1856, 304
<i>umbilicata</i>	1852, 100		1857, 127
	269	<i>roseus</i>	1859, 177
<i>variegata</i>	1858, 270	<i>thura</i>	1855, 215
	102	<i>Carpophaga ænea</i>	1859, 150
<i>vestita</i>	1852, 101		1860, 361
<i>zelandica</i>	1852, 101	<i>alba</i>	1860, 361
<i>Cardium aculeatum</i>	1858, 532	<i>albugularis</i>	1860, 361
<i>æquale</i>	1854, 332	<i>assimilis</i>	1850, 201
<i>bicolor</i> ..	1854, 330	<i>basalica</i>	1860, 360
<i>californianum</i>	1856, 217	<i>chalybura</i> ..	1858, 187
<i>cruentatum</i>	1856, 201	<i>goliath</i>	1859, 165
<i>cygnorum</i>	1854, 331	<i>hypenochroa</i>	1859, 165
<i>debile</i>	1854, 332	<i>leucomela</i>	1857, 27
<i>fabricii</i>	1854, 333	<i>luctuosa</i>	1858, 186
<i>festivum</i>	1854, 332	<i>magnifica</i>	1850, 201
<i>gossei</i>	1854, 330	<i>mulleri</i> ..	1858, 186
<i>gratosum</i>	1854, 331	<i>myristicivora</i>	1859, 466
<i>hudsoniense</i>	1854, 331	<i>perspicillata</i>	1860, 360
<i>lobulatum</i>	1854, 332		1858, 186
	201	<i>pinon</i>	1859, 159
<i>luteolabrum</i>	1856, 217	<i>puella</i>	1859, 159
	331	<i>rufigastra</i>	1859, 159
<i>mauritanum</i>	1854, 332	<i>spilorrhoea</i>	1858, 186
<i>mirabile</i>	1854, 332	<i>sylvatica</i> ..	1859, 466
<i>nuttallii</i>	1856, 217		1858, 186
<i>productum</i> ..	1854, 333	<i>zoem</i>	1859, 159
<i>quadiagenarium</i> ..	1856, 217		1858, 186
<i>rasticum</i>	1858, 557	(<i>Ducula</i>) <i>basalis</i> ..	1860, 360
<i>scruposum</i>	1854, 333	(<i>Megaloprepia</i>) <i>for-</i>	
<i>serrulatum</i> ..	1854, 330	<i>mosa</i>	1860, 360
<i>substriatum</i> ..	1856, 218	(<i>Myristicivora</i>) <i>me-</i>	
<i>transversale</i> ..	1854, 333	<i>lanura</i> ..	1860, 361
<i>tumidum</i> ..	1854, 331	<i>Carracarra Hawk</i> . . .	1851, 55
	201	<i>the Red-headed</i> .	1851, 56
<i>xanthocheilum</i>	1856, 217	<i>the Yellow-headed</i> .	1851, 56
	483	<i>Carracolina barbula</i>	1854, 196
<i>Carduelis caniceps</i>	1859, 184	<i>lenticula</i>	1854, 196
	1856, 304	<i>Carrion Crow, the Com-</i>	
<i>magellanica</i>	1858, 308	<i>mon</i> . . .	1851, 53
	65	<i>the Yellow-necked</i> .	1851, 54
<i>-mexicana</i>	1855, 239	<i>Carychium exiguum</i> ..	1854, 33
<i>Cariacus lewisii</i>	1850, 239	<i>indicum</i> ..	1854, 34
<i>macrotis</i>	1850, 239	<i>minimum</i>	1854, 33
<i>punctulatus</i> ..	1850, 239	<i>myosotis</i>	1856, 22
<i>virginianus</i> ..	1850, 238		
<i>Cariama</i> —	1860, 334		

	Page		Page
<i>Carychium nanum</i>	1854, 33	<i>Cassidula sowerbyana</i> ..	1854, 32
<i>personatum</i>	1854, 32	<i>sulculosa</i>	1854, 31
<i>pygmaeum</i>	1854, 33	<i>triticea</i>	1854, 32
<i>spectabile</i>	1854, 34	<i>zonata</i>	1854, 32
<i>spelaeum</i>	1854, 34	(<i>Siona</i>) <i>avena</i>	1854, 32
<i>Caryophyllea ramea</i>	1849, 77	(—) <i>frumentum</i> ..	1854, 32
<i>Caryothraustes atro-oli-</i>		(—) <i>triticea</i>	1854, 32
<i>vaceus</i>	1856, 65	<i>Cassidulus morio</i>	1853, 35
<i>brasiliensis</i>	1855, 15	<i>Cassis umbilicata</i>	1860, 436
1856, 66		<i>Castor americanus</i>	1860, 371
<i>cayanensis</i>	1855, 15	<i>fiber</i>	1860, 181
1856, 66		<i>Casuarium australis</i>	1857, 269
<i>episcopus</i>	1856, 66	1860, 210	
<i>Casarca cana</i>	1859, 442	1857, 269	
1860, 339		1858, 271	
<i>leucoptera</i>	1859, 150	<i>bennettii</i>	1859, 32
1858, 509		1859, 212	
1859, 189		1860, 205	
<i>rutula</i>	1859, 206	1860, 210	
1859, 442		<i>bicarunculatus</i>	1860, { 211
<i>Caseolus abjectus</i>	1854, 185	1848, 37	243
<i>calculus</i>	1854, 184	<i>emu</i>	1849, 95
<i>commixtus</i>	1854, 184	1858, 187	
<i>compactus</i>	1854, 184	1860, 362	
<i>consors</i>	1854, 184	1857, 269	
<i>sphaerulus</i>	1854, 185	<i>galeatus</i>	1858, 187
<i>Casiornis typus</i>	1859, 41	1860, 210	
<i>Cassidulus flavicrissus</i> ..	1860, 276	1860, 250	
<i>leucorhamphus</i>	1858, 552	<i>Catadromus elseyi</i>	1859, 117
<i>melanicterus</i>	1859, 380	<i>Catamblyrhynchus dia-</i>	
1856, 301		<i>dema</i>	1855, 159
1859, 57		<i>Catamenia anahis</i>	1855, 159
<i>prevosti</i>	1859, 365	<i>analoides</i>	1858, { 450
1859, 380		1860, 552	552
1860, 276		<i>homochroa</i>	1858, 552
1860, 293		1860, 88	
<i>Cassidea cornuta</i>	1851, 229	<i>Cataulus aureus</i>	1855, 118
<i>flammea</i>	1851, 229	<i>cumingii</i>	1850, 339
<i>pennata</i>	1851, 229	<i>duplicatus</i>	1854, 303
<i>rufa</i>	1851, 229	<i>eurytrema</i>	1852, 145
<i>testicula</i>	1851, 229	<i>haemastomus</i>	1856, 391
<i>Cassidix crassirostris</i> ..	1859, 57	<i>layardi</i>	1852, 160
<i>oryzivora</i>	1858, 98	<i>marginatus</i>	1853, 52
1859, 57		<i>pyramidatus</i>	1852, 145
1859, 140		<i>thwaitesi</i>	1852, 147
<i>Cassidula angulifera</i>	1854, 31	1857, 3	
<i>avena</i>	1854, 32	1857, 211	
<i>chemnitzii</i>	1854, 31	<i>Cathartes atratus</i>	1859, 51
<i>coffea</i>	1854, 31	1860, 96	
<i>cumingiana</i>	1854, 31	1860, 237	
<i>decussata</i>	1854, 32	1860, 415	
<i>doholium</i>	1854, 31	1857, 3	
<i>faba</i>	1854, 32	1857, 211	
<i>frumentum</i>	1854, 32	<i>aura</i>	1859, 51
<i>kraussi</i>	1854, 31	1859, 93	
<i>mustelina</i>	1854, 31	1860, 96	
<i>nucleus</i>	1854, 31		
<i>rugata</i>	1854, 31		

	Page		Page
<i>Cathartes aura</i>	1860, { 287 383	<i>Celeus castaneus</i>	1859, 388
<i>burrovianus</i>	1857, 3	<i>grammicus</i>	1858, 74
<i>iota</i>	{ 1851, 53 1857, 3	<i>jumana</i>	1858, 74
<i>percnopterus</i>	1851, 145	<i>undatus</i>	1860, 286
<i>Catharus aurantiiro-</i>	{ 1856, 294 1858, 97	<i>verreauxii</i>	1858, 74
<i>stris</i>	{ 1859, 136 1859, 323	<i>Cemoria flemingii</i>	1851, 228
<i>dryas</i>	1859, { 137 324	<i>noachina</i>	1851, 228
<i>fusca</i>	1859, { 137 324	<i>princeps</i>	1851, 228
<i>immaculatus</i>	1856, 294	<i>Cenchrus piscivorus</i> ..	1860, 452
<i>maculatus</i>	{ 1858, 64 1859, 137	<i>Centrolophus britannicus</i>	1860, 302
<i>melpomene</i>	{ 1859, 324 1860, 64	<i>morio</i>	1860, 302
<i>mexicanus</i>	{ 1858, 97 1859, 136	<i>Centrophorus squamosus</i>	1850, 253
<i>occidentalis</i>	{ 1859, 323 1859, 362	<i>Centropus affinis</i>	1859, 458
<i>Catoblepas brookesii</i> ..	1850, 139	<i>bicolor</i>	1860, 359
<i>gnu</i>	{ 1850, 138 1860, 243	<i>goliath</i>	1860, 359
<i>gorgon</i>	1850, 139	<i>lepidus</i>	1859, 458
<i>taurina</i>	{ 138 139	<i>medius</i>	1860, 359
<i>Catreus wallichii</i>	{ 1858, 499 1858, 545	<i>menebiki</i>	{ 1858, 184 1859, 150
<i>causus rhombeatus</i> ..	{ 1859, 205 1858, 163	<i>milo</i>	1856, 136
<i>Cavia cobaya</i>	1850, 157	<i>philippensis</i> . . .	{ 1854, 257 1859, 150
<i>Cebalephrys aureus</i> . . .	1860, 353	<i>rufipennis</i>	{ 1859, 151 1857, 100
<i>plumbea</i>	1858, 179	<i>spilopterus</i>	1858, 181
<i>striga</i>	{ 1854, 272 1852, 107	<i>viridis</i>	1859, 457
<i>Cebus apella</i>	{ 1860, 183 1860, 416	<i>Centurus carolinus</i> . .	1857, 8
<i>capucinus</i>	1860, 422	<i>flaviventris</i>	{ 1857, 8 1860, 252
<i>cirrifer</i>	1860, 422	<i>pucheranii</i>	{ 1857, 229 1859, 60
<i>gracilis</i>	1852, 107	<i>rubriventris</i>	{ 1860, 286 1860, 297
<i>satanus</i>	1849, 9	<i>santacruzii</i>	{ 1855, 162 1856, 307
<i>Celeopicus verreauxii</i> .	1858, 74	<i>striatus</i>	{ 1857, 8 1858, 359
<i>Celeus badioides</i>	{ 1857, 229 1858, 359	<i>subelegans</i>	{ 1859, 60 1850, 367
<i>castaneus</i>	1859, 60	<i>uropygialis</i>	1857, 234
		<i>Cephalophus burchelli</i>	{ 1855, 162 1856, 143
		<i>campbelli</i>	1857, 8
		<i>coronatus</i>	{ 1857, 277 1860, 417
		<i>dorsalis</i>	1850, 121
		<i>gammia</i>	1850, 122
		<i>gammii</i>	1850, 170
		<i>madoqua</i>	{ 1857, 277 1850, 122
		<i>maxwellii</i>	{ 1850, 124 1850, 170
			{ 1859, 435 1860, 371

	Page		Page
<i>Cephalophus melanorheus</i> 1850,	125	<i>Cercopithecus griseoviri-</i>	
<i>monticola</i> { 1850, 124		<i>dis</i> 1860,	421
{ 1850, 170		<i>ludio</i> 1849,	8
{ 1860, 417		<i>melanogenys</i> { 1849,	7
<i>natalensis</i> 1850,	123	{ 1860,	112
<i>niger</i> 1850,	123	{ 1860,	246
<i>ogilbyi</i> 1850,	123	<i>mona</i> 1860,	371
<i>philantomba</i> 1850,	125	{ 422	
<i>punctulatus</i> 1850,	125	<i>nictitans</i> 1849,	8
<i>quadriscopta</i> 1850,	120	<i>petaurista</i> { 1849,	8
<i>rufilatus</i> 1850,	123	{ 1860,	416
<i>sylvicultrix</i> 1850,	122	{ 1860,	422
<i>whitfieldii</i> 1850,	125	<i>pluto</i> 1848,	56
? <i>zebra</i> 1850,	142	{ 1849,	28
<i>Cephalopterus glabri-</i>		<i>pygerythrus</i> { 1860,	183
<i>collis</i> { 1859,	143	{ 1860,	242
{ 1859,	143	{ 1860,	421
{ 1860,	206	<i>ruber</i> 1860,	179
<i>ornatus</i> { 1857,	18	<i>rufoviridis</i> 1860,	372
{ 1857,	265	<i>sabæus</i> 1860,	420
{ 1858,	71	{ 422	
{ 1859,	143	<i>Cercosaurus gaudichaudi</i> 1859,	89
{ 1859,	142	<i>rhombifer</i> 1859,	405
<i>penduliger</i> { 1860,	67	<i>Cereopsis novæ-hollan-</i>	
{ 1860,	92	<i>dæ</i> { 1857,	215
<i>Cephalotes peronii</i> 1859,	38	<i>dæ</i> { 1859,	206
<i>Cerambyx formosus</i> 1856,	12	<i>Cereopsius helena</i> 1858,	412
<i>marginalis</i> 1853,	27	<i>Ceres eolna</i> 1856,	100
<i>scabricornis</i> 1853,	26	{ 102	
<i>Cerastes hasselquistii</i> .. 1849,	95	<i>salleana</i> 1856,	100
<i>nasicornis</i> 1858,	163	{ 102	
<i>Ceratites piperta</i> 1858,	403	<i>Cereus gemmaceus</i> 1858,	148
<i>Ceratophrys cornutus</i> .. 1859,	434	<i>Cerionis caboti</i> 1857,	161
<i>Cercocebus fuliginosus</i> { 1859,	433	{ 1858,	498
{ 1860,	422	<i>melanocephala</i> .. { 1858,	544
<i>Cercoleptes caudivolvu-</i>		{ 1859,	185
<i>lus</i> 1848,	76	<i>Cerithidea albivaricosa</i> . 1854,	85
<i>Cercomacra atrothorax</i> 1858,	245	<i>albonodosa</i> 1856,	205
<i>cærulescens</i> 1858,	244	<i>balteata</i> 1854,	84
<i>cinerascens</i> 1858,	245	<i>bicarinata</i> 1854,	84
<i>maculosa</i> 1860,	279	<i>caillaudi</i> 1854,	83
<i>nigricans</i> 1858,	245	<i>chaibonniéri</i> 1854,	83
{ 1858,	245	<i>conica</i> 1854,	84
<i>tyrammina</i> { 1850,	55	<i>cornea</i> 1854,	85
{ 1859,	383	<i>crassilabrum</i> 1854,	84
{ 1860,	294	<i>decollata</i> 1854,	83
<i>Cercopithecus delalandii</i> 1860,	421	<i>diemenensis</i> 1854,	84
<i>diana</i> { 1848,	56	<i>fortunei</i> 1854,	85
{ 1860,	415	<i>fuscata</i> 1856,	206
{ 1860,	422	<i>hegewischii</i> 1854,	83
<i>engythithia</i> 1859,	212	<i>lafondii</i> 1854,	83
		<i>largillierthii</i> 1854,	84
		<i>layardi</i> 1854,	86
		<i>montagnei</i> 1854,	83
		<i>obtusa</i> 1854,	83
		<i>pauxilla</i> 1854,	86
		<i>pulchra</i> 1854,	83
		<i>rariocostata</i> 1854,	85

	Page		Page
<i>Cerithidea rhizophora-</i>		<i>Certhia mexicana</i>	1859, { 362
<i>rum</i>	1854, 85	<i>siparaja</i>	1859, 461
<i>sacrata</i>	1856, { 206	<i>sperata</i>	1859, 462
<i>similis</i>	1854, 84	<i>Certhilauda bifasciata</i> ..	1855, 47
<i>sinensis</i>	1854, 83	<i>dumetorum</i>	1855, 50
<i>varicosa</i>	1854, 83	<i>Certhiola luteola</i>	{ 1855, 138
<i>Cerithium asperum</i>	1860, 433	{ 1858, 462	
<i>baticum</i> ..	1860, 433	{ 1860, 85	
<i>bicarinatum</i>	1854, 84	{ 1860, 202	
<i>caillaudi</i>	1854, 83	{ 1856, 236	
<i>charbonnieri</i>	1854, 83	<i>mexicana</i>	{ 1859, 364
<i>conicum</i>	1854, 84	{ 1859, 376	
<i>decollatum</i>	1854, 83	<i>Cervequus andicus</i>	1850, 236
<i>diemenense</i>	1854, 84	<i>Cervicapra bezoartica</i> ..	1850, { 117
<i>dislocatum</i>	1859, 295	{ 1850, 234	
<i>fucatum</i> ..	1860, 432	<i>Cervulus moschatus</i> ..	{ 1856, 405
<i>giganteum</i>	1860, 401	<i>reevesi</i>	1850, 235
<i>gracile</i>	1860, 432	{ 1850, 234	
<i>hegewischi</i>	1854, 83	<i>vaginalis</i>	{ 1858, 530
<i>lafondi</i>	1854, 83	{ 1859, 435	
<i>largillierii</i>	1854, 84	<i>Cervus affinis</i>	{ 1850, 228
<i>lutulentum</i>	1854, 84	{ 1856, 405	
<i>macrostoma</i>	1853, 176	<i>ahu</i>	1850, 236
<i>montagnei</i>	1854, 83	<i>albipes</i> f.	1850, 117
{ 1851, 73		<i>alces</i>	1850, 224
<i>obtusum</i>	1854, 83	{ 1860, 183	
{ 1860, 17		<i>antisicnsis</i>	1850, 236
<i>paxillum</i>	1860, 433	<i>aristotelis</i>	1850, 231
<i>pulchrum</i>	1854, 83	<i>aureus</i>	1850, 234
<i>reevianum</i>	1854, 83	<i>aureus</i>	1850, 240
<i>sardoum</i>	1854, 84	<i>axis</i>	{ 1850, 233
<i>sinense</i>	1854, 83	{ 1856, 151	
{ 1851, 73		<i>barbarus</i>	1850, 227
<i>unicarinatum</i>	1854, 83	{ 1860, 183	
<i>unilineatum</i>	1860, 432	<i>bengalensis</i>	1850, 231
<i>validum</i>	1854, 83	<i>bezoarticus</i>	1850, 237
<i>varicosum</i>	1854, 83	<i>bifurcatus</i> ..	1850, 137
(Potamis) <i>sacratum</i> 1850, { 206		<i>campestris</i>	1850, 237
{ 226		<i>canadensis</i>	1850, 226
<i>Cerosterna imitator</i>	1858, 404	{ 1860, 322	
<i>javana</i>	1858, 403	{ 1850, 235	
<i>plagiata</i>	1858, 403	<i>capreolus</i>	1850, 236
<i>tessellata</i>	1858, 404	{ 1859, 477	
<i>Cerostoma nuttallii</i>	1856, 229	{ 1850, 228	
<i>Certhia albulfrons</i>	1855, 66	{ 1858, 520	
<i>americana</i>	{ 1856, 290	<i>caspianus</i>	1850, 228
{ 1859, 235		<i>chilensis</i>	1850, 236
<i>brasiliانا</i>	1859, 462	<i>clavatus</i>	1850, 238
<i>chlorophæa</i> ..	1859, 160	<i>coronatus</i>	1850, 229
<i>fasciata</i>	1859, 160	{ 1850, 229	
<i>himalayana</i>	1859, 174	{ 1856, 151	
<i>incana</i>	1859, 160	<i>dama</i>	{ 1850, 237
<i>lepida</i>	1859, 401	{ 1850, 231	
<i>longirostra</i>	1859, 460	<i>dichotomus</i>	1850, 241
<i>malaccensis</i>	1859, 461	<i>dolichurus</i>	1850, 229
<i>mexicana</i>	{ 1856, 290	<i>eedui</i>	1850, 229
{ 1858, 297		<i>elaphus</i>	1850, 133

	Page		Page
<i>Cervus elaphus</i>	1850, { 227	<i>Cervus pygargus</i>	1850, { 236
— <i>v. canadensis</i>	1850, { 228	<i>ramosicornis</i>	1850, { 238
— <i>β. hippelaphus</i>	1850, { 227	<i>rangifer</i>	1850, { 225
<i>equinus</i>	1850, { 231	<i>ratwa</i>	1850, { 235
<i>germanicus</i>	1850, { 227	<i>reevesii</i>	1850, { 235
<i>gymnotis</i>	1850, { 238	<i>rufus</i>	1850, { 241
<i>hamatus</i>	1850, { 187	<i>rusa</i>	1850, { 242
<i>heteroceros</i>	1850, { 231	—	1850, { 232
	{ 1849, 94	<i>sika</i>	{ 1860, 228
	{ 1850, 231	—	{ 1860, 376
<i>hippelaphus</i>	{ 1850, 232	<i>simplicicornis</i>	{ 1860, 415
	{ 1856, 405	<i>smithii</i>	{ 1850, 241
	{ 1860, 182	<i>strongyloceros</i>	{ 1850, 229
<i>humilis</i>	1850, { 242	—	{ 226
<i>kuhlii</i>	1850, { 232	<i>subcornutus</i>	{ 1850, 238
<i>leschenaultii</i>	1850, { 232	<i>taiouanus</i>	{ 1860, 234
<i>leucogaster</i>	1850, { 237	—	{ 1860, 376
<i>leucurus</i>	1850, { 238	<i>tarandus</i>	{ 1850, 225
<i>lewisii</i>	1850, { 239	—	{ 1860, 182
<i>lyratus</i>	1850, { 229	— <i>americanus</i>	{ 1850, 225
<i>macrotilis</i>	1850, { 239	— <i>var. arctica</i>	{ 1850, 225
— <i>β. columbiana</i>	1850, { 239	<i>tibetanus</i>	{ 1856, 405
<i>macrourus</i>	1850, { 239	<i>tunjuc</i>	{ 1850, 232
<i>major</i>	1850, { 226	<i>unicolor</i>	{ 1850, 157
<i>malaccensis</i>	1850, { 231	—	{ 231
<i>mangivorus</i>	1850, { 238	<i>vaginalis</i>	{ 1850, 234
<i>marianus</i>	1850, { 232	—	{ 1849, 94
—	{ 1850, 235	<i>virginianus</i>	{ 1850, 238
<i>melas</i>	{ 1856, 405	—	{ 1850, 239
<i>mexicanus</i>	1850, { 238	<i>vulgaris</i>	{ 1850, 227
<i>mirabilis</i>	1850, { 225	—	{ 1860, 227
<i>moschus</i>	1850, { 235	<i>wallichii</i>	{ 1850, 228
<i>muntjac</i>	1850, { 234	—	{ 1856, 520
<i>memoralis</i>	1850, { 238	<i>wapiti</i>	{ 1850, 220
—	{ 1848, 37	(<i>Capreolus</i>) <i>leucotis</i>	{ 1850, 236
<i>memorivagus</i>	{ 1850, 240	(<i>Dama</i>) <i>americanus</i>	{ 1850, 238
—	{ 1850, 242	(<i>Hippelaphus</i>) <i>lepi-</i>	
<i>memorum</i>	1850, { 241	— <i>da</i>	{ 1850, 233
<i>niger</i>	1850, { 234	(<i>Mazama</i>) <i>leucurus</i>	{ 1850, 238
<i>nobilis</i>	1850, { 227	(—) <i>virginianus</i>	{ 1850, 238
<i>nudipalpebra</i>	1850, { 233	(<i>Rusa</i>) <i>frontalis</i>	{ 1850, 230
<i>occidentalis</i>	1850, { 226	—	{ 1857, 233
<i>palmatius</i>	1850, { 225	<i>Ceryle alcyon</i>	{ 1859, 53
<i>paludosus</i>	1850, { 237	—	{ 1859, 236
<i>palustris</i>	1850, { 237	—	{ 1859, 367
<i>peroni</i>	1850, { 232	—	{ 1860, 252
<i>philippinus</i>	1850, { 232	—	{ 1855, 136
<i>platyceros</i>	1850, { 229	<i>amazona</i>	{ 1857, 202
<i>platyrhynchos</i>	1850, { 225	—	{ 1859, 53
—	{ 1850, 167	—	{ 1856, 136
<i>porcinus</i>	{ 1850, 234	—	{ 1856, 139
—	{ 1856, 406	<i>americana</i>	{ 1858, 286
<i>pseudaxis</i>	{ 1850, 233	—	{ 1858, 353
—	{ 1860, 376	—	{ 1859, 53
<i>pudu</i>	{ 235	—	{ 1859, 367
—	{ 242	—	{ 1860, 284
<i>pygargus</i>	1850, { 227	—	{ 1860, 296
		<i>domingensis</i>	{ 1857, 238

	Page		Page
<i>Ceryle rudis</i>	1850, 216	<i>Chalcopsitta rubiginosa</i> {	1850, 26
	1859, 174		1860, 227
	1857, 227	<i>rubrifrons</i>	1858, 182
<i>superciliosa</i>	1850, 53	<i>scintillans</i>	1860, 227
	1859, 387	<i>Chalcothraupis argentea</i>	1856, 259
	1856, 139	<i>atricapilla</i>	1856, 259
<i>torquata</i>	1857, 202	<i>atrocaerulea</i>	1856, 258
	1859, 53	<i>nigrocincta</i>	1856, 261
	1860, 284	<i>nigroviridis</i>	1856, 260
	1857, 89	<i>ruficervix</i>	1856, 259
<i>varia</i>	1859, 150	<i>Chama exogyra</i>	1856, 217
<i>Cetonia (Protætia) procera</i>	1856, 17	<i>frondosa</i>	1856, 217
(—) <i>schaumii</i> ..	1856, 17	<i>glycimerns</i> ..	1855, 218
<i>Ceyx azurea</i>	1858, 172	<i>mexicana</i>	1856, 217
<i>lepada</i>	1860, 348	<i>pellucida</i>	1856, 217
<i>lessonii</i>	1858, 172		1859, 434
<i>luzoniensis</i>	1854, 269		1859, 435
<i>meninting</i>	1858, 172	<i>Chamæleo africanus</i> ..	1859, 436
<i>microsoma</i>	1854, 269		1860, 416
<i>pusilla</i>	1858, 172		1860, 442
<i>rufidorsa</i> ..	1854, 270	<i>bibronii</i>	1858, 158
	1858, 172	<i>burchellii</i>	1858, 158
<i>soltaria</i>	1859, 155	<i>cristatus</i>	1858, 157
<i>tridactyla</i>	1854, 269	<i>dilepis</i>	1858, 157
<i>uropygialis</i>	1860, 348	<i>gracilis</i>	1858, 158
<i>Chæna agglutinans</i> ..	1854, 330	<i>granulosus</i>	1858, 158
<i>annulata</i>	1858, 316	<i>oweni</i> ..	1858, 158
	1857, 247	<i>planiceps</i>	1858, 157
<i>annulosa</i>	1857, 248	<i>senegalensis</i>	1858, 157
<i>grandis</i>	1854, 330	<i>tricornis</i>	1858, 158
<i>mumia</i>	1857, 244		1849, 95
	1857, 247		1851, 203
<i>tessellata</i>	1857, 247	<i>vulgaris</i>	1858, 157
	1857, 248		1859, 470
	1858, 315		1859, 473
<i>Chætodon gibbosus</i>	1850, 65		1859, 475
<i>monodactylus</i>	1850, 65	<i>Chamæospiza torquata</i> {	1858, 304
<i>Chætostoma lobarhynchus</i> ..	1850, 420		1859, 365
<i>Chætura brunneitorques</i> ..	1855, 135	<i>Chamæpelia amazilia</i> ..	1850, 30
	1850, 221		1855, 163
<i>Chætusia gregaria</i>	1858, 505	<i>granatina</i>	1858, 556
<i>Chaimarronis leucocephalus</i>	1854, 30		1855, 163
<i>Chalceus alburnus</i>	1859, 419		1857, 205
<i>brevirostris</i> ..	1859, 420		1857, 236
<i>Chalcites smaragdineus</i> ..	1860, 112	<i>passerina</i>	1859, 369
<i>xanthorhynchus</i> ..	1859, 151		1859, 391
<i>Chalcopygia cingalensis</i> ..	1859, 463		1860, 243
<i>phœnicotis</i>	1859, 463		1860, 417
<i>Chalcophaps angusta</i> ..	1859, 467		1857, 19
<i>chrysochlora</i>	1859, 165	<i>rufipennis</i>	1858, 359
	1859, 150		1859, 61
<i>indica</i>	1859, 467		1859, 369
<i>javanica</i>	1860, 361	<i>Chamæpetes goudoti</i> ..	1856, 30
<i>moluccensis</i>	1860, 361	<i>Chamæza brevicauda</i> ..	1858, 278
<i>stephanii</i>	1859, 159	<i>guatemalensis</i>	1856, 294
<i>Chalcopsitta atra</i>	1860, 227	<i>marginata</i>	1855, 145
		<i>meruloides</i>	1858, 278
		<i>mollissima</i>	1855, 89

	Page		Page
<i>Chamaeza mollissima</i> ..	{ 1855, 145	<i>Cheilodactylus nigricans</i>	1850, 63
<i>monticola</i>	{ 1858, 279	<i>nigripes</i>	1850, 66
<i>nana</i>	{ 1858, 281	<i>zonatus</i>	1850, 66
<i>nobilis</i>	{ 1858, 68	<i>Cheilotrema lapicida</i> ..	1854, 197
<i>olivacea</i>	{ 1858, 68	<i>mudas</i>	1860, 372
<i>Chamaezosa brevicauda</i> ..	{ 1858, 279	<i>Chelidon cashmeriensis</i> {	1858, 356
<i>marginata</i>	{ 1858, 278	{ 1858, 494	
<i>olivacea</i>	{ 1858, 278	{ 1859, 175	
<i>Chaptia malayensis</i>	{ 1854, 271	<i>Chelidoptera albipennis</i> .	1855, 196
<i>Charadrella trífida</i>	{ 1858, 320	<i>tenebrosa</i>	1855, { 136
<i>Charadrius alexandrinus</i> .	{ 1850, 221	{ 1855, 196	
<i>annuligerus</i>	{ 1860, 386	<i>Chelifer pallipes</i>	1849, 6
<i>azaræ</i>	{ 1860, 290	<i>Chelodina collei</i>	1856, 370
<i>cantianus</i>	{ 1850, 221	<i>expansa</i>	1856, 370
<i>cirrhipedesmus</i>	{ 1860, 363	<i>longicollis</i>	1856, 370
<i>falklandicus</i>	{ 1860, 386	<i>oblonga</i>	1856, 370
<i>geoffroyi</i>	{ 1860, 363	<i>sulcata</i>	1855, 206
<i>glaucopus</i>	{ 1859, 165	<i>sulcifera</i>	1856, 370
<i>hiaticula</i>	{ 1850, 221	<i>Chelonia imbricata</i>	1850, 432
<i>inornatus</i>	{ 1851, 146	<i>Chelydra collei</i>	1855, 200
<i>leschenaulti</i>	{ 1858, 187	<i>longicollis</i>	1855, 200
<i>leschenaulti</i>	{ 1859, 188	<i>oblonga</i>	1855, 200
<i>magnirostris</i>	{ 1858, 187	<i>serpentina</i>	1856, 200
<i>minor</i>	{ 1855, 80	<i>Chelymys macquaria</i> ..	1856, 371
<i>pecuarius</i>	{ 1850, 221	<i>Chemnitzia acicularis</i> ..	1853, 181
<i>pluvialis</i>	{ 1851, 146	<i>bicarinata</i>	1856, 171
<i>pluvialis orientalis</i> .	{ 1855, 80	<i>bitaformis</i>	1856, 171
<i>resplendens</i>	{ 1860, 363	<i>boholensis</i>	1853, 180
<i>rubecola</i>	{ 1858, 556	<i>candida</i>	1853, 181
<i>veredus</i>	{ 1860, 386	<i>clathrata</i>	1853, 180
<i>virginicus</i>	{ 1848, 38	<i>communis</i>	1856, 170
<i>vociferus</i>	{ 1850, 150	<i>concinna</i>	1853, 181
<i>xanthocheilus</i>	{ 1859, 309	<i>cornea</i>	1853, 181
<i>Charmosyna papuana</i> ..	{ 1860, 108	<i>costulata</i>	1853, 180
<i>pulchella</i>	{ 1859, 63	<i>cumingi</i>	1856, 170
<i>Chaulealcyon gaudichaudi</i> .	{ 1858, 187	<i>curvicaudata</i>	1853, 180
<i>Chaunax pictus</i>	{ 1860, 227	<i>densecostata</i>	1853, 180
<i>Chaus lybicus</i>	{ 1859, 158	<i>elegantissima</i>	1853, 179
<i>Cheilodactylus aspersus</i> .	{ 1860, 227	<i>fenestrata</i>	1853, 179
<i>brachydactylus</i>	{ 1858, 171	<i>formosa</i>	1853, 179
<i>carponemus</i>	{ 1850, 250	<i>fulvocincta</i>	1853, 179
<i>ciliaris</i>	{ 1856, 396	<i>fusca</i>	1853, 181
<i>fasciatus</i>	{ 1858, 514	<i>gracilis</i>	1853, 179
<i>gibbosus</i>	{ 1850, 64	<i>grandis</i>	{ 1853, 180
<i>hecaterus</i>	{ 1850, 67	{ 1860, 241	
<i>lineatus</i>	{ 1850, 61	<i>indistincta</i>	1853, 179
<i>macropterus</i>	{ 1850, 67	<i>interrupta</i>	1853, 179
		<i>hrata</i>	1853, 181
		<i>obliquata</i>	1853, 180
		<i>pallida</i>	1853, 180
		<i>polyzonata</i>	1856, 170
		<i>pusilla</i>	1853, 179
		<i>rubrofusca</i>	1856, 171
		<i>rufa</i>	1853, 179
		<i>rufescens</i>	1853, 179
		<i>scalaris</i>	1853, 179
		<i>tenacula</i>	1856, 207
		<i>torquata</i>	1856, 207

	Page		Page
<i>Chemnitzia trilineata</i> ..	1853, 180	<i>Chlamydotherium gigan-</i>	
<i>turritella</i>	1853, 180	<i>teum</i>	1851, 216
<i>vamosa</i>	1853, 181	<i>humboldtii</i>	1851, 216
<i>Chenalopex ægyptiacus</i> {	1850, 221	<i>Chlamyphorus trunca-</i>	
	1859, 477	<i>tus</i>	1857, 8
<i>Chione californiensis</i> ..	1856, 216		1857, 128
<i>callosa</i>	1856, 216	<i>Chloephaga magella-</i>	
<i>gibbosa</i>	1853, 7	<i>nica</i>	1858, 239
<i>nuttallii</i>	1856, 216		1859, 96
<i>regularis</i>	1853, 7		1860, 387
<i>sphæricula</i>	1853, 8		1860, 416
<i>straminea</i>	1856, 215		1857, 128
<i>ustulata</i>	1853, 8	<i>poliocephala</i>	1858, 289
	1858, 99		1859, 96
<i>Chionis alba</i>	1859, 95		1859, 206
	1860, 386	<i>rubidiceps</i>	1860, 387
<i>Chiradota discolor</i>	1858, 366		1860, 415
<i>lævis</i> ..	1858, 366	<i>Chlorochrysa callipa-</i>	
<i>lumbicus</i>	1858, 366	<i>ræa</i>	1855, 158
<i>purpurea</i>	1858, 366		1856, 206
<i>verrucosa</i>	1858, 366	<i>phœnicotis</i>	1858, 74
<i>violacea</i> ..	1858, 366		1856, 266
<i>Chirocephalus birostra-</i>			1860, 87
<i>tus</i> ..	1852, 24	<i>Chloroenas albulinea</i> ..	1855, 163
<i>claviger</i>	1852, 24		1858, 556
<i>diaphanus</i>	1852, 23	<i>bicolor</i> ..	1856, 30
<i>lacunæ</i>	1852, 23	<i>fasciata</i>	1856, 309
<i>middendorffianus</i> ..	1852, 25		1858, 305
<i>Chromachæris gutturosa</i> 1854, 114		<i>flavirostris</i>	1856, 309
	89	<i>rufina</i>	1856, 143
<i>manacus</i>	1860, 279		1857, 19
	296	<i>speciosa</i>	1856, 309
<i>Chiromys madagascari-</i>			1858, 76
<i>ensis</i>	1850, 111	<i>Chloronerpes ærugin-</i>	
<i>Chiroxipha melanoce-</i>		<i>phala</i>	1859, 388
<i>phala</i> ..	1855, 151		1860, 286
<i>regina</i>	1856, 141	<i>callonotus</i>	1860, 297
	1857, 266		1855, 161
<i>Chiton acutus</i>	1855, 232		1856, 143
	1856, 221	<i>cecilia</i>	1860, 286
<i>armatus</i>	1856, 221		1860, 297
<i>articulatus</i>	1855, 232	<i>erythrope</i>	1857, 208
<i>hartwegi</i>	1855, 231	<i>fumigatus</i>	1855, 161
<i>insculptus</i>	1852, 91		1859, 146
<i>macgillivrayi</i> ...	1855, 120		1856, 307
<i>montereyensis</i> ..	1855, 231	<i>oleagineus</i> ...	1859, 367
<i>muricatus</i>	1852, 91		1859, 388
<i>muscosus</i>	1856, 221	<i>passerinus</i>	1857, 234
	1855, 231	<i>rubiginosus</i> ...	1856, 307
<i>nuttallii</i>	1856, 221		1860, 286
	1855, 232	<i>sanguinolentus</i> ...	1859, 60
<i>ornatus</i>	1856, 221	<i>selysi</i>	1858, 74
<i>regularis</i>	1855, 232		1856, 307
<i>versicolor</i>	1852, 92	<i>yucatanensis</i>	1859, 60
<i>Chlamydera cerviniven-</i>			1859, 367
<i>tris</i>	1850, 201		1855, 137
<i>maculata</i>	1850, 201	<i>Chlorophanes atrica-</i>	
<i>nuchalis</i> ..	1850, 201	<i>pilla</i>	1857, 263
	1857, 26		1858, 61
			1858, 452
			1859, 138

	Page		Page
<i>Chlorophanes atricapilla</i>	1860, 292	<i>Chlorospingus superci-</i>	1860, { 65
<i>Chlorophus heterodermus</i>	1858, 158	<i>liaris</i>	{ 86
<i>Chlorophonia frontalis</i> ..	1856, 270	<i>verticalis</i>	{ 1855, 155
<i>longipennis</i>	{ 1855, 158	<i>xanthophrys</i>	{ 1856, 90
<i>occipitalis</i>	{ 1856, 270	<i>xanthophrys</i>	{ 1856, 93
<i>pretrei</i>	{ 1856, 270	<i>xanthophrys</i>	{ 1856, 93
<i>viridis</i>	{ 1857, 205	<i>xanthophrys</i>	{ 1856, 93
<i>Chloropsaris atricapillus</i>	1859, 364	<i>Chlorospiza chloris</i>	1857, 223
<i>cuvieri</i>	1855, 159	<i>melanodera</i>	1860, 385
<i>versicolor</i>	1856, 270	<i>xanthogramma</i>	1860, 385
<i>Chloropsis gampsorhynchus</i>	1856, 269	<i>Chlorostilbon acutica-</i>	
<i>malabaricus</i>	1851, 45	<i>dus</i>	1860, 308
<i>zosterops</i>	1851, 45	<i>atala</i>	1859, 145
<i>Chlorornis prasina</i>	1851, 45	<i>melanorhynchus</i> ..	1860, 94
<i>riefferii</i>	1854, 280	<i>osberti</i>	1860, 308
<i>Chlorospingus albitem-</i>	1858, 475	<i>osberti</i>	1860, 309
<i>poralis</i>	1854, 280	<i>Chlorostoma agreste</i> ..	1851, 180
<i>atripileus</i>	1856, 78	<i>argyrostoma</i>	1851, 180
<i>canigularis</i>	1855, 154	<i>articulatum</i>	1851, 183
<i>castaneicollis</i>	1855, 155	<i>atrum</i>	1851, 180
<i>flavicularis</i>	1856, 89	<i>bicanaliculatum</i> ..	1851, 181
<i>flavipectus</i>	1858, 293	<i>carinatum</i>	1851, 181
<i>flaviventris</i>	1854, 157	<i>castaneum</i>	1851, 182
<i>leucophrys</i>	1855, 155	<i>cicer</i>	1851, 181
<i>lichtensteini</i>	1856, 91	<i>corrugatum</i>	1851, 182
<i>melanotis</i>	1860, 76	<i>corrugatum</i>	1854, 40
<i>olivaceus</i>	1860, 86	<i>euryomphalus</i>	1851, 181
<i>ophthalmicus</i>	1855, 155	<i>funebre</i>	1854, 316
<i>rubrirostris</i>	1856, 90	<i>fuscum</i>	1854, 305
<i>spodocephalus</i>	1859, 138	<i>gallina</i>	1851, 182
<i>superciliaris</i>	1858, 293	<i>impervium</i>	1851, 182
	1855, 155	<i>laeve</i>	1851, 181
	1856, 91	<i>maculosum</i>	1851, 183
	1860, 86	<i>maculosum</i>	1856, 204
	1855, 155	<i>marginatum</i>	1851, 181
	1856, 90	<i>merula</i>	1851, 181
	1856, 91	<i>mestum</i>	1851, 180
	1856, 90	<i>mestum</i>	1854, 317
	1856, 91	<i>nigerrimum</i>	1851, 180
	1856, 89	<i>nigerrimum</i>	1854, 40
	30	<i>odontas</i>	1851, 182
	93	<i>pfefferii</i>	1851, 181
	1854, 157	<i>pulligo</i>	1851, 182
	1855, 155	<i>rugosum</i>	1851, 182
	1856, 92	<i>sagittiferum</i>	1851, 181
	1858, 294	<i>sauciatum</i>	1851, 181
	1856, 90	<i>seminodosum</i>	1851, 183
	1856, 89	<i>stenomphalus</i>	1851, 181
	1856, 302	<i>tabulare</i>	1851, 181
	1859, 364	<i>tigrinum</i>	1851, 180
	1859, 377	<i>tropidophorum</i>	1851, 183
	1855, 155	<i>turbinatum</i>	1851, 182
	1856, 92	<i>turbinatum</i>	1851, 183
	1858, 294	<i>undulosum</i>	1851, 182
	1856, 91	<i>xanthostigma</i>	1851, 183
	1855, 155	<i>Choanopoma chittyi</i>	1857, 165
	1856, 80	<i>fimbriatulum</i>	1857, 165
	1856, 92	<i>Choiropotamus africanus</i>	1852, 181
	1860, 63		

	Page		Page
<i>Choiropotamus larvatus</i> ..	1852, 131	<i>Chrysotrappis frugile-</i>	1856, 236
<i>pictus</i>	1852, 132	<i>gus</i>	1858, 453
<i>Cholepus didactylus</i> ..	{ 1849, 66	<i>icterocephala</i>	1856, 251
	{ 1851, 207	<i>parzudaki</i>	1850, 263
<i>Chondestes grammica</i> ..	{ 1856, 139	<i>schrunkii</i>	1850, 243
<i>ruficauda</i>	1859, 379	<i>thalassina</i>	1856, 262
	1857, 7	<i>thoracica</i>	1856, 243
<i>Chondropoma angusta-</i>		<i>xanthocephala</i>	1856, 264
<i>tum</i>	1854, 128	<i>Chrysotis albifrons</i>	1858, 359
<i>puncticulatum</i>	1854, 128	<i>amazonica</i>	1858, 75
<i>venezuelense</i>	1853, 52		{ 1857, 205
<i>Chromis fenestrata</i> ..	{ 1860, 318	<i>autumnalis</i>	{ 1857, 230
<i>nebulifera</i>	1860, 318		{ 1859, 59
<i>rivulata</i>	{ 1859, 418		{ 1859, 389
	1860, 234	<i>coccineifrons</i>	1857, 230
<i>Chrysallida communis</i> ..	1856, 170	<i>dominicensis</i>	1857, 224
<i>crebristrata</i>	1856, 170	<i>farinosa</i> ..	1858, 75
<i>Chrysenis batesii</i>	1860, 132	<i>guatemalae</i>	1860, 253
<i>Chrysococyx basalis</i> ..	1859, 128	<i>leucocephala</i> ..	1857, { 224
	{ 1859, 128		{ 225
<i>lucidus</i>	{ 1859, 221	<i>mercenaria</i>	1858, 75
	1860, 359	<i>ochroptera</i>	1857, 230
<i>minutillus</i>	1859, 128	<i>ochropterus</i>	1859, { 389
<i>Chrysocolaptes sultaneus</i>	1859, 456		{ 433
<i>Chrysodema louisa</i> ..	1859, 120	<i>sallaei</i>	1857, { 224
<i>Chrysodomus despectus</i> ..	1850, 15		{ 234
<i>heros</i>	1850, 15	<i>vinaceicollis</i>	1857, 225
<i>Chrysolampis moschitus</i>	1859, 54	<i>viridigenalis</i>	1857, 230
<i>Chrysomitris columbiana</i>	1855, 159	<i>vittata</i>	1857, { 224
	1858, 552		{ 225
<i>icterica</i>	{ 1860, 66	<i>Chrysoronia josephinae</i> ..	1857, 263
	1865, 65		{ 1854, 111
	1856, 303	<i>cenone</i>	{ 1855, 141
<i>mexicana</i>	{ 1858, 303		{ 1858, 460
	1859, 365	<i>Ciccaba gisella</i>	1856, 25
	1859, 380	<i>huhula</i>	1858, 96
	1856, 304	<i>nigrolineata</i>	1859, 131
<i>notata</i>	{ 1858, 303	<i>torquata</i>	1857, 227
	1859, 365	<i>Cichalopia vulpina</i>	1855, 141
<i>spinescens</i>	1859, 380	<i>Cichla lineata</i>	1850, 68
<i>spinoides</i>	1855, 159	<i>Cichlerminna bonapartii</i> ..	1859, 335
<i>yarrellii</i>	1859, 184	<i>fuscata</i> ..	1859, 335
	1857, 7		{ 1857, 6
<i>Chrysomus icterocephala</i>	1857, 18	<i>Cichlopsis leucogonyx</i> ..	{ 1858, 542
<i>lus</i> ..	1859, 456	<i>Cicindela megalcephala</i> ..	1851, 199
<i>Chrysonotus intermedius</i>	1859, 456	<i>Cicinnurus spinturnix</i> ..	1858, 181
<i>rafflesii</i>	1858, 382	<i>Ciconia alba</i>	{ 1850, 221
<i>Chrysopelea ornata</i> ..	{ 1860, 115		{ 1858, 508
	1858, 158	<i>leucocephala</i>	1855, 72
<i>præornata</i>	1856, 86		{ 1858, 508
<i>Chrysopoga typica</i> ..	1855, 161	<i>nigra</i>	{ 1851, 146
<i>Chrysophilus campileus</i> ..	1855, 161		{ 1858, 508
<i>cayanensis</i> ..	1855, 161	<i>Cidaris annulata</i>	1855, 37
<i>punctigula</i>	1855, 161	<i>ornata</i>	1855, 37
<i>Chrysotrappis arthurs</i> ..	1856, 251	<i>spinulosa</i>	1855, 38
<i>aurulenta</i> ..	1856, 250	<i>verticillata</i> ..	1855, 37
<i>chrysotis</i>	1856, 263	<i>Cimohornis diomedæus</i> ..	1851, 28
<i>citrinella</i>	1856, 247	<i>Cinchidrum frontale</i>	1854, 75

	Page		Page
<i>Cinclocerthia brachyura</i>	1855, 214	<i>Circus pallidus</i>	1854, 6
<i>gutturalis</i>	1855, 214	<i>swainsonii</i>	1858, 472
<i>ruficauda</i>	1859, 338	<i>Cirrihippra flicauda</i>	1857, 265
<i>Cinclodes albidiventris</i>	1855, 214	<i>Curripathes sieboldii</i>	1858, 71
<i>antarcticus</i>	1859, 338	<i>Cirsotrema attenuatum</i>	1857, 291
<i>bifasciatus</i>	1860, 77	<i>Cissopis bicolor</i>	1860, 400
<i>excelsior</i>	1860, 385	<i>leveriana</i>	1856, 79
<i>vulgaris</i>	1858, 448	<i>media</i>	1856, 78
<i>Cinclops melanoleucus</i>	1860, 77	<i>minor</i>	1856, 79
<i>Cinlosoma castaneotho-</i>	1855, 214	<i>Cistothorus platensis</i>	1855, 154
<i>rax</i>	1859, 338	<i>Cistudo carolinensis</i>	1856, 79
<i>setifer</i>	1858, 139	<i>clausa</i>	1855, 197
<i>Cinclus americanus</i>	1858, 488	<i>dentata</i>	1860, 415
<i>aquaticus</i>	1858, 3	<i>mexicana</i>	1856, 183
<i>cashmeriensis</i>	1859, 200	<i>Cistula cinchdodes</i>	1849, 17
<i>interpres</i>	1860, 258	<i>Cithaia sinuata</i>	1855, 197
<i>leucocephalus</i>	1859, 494	<i>Cladiscus bipectinatus</i>	1852, 142
<i>leuconotus</i>	1860, 363	<i>longipennis</i>	1856, 162
<i>mexicanus</i>	1857, 274	<i>Cladoscopus temmincki</i>	1852, 39
<i>sordidus</i>	1857, 274	<i>parrianus</i>	1852, 39
<i>Cinnicerthia canifrons</i>	1859, 362	<i>Clanculus acuminatus</i>	1855, 142
<i>unibrunea</i>	1850, 494	<i>agrestis</i>	1851, 160
<i>unicolor</i>	1855, 143	<i>albinus</i>	1851, 158
<i>uniuafa</i>	1855, 143	<i>anus</i>	1851, 160
<i>Cinnyricincla javanica</i>	1855, 143	<i>brunneus</i>	1851, 159
<i>Cinnyris aspasia</i>	1859, 461	<i>carinatus</i>	1851, 161
<i>clementiae</i>	1858, 173	<i>cingulifer</i>	1851, 162
<i>novæ-guineæ</i>	1858, 173	<i>clanguloides</i>	1851, 160
<i>orientalis</i>	1858, 173	<i>conspersus</i>	1851, 158
<i>sericea</i>	1854, 257	<i>corallinus</i>	1851, 163
<i>zenobia</i>	1858, 173	<i>corrugatus</i>	1851, 158
<i>Cinyxis denticulata</i>	1858, 173	<i>couturri</i>	1851, 159
<i>homeana</i>	1858, 166	<i>depictus</i>	1851, 158
<i>Circaetus brachydactylus</i>	1858, 166	<i>edentulus</i>	1851, 162
<i>gallicus</i>	1850, 215	<i>floridus</i>	1851, 158
<i>solitarius</i>	1858, 472	<i>gibbosus</i>	1851, 162
<i>Circe latirostris</i>	1856, 145	<i>guianicus</i>	1851, 158
<i>lenticularis</i>	1858, 297	<i>jussieu</i>	1851, 159
<i>metcalfei</i>	1859, 367	<i>kraussii</i>	1851, 159
<i>personata</i>	1853, 7	<i>limbatus</i>	1851, 158
<i>pulchra</i>	1853, 7	<i>ludwigi</i>	1851, 159
<i>transversaria</i>	1853, 6	<i>lupinus</i>	1851, 159
<i>Circus æruginosus</i>	1853, 6	<i>maculosus</i>	1851, 160
<i>cinereus</i>	1858, 472	<i>margaritarius</i>	1851, 159
<i>cyaneus</i>	1859, 94	<i>maugeri</i>	1851, 158
<i>hudsonius</i>	1860, 384	<i>mediterraneus</i>	1851, 158
<i>montagui</i>	1854, 5	<i>microdon</i>	1851, 162
<i>pallidus</i>	1857, 125	<i>minor</i>	1851, 161
	1857, 211	<i>nigericus</i>	1851, 162
	1859, 390	<i>noduliratus</i>	1851, 163
	1854, 5	<i>nodulosus</i>	1854, 39
	1858, 472	<i>ochroleucus</i>	1851, 159
	1850, 216	<i>omalomphalus</i>	1851, 162
		<i>ornithophorus</i>	1851, 159

	Page		Page
<i>Clanculus patagonicus</i> ..	1851, 158	<i>Clausilia strigata</i>	1849, 186
<i>personatus</i>	1851, 159	<i>thermopylarum</i>	1849, 189
<i>pharaonis</i>	1851, 157	<i>tristrami</i>	1860, 140
<i>ringens</i>	1851, 158	<i>turrita</i>	1849, 135
<i>scabrosus</i>	1851, 159	<i>Clausilia borneensis</i>	1854, 296
<i>smithi</i>	1851, 158	<i>crispa</i>	1854, 215
<i>spadiceus</i>	1851, 159	<i>deltostoma</i>	1854, 215
<i>stigmatarius</i>	1851, 161	<i>eburnea</i>	1854, 296
<i>sulcarius</i>	1851, 160	<i>exigua</i>	1854, 216
<i>textilosus</i>	1851, 161	<i>nivea</i>	1854, 296
<i>tubimoides</i>	1851, 160	<i>Clavagella aperta</i>	1858, 314
<i>turgidulus</i>	1851, 159	<i>australis</i>	1858, 315
<i>unedo</i>	1851, 161	<i>caillate</i>	1858, 314
<i>variegatus</i>	1851, 160	<i>coronata</i>	1858, 314
<i>zebrides</i>	1851, 161	<i>cristata</i>	1858, 314
<i>Clanophila auricularia</i> ..	1858, 48	<i>echinata</i>	1858, 314
<i>brasiliana</i>	1858, 48	<i>elongata</i>	1858, 315
<i>gibbosa</i>	1858, 48	<i>lagenalis</i>	1858, 314
<i>Clangula angustirostris</i> ..	1860, 336	<i>lata</i>	1858, 315
<i>glaucion</i>	1860, 242	<i>mammoi</i>	1858, 315
<i>Clathraria rubrinodis</i> ..	1859, 486	<i>melitensis</i>	1858, 314
<i>Clathurella balteata</i> ..	1860, 143	<i>rape</i>	1858, 315
<i>brunnea</i>	1860, 143	<i>vivens</i>	1858, 315
<i>buccinoides</i>	1860, 144	<i>Clea nigricans</i>	1855, 119
<i>cylindrica</i>	1860, 143	<i>Clementia cumingi</i>	1854, 346
<i>elegans</i>	1860, 144	<i>moretonensis</i>	1853, 18
<i>exilis</i>	1860, 144	<i>strangei</i>	1853, 17
<i>fuscomaculata</i>	1860, 144	<i>Clepsydra strangulata</i> ..	1858, 313
<i>harpa</i>	1860, 144	<i>Clerus æruginosus</i>	1852, 51
<i>paucicostata</i>	1860, 144	<i>atricornis</i>	1852, 51
<i>producta</i>	1860, 143	<i>bengala</i>	1852, 41
<i>pulchella</i>	1860, 144	<i>hilaris</i>	1852, 47
<i>Clausilia adamsiana</i>	1860, 140	<i>novemguttatus</i>	1852, 49
<i>belcheri</i>	1849, 195	<i>posticalis</i>	1852, 42
<i>bourcierii</i>	1852, 152	<i>sanguinalis</i>	1852, 36
<i>charpentieri</i>	1849, 140	<i>sepulchralis</i>	1852, 52
<i>claviformis</i>	1849, 135	<i>subfasciatus</i>	1852, 41
<i>canaliculata</i>	1849, 137	<i>ventralis</i>	1852, 51
<i>candida</i>	1849, 135	<i>zebratus</i>	1852, 43
<i>compressa</i>	1849, 136	<i>(Hoplocerus) biacu-</i>	
<i>cyclostoma</i>	1849, 135	<i>leatus</i>	1852, 52
<i>dunkeri</i>	1849, 141	<i>(Hydnocerus) bel-</i>	
<i>græca</i>	1849, 137	<i>lus</i>	1852, 47
<i>hanleyana</i>	1849, 139	<i>(—) exilis</i>	1852, 48
<i>homalorhaphæ</i>	1849, 137	<i>(—) flavolineatus</i>	1852, 48
<i>idæa</i>	1849, 140	<i>(—) flavovarius</i>	1852, 49
<i>lunellaris</i>	1849, 139	<i>(—) pectoralis</i>	1852, 48
<i>milleri</i>	1849, 136	<i>(—) V-reversus</i>	1852, 48
<i>negropontina</i>	1849, 139	<i>(Lemidius) coralli-</i>	
<i>puella</i>	1849, 136	<i>pennis</i>	1852, 47
<i>reeveana</i>	1849, 140	<i>(—) festivus</i>	1852, 47
<i>scalaris</i>	1849, 137	<i>(Omadius) medio-</i>	
<i>semidenticulata</i>	1849, 141	<i>fasciatus</i>	1852, 44
<i>sennaamensis</i>	1856, 36	<i>(—) olivaceus</i>	1852, 44
<i>sericata</i>	1849, 140	<i>(—) prasinus</i>	1852, 53
<i>shanghaiensis</i>	1852, 138	<i>(Stigmatius) dorsi-</i>	
<i>sieboldii</i>	1848, 111	<i>ger</i>	1852, 37
<i>sowerbyana</i>	1849, 141	<i>(—) elaphroides</i>	1852, 45

	Page		Page
<i>Clerus (Stigmatius) nebulifer</i>	1852, 36	<i>Coccothraustes viridis</i> ..	1856, 66
(—) <i>rufiventris</i> ..	1852, 45	<i>Coccystes coromandus</i> ..	1859, 459
(<i>Xylobius</i>) <i>albovarius</i>	1852, 40	<i>melanoleucos</i>	1857, 100
(—) <i>dulcis</i>	1852, 40	<i>Coccyzus americanus</i> ..	1860, 252
(<i>Xylotretus</i>) <i>chrysidens</i>	1852, 50	<i>badius</i>	1859, 485
(—) <i>excavatus</i> ..	1852, 46	<i>dommicus</i>	1857, 234
<i>Clintaria atra</i>	1856, 15	<i>erythrophthalmus</i> ..	{ 1857, 214
<i>biguttata</i>	1856, 15	{ 1860, 252	
<i>ducalis</i>	1856, 15	<i>geoffroyi</i>	1849, 63
<i>funeraria</i> ..	1856, 15	<i>semiculus</i>	1857, 234
<i>hoffmeisteri</i>	1856, 15	<i>viridirostris</i>	1856, 308
<i>Clotho arietans</i>	1860, 193	<i>Cochlea bengalensis</i> ..	1850, 148
<i>lateristriga</i>	1858, 163	<i>Cochleophasia tessellata</i> ..	1849, 35
<i>nasicornis</i>	1858, 163	<i>Cochlodesma leana</i>	1855, 229
	164	<i>Cocilia gracilis</i>	1859, 417
	167	<i>pachynema</i> ..	1859, 417
	169	<i>rostrata</i>	1859, 417
<i>Clothonia johmi</i>	1860, 170		{ 1856, 287
	171	<i>Cœligena fulgens</i>	{ 1858, 297
	172		{ 1859, 367
<i>Clypidella bairdii</i>	1854, 136		{ 1859, 386
<i>Clypidina acuminata</i> ..	1851, 88	<i>typica</i>	{ 1854, 111
<i>annulata</i>	1851, 88	{ 1855, 140	
<i>aspera</i> ..	1851, 87	{ 1859, 145	
<i>candida</i>	1851, 88	<i>wilsoni</i>	{ 1860, 94
<i>fungina</i>	1851, 87	<i>Cœlogenys fulvus</i>	1860, 268
<i>notata</i>	1851, 87	<i>paca</i> ..	{ 1849, 28
<i>rudis</i>	1851, 87		{ 1860, 268
<i>rugosa</i> ..	1851, 87	<i>Cœlopeltis lacertina</i> ..	1858, 160
<i>scabricula</i>	1851, 88	<i>virgata</i>	1858, 158
<i>stellata</i>	1851, 87	<i>Cœnurus cerebralis</i>	1860, 185
<i>sulcifera</i>	1851, 87	<i>Cœpola rubescens</i>	1840, 83
<i>Clytolæma rubinoides</i> ..	1855, 140		{ 1855, 137
<i>Cnemidophorus undulatus</i>	1860, 233	<i>Cœreba cœrulea</i>	{ 1857, 263
	454	<i>cyanea</i>	{ 1856, 140
<i>Coassus auritus</i>	1850, 242	{ 1856, 286	
<i>nemorivagus</i>	1850, 240	{ 1857, 263	
<i>pudu</i>	1850, 242	<i>nitida</i>	{ 1855, 162
<i>rufus</i> ..	1850, 241		{ 1858, 555
<i>superciliaris</i>	1850, 242	<i>Colaptes elegans</i>	{ 1860, 81
<i>Colbitis barbatula</i>	1859, 435		{ 1860, 95
<i>fossilis</i>	1860, 442		{ 1856, 307
<i>Cocceoborus chrysopeplus</i> ..	1858, 454	<i>mexicanus</i>	{ 1857, 127
<i>Coccothraustes abeillei</i> ..	1859, 365		{ 1858, 305
<i>americana cœrulea</i> ..	1856, 64		{ 1859, 236
<i>cœrulescens</i>	1856, 64	{ 1850, 367	
<i>canadensis</i> ..	1856, 65	<i>Colaris orientalis</i>	1860, 345
<i>chrysopeplus</i>	1858, 454	<i>Colibri anais</i>	1855, 139
<i>erythromelas</i>	1856, 65	<i>cyanotis</i>	1855, 139
<i>maculipennis</i>	1860, 251	<i>delphinæ</i>	1855, 139
<i>melanurus</i> ..	1860, 242	<i>Colibris thalassina</i>	1856, 287
<i>olivaceus</i>	1858, 291	<i>Colina costata</i>	1854, 86
<i>sinensis</i>	1859, 444	<i>macrostoma</i>	1853, 176
<i>vespertinus</i>	1860, 251	<i>pinguis</i>	1854, 86
		<i>pupiformis</i>	1853, 176
		<i>Colius macrurus</i>	1850, 219
		<i>senegalensis</i>	1850, 219

	Page		Page
<i>Colius senegalensis</i>	1860, 197	<i>Columba albilinea</i>	1860, 72
<i>Collaris purpurascens</i> ..	1850, 216	<i>amboinensis</i>	1860, 361
<i>Collocalia arborea</i>	1858, 171	<i>bantamensis</i>	1859, 467
<i>esculenta</i>	1860, 345	<i>basalis</i>	1860, 360
<i>hypoleuca</i>	{ 1858, 170	<i>bicolor</i>	{ 1856, 30
<i>nidifica</i>	1860, 345	<i>cæruleocephala</i> ..	1859, 466
<i>Collonia candida</i>	1858, 170	<i>capellei</i> ..	1859, 467
<i>variabilis</i> ..	1860, 436	<i>chalconoptera</i>	1859, 464
<i>Colluricincla fusca</i>	1860, 436	<i>corensis</i> ..	1800, 258
<i>Collurio lahtora</i> ..	1859, 335	<i>erythroptera</i>	1857, 235
<i>Colobathris macularia</i> ..	1859, 180	<i>fasciata</i>	1856, 6
<i>rex</i> ..	1858, 282	<i>flavirostris</i> ..	{ 1859, 236
<i>tiamensis</i> ..	1858, 280	<i>gallus</i>	{ 1859, 309
<i>Coloburiscus rufiventris</i> ..	1858, 281	<i>gumea</i>	{ 1860, 362
<i>Colobus angolensis</i>	1860, 350	<i>hodgsonii</i>	1850, 219
<i>guereza</i> ..	1860, { 184	<i>holosericea</i> ..	1855, 126
<i>leucomeros</i> ..	1860, 246	<i>hyogastra</i> ..	1859, 165
<i>satanas</i>	1860, 246	<i>indica</i> ..	1860, 359
<i>usinus</i>	1860, 245	<i>intermedia</i>	1859, 407
<i>vellerosus</i> ..	1860, 246	<i>jambu</i> ..	1859, 151
<i>Colopterus cristatus</i> ..	1858, 70	<i>javanica</i>	1859, 465
<i>Coluber annulatus</i> ..	1860, 457	<i>leucocephala</i>	{ 1859, 467
<i>boddaerti</i> ..	1860, 456	<i>leuconota</i>	{ 1857, 235
<i>callicephalus</i>	1860, 162	<i>leucophrys</i>	{ 1859, 61
<i>cenchoa</i> ..	1860, 458	<i>leucoptera</i>	{ 1850, 432
<i>cliffordii</i>	1858, 162	<i>litoralis</i> ..	{ 1860, 417
<i>conspicillatus</i> ..	1858, 383	<i>livia</i>	{ 1855, 126
<i>constrictor</i>	1840, { 102	<i>malaccensis</i>	{ 1858, 407
<i>corais</i> ..	1860, 450	<i>monacha</i>	{ 1859, 187
<i>corallinus</i> ..	1859, 84	<i>nigrirostris</i>	{ 1850, 7
<i>crucifer</i> ..	1858, 160	<i>cenas</i>	{ 1859, 61
<i>dhumnades</i> ..	1860, 163	<i>olax</i> ..	{ 1859, 466
<i>elegans</i> ..	1858, 160	<i>palumbus</i>	{ 1851, 142
<i>fulvus</i> ..	1859, 85	<i>perlata</i>	{ 1858, 497
<i>irregularis</i> ..	1858, 161	<i>perspicillata</i>	{ 1850, 187
<i>irrorata</i> ..	1858, 159	<i>phasianella</i>	{ 1800, 258
<i>lacteus</i> ..	1859, 88	<i>purpurea</i>	{ 1860, 333
<i>lævis</i> ..	1858, 161	<i>senegalensis</i>	{ 1859, 466
<i>latonia</i> ..	1859, 80	<i>senegalensis</i>	{ 1860, 359
<i>lemniscatus</i>	1859, 85	<i>senegalensis</i>	{ 1858, 186
<i>melanurus</i>	1859, 83	<i>senegalensis</i>	{ 1860, 362
<i>naja</i> ..	1860, 117	<i>senegalensis</i>	{ 1859, 390
<i>nasicornis</i> ..	1858, 163	<i>senegalensis</i>	{ 1851, 146
<i>nigromarginatus</i> ..	1860, 163	<i>senegalensis</i>	{ 1855, 34
<i>palmarum</i> ..	1858, 161	<i>senegalensis</i>	{ 1858, 187
<i>philippin</i> ..	1858, 160	<i>senegalensis</i>	{ 1859, 465
<i>quadrilineatus</i> ..	1858, 378	<i>senegalensis</i>	{ 1851, 142
<i>rufescens</i> ..	1858, 161	<i>senegalensis</i>	{ 1857, 12
<i>scaber</i> ..	1858, 161	<i>senegalensis</i>	{ 1859, 187
<i>sebae</i> ..	1858, 164	<i>senegalensis</i>	{ 1860, 258
<i>sibilans</i> ..	1858, 160	<i>senegalensis</i>	{ 1860, 416
<i>Columba alba</i>	{ 1858, 186	<i>senegalensis</i>	{ 1858, 185
<i>albicapilla</i>	{ 1859, 466	<i>senegalensis</i>	{ 1860, 360
<i>albilinea</i>	1860, 361	<i>senegalensis</i>	{ 1858, 187
	1860, 68	<i>senegalensis</i>	{ 1858, 186
		<i>senegalensis</i>	{ 1859, 465

	Page		Page
<i>Columba reinwardti</i> ..	1860, 361	<i>Colymbus glacialis</i>	1859, 206
<i>rufina</i>	{ 1859, 147	<i>pacificus</i>	1859, 207
<i>rupestris</i>	{ 1860, 97	<i>Comatula rosea</i>	1859, 494
<i>speciosa</i>	{ 1860, 289	<i>Cominella clocea</i>	1853, 97
<i>striata</i>	{ 1859, 400	<i>elongata</i>	1856, 356
<i>superba</i>	{ 1859, 61	<i>maura</i>	1854, 313
<i>superciliaris</i>	{ 1860, 298	<i>quoyana</i>	1854, 313
<i>suratensis</i>	{ 1860, 415	<i>Commia maculata</i> ..	1854, 102
<i>sylvatica</i>	{ 1859, 466	<i>Compsocoma elegans</i> ..	1856, 238
<i>tigrina</i>	{ 1859, 467	<i>flavinucha</i>	{ 1855, 84
<i>trigonigera</i>	{ 1850, 219	<i>notabilis</i>	{ 1856, 238
<i>trocax</i>	{ 1851, 142	<i>sumptuosa</i>	{ 1855, 84
<i>trudeauii</i>	{ 1856, 309	<i>victorinii</i>	{ 1856, 238
<i>turtur</i>	{ 1851, 146	<i>Compsothlypis brasiliensis</i> ..	1855, 143
<i>vernans</i>	{ 1857, 12	<i>mexicana</i>	1858, 299
<i>vinacea</i>	{ 1859, 465	<i>Conchoderma virgata</i> ..	1858, 372
<i>viridis</i>	{ 1856, 30	<i>Concholepas antiquatus</i> ..	1856, 3
<i>zoaea</i>	{ 1860, 289	<i>subrufus</i>	1856, 4
<i>Columbella albinodulosa</i> ..	1851, 3	<i>(Coralloba) fimbriata</i> ..	1852, 93
<i>austriaca</i>	1851, 5	<i>Conirostrum albifrons</i> ..	{ 1855, 75
<i>austriana</i>	1851, 9	<i>atrocyaneum</i>	{ 1855, 138
<i>baccata</i>	1851, 9	<i>bicolor</i>	{ 1859, 138
<i>californiana</i>	1851, 12	<i>cæruleifrons</i>	{ 1855, 75
<i>cancellata</i>	1851, 6	<i>cinereum</i>	{ 1855, 75
<i>conspersa</i>	1851, 11	<i>columbianum</i>	1855, 75
<i>contaminata</i>	1851, 7	<i>ferrugineiventris</i> ..	1855, 74
<i>formosa</i>	1851, 11	<i>flaviventris</i>	1854, 252
<i>hirundo</i>	1851, 12	<i>fraserii</i>	{ 1858, 452
<i>interrupta</i>	1851, 3	<i>fuscum</i>	{ 1860, 63
<i>intexta</i>	1851, 7	<i>ornatum</i>	{ 1855, 75
<i>iodostoma</i>	1851, 13	<i>rufum</i>	{ 1856, 37
<i>leucostoma</i>	1851, 4	<i>sitticolor</i>	{ 1855, 75
<i>lineata</i>	1860, 399	<i>superciliolum</i> ..	{ 1855, 75
<i>marquesa</i>	1851, 8	<i>Conopophaga angustirostris</i> ..	1858, 299
<i>pacifica</i>	1851, 4	<i>ardesiaca</i>	1855, 146
<i>pellucida</i>	1860, 399	<i>aurea</i>	1858, 252
<i>pulla</i>	1851, 6	<i>aurita</i>	{ 1855, 145
<i>sagitta</i>	1851, 10	<i>glacialis</i>	{ 1857, 47
<i>santa-barbarensis</i> ..	1856, 208		{ 1858, 286
<i>tenuis</i>	1851, 2		{ 1854, 113
<i>varicosa</i>	1851, 5		{ 1858, 285
<i>Columbula cruziana</i> ..	{ 1858, 450		
<i>Colus strabomus</i>	{ 1858, 461		
<i>tartarica</i>	{ 1860, 289		
<i>Colymbus adamsi</i>	{ 1850, 112		
<i>arcticus</i>	{ 1850, 112		
<i>glacialis</i>	{ 167		
	{ 201		
	{ 206		

	Page		Page
Conopophaga castaneiceps	{ 1857, 47 1858, 286 1856, 20 1858, 287 1858, 287 1858, 285	Conurus astec	1859, 388
cucullata	{ 1858, 287 1858, 287 1858, 285	aureus	1857, 230
dorsalis	1858, 287	callipterus	1855, 162
leucotis	1858, 285	chloropterus	1857, { 225 234
lineata	1858, { 68 285	erythrogenys	{ 1859, 146 1860, 71 1860, 287
melanogastra	1858, 285	guianensis	1857, { 225 266
melanops	1858, 286	holochlorus	1859, 368
nævia	1858, 253	jugularis	1858, 76
nævioides	1858, 254	maugrei	1857, 225
nana	{ 1855, 145 1858, 284	melanurus	1857, 266
nigrogenys	1858, 287	murinus	{ 1859, 434 1860, 417
perspicillata	1858, 286	nanus	1857, 225
peruviana	{ 1857, 47 1858, 68 1858, 286 1855, 149 1858, 287	petzi	1857, 230
ruficeps	{ 1858, 287 1858, 253	placens	1860, 357
theresæ	1858, 253	rubularvatus	1859, 146
torrida	1858, { 68 285	wagleri	1855, 162
vulgaris	1858, 285	weddellii	1858, 76
Conops stylatus	1850, 270	Conus achatinus	1856, 206
Conopsis nasus	1860, 316	anceps	1853, 119
Conovulus ater	1854, 10	angulatus	1853, 118
coffeus	1854, 9	assimilis	1853, 118
coniformis	1854, 9	calatus	1853, 117
cumingianus	1854, 31	commodus	1853, 117
elongatus	1854, 11	comptus	{ 1853, 119 1856, 206
fasciatus	1854, 11	connectens	1854, 136
fuscus	1854, 9	cyanostomus	1853, 116
globulus	1854, 11	dealbatus	1853, 117
luteus	1854, 10	desidiosus	1853, 119
maurus	1854, 11	fasciatus	1853, 119
nitens	1854, 10	fusiformis	1860, 398
pellucidus	1854, 11	hevassii	1853, 118
sciari	1854, 10	inexus	1853, 118
triplicatus	1854, 35	lithoglyphus	1854, 136
Contopus ardesiacus ..	{ 1859, 44 1859, 144 1860, 92 1858, 459	luridus	1853, 118
bogotensis	{ 1859, 44 1858, 301 1859, 43 1859, 44 1859, 366 1859, 384	neglectus	{ 1853, 117 1860, 398
borealis	{ 1859, 43 1859, 44 1859, 366 1859, 384	nigrescens	1859, 429
mesoleucos	1859, { 43 44	novæ-hollandiæ ..	1853, 119
sordidulus ..	1859, { 43 44	optabilis	1853, 116
virens	1859, 44	precellens	1853, 119
Conurus astec	{ 1857, 230 1859, 59	proximus	1859, 429
		pulchellus	1853, 118
		pulcher	1853, 117
		purpurascens	1856, 206
		pusillus	1856, 206
		ravus	1856, 206
		selectus	1855, 121
		siamensis	1860, 17
		spectabilis	1853, 117
		sticticus	1853, 117
		stigmaticus	1853, 119
		succinctus	1853, 118

	Page		Page
<i>Coronella (Meizodon) re-</i>		<i>Corvus pyrrhopterus</i> ...	1860, 355
<i>gularis</i>	1800, 428	<i>scapulatus</i>	1850, 127
<i>Corotoca melantho</i>	1853, 102	{ 1854, 143	
<i>phyllo</i>	1853, 102	{ 1855, 127	
<i>Corucia zebrata</i>	1855, 218	<i>splendens</i>	{ 1857, 97
<i>Corvus balcassius</i>	1854, 271	{ 1858, 477	
<i>cæsius</i>	1859, 162	{ 1859, 171	
<i>caledonicus</i>	{ 1850, 86	<i>thibetanus</i>	{ 1858, 477
{ 1859, 162		{ 1859, 171	
<i>carnivorus</i>	1860, 252	<i>umbrinus</i>	1850, 217
<i>cinereus</i>	1859, 162	<i>validissimus</i>	1860, 354
<i>collurio</i>	1856, 79	<i>validus</i>	1860, 354
{ 1851, 145		<i>violaceus</i>	1860, 354
{ 1858, 477		<i>yncas</i>	1854, 114
<i>corax</i>	{ 1850, 171	<i>Corsira caudata</i>	1856, 400
{ 1859, 436		<i>newera ellia</i>	1850, { 156
{ 1858, 477		{ 1850, 156	
<i>cornix</i>	{ 1860, 258	<i>nigrescens</i>	{ 1850, 150
{ 1851, 145		{ 1856, 400	
{ 1858, 478		<i>Corydon sumatranus</i>	1854, 267
<i>corone</i>	{ 1859, 163	<i>temminckii</i>	1854, 267
{ 1859, 171		<i>Corynactis allmanni</i>	1859, 434
<i>coronoides</i>	{ 1859, 157	<i>heterocera</i>	1853, 107
{ 1854, 144		<i>Corynetes compactus</i>	1852, 54
{ 1855, 127		{ 1858, 382	
<i>culminatus</i>	{ 1857, 98	{ 1860, 115	
{ 1858, 477		<i>Coryphodon blumen-</i>	1860, 163
{ 1859, 171		<i>bachii</i>	{ 1860, 168
{ 1859, 445		{ 1860, 170	
<i>cyaneus</i>	1850, 85	{ 1860, 171	
<i>enca</i>	1860, 354	{ 1860, 103	
{ 1856, 40		<i>carinatus</i>	1860, 167
{ 1858, 477		{ 1860, 163	
<i>frugilegus</i>	{ 1859, 171	<i>fasciolatus</i>	1860, 115
{ 1860, 258		<i>korros</i>	{ 1860, 163
<i>fuscicapillus</i>	1859, 157	{ 1860, 233	
<i>galericulatus</i>	{ 1850, 79	{ 1860, 236	
{ 1859, 440		<i>Coryphospingus cruentus</i>	1860, 276
{ 1850, 81		<i>Coryphospiza pileata</i>	1855, 160
<i>glandarius</i>	{ 1857, 215	<i>Corystes cassivelaunus</i>	1859, 494
<i>inflatus</i>	1859, 163	<i>Corythaix buffonii</i>	1860, 183
<i>intermedius</i>	1859, 171	<i>Corythophanes cristata</i>	1860, 453
<i>jamaicensis</i>	1857, 232	<i>Corythopsis anthoides</i>	1858, 288
<i>javanensis</i>	1859, 444	<i>calcarata</i>	1858, 287
<i>leucognathus</i>	1857, 232	<i>nigricincta</i>	1858, 288
<i>leuconotus</i>	1850, 217	<i>torquata</i>	1858, 288
<i>leverianus</i>	1856, 79	<i>Cossypha natalensis</i>	1860, 110
{ 1858, 180		<i>Cossyphus darwini</i>	1850, 240
<i>macrorhynchus</i>	{ 1859, 446	<i>gouldii</i>	1850, 72
<i>melanops</i>	1858, 179	<i>maldat</i>	1850, 72
{ 1857, 12		<i>vulpinus</i>	1850, 71
<i>monedula</i>	{ 1853, 478	<i>Cotinga amabilis</i>	{ 1857, 64
{ 1859, 171		{ 1860, 252	
<i>moneduloides</i>	1859, 163	<i>cincta</i>	1857, 65
<i>orru</i>	{ 1858, 180	{ 1857, 65	
<i>peruvianus</i>	{ 1859, 157	<i>maynana</i>	{ 1857, 265
<i>pica</i>	1854, 114		
	1857, 12		

	Page		Page
<i>Cotinga maynana</i>	1858, 71	<i>Craticula calathisca</i>	1854, 212
<i>nattererii</i>	1855, 152	<i>ferraria</i>	1854, 211
<i>tschudii</i>	1855, 152	<i>fusca</i>	1854, 211
<i>Coturniculus henslowii</i> {	1850, 305	<i>millegrana</i>	1854, 211
.....	1857, 82	<i>monticola</i>	1854, 212
<i>passerinus</i>	1857, 82	<i>Crax alberti</i>	1850, 246
.....	1859, 379	1850, 246
<i>peruanus</i>	1858, 455	1857, 19
<i>Coturnix argoondah</i> ..	1855, 31	<i>alector</i>	1859, 61
<i>communis</i>	1858, 504	1859, 212
<i>coromandelica</i> ..	1858, 504	1860, 253
.....	1850, 220	206
<i>dactylisonans</i>	1856, 31	<i>globicera</i>	1860, 242
.....	1858, 504	253
<i>pentah</i>	1859, 186	<i>Crenella bulla</i>	1856, 366
.....	1855, 31	<i>undulata</i>	1854, 108
.....	1857, 212	<i>Cremidens zebra</i>	1850, 67
<i>Cotyle flavigastra</i>	1859, 364	<i>Crepidula aculeata</i> ..	1856, 225
.....	1860, 274	<i>californica</i>	1856, 225
<i>fulvipennis</i>	1859, 364	205
.....	1858, 495	<i>explanata</i>	1856, 225
<i>riparia</i>	1859, 176	205
.....	1860, 292	<i>exuviata</i>	1856, 225
<i>ruficollis</i>	1856, 285	87
<i>serripennis</i>	1859, 364	<i>lacustris</i>	1853, 87
.....	1858, 495	<i>minuta</i>	1856, 225
<i>sinensis</i>	1859, 176	<i>navicelloides</i>	1856, 225
<i>suboccata</i>	1857, 8	<i>nummularia</i>	1856, 225
<i>Coua cristata</i>	1857, 8	<i>oblonga</i>	1853, 87
<i>madagascariensis</i> ..	1857, 8	205
<i>reynaudi</i>	1857, 8	<i>perforans</i>	1856, 225
<i>ruficeps</i>	1857, 8	224
<i>Crab-eater, The</i>	1851, 59	<i>rugosa</i>	1856, 224
<i>Cracticus destructor</i> ..	1860, 242	<i>Creseis rugulosa</i>	1858, 425
<i>nigrogularis</i>	1848, 40	<i>Creurgops verticalis</i> ..	1858, 73
.....	1858, 180	1851, 146
<i>personatus</i>	1859, 157	<i>Crex baillonii</i>	1858, 560
.....	1848, 40	1850, 221
<i>picatus</i>	1858, 180	<i>pratensis</i>	1850, 221
<i>quoyi</i>	1858, 180	<i>Cribrina coriacea</i>	1858, 148
<i>Craneosaura seemanni</i> ..	1860, 234	<i>Cricula trifenestrata</i> ..	1859, 245
<i>Craspedaria delphinula</i> ..	1854, 193	<i>Criniger cantori</i>	1854, 279
.....	1849, 100	<i>flavicaudus</i>	1860, 351
<i>Craspedocephalus atrox</i> {	1849, 106	1854, 279
.....	1859, 89	<i>gularis</i>	1854, 279
.....	1859, 414	<i>Crithragra brasiliensis</i> ..	1859, 100
<i>bilineatus</i>	1859, 414	1850, 218
.....	89	<i>lutea</i>	1850, 218
<i>leucurus</i>	1859, 414	<i>Crocodylus acutus</i>	1858, 319
<i>Craspedopoma lucidum</i> ..	1854, 216	402
<i>lyonnetianum</i>	1854, 217	<i>americanus</i>	1859, 434
<i>Crassatella bellula</i>	1852, 95	50
.....	1852, 95	<i>binuensis</i>	1857, 57
<i>compta</i>	1852, 95	1857, 57
<i>concinna</i>	1852, 95	<i>cataphractus</i>	1858, 167
<i>cumingii</i>	1852, 90	1858, 116
.....	1852, 94	<i>galeatus</i>	1857, 57
<i>obesa</i>	1852, 90	1858, 167
<i>obscura</i>	1852, 94	<i>leptorhynchus</i> ..	1857, 49
<i>speciosa</i>	1852, 94	1857, 49
<i>truncata</i>	1852, 95	<i>marginatus</i>	1857, 49
		1857, 49
		<i>Crotalus durissus</i>	1849, 93
		1858, 386
		<i>horridus</i>	1857, 234
		1860, 285
		<i>Crotophaga ani</i>	1860, 285

	Page		Page
<i>Crotophaga major</i>	1857, 268	<i>Cuculus curvirostris</i>	1859, 458
<i>rugirostris</i>	1858, 359	<i>dumetorum</i>	1857, 26
.....	1856, 309	<i>flavus</i>	1859, 458
.....	1859, 59	<i>fugax</i>	1859, 459
<i>sulcirostris</i>	1859, 368	<i>hyperythrus</i>	1856, 96
.....	1859, 388	<i>inornatus</i>	1859, 222
.....	1860, 285	<i>lathamii</i>	1859, 459
.....	1860, 297	<i>lucidus</i>	1859, 459
<i>Crucibulum auriculatum</i>	1856, 168	<i>lugubris</i>	1859, 459
<i>corrugatum</i>	1856, 204	<i>malayanus</i>	1859, 459
<i>cumingii</i> , var. <i>carib-</i>		<i>megarhynchus</i>	1858, 184
<i>beense</i>	1856, 167	<i>melanoleucus</i>	1850, 219
<i>imbricatum</i> , var. <i>bro-</i>		<i>merulinus</i>	1859, 458
<i>deripii</i>	1856, 168	<i>mexicanus</i>	1859, 388
<i>imbricatum</i> , var. <i>cu-</i>		<i>micropterus</i>	1859, 459
<i>mingii</i>	1856, 167	<i>niscolor</i>	1859, 459
<i>pectinatum</i>	1856, 168	<i>passerinus</i>	1850, 219
<i>rude</i>	1856, 168	<i>pica</i>	1850, 219
<i>spinosum</i>	1856, 225	<i>poliogaster</i>	1860, 359
<i>spinosum</i> , var. <i>com-</i>		<i>praesagus</i>	1860, 359
<i>presso-conicum</i> ..	1856, 167	<i>pravata</i>	1859, 458
<i>umbrella</i>	1856, 168	<i>sepulcralis</i>	1860, 359
<i>violascens</i>	1856, 166	<i>sonneratii</i>	1859, 458
<i>Crypsirhina varians</i> ..	1859, 150	<i>strenuus</i>	1856, 96
.....	1860, 354	<i>striatus</i>	1859, 459
<i>Cryptaxius leonina</i>	1854, 168	<i>sumatranus</i>	1859, 458
<i>undata</i>	1854, 168	<i>tenuirostris</i>	1859, 458
<i>vulcania</i>	1854, 168	<i>tymbonotus</i>	1860, 359
<i>Crypticus apiaster</i>	1857, 258	<i>varius</i>	1859, 459
<i>carinatus</i>	1857, 257	<i>venustus</i>	1859, 458
<i>martii</i>	1857, 256	<i>viridis</i>	1859, 457
.....	1857, 257	<i>(Cacomantis) sepul-</i>	
<i>superciliaris</i>	1857, 258	<i>cralis</i>	1860, 359
<i>Cryptodon nuttallii</i>	1856, 210	<i>(—) tymbonotus</i> ..	1860, 359
<i>Cryptolopha cinereoca-</i>		<i>Culex equinus</i>	1850, 258
<i>pilla</i>	1854, 271	<i>Culicivora poliohenys</i> ..	1854, 106
<i>Cryptomya californica</i> ..	1856, 210	<i>Culcivora atricapilla</i> ..	1855, 12
<i>Cryptopodus aubryi</i>	1858, 167	<i>bilneata</i>	1855, 12
<i>Cryptopus aubryi</i>	1860, 314	<i>boliviana</i>	1852, 34
.....	1858, 167	1855, 12
<i>senegalensis</i>	1860, 314	<i>dumicola</i>	1855, 12
.....	1860, 316	<i>leucogastra</i>	1855, 12
<i>Crystallus crystallina</i> ..	1854, 178	<i>mexicana</i>	1855, 12
<i>Oteniza antipodum</i>	1849, 3	<i>stenura</i>	1855, 11
<i>hexops</i>	1849, 3	<i>Cultellus caribæus</i>	1856, 212
<i>Cnuba grandis</i>	1860, 316	<i>cultellus</i>	1860, 369
<i>Cuculus albopunctatus</i> ..	1859, 459	<i>dombeii</i>	1856, 212
<i>assimilis</i>	1858, 184	<i>strigillatus</i>	1850, 212
<i>bengalensis</i>	1859, 457	<i>Cultrides rufipennis</i>	1849, 63
<i>bronzinus</i>	1859, 164	<i>Cuma sulcata</i>	1856, 42
<i>canoroides</i>	1860, 359	<i>Cumungia antillarum</i> ..	1860, 24
.....	1851, 145	<i>californica</i>	1856, 213
.....	1857, 215	<i>clerii</i>	1850, 24
<i>canorus</i>	1858, 476	<i>fragilis</i>	1850, 25
.....	1859, 174	<i>similis</i>	1850, 24
<i>chlorophæus</i>	1859, 458	<i>sinuosa</i>	1850, 25
<i>collaris</i>	1859, 459	<i>striata</i>	1850, 25
<i>coromandus</i>	1859, 459		

	Page		Page
<i>Cuncuma leucogaster</i> ..	1858, 169	<i>Cyanocorax hyacinthinus</i>	1855, 153
<i>Cuneus truncatus</i>	1858, 1	incas	1855, 153
<i>Cuon primævus</i>	{ 1856, 397	luxuosus	{ 1858, 72
<i>Cuora amboinensis</i>	1855, 198	melanocyaneus	{ 1856, 300
trifasciata	1855, 198	nanus	{ 1859, 365
<i>Curimatus gilberti</i>	1859, 419	ornatus	{ 1858, 359
<i>Cursorius chalcopterus</i> ..	1850, 220	peruvianus	{ 1857, 204
coromandelicus	1858, 504	pumilo	{ 1859, 365
<i>Curruca conspicillata</i> ..	1851, 142	turcosus	{ 1857, 204
heinekenii	1851, 142	ultramarinus	{ 1859, 365
<i>Cuscus albus</i>	1858, 104	unicolor	{ 1857, 204
amboinensis	1858, 104	violaceus	{ 1859, 365
brevicaudatus	1858, 102	yncas	{ 1857, 204
celebensis	{ 1858, 105	Cyanoloxia parellina ..	{ 1855, 153
macrourus	{ 1860, 2	Cyanomyia cyanoce-	{ 1858, 72
maculatus	{ 1858, 101	phala	{ 1858, 456
orientalis	{ 1858, 104	francise	{ 1854, 114
ornatus	{ 1858, 109	quadricolor	{ 1856, 302
quoyii	{ 1860, 2	sordida	{ 1857, 212
ursinus	1858, 103	violiceps	{ 1859, 367
<i>Custa bicarinata</i>	1859, 404	Cyanophonia aureata ..	{ 1855, 141
<i>Cyanalcyon funebris</i>	1860, 346	musica	{ 1856, 287
<i>Cyanecula suecica</i>	1858, 492	quadriflorus	{ 1859, 366
<i>Cyanicterus venustus</i> ..	1856, 122	sordida	{ 1859, 386
<i>Cyanocitta californica</i> .	{ 1857, 127	violiceps	{ 1859, 386
coronata	{ 1858, 302	Cyanoptera discors	{ 1856, 272
crassirostris	{ 1859, 381	Cyanospiza cyanea	{ 1856, 271
diademata	{ 1858, 302	cyanea	{ 1850, 86
floridana	{ 1857, 82	melanocephala	{ 1850, 85
nana	{ 1857, 204	pallasi	{ 1850, 85
ornata	1859, 381	vallanti	{ 1850, 85
stelleri	1859, 381	Cyanopolus cooki	{ 1850, 86
turcosa	{ 1857, 127	Cyanoptera discors	{ 1860, 83
ultramarina	{ 1858, 552	Cyanospiza curus	{ 1859, 379
<i>Cyanocorax armillatus</i> .	{ 1860, 88	cyanea	{ 1859, 379
azureus	1857, 82	versicolor	{ 1859, 379
bicolor	{ 1855, 153	Cyanotrogon monachus .	{ 1860, 359
coronatus	{ 1857, 18	Cyanura coronata	{ 1859, 381
cyanocapillus	1857, 265	Cyanurus bullocki	{ 1850, 84
guatemalensis	1857, 204	collier	{ 1850, 84
harrisi	1859, 57	coronatus	{ 1859, 286
	1858, 153	cubo	{ 1850, 84
		diardi	{ 1850, 84
		dimidiatus	{ 1859, 286
		maculophus	{ 1859, 286
		stelleri	{ 1859, 286
		<i>Cyathina smithi</i>	{ 1849, 74
		<i>Cyclanorhis petersii</i>	{ 1852, 135
			{ 1858, 167
		<i>Cyclanosteus frenatus</i> .	{ 1860, 5
			{ 1860, 6
			{ 1860, 314

	Page		Page
<i>Cyclanosteus frenatus</i>	1860, 431	<i>Cyclorhynchus breviros-</i>	
	{ 1858, 167	<i>tris</i>	1859, 45
<i>petersii</i>	{ 1860, 5	<i>cinereiceps</i>	1859, 384
	{ 1860, 314	<i>fulvipectus</i>	1860, 92
	{ 1860, 315	<i>olivaceus</i>	{ 1858, 70
<i>Cyclemys dentata</i>	1855, 198	<i>subbrunneus</i>	{ 1859, 45
<i>platynota</i>	1855, 198	<i>subbrunneus</i>	{ 1860, 282
<i>Cyclina bombycina</i>	1860, 124	<i>subbrunneus</i>	{ 1860, 295
<i>pectunculus</i>	1860, 125	<i>Cyclostoma adolfi</i>	1852, 142
<i>producta</i>	1856, 161	<i>alabastrinum</i>	1854, 126
<i>sinensis</i>	1853, 25	<i>alatum</i>	1851, 250
<i>splendida</i>	1860, 124	<i>alternans</i>	1851, 249
<i>subquadrata</i>	1856, 201	<i>amboinense</i>	1852, 144
<i>Cycloderma frenatum</i>	1860, 431	<i>amoenum</i>	1852, 62
<i>Cyclope (Nasa) neriti-</i>		<i>angustatum</i>	1854, 128
<i>nea</i>	1856, 42	<i>aplustre</i>	1849, 15
<i>Cyclophis calamaria</i>	1858, 383	<i>appendiculatum</i>	1852, 61
<i>Cyclophorus aequivocus</i>	1857, 112	<i>articulatum</i>	1859, 204
<i>alabastrinus</i>	1854, 126	<i>bairdii</i>	1852, 144
<i>cereus</i>	1854, 301	<i>barclayanum</i>	1852, 158
<i>confluens</i>	1860, 140	<i>belarii</i>	1857, 209
<i>convexusculus</i>	1855, 104	<i>bensonii</i>	1852, 153
<i>cytora</i>	1849, 167	<i>biciliatum</i>	1851, 72
<i>deplanatus</i>	1854, 301	<i>bicolor</i>	1852, 145
<i>exaltatus</i>	1854, 300	<i>birostre</i>	1854, 300
<i>excellens</i>	1854, 126	<i>blandum</i>	1852, 143
<i>flavidus</i>	1860, 11	<i>boivini</i>	1857, 209
<i>floridus</i>	{ 1854, 300	<i>borneensis</i>	1851, 71
<i>forbesi</i>	{ 1860, 10	<i>borni</i>	1852, 63
<i>involvulus</i>	1855, 104	<i>bourcierii</i>	1852, 151
<i>labrosus</i>	1860, 11	<i>caesescens</i>	1851, 245
<i>lignarius</i>	1853, 51	<i>carinatum</i>	1859, 204
<i>pirreanus</i>	1857, 112	<i>carolinense</i>	1852, 65
<i>pirreanus</i>	1853, 51	<i>castaneum</i>	1851, 251
<i>polynema</i>	1854, 126	<i>castum</i>	1854, 150
<i>punctatus</i>	1860, 11	<i>cattaroensis</i>	1854, 305
<i>shiplayi</i>	1856, 337	<i>cereum</i>	1854, 301
<i>siamensis</i>	1860, 10	<i>chinense</i>	1854, 299
<i>spironema</i>	1854, 127	<i>chloriticum</i>	1854, 151
<i>sumatranus</i>	1854, 301	<i>chrysalis</i>	1852, 153
<i>tæniatus</i>	1854, 301	<i>cinclodes</i>	1852, 142
<i>thwaitesi</i>	1854, 127	<i>comorense</i>	1854, 151
<i>Cyclopsitta diophthalma</i>	1858, 183	<i>conula</i>	1854, 127
<i>Cyclorhamphus mar-</i>		<i>crassum</i>	1851, 242
<i>moratus</i>	{ 1859, 415	<i>cumanense</i>	1851, 248
<i>Cyclorhis flavipectus</i>	1858, 448	<i>cumingii</i>	1850, 56
	{ 1856, 299	<i>cuvierianum</i>	1849, 15
<i>flaviventris</i>	{ 1858, 448	<i>denselneatum</i>	1852, 62
	{ 1859, 363	<i>deplanatum</i>	1854, 301
<i>guianensis</i>	1858, 448	<i>desciscens</i>	1851, 243
<i>nigrirostris</i>	{ 1855, 151	<i>diaphanum</i>	1851, 243
	{ 1858, 448	<i>disculus</i>	1851, 243
<i>ochrocephalus</i>	1858, 448	<i>dysom</i>	1851, 243
<i>virenticeps</i>	1860, 274	<i>elatum</i>	1852, 159
<i>viridis</i>	1858, 448	<i>elegans</i>	1856, 147
<i>Cyclorhynchus æquino-</i>		<i>euchilum</i>	1851, 242
<i>tialis</i>	1858, 70	<i>engensis</i>	1857, 209
<i>brevirostris</i>	1856, 296	<i>eusarcum</i>	1852, 143

	Page		Page
<i>Cyclostoma exaltatum</i> ..	1854, 300	<i>Cyclostoma pirreanum</i> ..	1853, 51
<i>excellens</i>	1854, 126	<i>pleurophorum</i>	1851, 245
<i>expansilabre</i>	1852, 150	<i>plicosum</i>	1852, 61
<i>expansum</i>	1851, 242	<i>poculum</i>	1854, 302
<i>fallax</i>	1852, 65	<i>polynema</i>	1854, 126
<i>fasciculare</i>	1851, 245	<i>ponderosum</i>	1851, 243
<i>filosum</i>	1857, 210	<i>psilomitum</i>	1851, 250
<i>flammeum</i>	1854, 127	<i>pterocycloides</i> ..	1854, 300
<i>floridum</i> ..	1854, 300	<i>puncticulatum</i>	1854, 128
<i>formosum</i>	1849, 15	<i>purum</i>	1850, 56
<i>fornicatum</i>	1852, 146	<i>quntense</i>	1852, 61
<i>fortunei</i>	1852, 146	<i>radula</i>	1851, 246
<i>fulguratum</i>	1852, 63	<i>recluzianum</i>	1853, 51
<i>fusculum</i>	1851, 251	<i>regulare</i>	1851, 244
<i>globosum</i>	1852, 151	<i>rostratum</i>	1852, 66
<i>gradatum</i>	1854, 303	<i>rusticum</i>	1851, 250
<i>grateloupi</i>	1851, 246	<i>saccatum</i>	1852, 65
<i>griseum</i>	1853, 51	<i>scalare</i>	1851, 250
<i>guatemalense</i> ..	1851, 235	<i>sechellarum</i>	1854, 302
<i>guttatum</i>	1851, 251	<i>semiclausum</i>	1854, 302
<i>harpa</i>	1851, 247	<i>sericatum</i>	1851, 244
<i>heliciniforme</i>	1852, 151	<i>shuttleworthi</i>	1851, 246
<i>hemiotum</i>	1852, 143	<i>simplex</i>	1852, 143
<i>himalayanum</i>	1851, 242	<i>spironema</i>	1854, 127
<i>histrio</i>	1851, 247	<i>striatum</i> ..	1852, 147
<i>ibyatense</i>	1852, 62	<i>subconicum</i>	1859, 27
<i>ignescens</i>	1851, 251	<i>subhratum</i>	1852, 65
<i>insulare</i>	1852, 64	<i>sumatrense</i>	1854, 301
<i>integrum</i>	1851, 247	<i>tæniatum</i>	1854, 301
<i>jucundum</i>	1852, 66	<i>tenulabiatum</i> ..	1851, 71
<i>kneneri</i> ..	1854, 302	<i>thwaitesi</i>	1854, 127
<i>kraussianum</i>	1852, 64	<i>trochlea</i>	1851, 249
<i>kusteri</i>	1851, 249	<i>truncatulum</i>	1856, 22
<i>labiosum</i>	1853, 51	<i>tubuliferum</i> ..	1853, 51
<i>leucostomum</i>	1852, 144	<i>tubulum</i> ..	1857, 209
<i>ligatum</i>	1849, 16	<i>turritum</i> ..	1851, 248
<i>lineatum</i>	1852, 65	<i>undatum</i>	1851, 71
<i>liratum</i>	1852, 64	<i>unicolor</i>	1851, 243
<i>longicollis</i>	1854, 128	<i>venezuelense</i>	1853, 51
<i>loweanum</i>	1852, 142	<i>ventricosum</i>	1854, 304
<i>loxostomum</i>	1852, 146	<i>violaceum</i>	1851, 245
<i>lugubre</i>	1851, 249	<i>virgo</i> ..	1854, 150
<i>luridum</i>	1852, 63	<i>vitellinum</i>	1852, 64
<i>lutescens</i>	1851, 250	<i>(Aulopoma) grande</i> ..	1855, 104
<i>magnificum</i>	1852, 142	<i>(Chondropoma) cor-</i>	
<i>margarita</i> ..	1851, 244	<i>dovanum</i>	1856, 323
<i>minutissimum</i> ..	1854, 305	<i>(Cyclophorus) æqui-</i>	
<i>mite</i>	1852, 63	<i>vocum</i>	1857, 112
<i>montanum</i> ..	1854, 300	<i>(—) boucardii</i> ..	1856, 323
<i>multiliratum</i> ..	1852, 150	<i>(—) convexiuscu-</i>	
<i>nobile</i> ..	1852, 142	<i>lum</i> ..	1855, 104
<i>orbigny</i>	1851, 149	<i>(—) forbesianum</i> ..	1855, 104
<i>ovatum</i> ..	1851, 246	<i>(—) lignarium</i> ..	1857, 112
<i>pallidum</i>	1851, 248	<i>(—) shiplayi</i> ..	1856, 337
<i>parvispirum</i>	1854, 128	<i>(Cyclostomus) an-</i>	
<i>patera</i>	1852, 61	<i>natonense</i>	1855, 105
<i>picturatum</i>	1852, 62	<i>(—) boivini</i>	1856, 338
<i>pingue</i> ..	1851, 248	<i>(—) leve</i>	1855, 118

	Page		Page
<i>Cyclostoma</i> (<i>Cyclostoma</i>) <i>microchasma</i>	1856, 338	<i>Cyclotus bairdianus</i>	1857, 153
(—) <i>principalis</i> ..	1859, 27	<i>beswicki</i>	1857, 145
(—) <i>sarcodes</i>	1856, 339	<i>birostratus</i>	1854, 300
(—) <i>sinuatum</i> ..	1855, 104	<i>bogotensis</i>	1855, 117
(<i>Cyclotus</i>) <i>bogotense</i>	1855, 117	<i>chinensis</i>	1854, 299
(—) <i>daucinum</i> ..	1856, 337	<i>conicus</i>	1860, 10
(—) <i>glaucostrum</i> ..	1855, 103	<i>corrugator</i>	1857, 145
(—) <i>irregulare</i> ..	1855, 117	<i>corrugatissimus</i>	1857, 145
(—) <i>lindstedti</i> ..	1856, 391	<i>corrugatus</i>	1857, 143
(—) <i>macgillivrayi</i>	1855, 103		144
(—) <i>sordidum</i> ..	1855, 103		145
(<i>Leptopoma</i>) <i>barbatum</i> ..	1855, 104		146
(—) <i>duplicatum</i> ..	1856, 338		142
(—) <i>hanleyanum</i>	1856, 384	<i>crassus</i>	1857, 143
(—) <i>signatum</i> ..	1856, 338		145
(—) <i>wallacei</i> ..	1857, 112		155
(<i>Opisthoporus</i>) <i>cochinchinensis</i> ..	1856, 337	<i>cycloatus</i> ...	1857, 145
(—) <i>euryomphalum</i> ..	1856, 337	<i>daucinus</i>	1856, 337
(<i>Otopoma</i>) <i>listeri</i> ..	1859, 204	<i>deburghæanus</i>	1857, 145
<i>Cyclostomus annatonensis</i>	1855, 105	<i>dentistigmatus</i> ..	1857, 152
<i>boivini</i>	1856, 338		145
<i>gradatus</i>	1854, 303	<i>dubiosus</i>	1857, 145
<i>kieneri</i>	1854, 302	<i>duffianus</i>	1857, 149
<i>levis</i>	1855, 118		142
<i>microchasma</i>	1856, 338	<i>gemma</i>	1857, 145
<i>parvispirus</i>	1854, 128		150
<i>sarcodes</i>	1856, 339	<i>glaucostrum</i>	1855, 103
<i>sinuatus</i>	1855, 105	<i>inutilis</i>	1857, 145
<i>Cyclostrema angulata</i> ..	1850, 44		155
<i>cancellata</i> ..	1850, 41	<i>irregularis</i> ...	1855, 117
<i>cingulifera</i>	1850, 43		142
<i>cobijensis</i> ...	1850, 42	<i>jamaicensis</i>	1857, 143
<i>elegans</i>	1850, 44		144
<i>excavata</i>	1856, 169		154
<i>granulata</i>	1853, 183	<i>jugosus</i>	1857, 144
<i>micans</i>	1850, 44		145
<i>nitida</i>	1850, 43	<i>lindstedti</i>	1856, 391
<i>nivea</i>	1850, 42	<i>macgillivrayi</i>	1855, 103
<i>octolirata</i>	1856, 169	<i>montanus</i> ...	1854, 300
<i>pentagoniostoma</i> ..	1856, 169	<i>nodosus</i> ...	1857, 145
<i>plana</i> ...	1850, 43		157
<i>planorbula</i>	1850, 43	<i>notatus</i>	1857, 145
<i>reeviana</i>	1850, 42		148
<i>spirula</i>	1850, 42	<i>novæ-spei</i>	1857, 145
<i>sulcata</i>	1850, 44		148
	1851, 219	<i>novus-saltus</i>	1857, 145
<i>Cyclothurus didactylus</i>	1856, 139		154
	1859, 450	<i>pallescent</i>	1857, 145
			156
<i>Cyclotus asperulus</i>	1857, 143	<i>parvus</i>	1857, 145
	145		145
<i>bairdianus</i>	1857, 145	<i>perpallidus</i>	1857, 145
			157

	Page		Page
<i>Cyclotus portlandensis</i> .. 1857,	145	<i>Cylindrella flammulata</i> . 1852,	141
	147	ghiesbreghtii..... 1856,	380
pretiosus 1857,	145	gouldiana 1851,	149
	153	grandis 1860,	139
ptercycloides 1854,	300	greyana 1857,	163
recluzianus 1853,	51	macrostoma 1857,	111
	145	malleata 1852,	140
ruber 1857,	153	menkeana 1852,	140
	145	mexicana 1860,	139
rudis-planusque .. 1857,	152	monilifera 1851,	148
	145	polygyra..... 1856,	322
ruflabris 1857,	156	punctura 1852,	141
	145	salleana 1851,	149
rupis-frontis 1857,	155	seminula 1860,	410
	144	sericea 1849,	134
seminudus 1857,	145	splendida 1860,	139
	152	turris 1856,	380
sordidus 1855,	103	zebrina 1852,	68
	145	<i>Cylindrophis maculata</i> . 1858,	383
striatus 1857,	156	<i>Cylindrus erythrostoma</i> . 1858,	42
	143	nigellus 1858,	42
subrugosus..... 1857,	145	<i>Cyllene concinna</i> 1850,	205
	149	fuscata 1850,	205
	143	glabrata 1850,	206
suturalis..... 1857,	145	grana 1850,	205
	149	grayi 1850,	205
tubulifera 1853,	51	lugubris 1850,	205
	144	lyrata 1850,	205
varians 1857,	145	orientalis 1850,	205
	149	owenii 1850,	205
westmorelandensis . 1857,	145	pallida 1850,	205
	156	pulchella 1850,	205
	145	striata 1850,	205
zigzag 1857,	150	unimaculata 1855,	123
<i>Cyclura collei</i> 1849,	106	<i>Cymatium polygonum</i> . 1851,	230
lophoma..... . 1848,	99	<i>Cymba cymbium</i> 1855,	52
	1859,	gracilis 1855,	52
<i>Cygnus atratus</i> { 1860,	258	neptuni 1855,	52
	1860,	olla 1855,	51
coscoroba 1860,	388	patula..... 1855,	52
ferus 1849,	28	porcina 1855,	52
gambensis 1860,	42	proboscidalis 1855,	52
	1859,	rubiginosa 1855,	52
mgricollis { 1859,	206	tritonis 1855,	52
	1860,		112
<i>Cyliclchna carpenteri</i> 1858,	543	<i>Cymbilanius lineatus</i> . { 1854,	65
<i>Cyliclchnia cylchna</i> .. 1854,	206		1858,
ovulformis 1854,	206		206
<i>Cylindrella adamsiana</i> .. 1851,	148	<i>Cymbiola ancilla</i> 1855,	57
apiostoma 1856,	322	beckii 1855,	53
arctospira 1860,	139	brasiliana 1855,	57
blandiana 1852,	68	colocynthus 1855,	57
boucardi 1856,	321	ferussaci 1855,	58
carinata 1852,	68	festiva 1855,	61
chordata..... 1855,	117	magellanica 1855,	57
clava 1856,	380	mitis 1855,	56
cretacea 1860,	140	nivosa 1855,	56
exima 1858,	23	pacifica 1855,	58
		tuberculata 1855,	58

	Page		Page
<i>Cymbiola turnerii</i>	1853, 36	<i>Cyphorinus albigularis</i> {	1855, 76
<i>vespertilio</i>	1855, 56	<i>griseicollis</i>	{ 1857, 4
<i>Cymburhynchus affinis</i> .	1859, 150	<i>leucostictus</i>	{ 1860, 64
<i>macrorhynchus</i>	1854, 267	<i>modulator</i>	{ 1855, 77
<i>Cymbium aethiopicum</i> ..	1855, 53	<i>phaeocephalus</i>	{ 1858, 63
<i>armatum</i>	1855, 54	<i>prostheleucus</i>	{ 1858, 96
<i>broderipii</i>	1855, 53	<i>pusillus</i>	{ 1859, 363
<i>cisium</i>	1855, 52	<i>Cypraea adusta</i>	{ 1859, 372
<i>coronatum</i>	1855, 54	<i>barclayi</i>	1848, 97
<i>cymbium</i>	1855, 52	<i>bicolor</i>	1857, 208
<i>diadema</i>	1855, 53	<i>clara</i>	1848, 92
<i>georginae</i>	1855, 54	<i>compta</i>	1851, 13
<i>gracile</i>	1855, 52	<i>cribellum</i>	1860, 189
<i>indicum</i>	1855, 53	<i>cribraria</i>	1849, 22
<i>manilla</i>	1855, 55	<i>eximia</i>	1849, 23
<i>melo</i>	1855, 53	<i>flaveola</i> , var.	{ 124, 125
<i>miltonis</i>	1855, 53	<i>gracilis</i>	1848, 97
<i>neptuni</i>	1855, 52	<i>grando</i>	1848, 93
<i>olla</i>	1855, 51	<i>heliola</i>	1848, 96
<i>papillatum</i>	1855, 51	<i>humphreysii</i>	1853, 41
<i>patulum</i>	1855, 52	<i>marginata</i>	1848, 98
<i>porcinum</i>	1855, 52	<i>nivea</i>	1848, 91
<i>proboscideale</i>	1855, 52	<i>obscura</i>	1848, 98
<i>rubiginosum</i>	1855, 52	<i>onyx</i>	1848, 94
<i>tessellatum</i>	1855, 54	<i>oryza</i>	1848, 97
<i>tritoni</i>	1855, 52	<i>piperita</i>	1848, 98
<i>umbilicatum</i>	1855, 53	<i>producta</i>	1848, 97
<i>Cymindis cayennensis</i> .	{ 1859, 52	<i>pulex</i> , var.	1849, 23
<i>uncinata</i>	1860, 289	<i>pulicaria</i>	1848, 97
<i>wilsonii</i>	1857, 3	<i>pulla</i>	1848, 97
<i>Cynanthus cyanurus</i> . .	{ 1855, 140	<i>quadrifaculata</i> , var	1848, 97
<i>Cynictis maccarthiae</i> . .	1860, 70	<i>sulcata</i>	1848, 95
<i>Cynocephalus anubis</i> . .	1851, 131	<i>thersites</i>	1848, 90
<i>babuin</i>	1800, 421	<i>turdus</i>	1848, 98
<i>hamadryas</i>	1860, 421	<i>umbilicata</i>	{ 124, 125
<i>olivaceus</i>	{ 1849, 94	<i>vitrea</i>	1848, 95
<i>sphinx</i>	1860, 372	<i>Cypressus marinus</i>	1857, 292
<i>thoth</i>	1860, 422	<i>Cypricardia californica</i> ..	1856, 217
<i>Cynophis helena</i>	1860, 421	<i>duperoyi</i>	1856, 217
<i>Cynopithecus nigrescens</i>	1860, 421	<i>Cypricia nuttalli</i>	1856, 210
<i>Cynops chinensis</i>	1860, 421	<i>Cypridina adamsi</i>	1860, 199
<i>pyrrhogaster</i>	1858, 383	<i>albomaculata</i>	1860, 201
<i>Cynopteris horsfieldii</i> .	1859, 229	<i>bimaculata</i>	1860, 199
<i>marginatus</i>	{ 1859, 229	<i>brenda</i>	1860, 199
	1858, 537	<i>caerulea</i>	1860, 199
	{ 1850, 156	<i>elliptica</i>	1860, 199
	1858, 35	<i>excisa</i>	1860, 200
	1858, 537	<i>formosa</i>	1860, 200
		<i>gibbosa</i>	1860, 200
		<i>globosa</i>	1860, 200

	Page		Page
Cypridina godehevi	1860, 200	Cypselus niger	1859, 236
hieroglyphica	1850, 256	palmarum	1855, 28
interpuncta	1850, 257	subfurcatus	1854, 264
interpunctata	1860, 199	unicolor	1851, 142
luteola	1860, 200	vittatus	1854, 264
macandrei	1850, 257	Cypsnagra ruficollis	1856, 112
macandrewii	1860, 199	Cyrena aequalatera . .	1854, 20
maræ ...	{ 1850, 257	affinis	1854, 16
	{ 1860, 199	altilis	1856, 202
mediterranea	1860, 199	ambigua	1856, 186
norvegica	1860, 200	angulata ...	1854, 22
oblonga	1860, 200	anomala	1854, 21
olivaceus	1860, 200	arctata	1854, 20
ovum	1860, 201	brunnea	1860, 321
punctata	1860, 200	cochinensis .. .	1858, 543
reynaudii	1860, 199	compta	1854, 18
	{ 1850, 102	conjuncta .. .	1854, 15
zealandica	{ 1850, 257	consobrina . . .	1856, 186
	{ 1860, 199	cor ..	1856, 186
Cyprinodon dispar	1859, 470	cumingii	1854, 22
hammonis	1856, 371	decipiens	1854, 17
lunatus	1859, 474	divaricata	1854, 17
moseas	1859, 474	dura ..	1854, 20
Cyprinus auratus	1859, 229	essingtonensis .. .	1854, 19
bithynicus	1856, 372	euphratica ...	1856, 186
carpis	1856, 372	fallax	1854, 15
elatus	1856, 372	flava	1860, 320
flavipinnis	1856, 372	fluminalis .. .	1856, 186
hungaricus ..	1856, 372	gemmellarii . . .	1856, 186
nordmanni	1856, 372	impressa	1854, 18
Cypris belcheri	1852, 7	incerta	1854, 19
cuneata	1850, 255	inflata ..	1854, 23
cylindrica ..	1850, 233	inquinata ..	1854, 15
—, var major ..	1859, 233	insignis	1854, 20
dentatomarginata ..	1859, 233	isocardioides	1854, 22
donnetii	1850, 254	jukesii	1854, 19
schomburgkii	1852, 8	lauta ..	1854, 15
subglobosa ..	1859, 232	mactroides	1854, 17
triangularis ..	1854, 6	maritima ..	1854, 345
Cyprocula eximia ..	1849, 125	mexicana	1856, 202
umbilicata	1849, 125	moretonensis . .	1854, 341
	{ 1854, 265	nitida	1854, 23
	{ 1855, 28	nitidula	1854, 21
Cypselus affinis	{ 1855, 50	notabilis	1854, 21
	{ 1857, 88	oblonga	1854, 341
	{ 1858, 477	obscura	1860, 321
	{ 1859, 175	oviformis	1854, 16
apus	{ 1858, 477	pallida	1854, 17
	{ 1859, 175	panormitana	1856, 186
australis ..	1854, 264	philippinarum	1854, 340
cayennensis	1857, 232	pisiformis	1854, 341
giganteus	1854, 266	placida ..	1854, 19
	{ 1858, 477	senegalensis	1854, 341
melba	{ 1859, 175	similis	1854, 16
	{ 1851, 142	sinuosa	1854, 18
murarius	1851, 142	sphaerocula	1854, 340
	{ 1858, 170	tennentii	1858, 23
mystaceus ..	{ 1860, 345	triangularis ..	1851, 74

	Page		Page
<i>Cyrena triangularis</i> ...	1856, 186		
<i>triangula</i>	1856, 186		
<i>sublobata</i>	1854, 18	<i>Dacnis angelica</i>	{ 1854, 251 1855, 137 1857, 263 1858, 452
<i>subquadrata</i>	1854, 21	<i>archangelica</i>	1857, 263
<i>ventricosa</i>	1854, 16	<i>atricapilla</i>	1854, 252
(<i>Corbicula</i>) <i>orientalis</i>	1860, 16	<i>cærebiecolor</i>	{ 1854, 252 1855, 137 1854, 110 1854, 252
<i>Cyrenella lenticularis</i> ..	1854, 341	<i>cayana</i>	{ 1855, 137 1857, 263 1858, 61 1858, 452
<i>poiocephala</i>	1854, 271	<i>cyanomelas</i>	{ 1854, 252 1854, 251 1855, 137 1860, 65
<i>Cyrtactis clavata</i>	1858, 148	<i>egregia</i>	{ 1860, 85 1860, 274 1860, 292 1854, 252
<i>Cyrtonops punctipennis</i>	1853, 29	<i>flaviventris</i>	{ 1857, 263 1854, 251 1855, 138
<i>Cyrtonyx massena</i>	1858, 305	<i>hartlaubii</i>	1854, 251
<i>Cyrtophis scutatus</i> ...	1859, 88	<i>leucogenys</i>	1855, 138
<i>Cyrtostomus flammoxil-</i>		<i>melanotis</i>	1857, 263
<i>laris</i>	1859, 462	<i>nigripes</i>	1857, 263
<i>frenatus</i>	1860, 348	<i>plumbea</i>	{ 1854, 252 1854, 252 1855, 84 1855, 137
<i>Cystignathus senegalen-</i>		<i>pulcherrima</i>	{ 1854, 252 1855, 84 1855, 137
<i>sis</i>	1858, 165	<i>rufocinerea</i>	{ 1855, 75 1854, 252 1855, 138
<i>Cystophora antillarum</i> ..	1849, 93	<i>speciosa</i>	{ 1854, 252 1855, 138
<i>cristata</i>	1849, { 91 93	<i>Dacosta australis</i>	1858, 315
<i>Cystosoma saundersii</i> ..	1852, 14	<i>Dactylethra capensis</i> ..	1853, 166
<i>Cythara garretti</i>	1860, 147	<i>lævis</i>	1858, 166
<i>pusilla</i> ..	1860, 147	<i>mulleri</i> ..	1858, 166
<i>varia</i> ..	1860, 147	<i>Dactylocalyx pumiceus</i> ..	1859, 439
<i>Cythere setosa</i>	1850, 255	<i>Dactylopsala trivirgata</i> ..	{ 1858, 111 1857, 206 1859, 190 1859, 437
<i>tarentina</i>	1850, 255	<i>Dafila acuta</i>	{ 1859, 437 1860, 303 1860, 337 1860, 338
<i>Cytherea callosa</i>	1856, 216	<i>urophasianus</i>	1860, 339
<i>elegans</i> ..	1853, 6	<i>Dama vulgaris</i> ..	1850, 229
<i>nobilis</i>	1849, 126	<i>Damalis albifrons</i> ...	1850, 141
<i>scripta</i> ..	1853, 6	<i>lunatus</i>	1850, 140
<i>subtrigona</i> ..	1856, 357	<i>pygarga</i>	1850, 141
(<i>Meretrix</i>) <i>impudica</i>	1860, 17		{ 182 1850, 140 141
(—) <i>zonaria</i> ..	1860, 17	<i>senegalensis</i>	1850, 140
(<i>Trigonella</i>) <i>crassa-</i>		? <i>zebra</i> ...	1850, 142
<i>telloides</i>	1856, 216	(<i>Acronotus</i>) <i>lunatus</i>	1850, 140
<i>Cythereis australis</i>	1850, 255		
<i>deformis</i>	1850, 256		
<i>fistulosa</i> ..	1850, 256		
<i>prava</i>	1850, 256		
<i>runcinata</i> ..	1850, 256		
<i>senticiosa</i> ..	1850, 256		
<i>Cyzicus</i> ...	1849, 85		
<i>bravaisii</i>	1849, { 85 87		
	{ 1858, 333 1860, 164 1860, 168 1860, 170		
<i>Daboia elegans</i>			
<i>Dacelo buccoides</i> ..	1854, 268		
<i>chlorocephalus</i> ..	1853, 172		
<i>gaudichaudi</i>	{ 1858, 171 1859, 154		
<i>gigas</i>	1860, 371		
<i>macrorhinus</i>	1859, 154		
<i>pulchella</i>	1854, 268		
<i>tyro</i>	1858, 171		
<i>Dacnis angelica</i>	1854, 110		

	Page		Page
<i>Damalis (Acronotus) se-</i>		<i>Delphinula atrata</i>	1854, 42
<i>negalensis</i>	1850, 140	<i>calcar</i>	1850, 51
(<i>Boselaphus</i>) <i>canna</i>	1850, 143	<i>cobijensis</i>	1850, 42
(<i>—</i>) <i>oreas</i>	1850, 143	<i>costata</i>	1853, 186
(<i>Portax</i>) <i>risia</i>	1850, 146	<i>euracantha</i>	1850, 51
<i>Dandridgia dysderoides</i>	1849, 5	<i>martini</i>	1854, 42
<i>Daphnella bella</i>	1860, 147	<i>nivea</i>	1850, 42
<i>interrupta</i>	1860, 147	<i>reeviana</i>	1850, 42
<i>maculosa</i>	1860, 148	<i>stellaris</i>	1850, 52
<i>sandwicensis</i>	1860, 148	<i>tyrria</i>	1854, 42
<i>Daphnia gigas</i>	1849, { 84	<i>Delphinus eutropia</i>	1849, 1
<i>newportai</i>	1860, 446	<i>globiceps</i>	1853, { 63
<i>Dasycephala albifrons</i>	1858, 273	<i>orca</i>	1853, 103
<i>cinerea</i>	1859, 41	<i>Demegretta ludoviciana</i>	1860, 253
<i>citrocyga</i>	1859, 41	<i>Dendraspis angusticeps</i>	1858, 160
<i>haematodes</i>	1859, 41	<i>jamesoni</i>	1858, 160
<i>rubra</i>	1859, 41	<i>Dendrexetastes capitoides</i>	1855, { 77
<i>uropygialis</i>	1859, 41	<i>—</i>	1855, 142
<i>Dasyptilis inornata</i>	1858, 161	<i>Dendrochelidon mysta-</i>	
<i>palmarum</i>	1858, 161	<i>ceus</i>	1860, 345
<i>scabra</i>	1858, { 161	<i>wallacii</i>	1859, 100
<i>—</i>	1858, { 379	<i>Dendrocicla anabatina</i>	1859, { 54
<i>Dasyprocta aguti</i>	1860, 442	<i>—</i>	1859, { 382
<i>aurea</i>	1859, 436	<i>Dendrocitta rufa</i>	{ 1857, 98
<i>azaræ</i>	1849, 64	<i>—</i>	1858, 479
<i>caudata</i>	1860, 216	<i>sinensis</i>	1858, 479
<i>fuliginosa</i>	1860, 216	<i>vagabunda</i>	1859, 172
<i>nigra</i>	1860, 216	<i>Dendrocolaptes atrirostris</i>	1858, 63
<i>nigricans</i>	1860, 216	<i>cayennensis</i>	1857, 265
<i>Dasyptilus pecqueti</i>	1860, 227	<i>eytoni</i>	1853, 69
<i>Dasytus enconbert</i>	1860, 372	<i>lineatocephalus</i>	1855, 142
<i>gigas</i>	1858, 340	<i>perroti</i>	1855, 142
<i>minutus</i>	1851, 214	<i>promeropirhynchus</i>	1855, 142
<i>peba</i>	{ 1859, 51	<i>sancti-thomæ</i>	{ 1858, 96
<i>—</i>	{ 1860, 177	<i>—</i>	{ 1859, 54
<i>punctatus</i>	1851, 213	<i>Dendrocops albirostris</i>	1860, 88
<i>sexcinctus</i>	1851, 214	<i>—</i>	1860, { 66
<i>villosus</i>	1851, 214	<i>atrirrostris</i>	1860, { 278
<i>Dasythamnus xantho-</i>		<i>—</i>	1860, { 293
<i>pterus</i>	1857, 132	<i>tyranninus</i>	1855, 142
<i>Dasyurus maculatus</i>	1860, 415	<i>Dendrocopus sordidus</i>	1859, 455
<i>ursinus</i>	1860, 242	<i>Dendrocygna arcuata</i>	1859, 150
<i>Defrancia intercalaris</i>	1856, 163	<i>autumnalis</i>	1858, 360
<i>serrata</i>	1856, 163	<i>badia</i>	1860, 366
<i>Delattna clemenciæ</i>	{ 1858, 297	<i>viduata</i>	1850, 221
<i>—</i>	{ 1859, 367	<i>Dendroeca æstiva</i>	1859, 363
<i>—</i>	{ 1856, 287	<i>auduboni</i>	1860, 250
<i>henrici</i>	{ 1858, 297	<i>aureola</i>	1860, 291
<i>—</i>	{ 1859, 367	<i>blackburniæ</i>	1859, 303
<i>—</i>	{ 1859, 386	<i>chrysoparia</i>	1860, 298
<i>—</i>	{ 1856, 287	<i>coronata</i>	1859, 363
<i>rhani</i>	{ 1857, 212	<i>—</i>	1859, { 363
<i>—</i>	{ 1858, 297	<i>icterocephala</i>	1859, { 374
<i>—</i>	{ 1859, 367	<i>maculosa</i>	1859, { 363
<i>Delichon nipalensis</i>	1854, 104	<i>nigrescens</i>	1859, { 374
<i>Delphinula aculeata</i>	1850, 51	<i>olivacea</i>	1859, 363

	Page		Page
<i>Dendroeca superciliosa</i> .. 1859,	{ 363	<i>Desmodus rufus</i>	1860, 212
<i>townsendi</i>	374	<i>Desmognathus fuscus</i> ..	1858, 144
<i>virens</i>	374	<i>Desmophyllum stokesii</i> ..	1849, 74
<i>Dendroica auduboni</i> 1858,	{ 363	<i>Desmoulea abbreviata</i> ..	1851, 113
<i>blackburniæ</i>	373	<i>crassa</i>	1851, 113
<i>nigrescens</i>	298	<i>japonica</i>	1851, 113
<i>olivacea</i>	64	<i>pinguis</i>	1851, 113
	84	<i>pyramidalis</i>	1851, 113
	298	<i>retusa</i>	1851, 113
	298	<i>ringens</i>	1854, 42
	{ 1848, 98	<i>Deucalion wollastoni</i> ..	1856, 406
<i>Dendrolagus inustus</i> .	{ 1852, 103	<i>Diadema deois</i>	1858, 464
	1858, 106	<i>pandarus</i>	1858, 464
	{ 1860, 181	<i>Diaphonia metallescens</i> .	1859, 119
<i>ursinus</i>	1858, 106	<i>Diardigallus crawfurdi</i> .	1859, 353
<i>Dendromanes anabatinus</i> 1859,	382	<i>fasciolatus</i>	1859, { 353
<i>homochrous</i>	1859, 382	<i>prælatas</i>	1859, 353
<i>Dendrophis albovariatæ</i> . 1858,	161	<i>Diastocera catherina</i> ...	1858, 402
<i>chenoni</i>	1858, 161	<i>Dicæum cruentatum</i> ...	1859, { 150
<i>colubrina</i>	1858, 162		{ 151
<i>flavicularis</i>	1858, 162	<i>erythrothorax</i>	1860, 349
<i>hocercus</i>	1859, 413	<i>ignicapillum</i>	1859, 463
<i>negrolineatus</i>	1858, 160	<i>ignicolle</i>	1858, 173
	{ 1858, 382	<i>nigrum</i>	1858, 173
<i>picta</i>	1860, 163	<i>rubrocanum</i>	1860, 349
<i>præornatus</i>	1858, 158	<i>rushie</i>	1858, 291
	{ 382	<i>schistaceps</i>	1860, 349
<i>punctulata</i>	384	<i>trigonostigma</i>	1859, 150
	158	<i>Dicholophus burmeisteri</i> 1860,	335
<i>smaragdina</i>	1858, 161	<i>cristatus</i>	1860, 334
<i>viridis</i>	1859, 412		{ 262
<i>Dendromis brevirostris</i> . 1858,	63	<i>Dicotyles albirostris</i>	1860, { 442
<i>erythropygia</i>	386		{ 443
	381	<i>labiatus</i>	{ 1848, 70
<i>flavigastra</i>	1856, 289		{ 1860, 262
	1859, 381		{ 1859, 51
<i>guttata</i>	1854, 111		{ 1860, 181
<i>pallidirostris</i>	1858, 63		{ 1860, 206
	{ 77	<i>torquatus</i>	{ 1860, 242
<i>temmincki</i>	1855, { 142		{ 1860, 262
	1855, 142		{ 1860, 417
<i>triangularis</i>	1856, 289		{ 1860, 443
	1859, 140	<i>Dicranoceros americanus</i> 1850,	174
	1857, 206		{ 158
<i>Dendrortyx barbata</i> ..	1859, 369	<i>Dicroglossus adolfi</i>	1860, { 164
	414		{ 168
<i>Dentalium glabrum</i> 1858,	435		{ 170
	414	<i>Dicruus affinis</i>	1854, 272
<i>imperfuratum</i>	1858, 425	<i>amboinensis</i>	1860, 354
<i>incurvum</i>	1858, 425		{ 1858, 179
<i>minutum</i>	1858, { 413	<i>assimilis</i>	{ 1859, 157
	435	<i>atrocæruleus</i>	1860, 354
<i>trachea</i>	1858, { 414	<i>aurita</i>	1860, 268
	425	<i>balicassius</i>	1854, 271
<i>Dentiger ponticerianus</i> . 1854,	262	<i>bracteatus</i>	1858, 179
<i>Dermophrys maja</i>	1859, 444	<i>cærulescens</i>	1858, 495
<i>Desmodus d'orbigny</i> ..	1858, 547	<i>campennis</i>	1850, 217
<i>rufus</i>	1858, 547		

	Page		Page
<i>Dicrurus divaricatus</i> . . .	1850, 217	<i>Dinornis casuarinus</i> . . .	1848, 1
<i>longicaudatus</i> . . .	{ 1858, 495	<i>crassus</i>	1856, 55
<i>lugubris</i>	{ 1859, 180	<i>curtus</i>	1848, 1
<i>macrocerus</i>	{ 1850, 217	<i>didiformis</i>	1848, 1
<i>malabaricus</i>	{ 1854, 47	<i>elephantopus</i> . . .	1856, 54
<i>megalornis</i>	{ 1857, 90	<i>giganteus</i>	{ 1848, 1
<i>musicus</i>	{ 1859, 150	<i>gracilis</i>	1850, 45
<i>paradiseus</i>	1854, 272	<i>otidiformis</i>	1850, 208
<i>Didelphys asiaticus</i> . . .	1858, 179	<i>rheides</i>	1852, 10
<i>azaræ</i>	1850, 217	<i>robustus</i>	1856, 55
<i>cancrivora</i>	1857, 90	<i>struthioides</i>	1854, 244
<i>cinerea</i>	1858, 106	<i>Diomedea fuliginosa</i> . .	{ 1859, 98
<i>crassicaudata</i>	{ 1848, 37	<i>melanophrys</i> . . .	1860, 390
<i>noctivaga</i>	{ 1860, 268	<i>dione crocea</i>	1859, 98
<i>orientalis</i>	{ 1858, 548	<i>phasianella</i>	1860, 390
<i>ornata</i>	1860, 415	<i>rufescens</i>	1853, 2
<i>pusilla</i>	1860, 60	<i>Diphylla ecaudata</i> . . .	1853, 2
<i>virginianus</i>	1858, 104	<i>Diphyllodes wilsoni</i> . . .	1860, 212
<i>waterhousii</i>	1860, 268	<i>Diplodonta globulosa</i> . .	1857, 6
	1860, 188	<i>orbella</i>	1855, 226
	1860, 58	<i>semiaspersa</i>	1856, 202
	1860, 217	<i>subquadrata</i>	1855, 230
	1860, 303	<i>Diplommatina bensoni</i> . .	1852, 94
	1848, 2	<i>cantor</i>	1856, 336
	1848, 3	<i>capillacea</i>	1854, 308
<i>Didus</i>	{ 1848, 4	<i>chordata</i>	1855, 105
<i>ineptus</i>	{ 1848, 5	<i>huttoni</i>	1852, 157
<i>nazarenus</i>	{ 1860, 443	<i>macgillivrayi</i>	1854, 303
<i>solitarius</i>	1851, 281	<i>Diplopterus excellens</i> . .	{ 1857, 229
	1851, 284	<i>nævius</i>	1859, 60
	1851, 283	<i>dipsadoboa unicolor</i> . .	1860, 285
<i>Diglossa albilateralis</i> . .	{ 1855, 138	<i>Dipsadomorphus biscu-</i>	1858, 162
<i>aterrima</i>	{ 1859, 138	<i>tatus</i>	{ 1860, 452
<i>baritula</i>	{ 1860, 85	<i>ceylonensis</i>	1858, 383
<i>d'orbigny</i>	{ 1855, 138	<i>niptomarginatus</i>	1858, 383
<i>humeralis</i>	{ 1858, 551	<i>trigonatus</i>	1860, 164
<i>indigotica</i>	1859, 440	<i>Dipsas annulata</i>	1859, 89
<i>intermedia</i>	{ 1860, 76	<i>biscutata</i>	1860, 457
<i>lafresnayii</i>	{ 1860, 85	<i>blandingi</i>	1858, 159
<i>personata</i>	{ 1856, 286	<i>carinatus</i>	1858, 161
<i>similis</i>	{ 1859, 364	<i>cenchoa</i>	{ 1858, 336
<i>Dinophis angusticeps</i> . .	{ 1859, 376	<i>fasciatus</i>	1860, 457
<i>hammondii</i>	1855, 138	<i>ferruginea</i>	1858, 162
	1858, 160	<i>fusca</i>	1858, 384
	1858, 160	<i>globiceps</i>	1858, 161
		<i>hippocrepis</i>	1858, 161
		<i>pulverulenta</i>	1858, 162
		<i>regalis</i>	1858, 162
		<i>taigonata</i>	1860, 167

	Page		Page
<i>Dipsas trigonata</i>	1860, { 170	<i>Dolium dunkeri</i>	1859, { 481
<i>valida</i>	1858, 162	<i>fasciatum</i>	1859, 489
<i>Dipus ægyptius</i>	{ 1849, 24	<i>favannii</i>	1859, { 430
	{ 1849, 28		{ 490
	{ 1859, 432	<i>fimbriatum</i>	1859, 491
<i>Discula attrita</i>	1854, 188	<i>galea</i>	1859, 487
<i>discina</i>	1854, 190	<i>kneneri</i>	1859, 490
<i>lincta</i>	1854, 189	<i>lutescens</i>	1859, 489
<i>papilio</i>	1854, 190	<i>latesulcatum</i>	1859, 489
<i>polymorpha</i>	1854, 187	<i>maculatum</i>	1859, 491
<i>pulvinata</i>	1854, 188	<i>marginatum</i>	1859, 493
<i>senilis</i>	1854, 189	<i>marmoreum</i>	1859, 489
<i>tabellata</i>	1854, 189	<i>melanostoma</i>	1859, 488
<i>testudinalis</i>	1854, 191	<i>minjac</i>	1859, 492
<i>Dispholides lalandii</i>	1858, 162	<i>olearium</i>	1859, 488
<i>Dispotæa striata</i>	1855, 234	<i>pennatum</i>	1859, 493
<i>Distichocera ferruginea</i>	1851, 76	<i>perdix</i>	1859, 492
<i>fulvipennis</i>	1851, 76	<i>plumatum</i>	1859, 489
<i>kuhyi</i>	1851, 79	<i>reevei</i>	1859, 493
<i>macleayi</i>	1851, 81	<i>rufum</i>	1859, 492
<i>maculicollis</i>	1851, 75	<i>tenue</i>	1859, 488
<i>par</i>	1851, 78	<i>variegatum</i>	1859, 490
<i>rufipennis</i>	1851, 76	<i>zonatum</i>	1859, 488
<i>thomsonella</i>	1859, 122	<i>Dolomedes lateralis</i>	1849, 4
<i>Distichurus maculatus</i>	1853, 163	<i>mirificus</i>	1849, 4
<i>Distichopora coccinea</i>	1860, 244	<i>sagittiger</i>	1849, 4
<i>Distoma hepaticum</i>	1859, 427	<i>Domicella garrula</i>	1860, 356
<i>microcephalum</i>	1853, 22	<i>punicea</i>	1849, 142
<i>Distorsio pusilla</i>	1860, 397	<i>Donacola castaneothorax</i>	1860, 371
<i>Distortrix anus</i>	1851, 231	<i>flavipræmna</i>	1857, 26
<i>reticulata</i>	1851, 231	<i>Donax acuminata</i>	1854, 352
<i>Ditropa gadus</i>	1858, 413	<i>acutangula</i>	1854, 350
<i>Diucopsis atra</i>	1856, 67	<i>ænea</i>	1854, 350
<i>capistrata</i>	1856, 67	<i>affinis</i>	1854, 351
<i>fasciata</i>	1856, 68	<i>bella</i>	1854, 351
<i>leucophæa</i>	1856, 67	<i>californicus</i>	1856, { 200
<i>speculigera</i>	1856, 68		{ 213
<i>Diva albiventris</i>	1855, 158	<i>clathrata</i>	1854, 353
<i>vassori</i>	{ 1855, 158	<i>conradi</i>	{ 1854, 351
	{ 1856, 264		{ 1856, 213
	{ 1860, 87	<i>culminatus</i>	1856, 200
<i>Docimastes derbianus</i>	1855, 139	<i>dysonii</i>	1854, 353
<i>ensiferus</i>	{ 1855, 139	<i>flexuosus</i>	1856, 200
	{ 1858, 555	<i>granifera</i>	1854, 353
	{ 1860, 81	<i>interrupta</i>	1854, 353
<i>Dolabella variegata</i>	1860, 22	<i>keyii</i>	1854, 87
<i>Dolabrifera olivacea</i>	1860, 22	<i>lævigata</i>	1854, 352
<i>Dolichonyx oryzivorus</i>	1858, 72	<i>nitida</i>	1854, 350
<i>Dolium amphora</i>	1859, 493	<i>obesula</i>	1854, 352
<i>ampulaceum</i>	1859, 491	<i>obesus</i>	1856, { 200
<i>australe</i>	1859, 491		{ 213
<i>cepa</i>	1859, 489	<i>ovalina</i>	1854, 352
<i>chinense</i>	1859, 491	<i>peruviana</i>	1854, 350
<i>costatum</i>	1859, 489	<i>petalina</i>	1854, 350
<i>crenulatum</i>	1859, 488	<i>pulchellus</i>	1856, 230
<i>cumingi</i>	1859, 491	<i>rostratus</i>	1856, 200
<i>deshayesi</i>	1859, 490	<i>semistriatus</i>	1856, 230

	Page		Page
<i>Donax striatella</i>	1854, 352	<i>Dromæus irroratus</i>	1860, 371
<i>truncata</i>	1854, 351	{ 1859, 205	
<i>Dopasia gracilis</i>	1860, 160	{ 1860, 205	
	172	<i>novæ-hollandiæ</i> ..	1860, 211
<i>Doras costata</i>	1856, 345	{ 1860, 248	
<i>Dorcopsis asiaticus</i>	1858, 106	{ 1860, 372	
<i>Dorifera johannæ</i>	1855, 139	<i>Dromicus margaritif-</i>	
<i>ludoviciæ</i>	{ 1855, 139	<i>rus</i>	1860, 456
	{ 1860, 95	<i>Dromococcyx mexica-</i>	{ 1856, 308
<i>Doriopsis granulosa</i>	1860, 32	<i>nus</i>	{ 1859, 368
<i>Doris albopustulosa</i> ...	1860, 30	<i>Drymocataphus nigroca-</i>	
<i>cærulea</i>	1859, 66	<i>pitatus</i>	1854, 273
<i>decora</i>	1860, 29	<i>Drymodes brunneopygia</i>	1850, 201
<i>echinata</i>	1860, 27	<i>superciliaris</i>	1850, 201
<i>excavata</i>	1860, 26	<i>Drymoica nipalensis</i> ...	1854, 77
<i>foetida</i>	1860, 31	<i>Drymonax niger</i>	1854, 271
<i>grandiflora</i>	1860, 30	<i>Drymophila atra</i>	1858, 246
<i>marginata</i>	1860, 30	<i>cinerascens</i>	1860, 351
<i>nucleola</i>	1860, 29	<i>cinnamomea</i>	1858, 249
<i>papillosa</i>	1860, 30	<i>leucopus</i>	1858, 248
<i>picta</i>	1860, 29	<i>longipes</i>	1858, 249
<i>pulsa</i>	1860, 27	<i>loricata</i>	1858, 248
<i>prismatica</i> , var. <i>im-</i>		<i>myiotherina</i>	1858, 251
<i>perialis</i>	1860, 32	<i>ruficauda</i>	1858, 239
<i>prismatica</i> , var. <i>li-</i>		<i>trifasciata</i>	1858, 246
<i>neata</i>	1860, 32	<i>variegata</i>	1858, 239
<i>propinquata</i>	1860, 28	<i>velata</i>	1854, 270
<i>reticulata</i>	1860, 26	{ 1858, 75	
<i>rugosa</i>	1860, 31	<i>Dryocopus albirostris</i> .	{ 1858, 460
<i>scabriuscula</i> ..	1860, 27	{ 1859, 146	
<i>setosa</i>	1860, 26	{ 1860, 71	
<i>vibrata</i>	1860, 28	{ 1856, 306	
<i>Dorx pentamera</i>	1856, 9	<i>erythrope</i>	{ 1857, 229
<i>Dosinia amethystina</i> ...	1860, 118	{ 1860, 286	
<i>callosa</i>	1856, 216	<i>fuscipennis</i>	{ 1860, 297
<i>coryne</i>	1855, 223	{ 1855, 161	
<i>cydippe</i> ..	1855, 224	<i>grayi</i>	{ 1859, 146
<i>derupta</i>	1860, 123	{ 1857, 229	
<i>deshayesi</i>	1855, 223	{ 1858, 359	
<i>dilecta</i>	1855, 224	<i>guatemalensis</i>	{ 1859, 367
<i>eburnea</i>	1860, 120	{ 1859, 388	
<i>erythroea</i>	1860, 117	{ 1855, 161	
<i>eunice</i>	1855, 224	<i>hæmatogaster</i> ...	{ 1858, 75
<i>lineolata</i>	1855, 223	{ 1857, 229	
<i>ovalis</i>	1860, 119	<i>leucorhamphus</i> ..	{ 1858, 359
<i>rustica</i> ..	1860, 121	<i>pileatus</i>	1858, 2
<i>salebrosa</i>	1860, 122	<i>pollens</i>	1855, 101
<i>simplex</i>	1855, 224	<i>regius</i>	1857, 229
<i>specularis</i>	1860, 121	{ 1856, 306	
<i>tenella</i>	1860, 118	{ 1857, 229	
<i>traillii</i>	1855, 223	<i>scapularis</i>	{ 1858, 359
<i>tripla</i>	1860, 122	{ 1859, 60	
<i>Drillia nodifera</i>	1860, 145	{ 1859, 367	
<i>punctato-striata</i> ..	1856, 164	<i>solateri</i>	{ 1860, 71
	{ 1859, 205	<i>Dryophis kirtlandii</i>	{ 1858, 159
<i>Dromæus irroratus</i>	{ 1860, 205	{ 1860, 382	
	{ 1860, 211	<i>prasina</i>	1860, 417
	{ 1860, 248		

	Page		Page
<i>Dryophis (Coluber) acuminatus</i>	1860, 233	<i>Echidna nasicornis</i>	1858, 163
<i>Dryoscopus angolensis</i>	1860, 111	<i>Echimypera kalulu</i>	1858, 113
<i>Dubusia auricrissa</i>	1855, 227	<i>Echimypermys cayennensis</i>	1858, 548
	1856, 236		1860, 265
	1855, 157	<i>semispinosus</i>	1860, 264
<i>cynocephala</i>	1855, 227	<i>Echinanthus australasie</i>	1851, 34
	1856, 236	<i>coleus</i>	1851, 35
	1855, 157	<i>explanatus</i>	1851, 35
<i>gigas</i>	1856, 240	<i>oblongus</i>	1851, 35
	1855, 157	<i>productus</i>	1851, 35
<i>olivicyanea</i>	1856, 237	<i>testudinarius</i>	1851, 35
	1855, 237	<i>Echinoceros cibarius</i>	1848, 48
<i>selysia</i>	1855, 157	<i>Echinococcus veterinorum</i>	1852, 110
<i>tæniata</i>	1856, 237	<i>Echinocyamus australis</i>	1851, 38
<i>Ducula basalis</i>	1860, 360	<i>Echinoglyphus frondosus</i>	1851, 37
<i>Dujardinia mediterranea</i>	1858, 270	<i>Echinolampas depressus</i>	1851, 38
<i>Dulus dominicus</i>	1857, 232	<i>oviformis</i>	1851, 37
	1856, 84	<i>Echinus mammillaris</i>	1856, 138
<i>palmarum</i>	1856, 84	<i>Echiodon drummondii</i>	1852, 14
<i>poliocephalus</i>	1858, 148	<i>Echis carinata</i>	1858, 375
<i>Dysactis biserialis</i>	1858, 559		378
<i>Dysidea fragilis</i>	1858, 531	<i>squamigera</i>	1858, 163
	1857, 557	<i>Eclectus aruensis</i>	1858, 182
<i>Dysthamnus guttulatus</i>	1858, 221	<i>cardinalis</i>	1860, 227
	1858, 66		357
<i>leucostictus</i>	1855, 90	<i>ceylonensis</i>	1849, 143
	1858, 221		1860, 357
<i>mentalis</i>	1860, 67		1849, 143
	1860, 278	<i>cornelia</i>	1849, 146
	1858, 541		1860, 242
<i>olivaceus</i>	1860, 89		1860, 357
	1858, 222		1849, 143
<i>plumbeus</i>	1858, 457	<i>grandis</i>	1860, 226
	1858, 66		1860, 357
<i>schistaceus</i>	1855, 90	<i>intermedius</i>	1860, 358
	1855, 147		1849, 143
<i>semicinereus</i>	1858, 66	<i>linnaei</i>	1858, 182
	1858, 222		1859, 158
	1860, 278	<i>polychlorus</i>	1858, 182
<i>unicolor</i>	1859, 141		1860, 358
	1860, 89	<i>puniceus</i>	1849, 142
<i>xanthopterus</i>	1857, 132		1858, 182
	1858, 222	<i>westermanni</i>	1860, 358
<i>Dyticus marginalis</i>	1850, 19	<i>Ecpleopus gaudichaudi</i>	1850, 405
<i>Eagle, The Crested and Booted</i>	1851, 59	<i>Ectopistes migratorius</i>	1849, 172
<i>Eburna australis</i>	1853, 182		1860, 416
<i>Echeneis vittata</i>	1850, 252	<i>Edela ruficeps</i>	1854, 79
<i>Echidna atricauda</i>	1858, 378	<i>Edolius malabaricus</i>	1854, 272
	1849, 44	<i>paradiseus</i>	1850, 150
<i>communiformis cytherea</i>	1858, 163		1851, 151
<i>gaboonica</i>	1848, 37	<i>rangoonensis</i>	1854, 272
<i>hystrix</i>	1858, 378	<i>retifer</i>	1854, 272
<i>mauritania</i>	1858, 378	<i>Eglisia cumingii</i>	1850, 204
		<i>Egretta leuca</i>	1860, 200
		<i>Elainia agilis</i>	1859, 46
		<i>albiceps</i>	1859, 46
		<i>aurifrons</i>	1860, 467

	Page		Page
<i>Elainia cayennensis</i>	1859, 46	<i>Elaps lemniscatus</i>	1859, 85
<i>griseigularis</i>	{ 1853, 554	<i>lubricus</i>	1859, 88
<i>interventris</i>	1859, 46	<i>maculiceps</i>	1859, { 83
<i>modesta</i>	1859, 46	<i>marcgravi</i>	1859, 85
<i>olivacea</i>	1859, 46	<i>melanurus</i>	1859, { 83
<i>pagana</i>	1859, 46	<i>mipartitus</i>	1859, 85
<i>placens</i>	1859, 46	<i>nigrocinctus</i>	1860, 457
<i>risu</i>	1860, 314	<i>nigromaculatus</i>	1859, 83
<i>stictoptera</i>	{ 1858, 554	<i>occipitalis</i>	1859, 87
<i>texensis</i>	1859, 46	<i>psyche</i>	1859, 84
<i>variegata</i>	1859, 46	<i>semipartitus</i>	1859, 414
<i>Elania cayennensis</i>	1854, 113	<i>subradiatus</i>	1858, 383
<i>Elanus axillaris</i>	1859, 127	<i>surinamensis</i>	1859, 85
<i>hypoleucus</i>	1859, 127	<i>tener</i>	1859, 86
<i>inscriptus</i>	1859, 127	<i>trimaculatus</i>	1859, 83
<i>leucurus</i>	{ 1857, 201	<i>tristis</i>	1859, 85
<i>melanopterus</i>	{ 1859, 126	<i>univirgatus</i>	{ 1859, 83
<i>minor</i>	{ 1854, 3	<i>zonatus</i>	1859, 87
<i>Elaphis quadrivirgatus</i>	1858, 383	<i>Elasmatina reclusiana</i>	1849, 167
<i>subradiatus</i>	1858, 383	<i>Electra verticillata</i>	1858, 306
<i>virgatus</i>	1858, 383	<i>Electrina succinea</i>	1857, 166
<i>Elapomorphus galvensis</i>	1858, 163	<i>Electragus adenota</i>	1850, 170
<i>Elaps alternans</i>	1859, 85	<i>arundinaceus</i>	1850, { 126
<i>bipunctiger</i>	1859, 85	<i>capreolus</i>	1850, { 126
<i>bivirgatus</i>	1859, 81	<i>ellipsiprymnus</i>	1850, 170
<i>calligaster</i>	1859, { 81	<i>isabellinus</i>	1850, 170
<i>circinalis</i>	1859, 84	<i>leché</i>	1850, 170
<i>collaris</i>	1859, 84	<i>reduncus</i>	1850, { 127
<i>corallinus</i>	{ 1859, 84	<i>sing-sing</i>	1850, 170
<i>decoratus</i>	1860, 452	<i>Elephas indicus</i>	1850, 158
<i>decoratus</i>	1860, 457	<i>sumatranus</i>	1849, 144
<i>decussatus</i>	1859, 85	<i>Eleuchus apicinus</i>	1851, 171
<i>diastema</i>	1859, 87	<i>australis</i>	1851, 171
<i>divaricatus</i>	1859, 87	<i>badius</i>	1851, 170
<i>dorsalis</i>	1859, 88	<i>bellulus</i>	1851, 171
<i>epistema</i>	1859, 85	<i>irisodontes</i>	1851, 171
<i>fetzingeri</i>	1860, 458	<i>leucostigma</i>	1851, 171
<i>filiformis</i>	1859, 86	<i>lineatus</i>	1851, 170
<i>flaviceps</i>	1859, 81	<i>roseus</i>	1851, 170
<i>flavifrons</i>	1859, 85	<i>rutilus</i>	1851, 171
<i>fulvus</i>	1860, { 452	<i>splendidulus</i>	1851, 171
<i>fulvus</i>	1859, 85	<i>vulgaris</i>	1851, 171
<i>furcatus</i>	1859, 82	<i>Elisma acutum</i>	1854, 198
<i>gastrodelus</i>	1859, 87	<i>ventrosum</i>	1854, 198
<i>hygæ</i>	1859, 88	<i>Ellipura cærulescens</i>	1858, 244
<i>jamesoni</i>	1858, 160	<i>ferruginea</i>	1858, 239
		<i>grisea</i>	1858, 238
		<i>maculata</i>	1858, 242
		<i>malina</i>	1858, 241
		<i>rufa</i>	1858, 240
		<i>squamata</i>	1858, 241
		<i>Ellisella coccinea</i>	1857, 287

	Page		Page
<i>Ellisella coccinea</i>	1859, 481	<i>Emarginula excurvata</i> ..	1851, 85
<i>elongata</i>	1857, 287	<i>eximia</i>	1851, 86
	1859, 481	<i>fissura</i>	1851, 82
<i>juncea</i>	1857, 287	<i>fissurata</i>	1851, 82
	1859, 481	<i>fuliginea</i>	1851, 84
<i>pectinata</i>	1857, 287	<i>fungina</i>	1851, 87
	1859, 481	<i>galericulata</i>	1851, 84
<i>Ellobium auris-judæ</i> ..	1854, 7	<i>huzardii</i>	1851, 83
<i>auris-midæ</i>	1854, 7	<i>incisura</i>	1851, 84
<i>ceylanicum</i>	1854, 8	<i>lævicostata</i> ..	1851, 87
<i>elongatum</i>	1854, 8	<i>lævis</i>	1851, 82
<i>granulum</i>	1854, 7	<i>micans</i>	1851, 84
<i>helvaceum</i>	1854, 8	<i>obovata</i>	1851, 83
<i>incrassatum</i>	1854, 8	<i>ossea</i>	1851, 88
<i>oparicum</i>	1854, 9	<i>panihensis</i> ..	1851, 90
<i>oryx</i>	1854, 8	<i>parmophoroidea</i> ..	1851, 89
<i>pallidum</i>	1854, 7	<i>puleolus</i> ..	1851, 82
<i>politum</i>	1854, 7	<i>planulata</i>	1851, 86
<i>pusillum</i>	1854, 8	<i>pulchra</i>	1851, 85
<i>semisculptum</i> ..	1854, 9	<i>punctata</i>	1851, 84
<i>sheepmakeri</i>	1854, 7	<i>puncticulata</i> ..	1851, 84
<i>simplex</i>	1854, 8	<i>retecosa</i>	1851, 86
<i>simplicatum</i>	1854, 8	<i>reticulata</i> ..	1851, 82
<i>subnodosum</i>	1854, 7	<i>rosea</i>	1851, 82
<i>subula</i>	1854, 8	<i>rubra</i>	1851, 82
<i>tornatelliforme</i> ..	1854, 7	<i>rugosa</i>	1851, 87
<i>Elæmia albiceps</i>	1858, 71	<i>scabricostata</i>	1851, 85
	1855, 65	<i>scabriuscula</i>	1851, 83
<i>cayennensis</i>	1855, 150	<i>solidula</i>	1851, 83
	1858, 458	<i>striatula</i>	1851, 83
<i>luteiventris</i>	1858, 71	<i>vanicorensis</i>	1851, 83
<i>pagana</i>	1858, 71	<i>variegata</i>	1851, 84
<i>texensis</i>	1856, 296	<i>viminea</i>	1851, 85
<i>variegata</i>	1856, 297	<i>Emballonura fuliginosa</i> ..	1859, 77
<i>Elysia ocellata</i>	1860, 35	<i>monticola</i>	1859, 77
<i>Emarginula aculeata</i> ..	1851, 86	<i>saxatilis</i>	1859, 79
<i>aspera</i>	1851, 87	<i>villosa</i>	1859, 79
<i>australis</i>	1851, 90	<i>Embalonura canina</i> ..	1860, 261
<i>bellula</i>	1851, 86	<i>Emberiza albida</i>	1850, 184
<i>cancellata</i>	1851, 82	<i>aureola</i>	1860, 108
<i>candida</i>	1851, 85	<i>belli</i>	1857, 7
<i>capuliformis</i>	1851, 82	<i>bilineata</i>	1857, 7
<i>cinerea</i>	1851, 88	<i>caniceps</i>	1858, 483
<i>clathrata</i>	1851, 90		1850, 184
<i>clypeus</i>	1851, 83	<i>castanceps</i>	1855, 215
<i>concinna</i>	1851, 85	<i>cia</i>	1855, 215
<i>conica</i>	1851, 82	<i>cioides</i>	1859, 148
<i>conoida</i>	1851, 87	<i>citrinella</i>	1857, 13
<i>crassa</i>	1851, 82	<i>cyanopsis</i>	1858, 461
<i>cucullata</i>	1851, 86	<i>flavifrons</i>	1856, 271
<i>curvirostris</i>	1851, 82	<i>fucata</i>	1860, 242
<i>cuvieri</i>	1851, 83	<i>fulviceps</i>	1850, 88
<i>depressa</i>	1851, 90	<i>melanocephala</i>	1854, 160
<i>dilecta</i>	1851, 85	<i>melanodera</i>	1860, 385
<i>elargie</i>	1851, 90	<i>pusilla</i>	1860, 108
<i>elongata</i>	1851, 83	<i>quadricolor</i>	1858, 461
	221	<i>rustica</i>	1860, 108
<i>emarginata</i>	1851, 89	<i>schoeniclus</i>	1857, 215

	Page		Page
<i>Emberiza stewartii</i>	1858, 483	<i>Engina albocincta</i>	1860, 142
<i>stracheyi</i>	1855, 215	<i>costata</i>	1860, 142
<i>striolata</i>	1850, 219	<i>monilifera</i>	1860, 142
<i>Emberizoides macrurus</i> ..	1856, 30	<i>Engystoma carolinense</i> ..	1860, { 452 460
<i>marginalis</i>	1856, 30	<i>guttatum</i>	1858, 343
<i>Embernagra albinucha</i> ..	1856, 86	<i>Enicognathus rhodogas-</i>	
<i>chlorura</i>	1860, 275	<i>ter</i>	1858, 380
<i>chrysoma</i>	1860, { 275 293	<i>Enicurus frontalis</i>	1854, 284
<i>conirostris</i>	{ 1856, 143 1860, 275	<i>leschenaultii</i>	1854, 284
<i>longicauda</i>	1860, 275	<i>maculatus</i>	{ 1858, 489 1859, 179
<i>mexicana</i>	1856, 86	<i>nigrifrons</i>	1859, 102
<i>olivascens</i>	1860, 275	<i>scouleri</i>	{ 1858, 489 1859, 179
<i>platensis</i>	1860, 275	<i>Ennea anodon</i>	1855, 100
<i>pyrgitoides</i>	1857, 7	<i>ceylanica</i>	1856, 9
<i>rufinucha</i>	1856, 87	<i>insignis</i>	1856, 388
<i>rufivirgata</i>	{ 1856, 306 1858, 304 1859, 380 1860, 275	<i>obovata</i>	1855, 9
<i>silens</i>	1856, 81	<i>reeveana</i>	1855, 101
<i>striaticeps</i>	1856, 143	<i>Enneoctonus cristatus</i> ..	1854, 272
<i>torquata</i>	1856, 84	<i>superciliosus</i>	1854, 272
<i>viridis</i>	1860, 275	<i>tigrinus</i>	1854, 272
<i>Empagrus flavescens</i> ..	1860, 159	<i>Enoplium pustuliferum</i> ..	1852, 52
<i>Empidonax bairdii</i>	1858, 301	<i>Ensatina eschscholtzia</i> ..	1855, 144
<i>flaviventris</i>	1859, 366	<i>Ensiculus cultellus</i>	1860, 369
<i>fulvifrons</i>	{ 1858, 301 1859, 45	<i>Entomophila spilodera</i> ..	1859, 155
<i>minus</i>	1859, 384	<i>Enyalius laticeps</i>	1859, { 89 409
<i>Emyda aubryi</i>	1858, 167	<i>Eolis adelaidæ</i>	1859, 66
<i>ceylonensis</i>	1855, 201	<i>cærulea</i>	1859, 66
<i>punctata</i>	{ 1855, 201 1860, 159 1860, 168 1860, 170	<i>coronata</i>	1859, 68
<i>senegalensis</i>	{ 1858, 167 1860, 316	<i>landsburgii</i>	1859, 68
<i>Emys caspica</i>	1848, 38	<i>papillosa</i>	1859, 68
<i>crassicollis</i>	1856, 182	<i>Eopsaltria caledonica</i> ..	1859, 162
<i>fuliginosus</i>	1860, 232	<i>capito</i>	1851, 285
<i>hamiltonii</i>	1859, 433	<i>variegata</i>	1859, 162
<i>holbrookii</i>	1855, 197	<i>Eos ater</i>	1860, 357
<i>laticeps</i>	{ 1852, 134 1858, 166	<i>cardinalis</i>	1860, 228
<i>nigra</i>	1856, 182	<i>cervicalis</i>	1850, 27
<i>ocellata</i>	1856, 182	<i>coccinea</i>	{ 1850, 27 1860, 227
<i>ornata</i>	1855, 197	<i>cochinchinensis</i> ..	{ 1850, 27 1860, 356
<i>scripta</i>	1855, 197	<i>cyanogenia</i>	{ 1850, 27 1860, 227 1860, 357
<i>siamensis</i>	1860, 114	<i>cyanostriata</i>	{ 1850, 29 1860, 226
<i>tectum</i>	1859, 433	<i>fusca</i>	{ 1859, 155 1860, 227
<i>tentoria</i>	1856, 182	<i>guebiensis</i>	1850, 28
<i>trijuga</i>	1848, 37	<i>indica</i>	{ 1850, 28 1860, 357
<i>Enclope michelini</i>	1851, 37	<i>isidori</i>	{ 1850, 27 1860, 356
<i>oblonga</i>	1851, 37	<i>ornata</i>	1850, 27
<i>subclausa</i>	1851, 37		
<i>valenciennesu</i>	1851, 37		

	Page		Page
<i>Eos reticulata</i>	1830, 226	<i>Erethizon dorsatum</i>	1800, 181
	1850, 27	<i>Erinaceus collaris</i> ..	1858, 520
	1850, 29	<i>Erinna newcombi</i> ..	1855, 120
<i>riciniata</i>	1860, 226	<i>Eriocnemis aureliae</i>	1855, 140
	1860, 227	<i>isnacsoni</i>	1855, 140
	1860, 356	<i>luciani</i>	1860, { 81
	1850, 28		{ 94
	1850, 450	<i>simplex</i>	1855, 140
<i>rubra</i>	1860, 226	<i>squamata</i>	1860, 311
	1860, 356	<i>vestita</i>	1855, 140
<i>scintillata</i>	1850, 26	<i>Eriopus cupreiventris</i> ..	1849, 96
<i>semilarvata</i>	1850, 27	<i>simplex</i>	1849, 96
	1860, 357	<i>Erismatura dominica</i> ..	1857, 206
	226		1860, 254
<i>squamata</i>	1860, { 357	<i>rubida</i>	1859, 393
<i>unicolor</i>	1860, 357	<i>Erycina australis</i> ..	1855, 183
<i>variegata</i>	1850, 27	<i>bullula</i>	1855, 182
(<i>Chalcopsitta</i>) <i>tor-</i>		<i>cycladiformis</i>	1855, 181
<i>rida</i>	1859, 158	<i>denticulata</i>	1855, 182
<i>Epeira verrucosa</i> ..	1849, 5	<i>donacina</i>	1856, 341
<i>Ephialtes albopunctata</i> ..	1855, 135	<i>dubia</i>	1855, 183
<i>flammeola</i>	1858, 96	<i>grata</i>	1855, 183
<i>lempiji</i>	1854, 262	<i>guttula</i>	1855, 182
	1859, 150	<i>macrodonta</i>	1855, 182
<i>leucospila</i>	1860, 344	<i>papyracea</i>	1855, 183
<i>magicus</i>	1860, 345	<i>parva</i>	1855, 182
<i>nudipes</i>	1858, 133	<i>rotunda</i>	1855, 181
<i>Ephippium anghcanum</i>		<i>zebuensis</i>	1855, 182
<i>maximum</i>	1848, 114	<i>Erymanthus horridus</i> ..	1852, 35
<i>Epimachus magnificus</i> ..	1859, 155	<i>Erythrolamprus venus-</i>	{ 80
<i>Epomophorus crypturus</i> ..	1860, 52	<i>tissimus</i>	{ 402
<i>franketi</i>	1860, 54	<i>Erythronota elegans</i> ..	1860, 307
<i>gambianus</i>	1860, 52	<i>Erythrosteria erythaca</i> ..	1854, 288
<i>labiatus</i>	1860, 55	<i>leucura</i>	1854, 284
<i>macrocephalus</i>	1860, 50		1858, 492
<i>schoensis</i>	1860, 56	<i>Erythrura cyanovirens</i> ..	1858, 462
<i>whitei</i>	1800, { 42	<i>pealii</i>	1858, 462
	{ 50	<i>phaeton</i>	1858, 462
<i>Equus americanus</i>	1850, 65	<i>prasina</i>	1858, 461
<i>Equus asinus</i>	1850, 158	<i>psittacea</i>	1858, 462
<i>burchellii</i>	1849, 30		1859, 104
<i>caballus</i>	1850, 158	<i>pucheranii</i>	1858, 462
	1848, 62	<i>trichroa</i>	1858, 461
<i>hemionus</i>	1849, 20	<i>tricolor</i>	1858, 462
	1849, 64	<i>viridis</i>	1858, 461
	1849, 29	<i>Eryx jaculus</i>	1858, 278
<i>kiang</i>	1859, 353	<i>reinhardtii</i>	1858, 104
	1859, 435	<i>Esacus magnirostris</i> ..	1858, 187
<i>polyodon</i>	1848, 62	<i>recurvirostris</i>	1850, 151
<i>zebra</i>	1849, 30		1856, 106
<i>Erato columbella</i>	1856, 206	<i>Esox lucius</i>	1850, 477
<i>fraserii</i>	1851, 47	<i>Estheria burchii</i>	1860, 392
<i>inquisitor</i>	1851, 47	<i>boysii</i>	1849, 89
<i>leucophaea</i>	1856, 206		1860, 188
<i>maugeriae</i> , val. <i>pa-</i>		<i>brasiliensis</i>	1840, 80
<i>namensis</i>	1856, 162	<i>compressa</i>	1860, 188
<i>sandwicensis</i>	1860, 148	<i>cycladoides</i>	1849, 87
<i>Erethizon dorsatum</i> ...	1859, 436	<i>dahalacensis</i>	1840, 86

	Page		Page
<i>Estheria dahalacensis</i>	1849, 89	<i>Eudynamis picatus</i>	1860, 359
<i>dallasi</i>	1850, 257	<i>Eudynamys maculatus</i>	1854, 257
<i>donaciformis</i>	1852, 30	<i>orientalis</i>	1857, 101
<i>gigas</i>	1849, 89	<i>punctatus</i>	1859, 150
<i>hislopi</i>	1849, 85	<i>ransomi</i>	1859, 151
<i>melitensis</i>	1859, 232	<i>chrysolophus</i>	1859, 459
<i>polita</i>	1860, 188	<i>diadematus</i>	1859, 159
<i>similis</i>	1849, 88	<i>nigrirostris</i>	1860, 359
<i>tetracera</i>	1849, 88	<i>pachyrhynchus</i>	1860, 359
<i>annulosa</i>	1849, 90	<i>papua</i>	1860, 359
<i>lateralis</i>	1860, 188	<i>Eudypes chrysocome</i>	1860, 390
<i>musica</i>	1849, 86	<i>chrysolophus</i>	1860, 390
<i>psittacea</i>	1849, 86	<i>diadematus</i>	1860, 419
<i>ruficauda</i>	1849, 90	<i>nigrirostris</i>	1860, 418
<i>squamifrons</i>	1849, 86	<i>pachyrhynchus</i>	1860, 418
<i>Ethalia guamensis</i>	1858, 481	<i>papua</i>	1859, 98
<i>striolata</i>	1859, 151	<i>Eugenes fulgens</i>	1859, 53
<i>Eubucco aurantiacollis</i>	1857, 26	<i>Eugenia imperatrix</i>	1855, 192
<i>bourcierii</i>	1857, 267	<i>Eulabeornis castaneo-</i>	
<i>erythrocephalus</i>	1854, 115	<i>ventris</i>	1858, 188
<i>glaucogularis</i>	1857, 267	<i>Eulabes javanus</i>	1859, 445
<i>hartlaubi</i>	1859, 146	<i>Eulima aciculata</i>	1860, 438
<i>pictus</i>	1860, 95	<i>aclis</i>	1851, 277
<i>richardsoni</i>	1860, 297	<i>acuta</i>	1851, 276
<i>Eucephala caeruleolavata</i>	1857, 268	<i>cumingi</i>	1851, 277
<i>hypocyanea</i>	1854, 115	<i>cuspidata</i>	1851, 276
<i>Euchaetes coccineus</i>	1857, 268	<i>elegantissima</i>	1853, 179
<i>Eucheles alabastrum</i>	1854, 115	<i>flexuosa</i>	1851, 277
<i>Euchelus asper</i>	1857, 267	<i>grandis</i>	1851, 276
<i>corrugatus</i>	1858, 75	<i>gouldingii</i>	1851, 277
<i>denigratus</i>	1857, 268	<i>modicella</i>	1851, 276
<i>fimbriatus</i>	1857, 267	<i>obesula</i>	1851, 276
<i>indicus</i>	1858, 75	<i>polygyra</i>	1851, 277
<i>proximus</i>	1857, 268	<i>porcellana</i>	1851, 276
<i>Euchlornis frontalis</i>	1857, 267	<i>pyramidalis</i>	1851, 277
<i>sclateri</i>	1858, 75	<i>teinostoma</i>	1851, 276
<i>Eucometis albicollis</i>	1854, 115	<i>vitrea</i>	1851, 277
<i>crustata</i>	1850, 441	<i>Eulimene albida</i>	1852, 26
<i>penicillata</i>	1856, 117	<i>Eumomota superciliosa</i>	1857, 257
<i>Eudæmonia semiramis</i>	1856, 117	<i>ris</i>	1859, 54
<i>uroarge</i>	1849, 49	<i>Eunectes murinus</i>	1849, 106
<i>Eudromias urvillii</i>	1849, 49	<i>Euparypha pisana</i>	1854, 171
	1860, 386	<i>ustulata</i>	1854, 171
		<i>Eupetes macrocerus</i>	1854, 273
		<i>Eupetomena macrura</i>	1857, 263
		<i>Euphema elegans</i>	1859, 434
		<i>Euphonia aenea</i>	1856, 276
		<i>affinis</i>	1856, 274
		<i>aureata</i>	1856, 272
		<i>bicolor</i>	1856, 279
		<i>brevirostris</i>	1856, 275
		<i>castaneiventris</i>	1856, 279
		<i>cayana</i>	1856, 278
		<i>cayennensis</i>	1856, 279
		<i>chalybea</i>	1856, 276
		<i>chlorotica</i>	1854, 98

	Page		Page
<i>Euphonia chlorotica</i>	1856, { 273 276	<i>Euphonia pumila</i>	{ 1855, 159 1856, 275 1855, 159
<i>cinerea</i>	1856, 280	<i>pyrrhophrys</i>	{ 1856, 270 1856, 276
<i>coelestis</i>	1856, 272	<i>pyrrhuloides</i>	{ 1856, 276 1856, 276
<i>cæruleocephala</i> ..	1856, 271	<i>ruficeps</i>	{ 1856, 18 1856, 279
<i>concinna</i>	{ 1854, 98 1855, 159 1856, 275	<i>rufiventris</i>	{ 1856, 18 1857, 66 1858, 74
<i>crassirostris</i>	{ 1856, 277 1857, 19 1860, 275	<i>scilateri</i>	{ 1856, 271 1856, 273
<i>elegantissima</i>	{ 1856, 66 1856, 272 1856, 303 1858, 303 1859, 364 1859, 378	<i>sp. nov. ?</i>	{ 1856, 303 1855, 159 1856, 275
<i>flavifrons</i>	1856, 271	<i>strictifrons</i>	{ 1856, 273 1856, 274
<i>fortirostris</i>	{ 1854, 98 1856, 277	<i>tabicen</i>	{ 1856, 279 1854, 98
<i>frontalis</i>	1856, 270	<i>trinitatis</i>	{ 1856, 277 1856, 269
<i>fulvicrissa</i>	1856, 276	<i>umbilicalis</i>	{ 1855, 159 1856, 275 1858, 74
<i>gouldi</i>	1857, { 66 229	<i>violacea</i>	{ 1856, 277 1856, 269
<i>hirundinacea</i>	{ 1854, 98 1856, 275 1856, 278 1856, 303 1859, 364 1859, 378	<i>viridis</i>	{ 1855, 159 1856, 275 1858, 74
<i>hirundinirostris</i> ...	1854, 98	<i>xanthogastra</i>	{ 1858, 452 1859, 140 1860, 87 1860, 275
<i>jamaicensis</i>	1856, 280	<i>Euphranor multifene-</i>	
<i>lanirostris</i>	{ 1854, 98 1856, 277	<i>strata</i>	1859, 246
<i>leucopyga</i>	{ 1856, 278 1856, 275	<i>trifenestrata</i>	1859, 245
<i>longipennis</i>	{ 1855, 158 1856, 270	<i>Euplectes bengalensis</i> ..	1854, 159
<i>melanura</i>	{ 1854, 98 1855, 159 1856, 278	<i>flammeiceps</i>	1860, 111
<i>minuta</i>	{ 1855, 159 1856, 274	<i>Euplocamus albocrista-</i>	
<i>musica</i>	{ 1856, 271 1857, 231 1855, 159 1856, 272	<i>tus</i>	1858, 499
<i>nigricollis</i>	{ 1858, 551 1860, 65 1860, 87	<i>melanotus</i>	1858, 499
<i>occipitalis</i>	1856, 270	<i>Eupodotis denhami</i>	1850, 220
<i>olivacea</i>	1856, 274	<i>edwardi</i>	1858, 504
<i>pardalotes</i>	1856, 276	<i>Euprepis albilabris</i>	1858, 156
<i>pectoralis</i>	{ 1856, 279 1857, 66	<i>blandingii</i>	1858, 156
<i>plumbea</i>	1856, 281	<i>frenatus</i>	1858, 156
<i>poliocephala</i>	1856, 281	<i>harlani</i>	1858, 156
<i>pretrei</i>	1856, 270	<i>perrotetii</i>	1858, 156
		<i>quinquetæniatus</i> ..	1858, 156
		<i>raddoni</i>	1858, 156
		<i>stangeri</i>	1858, 156
		<i>striata</i>	1858, 156
		<i>Euprepiste boliviana</i> ..	1855, 158
		<i>mexicana</i>	1855, 158
		<i>Euproctus poireti</i>	1858, 301
		<i>rusconii</i> ..	1858, 139
		<i>Eupsilostoma eximium</i> .	1860, 69
		<i>pusillum</i>	{ 1860, 68 283
		<i>Eupsychortyx hypoleu-</i>	
		<i>cus</i>	1860, 62
		<i>leucotis</i>	1855, 163
		<i>parvicristatus</i>	1855, 163

	Page		Page
<i>Falco peregrinus</i>	1800, 442	<i>Felis uncioides</i>	1850, 395
<i>poliosoma</i>	1800, 384	<i>viverrina</i>	{ 1849, 1
<i>ponticerranus</i>	1854, 201		{ 1860, 117
<i>rubens</i>	1850, 215	<i>Ferussacia folliculus</i>	1854, 200
<i>rufipes</i>	1848, 37	<i>gracilis</i> ..	1854, 200
<i>soloensis</i>	1800, 344	<i>Feylenia currori</i>	1858, 156
	{ 1851, 142	<i>Fiber zibethicus</i> ..	1860, 416
	{ 1854, 6	<i>Fibularia australis</i>	1851, 38
<i>tinnunculus</i>	{ 1857, 215	<i>oblonga</i>	1851, 37
	{ 1859, 170	<i>Ficedula bengalensis</i> ..	1854, 281
	{ 1860, 258	<i>phoenicura</i>	1854, 25
	{ 1860, 348	<i>Fish-Hawk, The Large</i>	
<i>unicinctus</i>	1858, 180	<i>Awl-beaked</i>	1851, 56
<i>urubitinga</i>	1858, 129	<i>Small Awl-beaked</i> ..	1851, 57
<i>virgatus</i>	1854, 260	<i>Fishing-Hawk, The</i>	1851, 55
<i>zonurus</i>	1858, 129	<i>Fissurella alba</i>	1855, 234
(<i>Lophotes</i>) <i>rein-</i>		<i>aspera</i> ..	1856, 223
<i>wardni</i>	1860, 342	<i>crenulata</i>	1856, 223
<i>Falcon, The Chestnut-</i>		<i>densicathrata</i>	1856, 223
<i>bellied</i>	1851, 60	<i>exarata</i>	1856, 223
<i>Fasciolaria bistrata</i>	1856, 207	<i>macrocisma</i>	1850, 202
<i>salmo</i>	1856, 42	<i>nigrocincta</i>	1855, 234
<i>tarentina</i>	1850, 274	<i>nigropunctata</i>	1855, 234
<i>Fastigiella carinata</i>	1848, 15	<i>noachina</i>	1851, 228
<i>Felis charltoni</i>	1850, 396	<i>ornata</i>	1856, 222
<i>chaus?</i>	1850, 156	<i>Fistulana clava</i>	1858, 315
<i>chaus</i>	{ 1856, 396	<i>Flabellum aculeatum</i> ..	1849, 76
	{ 1858, 514	<i>affine</i>	1849, 75
<i>domestica</i>	1850, 156	<i>bairdi</i>	1849, 76
<i>duvaucelli</i>	1856, 396	<i>candeanum</i>	1849, 76
<i>eyra</i>	1860, 415	<i>compressum</i> ..	1849, 76
<i>jubata</i>	1849, 94	<i>crassum</i> ..	1849, 76
<i>leo</i>	{ 1849, 94	<i>crenulatum</i>	1849, 76
	{ 1860, 243	<i>cumingii</i> ..	1849, 76
<i>leopardus</i> ..	1860, { 183	<i>debile</i>	1849, 76
	{ 371	<i>distinctum</i> ..	1849, 76
	{ 1853, 191	<i>elegans</i>	1849, 76
<i>macrosceloides</i> ..	{ 1855, 126	<i>elongatum</i>	1849, 76
	{ 1856, 395	<i>macandrewii</i>	1849, 75
<i>melas</i>	1850, 156	<i>owenii</i>	1849, 76
<i>mitis</i>	{ 1849, 94	<i>pavoninum</i>	1849, 75
	{ 1859, 433	<i>profundum</i>	1849, 76
<i>murmensis</i> ..	{ 1855, 126	<i>spinosum</i>	1849, 76
	{ 1856, 395	<i>stokesii</i>	1849, 76
<i>neglecta</i>	1860, 246	<i>sumatrense</i>	1849, 76
<i>ogilbyi</i>	1855, 126	<i>thouarsii</i>	1849, 76
<i>pardalis</i>	{ 1859, 477	<i>Florida cærulea</i>	{ 1859, 63
	{ 1860, 416		{ 1860, 253
<i>pardochrous</i>	{ 1855, 126	<i>Florisuga mellivora</i> ..	{ 1859, 53
	{ 1856, 396		{ 1860, 95
<i>pardus</i>	1858, 513	<i>Flustra verticillata</i> ..	1858, 306
<i>serval</i>	1859, 435	<i>Fluvicola albiventris</i> ..	1855, 148
<i>servalina</i>	1860, 246	<i>atripennis</i>	1860, 280
	{ 1850, 156	<i>bicolor</i>	1855, 148
	{ 1855, 129	<i>leucophrys</i>	1856, 28
<i>tigris</i>	{ 1856, 395	<i>cenanthoides</i>	1856, 28
	{ 1858, 513	<i>pica</i>	1855, 148
<i>uncia</i>	1856, 395	<i>ruficeps</i>	1855, 149

	Page		Page
<i>Foegia agglutinans</i>	1858, 813	<i>Formicivora consobrina</i> .	1860, 294
	{ 1858, 68	<i>deluzæ</i>	1858, 238
<i>Formicarius analis</i>	{ 1858, 277	<i>domicella</i>	1858, 246
	{ 1860, 294	<i>erythroceræ</i>	1858, 240
<i>brevicauda</i>	1858, 281	<i>erythronota</i>	1858, 236
	{ 1855, 69		{ 1854, 255
<i>cayennensis</i>	{ 1855, 145	<i>ferruginea</i>	{ 1858, 239
	{ 1857, 46	<i>genæi</i>	1858, 239
	{ 1858, 277	<i>grisea</i>	1858, 238
	{ 1855, 69	<i>guttata</i>	1858, 289
<i>erythropterus</i>	{ 1857, 47	<i>hæmatonota</i>	{ 1857, 48
	{ 1858, 276		{ 1858, 235
<i>fuscater</i>	1855, 145		{ 1857, 131
<i>lineatus</i>	1858, 247	<i>hauxwelli</i>	{ 1858, 67
	{ 1856, 294		{ 1858, 236
<i>moniliger</i>	{ 1857, 47	<i>hemimelæna</i>	1858, 249
	{ 1858, 278	<i>intermedia</i>	1858, 238
	{ 1859, 383	<i>lafresnayana</i>	1858, 289
	{ 1855, 68	<i>leucophrys</i>	1858, 238
	{ 1855, 145	<i>loricata</i>	1858, 248
<i>nigrifrons</i>	{ 1857, 47		{ 1855, 90
	{ 1858, 68	<i>maculata</i>	{ 1858, 241
	{ 1858, 277		{ 1858, 242
	{ 1857, 47	<i>malura</i>	1858, 241
<i>nigromaculatus</i> ..	{ 1858, 68	<i>maura</i>	1858, 246
	{ 1858, 276		{ 1857, 130
<i>torquatus</i>	1858, 275	<i>melæna</i>	{ 1858, 237
	{ 1857, 46	<i>melanaria</i>	1858, 245
<i>trivittatus</i>	{ 1858, 278	<i>melanura</i>	1858, 245
	{ 1858, 278		{ 1858, 237
<i>varius</i>	1858, 280	<i>menetriesi</i>	{ 1858, 238
<i>Formicivora alapi</i> . .	1858, 245		{ 1855, 147
<i>atra</i>	{ 1858, 246	<i>ornata</i>	{ 1858, 67
	{ 1858, 288		{ 1858, 235
<i>axillaris</i>	{ 1855, 147	<i>pileata</i>	1858, 233
	{ 1858, 236		{ 1855, 147
	{ 1858, 300	<i>pygmæa</i>	{ 1858, 67
<i>boucardi</i>	1859, 55		{ 1858, 234
	{ 1859, 383	<i>quadrivittata</i>	1858, 234
	{ 1860, 279		{ 1858, 241
<i>brevicauda</i>	1857, 131	<i>quixensis</i>	{ 1860, 279
	{ 1858, 237	<i>rufa</i>	1858, 240
	{ 1854, 112	<i>rufatra</i>	1858, 239
<i>cærulescens</i>	1857, 131	<i>rufimarginata</i> ..	1858, 233
	{ 1858, 244	<i>squamata</i>	1858, 241
	{ 1855, 89	<i>strigilata</i>	1858, 242
<i>callinota</i>	{ 1855, 147		{ 1857, 130
	{ 1858, 242	<i>urosticta</i>	{ 1858, 238
<i>caloptera</i>	1859, 142		{ 1858, 238
	{ 1854, 254	<i>Fossar adansonii</i>	1853, 186
	{ 1855, 147	<i>bicarinatus</i>	1853, 187
<i>caudata</i>	{ 1858, 67	<i>clathratus</i>	1853, 186
	{ 1858, 240	<i>costatus</i>	1853, 186
	{ 1859, 142	<i>cunningi</i>	1853, 187
	{ 1857, 131	<i>minutus</i>	1853, 186
<i>cinerascens</i>	{ 1858, 67	<i>multicostatus</i> ..	1860, 398
	{ 1858, 245		{ 1853, 186
<i>cinnamomea</i>	1858, 249	<i>reticulatus</i>	{ 1856, 205
<i>consobrina</i>	1860, 279		

	Page		Page
<i>Fossar trochlearis</i>	1853, 187	<i>Fringilla trichroa</i>	1858, 481
<i>variegatus</i>	1853, 187	<i>tricolor</i>	1858, 462
(<i>Isapis</i>) <i>ovoideus</i> ..	1856, 205	<i>viridis</i>	1856, 66
<i>Francolinus clappertoni</i> ..	1850, 219	<i>zena</i>	1856, 231
<i>ponticerianus</i>	{ 1855, 31	<i>Fulgoraria chinensis</i> ..	1855, 60
<i>ruppelli</i>	{ 1859, 186	<i>Fulgoraria fulgura</i>	1855, 60
<i>sinensis</i>	1850, 220	(<i>Aurima</i>) <i>dubia</i> ..	1855, 55
<i>spadiceus</i>	1859, 151	{ 1857, 206	
<i>vulgaris</i>	{ 1855, 31	<i>Fulica americana</i>	{ 1850, 64
<i>yemensis</i>	{ 1855, 41	{ 1859, 369	
<i>Fregata aquila</i>	{ 1858, 502	{ 1849, 146	
{ 1859, 186		{ 1851, 146	
<i>Fregilus graculus</i>	{ 1858, 186	{ 1855, 79	
<i>himalayanus</i>	{ 1851, 128	<i>atra</i>	{ 1857, 13
<i>Fringilla analis</i>	1858, 318	{ 1858, 508	
<i>autumnalis</i>	{ 1858, 478	{ 1859, 188	
<i>bahamensis</i>	{ 1859, 172	{ 1860, 258	
<i>bella</i>	1860, 206	{ 1860, 442	
<i>blandingiana</i>	1855, 2	<i>chilensis</i>	{ 1860, 82
<i>butyracea</i>	1859, 184	{ 1859, 309	
<i>cana</i>	1855, 159	<i>Fuligula affinis</i>	{ 1859, 437
<i>cannabina</i>	1856, 252	{ 1860, 337	
<i>carduelis</i>	1856, 231	<i>americana</i>	{ 1850, 437
<i>cayennensis</i>	1856, 217	<i>collaris</i>	{ 1800, 337
<i>celano</i>	1856, 217	{ 1859, 442	
<i>chloris</i>	1851, 142	<i>cristata</i>	{ 1860, 242
<i>colebs</i>	1851, 142	<i>ferina</i>	{ 1860, 337
<i>detruncata</i>	1856, 66	{ 1854, 95	
<i>domestica</i>	1856, 66	<i>ferinoides</i>	{ 1860, 337
<i>episcopus</i>	1856, 66	{ 1860, 338	
<i>gnatho</i>	1856, 64	<i>homeyeri</i>	{ 1860, 337
<i>haemorrhoea</i>	1856, 304	{ 1858, 510	
<i>jamaica</i>	1856, 280	<i>nyroca</i>	{ 1860, 337
<i>jugularis</i>	1856, 77	<i>rufina</i>	1858, 510
<i>macroura</i>	1856, 30	<i>valisneria</i>	{ 1859, 437
<i>maja</i>	1859, 444	{ 1860, 337	
<i>montana</i>	1859, 443	<i>Fungia compressa</i>	1849, 76
<i>nisoria</i>	1859, 443	<i>Funiculina cylindrica</i> .	{ 1857, 288
<i>oryzivora</i>	1859, 443	{ 1859, 481	
<i>passer</i>	1860, 179	<i>mediterranea</i>	1857, 288
<i>petronia</i>	1851, 142	<i>Furcella gigantea</i>	1857, 247
<i>psittacea</i>	{ 1858, 462	{ 248	
{ 1859, 164		<i>Furcifer antisienensis</i> ..	1850, 236
<i>pulchella</i>	{ 1858, 462	<i>campestris</i>	1850, 237
{ 1859, 164		<i>huamel</i>	1850, 236
<i>punctularia</i>	1859, 443	<i>Furia horrens</i>	1850, 175
<i>quadrivittata</i>	1856, 85	<i>Furapterus caeruleus</i> ..	1856, 176
<i>rubrifrons</i>	1858, 484	<i>horrens</i>	1856, 175
<i>sphenura</i>	1858, 461	<i>Furnarius cinnamomeus</i> ..	1860, 277
<i>texensis</i>	{ 1855, 65	<i>griseus</i>	1856, 97
{ 1856, 303		<i>longirostris</i>	1860, 277
<i>tintillon</i>	1851, 142	<i>roseus</i>	1855, 141
		<i>Fusillus oryza</i>	1854, 204
		<i>triticea</i>	1854, 205
		<i>tuberculatus</i>	1854, 204

	Page		Page
<i>Fusus albinus</i>	1855, 222	<i>Galeola volvarioides</i>	1858, 50
<i>ambustus</i>	1856, 208	<i>Galeomma ambigua</i> ...	1855, 168
<i>assimilis</i>	1855, 222	<i>angusta</i>	1855, 170
<i>dilectus</i>	1855, 221	<i>argentea</i>	1855, 169
<i>fasciolanus</i>	1858, 144	<i>chloroleuca</i> ...	1855, 170
<i>kelletii</i>	1850, 274	<i>formosa</i>	1855, 170
<i>nodicinctus</i>	1855, 222	<i>indecora</i>	1855, 169
<i>oregonensis</i>	1850, 274	<i>inflata</i>	1855, 170
<i>pallidus</i>	1856, 41	<i>layardi</i>	1855, 169
<i>salebrosus</i>	1850, 274	<i>macrochisma</i> ..	1855, 171
<i>spiralis</i>	1855, 221	<i>paucistriata</i> ...	1855, 170
<i>turbinella</i>	1858, 144	<i>polita</i>	1855, 169
<i>turbinelloides</i>	1856, 41	<i>splendida</i>	1855, 169
<i>turricula</i>	1855, 222	<i>turtoni</i>	1855, 167
<i>Gafrarium celatum</i>	1858, 69		168
<i>scitulum</i>	1853, 70		336
<i>Galago</i> —?	1852, 73	<i>Galeoscoptes carolinensis</i>	1859, 362
<i>Galbalcyrrhynchus leuco-</i>			370
<i>tis</i>	1855, 137	<i>plumbeus</i>	1857, 231
<i>Galbula albigularis</i> ...	1855, 15		1859, 337
	1857, 262	<i>rubripes</i>	1857, 231
<i>albirostris</i>	1855, 14		1859, 336
<i>chalocephala</i>	1855, 14	<i>Galera barbara</i>	1859, 51
	1857, 262		1855, 50
<i>chalcothorax</i> ...	1854, 110	<i>Galerida chendoola</i> ..	1858, 485
	1855, 14	<i>cristata</i>	1850, 219
	1858, 61	<i>Galeus fuscus</i> ..	1855, 233
<i>cyanicollis</i> ..	1855, 14	<i>mamillaris</i>	1855, 233
<i>cyanopogon</i>	1855, 14	<i>regularis</i>	1855, 233
	1855, 13	<i>sinensis</i>	1855, 233
<i>fuscicapilla</i> ...	1855, 136	<i>striatus</i>	1855, 234
	1857, 262	<i>subreflexus</i> ..	1855, 233
<i>leucogaster</i>	1858, 61	<i>Galicdictys striata</i> ..	1848, 21
<i>maculicauda</i> ...	1855, 13	<i>vittata</i>	1848, 22
	1855, 13	<i>Gallinago burka</i> ...	1860, 365
	1856, 139	<i>gallinula</i>	1858, 506
<i>melanogenia</i>	1858, 357		1859, 189
	1859, 53	<i>magellanicus</i> ...	1860, 387
	1859, 387	<i>media</i>	1860, 365
<i>quadricolor</i>	1855, 13	<i>nemoricola</i>	1858, 506
	1855, 13	<i>nobilis</i>	1856, 31
<i>ruficauda</i>	1855, 136		1858, 506
<i>rufoviridis</i> ...	1855, 13	<i>scolopacina</i> ..	1859, 189
<i>tombacea</i> ..	1855, 13		1860, 365
	1857, 262	<i>solitaria</i> ..	1859, 189
<i>viridicauda</i> ..	1855, 13	<i>stenura</i> ..	1859, 150
<i>viridis</i>	1855, 13		1856, 310
<i>Galbuloides boersi</i>	1855, 15	<i>wilsoni</i>	1859, 64
<i>Galeodea echinophora</i>	1851, 229		1859, 369
<i>Galeola avellana</i> ..	1858, 49		1851, 146
<i>carniola</i>	1858, 49	<i>Gallinula chloropus</i> .	1858, 508
<i>dactyola</i> ...	1858, 49		1859, 188
<i>irisans</i> ..	1858, 48	<i>crex</i>	1860, 258
<i>lepada</i> ..	1858, 49	<i>galeata</i>	1857, 237
<i>picta</i>	1858, 50	<i>phoeniceura</i> ...	1859, 150
<i>pygmæa</i>	1858, 50		151
<i>tigrina</i>	1858, 49	<i>Gallopavo sylvestris</i>	1856, 62
		<i>Gallophasis albocristatus</i>	1858, 544

	Page		Page
<i>Gallophasis albocris-</i>	1858, 545	<i>Garrulus ornatus</i>	1850, 83
<i>tus</i>	1859, 186	<i>ultramarinus</i>	1850, 84
	1859, 205	<i>vigorsi</i>	1850, 81
<i>horsfieldii</i>	1858, 544	<i>Garzetta candidissima</i> ..	1859, { 64
	1858, 545		360
	1859, 205	<i>Gastodon fanellensis</i> ..	1854, 208
<i>melanonotus</i> ...	1859, 205	<i>Gastrochena apertissi-</i>	
<i>melanotus</i>	1858, 545	<i>ma</i>	1854, 326
<i>Gallus seneus</i>	1840, 63	<i>cucullata</i>	1854, 320
	1857, 46	<i>cuneiformis</i>	1858, 316
	1858, 498	<i>denticulata</i>	1854, 327
<i>bankiva</i>	1859, 150	<i>difficilis</i>	1854, 328
	1860, 242	<i>hians</i>	1858, 316
	1860, 442	<i>humilis</i>	1854, 327
<i>ferrugineus</i>	1858, 498	<i>impressa</i>	1854, 327
	1859, 185	<i>indistincta</i>	1854, 328
<i>furcatus</i>	1860, { 417	<i>interrupta</i>	1854, 329
	442	<i>intersecta</i>	1854, 327
<i>sonneratii</i> . . .	1855, 29	<i>laevigata</i>	1854, 326
	1860, 415	<i>lamellosa</i>	1854, 328
<i>tamminckii</i> . . .	1849, 62	<i>macroschisma</i> ...	1854, 326
	1859, 393	<i>modiolina</i>	1858, 316
<i>Gambetta flavipes</i> ...	1860, 290	<i>philippinensis</i> ...	1854, 328
<i>griseopygia</i> . . .	1860, 364	<i>plicatilis</i>	1854, 329
<i>melanoleuca</i>	1859, 237	<i>pupina</i>	1854, 326
	1860, 253	<i>ruppellii</i>	1854, 328
<i>Gammaurus stagnalis</i> ...	1852, 19	<i>spathulata</i> . . .	1854, 329
<i>Ganga dilatata</i>	1854, 88	<i>sprenylex</i>	1858, 316
<i>neritoides</i>	1854, 88	<i>tenera</i>	1854, 327
<i>olivacea</i>	1854, 88	<i>Gastrodon anconostoma</i> .	1854, 208
<i>Garelia aequalis</i>	1855, 38	<i>fanallensis</i> . . .	1854, 208
<i>clavata</i>	1855, 38	<i>umbilicata</i> . . .	1854, 207
<i>Garrula rufula</i>	1850, 79	<i>Gavia roseiventris</i>	1859, 97
	1859, 446		1860, 391
<i>torquata</i>	1850, 86	<i>Gavialis schlegeli</i> ...	1849, 144
<i>Garrulax albogularis</i> ..	1859, { 150	<i>Gazella bennettii</i> . . .	1850, { 167
	151		168
<i>Garrulus atricapillus</i> ..	1850, 82	<i>colus</i>	1850, 168
<i>bispecularis</i>	1850, 83	<i>corinna</i> . . .	1850, 112
<i>brandti</i>	1850, 82	<i>cuvierii</i>	1849, 62
<i>burneti</i>	1850, 84	<i>dama</i>	1850, 114
<i>californicus</i>	1858, 302		1850, 112
<i>coronatus</i>	1858, 302	<i>dorcas</i>	{ 1850, 115
<i>cristatus</i>	1859, 433		1850, 168
	1850, 81		1860, 415
<i>glandarius</i>	1850, 82	<i>euchore</i>	1850, 168
	1860, 442	<i>gutturosa</i>	{ 1850, 115
<i>gubernatrix</i> . . .	1850, 84		1850, 168
	1850, 81	<i>isabella</i>	1850, 113
<i>gularis</i>	1858, 479	<i>kemas</i>	1850, 168
	1859, 172	<i>kevella</i>	1850, 112
<i>histrionicus</i>	1850, 79		{ 114
<i>iliceti</i> . . .	1850, 82	<i>mohr</i>	1850, { 115
<i>japonicus</i>	1850, 82		168
<i>krynckii</i>	1850, 82	<i>pygarga</i>	1850, 141
<i>lanceolatus</i> ..	1850, 81	<i>ruficollis</i> ..	1850, 114
<i>lidthi</i> . . .	1850, 80	<i>rufifrons</i> . . .	1850, 115
<i>melanocephalus</i> ...	1850, 82	<i>soemmeringu</i>	1850, 114

	Page		Page
<i>Gazella soemmeringi</i> .. 1850,	115	<i>Geophis</i> (Catostoma)	
	168	<i>chalybea</i> 1860,	318
<i>subgutturosa</i> ... 1850,	118	<i>Geospiza cyanovirens</i> .. 1858,	462
	168	<i>prasina</i> 1858,	462
<i>Gazola caledonica</i> 1850,	88	<i>Geospizopsis melanotis</i> { 1856,	306
<i>Gazzola caledonica</i> . . 1859,	162		98
<i>Gecinus dimidiatus</i> .. 1859,	160	<i>typus</i> 1858,	306
<i>squamatus</i> 1858,	475		98
<i>Gecko rapicauda</i> 1848,	61	<i>Geothlypis macgillivraii</i> 1859,	363
<i>reevesii</i> 1858,	92		373
	114	<i>semiflava</i> 1860,	273
<i>verus</i> 1860,	167	<i>speciosa</i> 1858,	291
	170	<i>trichas</i> 1859,	447
<i>Gelochelidon anglicus</i> . 1858,	417		363
	509	<i>Geotria australis</i> ... 1851,	373
<i>Gena asperulata</i> .. 1850,	38		239
<i>auricula</i> 1850,	37	<i>Geotriton fuscus</i> ... 1858,	144
<i>concinna</i> 1850,	38		391
<i>irasata</i> 1850,	38		98
<i>lineata</i> 1850,	39	<i>Geotrygon albifacies</i> .. { 1858,	368
<i>lntricula</i> 1850,	38		391
<i>minima</i> 1850,	38	<i>bourcieri</i> 1860,	72
<i>nebulosa</i> 1850,	38	<i>caniceps</i> 1858,	99
<i>nigra</i> 1850,	37		143
<i>ornata</i> 1850,	39	<i>chiriquensis</i> . . { 1856,	200
<i>planulata</i> .. 1850,	36		98
<i>plumbea</i> 1850,	37	<i>linearis</i> 1855,	163
<i>pulchella</i> . . . 1850,	38		309
<i>striatula</i> .. 1850,	37		19
<i>strigosa</i> . . . 1850,	37	<i>montana</i> { 1857,	235
<i>varia</i> 1850,	37		368
<i>Genetta abyssinica</i> ... 1860,	247		1859,
<i>bonapartei</i> 1859,	353		433
<i>Gennæus lineatus</i> .. 1859,	150		1860,
<i>Geocichla albogularis</i> . 1854,	274		416
<i>innotata</i> 1854,	274	<i>mystacea</i> 1855,	163
	231	<i>sylvatica</i> 1860,	416
<i>Geoclemmys annulata</i> .. 1860,	233	<i>Geranoastus melanoleucus</i> 1855,	134
	234	<i>Geranoospiza cærulescens</i> 1860,	288
<i>macrocephala</i> 1859,	479	<i>gracilis</i> 1856,	285
	1858,	<i>Gerbillus indicus</i> 1858,	520
<i>Geococcyx affinis</i> { 1859,	368	<i>Gerononæus agua</i> 1856,	145
	1859,	<i>Geronticus calvus</i> 1859,	435
<i>mexicanus</i> .. 1857,	205	<i>Gerrhonotus imbricatus</i> . 1860,	316
<i>Geomyda spinosa</i> ... 1860,	395	<i>tessellatus</i> 1860,	316
<i>Geoffroius aruensis</i> 1860,	227	<i>wiegmanni</i> .. . 1860,	454
	226	<i>Gerrhosaurus nigrolinea-</i>	
<i>cyanocollis</i> .. . 1860,	227	<i>tus</i> 1858,	156
<i>heterochilus</i> 1860,	228	<i>Gerygone chrysogaster</i> .. 1858,	174
<i>jukesii</i> 1860,	226	<i>Geryonia æquorea</i> 1851,	272
<i>personatus</i> . . . 1860,	226	<i>Gibbula adansonii</i> . . . 1851,	185
<i>pucherani</i> 1860,	227	<i>adelaidæ</i> 1851,	186
<i>Geoffroyus cyanocollis</i> .. 1860,	358	<i>agathensis</i> . . . 1851,	185
<i>Geomelania greyana</i> 1857,	163	<i>capensis</i> . . . 1851,	185
<i>jamaicensis</i> . . . 1849,	169	<i>cineraria</i> . . . 1851,	184
<i>Geopelia striata</i> 1859,	466	<i>cinerea</i> . . . 1851,	184
<i>tranquilla</i> 1857,	27	<i>declivis</i> 1851,	184
<i>Geophaps plumifera</i> .. 1857,	27	<i>divaricata</i> 1851,	184
		<i>fanulum</i> 1851,	184
		<i>fasciata</i> 1851,	185

	Page		Page
<i>Gibbula fumosa</i>	1851, 186	<i>Glossina longipalpis</i>	1850, 262
<i>fuscata</i>	1851, 184	<i>morsitans</i>	1850, 261
<i>jucunda</i>	1851, 185	<i>tabaniformis</i>	1850, 268
<i>kalnota</i>	1851, 187	<i>tachinoides</i>	1850, 267
<i>lehmanni</i>	1854, 41	<i>Glossiptila ruficollis</i>	1856, 269
<i>leucosticta</i>	1851, 187	<i>Glossoliga poureti</i>	1858, 138
<i>magus</i>	1851, 184	<i>Glossophaga ecaudata</i> ..	1858, 547
<i>mindorensis</i>	1851, 186	<i>Glossotherium</i>	1851, 210
<i>multicolor</i>	1851, 185		1850, 221
<i>nivosa</i>	1851, 187	<i>Glottis canescens</i>	1859, 151
<i>obliquata</i>	1851, 186		1859, 189
<i>philberti</i>	1851, 185	<i>chloropus</i>	1850, 221
<i>porcellana</i>	1851, 186	<i>horsfieldi</i>	1860, 304
	1854, 40		1855, 163
<i>pulcherrima</i>	1854, 39		1857, 215
	1851, 187	<i>melanoleuca</i>	1858, 450
<i>pulchra</i>	1854, 41		1858, 461
<i>puncto-costata</i> ..	1851, 187	<i>Glycimeris margaritaceus</i>	1858, 314
<i>quadrata</i>	1851, 184	<i>Glyciphila modesta</i> ..	1858, 174
<i>rotelliformis</i> ..	1851, 186		1859, 160
<i>scabra</i>	1851, 184	<i>ocularis</i>	1858, 174
<i>sulcosa</i>	1851, 186	<i>poliotis</i>	1859, 160
<i>tumida</i>	1851, 184	<i>Glyphis aspera</i>	1856, 223
<i>umbilicata</i>	1851, 185	<i>Glyphisodon biocellatus</i>	1859, 222
<i>undosa</i>	1851, 186	<i>Glyphorhynchus castel-</i>	
<i>varia</i>	1851, 185	<i>naudi</i>	1859, 141
<i>venusta</i>	1851, 187	<i>cuneatus</i>	1855, 142
<i>vulnerata</i>	1857, 185		1858, 63
<i>Gisella harrisi</i>	1856, 25	<i>pectoralis</i>	1860, 299
<i>Gladus (Rostellaria) me-</i>		<i>Glyptodon clavipes</i>	1851, 216
<i>lanocheilus</i>	1854, 42	<i>ornatus</i>	1851, 216
<i>Glandina albersi</i> ..	1854, 295	<i>reticulatus</i>	1851, 216
<i>conularis</i>	1855, 100	<i>tuberculatus</i>	1851, 217
<i>filosa</i>	1855, 100	<i>Gnathodon cuneatus</i> ...	1858, 23
<i>flexuosa</i>	1854, 150	<i>mendica</i>	1856, 200
<i>insignis</i>	1855, 100	<i>trigona</i>	1856, 200
<i>nystiana</i>	1855, 100	<i>Goliathus africanus</i>	1856, 14
<i>Glandinaria californica</i>	1856, 227	<i>drurii</i>	1856, 14
<i>Glareola grallaria</i>	1860, 303	<i>giganteus</i>	1856, 14
<i>limbata</i>	1850, 220	<i>Golunda newera</i>	1850, 157
<i>nuchalis</i>	1849, 63		158
<i>orientalis</i>	1850, 220		164
	1855, 82	<i>Gongylophis conicus</i> ..	1860, 168
<i>pratnicola</i>	1858, 100		170
			171
<i>Glaucidium californicum</i>	1857, 4		95
<i>ferrugineum</i>	1860, 289	<i>Gongylus ocellatus</i> ...	1849, 95
<i>gnoma</i>	1857, 4		1859, 470
<i>infuscatum</i>	1857, 126		1859, 473
	1860, 289	<i>Goniaphea cærulea</i> ..	1856, 301
<i>Glaucis melanura</i>	1860, 304	<i>concreta</i>	1856, 302
<i>ruckeri</i>	1860, 296		1857, 228
<i>Glaucome psammotella</i>	1853, 1		1856, 302
<i>rostralis</i>	1853, 1	<i>parellina</i>	1857, 228
<i>Glaucopsis leucopterus</i> ..	1859, 446	<i>Gonigoria clavata</i>	1851, 125
<i>Glenargus leucopterus</i> ..	1859, 446	<i>Goniocidaris pistillaris</i> ..	1855, 35
<i>Globiocephalus macro-</i>		<i>Gonodactylus chiragra</i> ..	1850, 97
<i>rhynchus</i>	1860, 423	<i>cultrifer</i>	1850, 96
		<i>edwardsi</i>	1850, 97

	Page		Page
<i>Granatellus sallæi</i>	{ 1856, 292 1858, 97 1859, 374 1858, 97 1859, 375	<i>Gymnobucco peli</i>	{ 1859, 397 1858, 274 1859, 55 1859, 157
<i>venustus</i>	{ 1859, 375 1858, 114*	<i>Gymnocichla nudiceps</i> ..	{ 1857, 205 1851, 117 1854, 114 1848, 38 1880, 242 1853, 75 1853, 75
<i>Grantia botryoides</i>	1858, 114*	<i>Gymnocorvus senex</i>	1859, 157
<i>Graucalus hypoleucus</i> .	{ 1848, 38 1858, 179 1860, 353 1858, 179	<i>Gymnodactylus caudi-</i> <i>scutatus</i>	1850, 410
<i>magnirostris</i>	1860, 353	<i>Gymnoderus foetidus</i> ..	1857, 205
<i>melanotis</i> ...	1858, 179	<i>Gymnogaster arcticus</i> ..	1851, 117
<i>Grayia silurophaga</i>	1858, 162	<i>Gymnomystax mexicanus</i>	1854, 114
<i>Grus americana</i>	{ 1857, 8 1860, 329 1849, 95 1857, 215 1858, 507 1860, 329 1850, 221 1858, 507 1859, 353 1860, 418 1857, 8 1859, 353 1860, 108	<i>Gymnopodus ægyptiacus</i>	1848, 38
<i>antigone</i>	{ 1857, 215 1858, 507 1860, 329 1850, 221 1858, 507 1859, 353 1860, 418 1857, 8 1859, 353 1860, 108	<i>Gymnorhina tibicen</i>	1880, 242
<i>cinerea</i>	{ 1858, 507 1859, 353 1860, 418 1857, 8 1859, 353 1860, 108	<i>Gymnotus electricus</i> ..	1853, 75
<i>fraterculus</i> ...	1860, 418	<i>rostratus</i>	1853, 75
<i>hoynana</i>	1857, 8	<i>Gypaetus barbatus</i>	{ 1858, 407 1859, 170 1859, 51
<i>montignesia</i>	1859, 353	<i>Gyparchus papa</i>	{ 1860, 193 1854, 258 1858, 469 1859, 170 1858, 468 1859, 170
<i>paradisea</i>	1860, 417	<i>Gyps bengalensis</i> ...	{ 1858, 469 1859, 170 1858, 468 1859, 170
<i>pavonina</i>	1860, 329	<i>indicus</i>	1859, 170
<i>virgo</i>	{ 1855, 34 1859, 353 1860, 108	<i>Gyrineum bufonium</i> ...	1851, 231
<i>Gryllivora brevirostris</i> ..	1854, 282	<i>caudatum</i>	1851, 231
<i>longicauda</i>	1854, 283	<i>echinatum</i>	1851, 231
<i>magnirostra</i>	1854, 282	<i>natator</i>	1851, 231
<i>rosea</i>	1854, 282	<i>rana</i>	1851, 231
<i>Grymæomys scapulatus</i> .	1860, 303	<i>scrobiculatus</i> ...	1851, 231
<i>Grypus spixi</i>	1860, 304	<i>verrucosum</i>	1851, 231
<i>Gubernatrix cristatellus</i> .	1859, 434	<i>Gyrola chrysoptera</i> . .	1856, 255
<i>Guiraca cærulea</i>	{ 1859, 365 378 1859, 378 1857, 213 1859, 365 378	<i>cyaniventris</i>	1856, 255
<i>concreta</i>	1859, 378	<i>viridissima</i>	1850, 256
<i>melanocephala</i>	1857, 213	<i>Habroptila wallacii</i>	1860, 365
<i>parellina</i> ...	1859, 365	<i>Hæmatopota pluvialis</i> ..	1850, 265
<i>Gymnetrus</i> —	1849, 82	<i>Hæmatopus ater</i>	1860, 386
<i>ascanii</i>	1849, 82	<i>bachmanni</i>	1860, 386
<i>banksii</i>	{ 1849, 81 1849, 82 1849, 83 1860, 187	<i>fuliginosus</i>	1860, 386
<i>glesne</i>	1860, 187	<i>leucopus</i>	1860, 386
<i>gryllii</i>	1849, 81	<i>longirostris</i>	1858, 188
<i>hawkeni</i> ...	{ 1849, 80 1860, 187	<i>luctuosus</i>	1860, 386
<i>hawkinsii</i>	1849, 79	<i>niger</i>	1860, 386
<i>northumbrius</i>	1849, 82	<i>ostralegus</i>	{ 1858, 188 1860, 258
<i>remipes</i>	1849, 82	<i>townsendii</i> ..	1860, 386
<i>Gymnobucco bonapartii</i> .	1859, 397	<i>unicolor</i>	{ 1859, 96 1860, 387
<i>calvus</i>	1859, 397	<i>Hæmatornis cafer</i>	1854, 48
		<i>cheela</i>	1857, 85
		<i>lugubris</i>	1850, 217
			{ 1858, 98 1859, 365 1859, 380 1858, 98
		<i>Halcyon albicilla</i>	1859, 154
		<i>atricapillus</i>	{ 1854, 208 1859, 150 1859, 151

	Page		Page
<i>Halcyon brunniceps</i> . . .	1854, 268	<i>Haliichthys tæniophora</i> . . .	1859, 39
<i>cinereifrons</i> . . .	1860, 110	<i>Haliotis albicans</i> . . .	1856, 147
	1854, 269	<i>californiensis</i> . . .	1856, 223
<i>collaris</i>	1858, 171	<i>cracherodii</i> . . .	1856, 223
	1859, 151	<i>splendens</i> . . .	1856, 223
	1860, 346	<i>Haliplana fuliginosa</i> . . .	1859, 166
<i>diops</i>	1860, 346	<i>Halmaturus bennettii</i> . . .	1860, 323
<i>fulgidus</i> . . .	1857, 65		1859, 433
<i>funebis</i>	1860, 346	<i>billardieri</i>	1860, 323
<i>gural</i>	1854, 268		1860, 371
<i>javanica</i>	1854, 268	<i>brunnei</i>	1858, 106
<i>lezuli</i>	1860, 346	<i>ruficollis</i>	1860, 323
	1854, 268	<i>stigmaticus</i>	1860, 375
<i>leucocephalus</i> . . .	1859, 150	<i>thetidis</i>	1860, 323
	1859, 151		371
<i>pileatus</i>	1854, 268	<i>Hamadryas hannah</i> . . .	1855, 181
	1857, 25	<i>Haminea crocata</i>	1860, 19
	1858, 172		432
<i>sanctus</i>	1859, 154	<i>galba</i>	1860, 432
	1859, 160	<i>pusilla</i>	1860, 20
	1860, 346	<i>escula</i>	1856, 203
<i>semicærulea</i>	1860, 197	<i>Hapalot s albigipes</i>	1851, 126
	1854, 268	<i>apicalis</i>	1851, 126
<i>smyrnensis</i>	1855, 28	<i>cervinus</i>	1851, 127
	1857, 88	<i>conditor</i>	1851, 127
	1858, 474	<i>gouldii</i>	1851, 127
<i>sordida</i>	1858, 172	<i>hemileucura</i>	1857, 243
<i>varia</i>	1854, 268	<i>hirsutus</i>	1851, 127
(<i>Syma</i> ^P) <i>flaviviridis</i> . . .	1850, 200	<i>longicaudatus</i>	1851, 127
<i>Haliaetus agria</i> . . .	1848, 112	<i>macrotis</i>	1851, 127
<i>albicollis</i>	1859, 435	<i>melanura</i>	1857, 243
	1859, 93	<i>mitchelli</i>	1851, 127
<i>erythronotus</i> . . .	1860, 384	<i>murinus</i>	1851, 127
	1858, 169	<i>r chardsonii</i>	1851, 127
<i>pirrenera</i>	1854, 261	<i>Hapsidophrys cæruleus</i> . . .	1858, 161
<i>indus</i>	1854, 261	<i>lineatus</i>	1858, 160
<i>leucogaster</i>	1858, 169	<i>Harpa solidula</i>	1857, 173
	1858, 169	<i>stratula</i>	1853, 173
<i>leucosternus</i> . . .	1860, 342	<i>Harpactes diardi</i>	1859, 460
<i>lineatus</i>	1854, 259	<i>duvancelli</i>	1859, 459
<i>macei</i>	1858, 471	<i>kasumba</i>	1859, 460
	1859, 170	<i>Harpagus circumcinctus</i> . . .	1851, 43
<i>plumbeus</i>	1854, 260	<i>diodon</i>	1857, 261
<i>sphenurus</i>	1854, 261	<i>Harpes redivivus</i>	1859, 339
<i>vocifer</i>	1860, 197	<i>Harpiprion cayennensis</i> . . .	1858, 77
(<i>Cuncuma</i>) <i>leuco-</i>		<i>Harporhynchus crissalis</i> . . .	1859, 339
<i>gaster</i>	1860, 342	<i>cuvirostris</i>	1859, 339
	1857, 85	<i>lecontii</i>	1859, 339
<i>Haliastur indus</i> . . .	1858, 471	<i>longirostris</i>	1859, 362
	1859, 151	<i>redivivus</i>	1859, 339
	1859, 153	<i>rufus</i>	1859, 340
<i>leucosternus</i> . . .	1860, 342	<i>Harpula bullata</i>	1855, 62
<i>Halichoerus gryphus</i> . .	1848, 84	<i>carneolata</i>	1855, 59
	1850, 352	<i>fulminata</i>	1855, 60
<i>Halcore australis</i> . . .	1858, 107	<i>fulva</i>	1855, 59
<i>dugong</i>	1850, 157	<i>guineaica</i>	1855, 59
<i>Haligenes tristrami</i> . . .	1859, 471		
	476		

	Page		Page
<i>Harpula harpa</i>	1855, 61	<i>Helianthus clarisse</i>	1855, 140
<i>hebraea</i>	1855, 59	<i>mavors</i>	1848, 12
<i>lapponica</i>	1855, 60	<i>spencei</i>	1848, 12
<i>laevigata</i>	1855, 59	<i>strophianus</i>	1848, 12
<i>lyriformis</i>	1855, 60	{	1880, 95
<i>mitriformis</i>	1855, 61	<i>viola</i>	1853, 61
<i>musica</i>	1855, 59	<i>Helianthus spinescens</i>	1859, 481
<i>nodulosa</i>	1855, 59	<i>Helianthus aurigaster</i>	1855, 139
<i>nucleus</i>	1855, 61	<i>aurora</i>	1853, 61
<i>polyzonalis</i>	1855, 59	{	1848, 11
<i>sulcata</i>	1855, 59	<i>bonapartii</i>	1855, 139
<i>thiarella</i>	1855, 59	<i>eos</i>	1848, 11
<i>vexillum</i>	1855, 60	<i>helianthus</i>	1848, 11
<i>Harpura destructor</i>	1851, 61	<i>iris</i>	1853, 61
<i>Harnier, The Brown-</i>		<i>lutetiae</i>	1860, 81
<i>backed</i>	1851, 58	<i>typica</i>	1855, 139
<i>Chestnut</i>	1851, 58	<i>Helicella nitida</i>	1856, 138
<i>Hawk, Carracarra</i>	1851, 55	<i>Helicina acuta</i>	1848, 119
<i>The Bird</i>	1851, 58	<i>adamsiana</i>	1848, 119
<i>of the Cataracts, The</i>		<i>amena</i>	1848, 119
<i>Blue</i>	1851, 55	<i>articulata</i>	1853, 53
<i>Brown-backed Short-</i>		<i>aruana</i>	1850, 29
<i>winged</i>	1851, 60	<i>barbadensis</i>	1853, 50
<i>Fishing</i>	1851, 55	<i>beimana</i>	1850, 29
<i>Large Awl-beaked</i>		<i>besckei</i>	1848, 120
<i>Fish</i>	1851, 56	<i>bicolor</i>	1852, 146
<i>Large Sea-fishing</i>	1851, 58	<i>brevilabris</i>	1856, 380
<i>Laughing</i>	1851, 56	<i>bulli</i>	1852, 145
<i>Plaid-chested Short-</i>		<i>campanula</i>	1848, 120
<i>winged</i>	1851, 60	<i>chiapensis</i>	1856, 380
<i>Red-headed Carra-</i>		<i>cingulata</i>	1852, 141
<i>carra</i>	1851, 56	<i>concentrica</i>	1848, 120
<i>Small Awl-beaked</i>		<i>concoidea</i>	1853, 53
<i>Fish</i>	1851, 57	<i>constricta</i>	1848, 120
<i>Two-toothed Baridi</i>	1851, 60	<i>convexa</i>	1848, 120
<i>Yellow-cered Short-</i>		<i>cordillerae</i>	1856, 328
<i>winged</i>	1851, 60	<i>cumingiana</i>	1848, 121
<i>Yellow-headed Car-</i>		<i>denticulata</i>	1855, 103
<i>racarra</i>	1851, 56	<i>diaphana</i>	1850, 98
<i>Hedruris androphora</i> ..	1858, 224	<i>dominicensis</i>	1851, 149
<i>siredonis</i>	1858, 225	<i>draytonensis</i>	1850, 392
	1855, 133	<i>dysonii</i>	1848, 121
	1856, 301	<i>egregia</i>	1855, 118
<i>Hedymeles ludoviciana</i>	1859, 58	<i>electrina</i>	1850, 28
<i>nus</i>	1859, 365	<i>exigua</i>	1848, 121
	1860, 293	<i>foviata</i>	1853, 53
	1857, 213	<i>funckii</i>	1848, 121
<i>melanocephalus</i> ..	1858, 303	<i>ghiesbreghtii</i>	1856, 381
	1859, 365	<i>gonochila</i>	1848, 121
<i>Helarctos malayanus</i> ..	1849, 95	<i>gossei</i>	1848, 122
<i>tibetanus</i>	1858, 518	<i>gratiosa</i>	1856, 385
	1859, 435	<i>guldmgiana</i>	1848, 122
<i>Helodytes griseus</i>	1856, 97	<i>hanleyana</i>	1848, 122
<i>minor</i>	1856, 97	<i>heatei</i>	1856, 392
<i>Helictis bellis</i> ..	1858, 149	<i>heloiseae</i>	1856, 322
<i>Helianthus amethysti-</i>		<i>idæ</i>	1856, 389
<i>collis</i>	1848, 12	<i>mæqualis</i> ..	1859, 28
<i>clarisse</i>	1848, 12	<i>kieneri</i>	1848, 122

	Page		Page
<i>Helicina lindeni</i>	1848, 123	<i>Heliomaster longirostris</i>	1857, 16
<i>macgillivrayi</i>	1855, 102	<i>mesoleucus</i>	1853, 100
<i>merdugera</i>	1855, 102	<i>Heliophoca atlantica</i> ..	1854, 43
<i>merguensis</i>	1857, 111	<i>Heliothrix auriculatus</i> ..	1855, 87
<i>minuscule</i>	1859, 29	<i>auritus</i>	1855, 87
<i>modesta</i>	1853, 52	<i>barroti</i>	1855, 87
<i>norfolkensis</i>	1856, 391	<i>phaiolæma</i>	1855, 87
<i>notata</i>	1856, 323	<i>purpureiceps</i>	1855, 87
<i>oleosa</i>	1852, 141	<i>purpureiceps</i>	1860, 296
<i>orbigny</i>	1848, 123	<i>Heliotrypha parzudakii</i> ..	1855, 140
<i>oweniana</i>	1848, 123	<i>viola</i>	1859, 145
<i>paraensis</i> ..	1859, 28	<i>viola</i>	1860, 63
<i>pictella</i> ..	1856, 392	<i>Helix abjecta</i> ..	1854, 135
<i>pisum</i> ..	1857, 162	<i>abnormis</i> ..	1854, 56
<i>plicatula</i>	1848, 123	<i>acalles</i> ..	1856, 327
<i>reeveana</i>	1848, 123	<i>acmella</i> ..	1860, 135
<i>repanda</i> ..	1856, 101	<i>actinophora</i> ..	1854, 180
<i>riparia</i> ..	1853, 53	<i>acutimargo</i> ..	1860, 8
<i>rohri</i> ..	1848, 124	<i>adamsi</i> ..	1850, 53
<i>rubella</i> ..	1853, 60	<i>adelaidæ</i> ..	1856, 337
<i>rudis</i> ..	1855, 102	<i>advena</i> ..	1854, 165
<i>rufa</i> ..	1856, 392	<i>æquatorialis</i> ..	1860, 133
<i>salleana</i> ..	1852, 141	<i>ærginosa</i> ..	1854, 56
<i>sanguinea</i> ..	1848, 124	<i>afia</i> ..	1854, 36
<i>shanghaiensis</i> ..	1855, 102	<i>africana</i> ..	1849, 123
<i>sowerbiana</i> ..	1848, 124	<i>aglaia</i> ..	1854, 289
<i>sphæroidea</i> ..	1855, 102	<i>alata</i> ..	1856, 33
<i>spumifera</i> ..	1855, 118	<i>albersiana</i> ..	1851, 147
<i>sprucei</i> ..	1857, 111	<i>albersii</i> ..	1854, 192
<i>suavis</i> ..	1856, 385	<i>albicans</i> ..	1849, 127
<i>sublaevigata</i> ..	1852, 141	<i>albicostis</i> ..	1860, 134
<i>tenulabris</i> ..	1848, 124	<i>albizonata</i> ..	1858, 133
<i>tenuris</i> ..	1848, 124	<i>alpha</i> ..	1852, 53
<i>turbinella</i> ..	1855, 103	<i>amazonica</i> ..	1854, 286
<i>unidentata</i> ..	1848, 125	<i>ambigua</i> ..	1853, 186
<i>versicolor</i> ..	1851, 149	<i>ammiralis</i> ..	1856, 323
<i>virens</i> ..	1856, 339	<i>ammonoceras</i> ..	1854, 54
<i>zebrulata</i> ..	1856, 101	<i>angelica</i> ..	1856, 33
(<i>Alcaldia</i>) <i>rhampho-</i>		<i>annatonensis</i> ..	1854, 288
<i>styla</i> ..	1856, 391	<i>annulifera</i> ..	1851, 260
(<i>Trochatella</i>) <i>semi-</i>		<i>anomala</i> ..	1848, 110
<i>hiata</i> ..	1848, 124	<i>antiora</i> ..	1855, 113
<i>Helicohmax lamarekui</i> ..	1854, 164	<i>aphrodite</i> ..	1859, 26
<i>Helicomela bowdichiana</i> ..	1854, 172	<i>apollo</i> ..	1860, 133
<i>punctulata</i> ..	1854, 172	<i>appendiculata</i> ..	1854, 149
<i>Helictis nipalensis</i> ..	1853, 191	<i>arcinella</i> ..	1854, 181
<i>Helictis</i> ..	1856, 398	<i>arcta</i> ..	1854, 180
<i>Helictis</i> ..	1849, 96	<i>areolata</i> ..	1850, 53
<i>Heliodoxa jacula</i> ..	1855, 139	<i>arguta</i> ..	1856, 327
<i>jamesoni</i> ..	1860, 94	<i>armida</i> ..	1853, 53
<i>leadbeateri</i> ..	1849, 96	<i>armillata</i> ..	1854, 170
<i>otero</i> ..	1857, 16	<i>armitageana</i> ..	1854, 179
<i>rubina</i> ..	1849, 96	<i>aridens</i> ..	1854, 180
<i>rubimoides</i> ..	1849, 96	<i>aspersa</i> ..	1850, 53
<i>Helomaster constantii</i> ..	1856, 140	<i>atiata</i> ..	1852, 153
<i>longirostris</i> ..	1856, 140	<i>attrita</i> ..	1854, 188
		<i>audebardi</i> ..	1851, 147
		<i>aulica</i> ..	1852, 56

	Page		Page
<i>Helix auricula</i>	1855, 1	<i>Helix castrensis</i>	1856, 386
<i>aurea</i>	1854, 286	<i>catenifera</i>	1852, 162
<i>aurea-judae</i>	1854, 7	<i>cellaria</i>	1854, 177
<i>aurea-midae</i>	1854, 7	<i>ceres</i>	1853, 49
<i>avus</i>	1852, 83	<i>ceroides</i>	1853, 58
<i>bactriana</i>	1850, 186	<i>chamissoi</i>	1855, 91
<i>barrakporensis</i>	1852, 156	<i>charpentieri</i>	1853, 127
<i>basidentata</i>	1856, 329	<i>cheiranthicola</i>	1854, 187
<i>baskervillei</i>	1849, 130	<i>chiapensis</i>	1850, 377
<i>batesi</i>	1867, 135	<i>chinimoi</i>	1850, 328
<i>bella</i>	1854, 145	<i>chionodiscus</i>	1850, 387
<i>beta</i>	1852, 58	<i>chrysomela</i>	1854, 167
<i>bicarinata</i>	1854, 186	<i>ciliosa</i>	1859, 25
<i>biciliata</i>	1855, 112	<i>cimex</i>	1854, 288
<i>bicolor</i>	1854, 170	<i>circe</i>	1853, 49
<i>biconcava</i>	1852, 149	<i>cleryi</i>	1850, 385
<i>bicruris</i>	1857, 109	<i>coagulata</i> ..	1850, 82
<i>bifrons</i>	1854, 178	<i>coarctata</i> ..	1849, 128
<i>binaria</i>	1850, 33	<i>cobresiana</i> ..	1854, 181
<i>birmana</i>	1857, 107	<i>coffa</i>	1855, 111
<i>bisulcata</i>	1852, 135	<i>columbiana</i>	{ 1850, 53
<i>bituberculata</i>	1852, 153	{ 1856, 220	
<i>bogotensis</i>	1854, 288	<i>commixta</i>	1854, 184
<i>bombycina</i>	1854, 54	<i>compacta</i>	1854, 184
<i>bornensis</i>	1849, 127	<i>compar</i>	1854, 105
<i>bougainvillei</i>	1800, 133	<i>concaospira</i> ..	1853, 124
<i>bourciei</i>	1852, 153	<i>conferta</i>	1850, 328
<i>bourgnignatii</i>	1856, 387	<i>confusa</i>	1855, 112
<i>bowdichiana</i>	1854, 172	<i>congrua</i>	1858, 21
<i>brardiana</i>	1851, 253	<i>connivens</i>	1849, 130
<i>brevibarbis</i>	1850, 25	<i>conicoides</i> ..	1851, 71
<i>brevipila</i>	{ 1849, 130	<i>concomphala</i> ..	1853, 59
{ 1850, 385		<i>consors</i>	1854, 184
<i>bridwilli</i>	{ 1853, 40	<i>consul</i>	1854, 289
{ 1855, 114		<i>continua</i>	1853, 128
<i>brookei</i>	1851, 70	<i>convexiuscula</i> ..	1855, 91
<i>bullacea</i>	1854, 53	<i>cordovana</i> ..	1856, 318
<i>bulveriana</i>	1854, 192	<i>coronata</i>	1854, 104
<i>busbyi</i>	1849, 186	<i>coronula</i>	1854, 104
<i>cæcilia</i>	1855, 92	<i>corrugata</i>	1854, 108
<i>calabarica</i>	1856, 327	<i>costata</i>	{ 1854, 176
<i>calathus</i>	1854, 178	{ 1850, 180	
<i>calcareo</i>	{ 1848, 110	<i>costulifera</i>	1854, 287
{ 1854, 171		<i>costulosa</i>	1852, 136
<i>calculus</i>	{ 1854, 140	<i>crassidens</i>	1854, 148
{ 1854, 184		<i>crebriflammis</i> ..	1852, 148
<i>californensis</i>	{ 1850, 55	<i>crystallina</i>	1854, { 177
{ 1850, 220		{ 178	
<i>calva</i>	1854, 183	<i>cumulus</i>	1854, 145
<i>camelus</i>	1855, 111	<i>curvidens</i>	1854, 147
<i>canicalensis</i>	1854, 173	<i>damahoyi</i>	1854, 328
<i>caperata</i>	1854, 169	<i>darnaudi</i>	1850, 327
<i>capitanea</i>	1854, 49	<i>dealbata</i>	1854, 196
<i>capsella</i>	1854, 181	<i>decidua</i>	1857, 108
<i>carneola</i>	1854, 148	<i>deflorata</i>	1854, 170
<i>carychium</i>	1854, 33	<i>delphinula</i>	1854, 193
<i>caseus</i>	1850, 134	<i>delta</i>	1856, 386
<i>casta</i>	1848, 110	<i>dennisoni</i>	1853, 57

	Page		Page
<i>Helix depauperata</i>	1854, 174	<i>Helix goniomphala</i>	1854, 147
<i>difficilis</i>	1853, 127	<i>granum</i> ..	1857, 107
<i>dillwyniana</i>	1851, 254	<i>greenwoodii</i> ..	1849, 165
<i>dimorpha</i>	1852, 148	<i>grevillei</i> . . .	1856, 387
<i>discina</i>	1854, 190	<i>grimardi</i>	1856, 385
<i>ductilis</i> ..	1856, 385	<i>groviana</i> . . .	1854, 168
<i>dunkeri</i>	1852, 157	<i>guayaquilensis</i> ...	1852, 152
<i>dunniae</i>	1849, 165	<i>guenzii</i> ..	1856, 329
<i>duplicata</i>	1854, 186	<i>guermeana</i> ...	1854, 176
<i>dupuyana</i>	1852, 159	<i>guttata</i>	1853, 58
<i>echinulata</i> ..	1854, 186	<i>hamesi</i> . . .	1856, 32
<i>egesta</i>	1849, 166	<i>heldiana</i>	1852, 148
<i>elegantissima</i> . .	1853, 179	<i>helicinoides</i>	1856, 385
<i>ellipsostoma</i> ..	1854, 288	<i>helictomphala</i>	1856, 377
<i>emiliana</i> . . .	1852, 83	<i>heroica</i> ...	1855, 114
<i>entodonta</i>	1859, 24	<i>hetæra</i>	1860, 134
<i>epsilon</i>	1852, 57	<i>hispana</i>	1854, 169
<i>erubescens</i> ...	1854, 165	<i>hombroni</i> ...	1856, 382
<i>eta</i>	1852, 57	<i>hondana</i>	1854, 53
<i>euspira</i>	1854, 54	<i>horomphala</i> ...	1854, 146
<i>eustoma</i>	1856, 383	<i>huaheimensis</i> ..	1853, 59
<i>eva</i>	1852, 84	<i>hyæna</i>	1854, 165
<i>exalbidata</i>	1854, 166	<i>hyphasma</i>	1853, 124
<i>exaltata</i>	1855, 113	<i>hypopolia</i>	1852, 148
<i>exarata</i>	1857, 108	<i>hystricella</i>	1859, 25
<i>excisa</i>	1854, 54	<i>ide</i>	1849, 166
<i>exserta</i>	1856, 32	<i>ignava</i>	1855, 92
<i>fanelleni</i>	1856, 382	<i>inaequalis</i>	1854, 286
<i>fanula</i>	1856, 33	<i>incisa</i>	1860, 401
<i>farrisi</i>	1859, 23		408
<i>fatua</i> ..	1857, 107		413
<i>fausta</i>	1854, 182	<i>infans</i>	1854, 290
<i>fiatilis</i> ..	1854, 196	<i>intusphcata</i> ..	1850, 98
<i>fidelis</i>	1856, 220	<i>iota</i>	1852, 57
<i>flammigera</i> ..	1852, 147	<i>isabellina</i>	1854, 52
<i>flexilabris</i> . . .	1856, 382	<i>isis</i>	1860, 133
<i>flexuosa</i>	1855, 112	<i>isodon</i>	1852, 84
<i>fluctuosa</i>	1854, 167	<i>jacquinoti</i> ..	1849, 123
<i>forsteriana</i> ..	1851, 254	<i>jaspidea</i> . . .	1859, 24
<i>foveata</i>	1853, 126	<i>jeffreysiana</i>	1852, 148
<i>fraseri</i>	1850, 244	<i>juliformis</i> ...	1854, 194
<i>fricki</i>	1858, 21	<i>kappa</i>	1852, 58
<i>fringilla</i> ...	1855, 113	<i>kawaiensis</i> ..	1854, 52
	1856, 385	<i>kelletti</i>	1850, 55
<i>fucata</i>	1853, 59	<i>keppellii</i> . . .	1854, 50
<i>funiculata</i> . .	1854, 147	<i>kermadeci</i>	1856, 326
<i>furva</i>	1854, 165	<i>labyrinthus</i> , var. si-	
<i>glaucostoma</i> ..	1849, 130	<i>punculata</i>	1850, 53
<i>gamma</i>	1852, 57	<i>lacera</i> ..	1853, 126
<i>ganoma</i> ..	1853, 124		1850, 244
<i>gartneriana</i> ..	1851, 253	<i>laciniosa</i>	1854, 174
<i>gaskoini</i>	1851, 260		243
<i>gemma</i>	1848, 109		244
<i>generalis</i> . . .	1854, 123	<i>lactea</i> ..	1850, 287
<i>gramica</i>	1854, 173	<i>læta</i> ..	1853, 49
<i>glaberrima</i> . . .	1854, 52	<i>lais</i>	1855, 111
<i>glabruscula</i> . .	1851, 262	<i>lalloensis</i> ..	1852, 57
<i>glutinosa</i>	1851, 70	<i>lambda</i>	1852, 22
		<i>lamellosa</i>	1858, 22

	Page		Page
<i>Helix lampra</i>	1854, 53	<i>Helix moretonensis</i>	1854, 52
<i>lapidata</i>	1854, 197	<i>mormonum</i>	1857, 109
<i>latens</i>	1854, 174	1855, 113
<i>launcestonensis</i>	1852, 31	<i>motacilla</i>	1856, 385
<i>layardi</i>	1851, 253	<i>mozambicensis</i>	1855, 91
<i>lenticula</i>	1854, 193	<i>mucida</i>	1856, 329
<i>lentiginosa</i>	1854, 180	<i>mucronata</i>	1852, 149
<i>leonina</i>	1854, 168	<i>muhlfeldtiana</i>	1852, 150
<i>leptosticta</i>	1854, 195	<i>muralis</i>	1854, 167
<i>leucorhapha</i>	1851, 147	<i>murina</i>	1856, 384
<i>leucostyla</i>	1855, 112	<i>mustelina</i>	1854, 186
<i>lightfootii</i>	1852, 158	<i>nævia</i>	1854, 61
<i>linata</i>	1854, 189	<i>nagporensis</i>	1860, 135
<i>lundstedti</i>	1850, 387	<i>nasuta</i>	1851, 70
<i>lirata</i>	1860, 195	<i>navigatorium</i>	1854, 55
<i>litturata</i>	1851, 253	<i>nematophora</i>	1854, 49
<i>livesayi</i>	1860, 134	<i>nepos</i>	1855, 91
<i>lombei</i>	1856, 382	<i>newcombi</i>	1854, 51
<i>loweii</i>	1854, 169	<i>niciensis</i>	1854, 166
.....	170	<i>nickliniana</i>	1856, 220
<i>lucida</i>	1854, 177	<i>niphas</i>	1857, 108
<i>ludersi</i>	1855, 112	<i>nitida</i>	1854, 177
<i>lurida</i>	1854, 173	<i>nutidiuscula</i>	1854, 173
.....	174	174
<i>lutacea</i>	1857, 108	<i>nyvosa</i>	1854, 106
<i>lutea-cornea</i>	1854, 56	<i>nobilis</i>	1849, 127
<i>lyelliana</i>	1854, 191	<i>novæ-hollandiæ</i> ..	1850, 385
<i>macandrewiana</i> ..	1853, 57	<i>novella</i>	1854, 50
<i>maculosa</i>	1850, 243	<i>nucleus</i>	1854, 31
<i>maderensis</i>	1854, 195	<i>nuda</i>	1852, 83
<i>majuscula</i>	1856, 381	1850, 53
<i>malaccana</i>	1854, 147	<i>nuttalliana</i>	1856, 220
<i>mansueta</i>	1854, 57	<i>nymphea</i>	1849, 129
<i>margarita</i>	1851, 189	<i>oblita</i>	1851, 263
<i>marmatensis</i>	1854, 57	<i>obscurata</i>	1854, 182
<i>martinii</i>	1854, 149	<i>obtecta</i>	1854, 175
<i>matura</i>	1855, 92	<i>œnostoma</i>	1854, 167
<i>mauritiana</i>	1852, 149	<i>omega</i>	1852, 50
<i>maxima</i>	1853, 48	<i>omissa</i>	1856, 32
<i>mediocris</i>	1854, 51	<i>opheha</i>	1854, 146
<i>meleagris</i>	1855, 107	<i>ophiria</i>	1856, 326
<i>membranacea</i>	1854, 165	<i>oregonensis</i> ..	1856, 220
<i>membranica</i>	1854, 55	<i>ornatella</i>	1850, 53
<i>mendicaria</i>	1860, 136	<i>otostoma</i>	1851, 260
<i>meobambensis</i>	1856, 328	<i>oweniana</i>	1853, 49
<i>merziana</i>	1852, 135	<i>oxytrepis</i>	1854, 186
<i>meta</i>	1856, 381	<i>pacimana</i>	1854, 107
<i>micans</i>	1853, 109	<i>pagodula</i>	1854, 145
<i>michaudi</i>	1854, 170	<i>palawanica</i>	1855, 107
<i>micromphala</i>	1854, 195	<i>pandoræ</i> ..	1850, 55
<i>microspira</i>	1853, 127	<i>papilio</i>	1854, 190
.....	1855, 108	<i>partita</i>	1853, 125
<i>migratoria</i>	1856, 385	<i>patasensis</i>	1859, 24
<i>miguelina</i>	1856, 33	<i>patricia</i>	1850, 23
<i>militaris</i>	1855, 111	<i>paupercula</i>	1854, 175
<i>minerva</i>	1852, 84	<i>periferi</i>	1856, 385
<i>monacha</i>	1859, 25	<i>phædra</i>	1852, 138
<i>monsoni</i>	1849, 126	<i>phlebophora</i>	1854, 166

	Page
<i>Helix philogophora</i>	1849, 127
<i>phthisica</i>	1856, 383
<i>pinicola</i>	1854, 287
<i>purpurea</i>	1854, 55
<i>pisana</i>	1854, 171
<i>plagioglossa</i>	1859, 26
<i>plagiostoma</i>	1856, 381
<i>planorbis</i>	1860, 8
<i>plattii</i>	1854, 51
<i>platystyla</i>	1849, 130
<i>pluculosa</i>	1856, 386
<i>poecilocostata</i>	1852, 147
<i>porretiana</i>	1851, 254
<i>politissima</i>	1853, 125
<i>polymorpha</i>	1854, 187
<i>portia</i>	1849, 165
<i>portosanctana</i>	1854, 169
<i>praestans</i>	1853, 126
<i>procera</i>	1853, 127
<i>propinqua</i>	1857, 109
<i>pruinosa</i>	1852, 139
<i>psammophora</i>	1854, 166
<i>ptychomphala</i>	1851, 254
<i>ptychostyla</i>	1860, 8
<i>pubescens</i>	1851, 147
<i>pulchella</i>	1854, 176
<i>pulvinata</i>	1854, 188
<i>punctulata</i>	1854, 172
<i>purchasi</i>	1853, 21
<i>purpurascens</i>	1853, 126
<i>pusilla</i>	1854, 176
<i>pythia</i>	1850, 147
<i>pyxys</i>	1856, 385
<i>quercina</i>	1856, 382
<i>quitensis</i>	1854, 49
<i>radians</i>	1851, 252
<i>radiaria</i>	1854, 55
<i>radiatula</i>	1854, 177
<i>rapida</i>	1853, 58
<i>recedens</i>	1849, 129
<i>redfieldi</i>	1852, 83
<i>reglis</i>	1851, 70
<i>regularis</i>	1854, 50
<i>rehbeinii</i>	1852, 84
<i>rejecta</i>	1859, 25
<i>resplendens</i>	1851, 70
<i>rhea</i>	1855, 111
<i>rhodostoma</i>	1854, 171
<i>richmondiana</i>	1851, 252
<i>rosarium</i>	1849, 131
<i>rotula</i>	1854, 183
<i>rotundata</i>	1854, 176
<i>saccata</i>	1854, 49
<i>sachalensis</i>	1855, 114
<i>salleana</i>	1856, 385
<i>salleana</i>	1849, 129

	Page
<i>Helix sandvicensis</i> ...	1849, 128
<i>sannio</i>	1854, 57
<i>santanaensis</i>	1854, 52
<i>scabra</i>	1854, 168
<i>scarabæus</i>	1850, 147
<i>scepasma</i>	1854, 57
<i>schumacheriana</i>	1851, 70
<i>sciadium</i>	1857, 108
<i>scintilla</i>	1854, 177
<i>scytodes</i>	1854, 56
<i>sebacea</i>	1856, 383
<i>selenostoma</i>	1852, 152
<i>semiconvexa</i>	1854, 55
<i>semidecussata</i>	1851, 252
<i>senilis</i>	1854, 189
<i>serculata</i>	1849, 127
<i>shanghaiensis</i>	1853, 59
<i>shiplayi</i>	1856, 32
<i>siamensis</i>	1856, 32
<i>simularis</i>	1860, 8
<i>singularis</i>	1854, 289
<i>solida</i>	1851, 263
<i>solidula</i>	1854, 148
<i>sophiae</i>	1854, 152
<i>souleyetiana</i>	1851, 252
<i>sphaerula</i>	1854, 185
<i>spirorbis</i>	1854, 195
<i>squalida</i>	1854, 174
<i>stellaris</i>	1854, 180
<i>stumpsoni</i>	1854, 149
<i>strangei</i>	1848, 108
<i>striata</i>	1854, 170
<i>strigella</i>	1856, 186
<i>striolata</i>	1860, 439
<i>strongylodes</i>	1854, 53
<i>strumosa</i>	1852, 139
<i>sturmiana</i>	1851, 253
<i>stutchburyi</i>	1856, 386
<i>subangula</i>	1854, 53
<i>subconoidea</i>	1854, 51
<i>subdecussata</i>	1857, 107
<i>subfusca</i>	1848, 109
<i>subopaca</i>	1853, 125
<i>subplicata</i>	1854, 171
<i>subrudis</i>	1854, 287
<i>subrugata</i>	1851, 259
<i>subtecta</i>	1855, 91
<i>subtilis</i>	1854, 196
<i>subvitrea</i>	1854, 143
<i>sulphurea</i>	1859, 492
<i>swiftii</i>	1854, 51
<i>tabellata</i>	1854, 189
<i>tapeina</i>	1860, 9
<i>tectiformis</i>	1850, 244
<i>testudinalis</i>	1854, 191
<i>testudo</i>	1855, 21

	Page		Page
<i>Helix textrix</i>	1855, 92	<i>Helminthophaga celata</i> {	1858, 298
<i>thomasi</i>	1854, 54	{	1859, 235
<i>thwaitesi</i>	1853, 125	<i>peregrina</i>	1859, 373
<i>tiarella</i>	1854, 194	<i>ruficapilla</i>	1859, 373
<i>tomentosa</i>	1854, 289	<i>Helmitheros celatus</i> ..	1857, 212
<i>tourannensis</i>	1860, 8	<i>chrysopterus</i>	1855, 133
<i>townsendiana</i> {	1850, 53	<i>rubricapillus</i>	1856, 291
{	1850, 220	<i>soltarius</i>	1856, 291
<i>trailli</i>	1855, 107	<i>sp. nov ?</i>	1856, 291
<i>tricolor</i>	1849, 129	<i>vermivorus</i>	1859, 363
<i>triflora</i>	1853, 125	<i>Heloderma horrida</i>	1857, 62
<i>tristrami</i>	1860, 136	<i>Helotarsus ecaudatus</i> ..	1850, 215
<i>turneri</i>	1860, 135	<i>Hemicercus brunneus</i> ..	1859, 457
<i>turricula</i>	1850, 244	<i>concretus</i>	1859, 455
{	1854, 186	<i>Hemichelidon fuligino-</i>	1858, 493
<i>umbraculum</i>	1852, 147	<i>sa</i>	1859, 182
{	1850, 244	<i>latirostris</i>	1854, 270
<i>undata</i>	1854, 168	<i>Hemidactylus angulatus</i>	1858, 157
<i>undina</i>	1856, 34	<i>formosus</i>	1858, 157
<i>undulata</i>	1860, 7	<i>Hemipekten forbesianus</i> .	1843, 133
<i>urnula</i>	1854, 49	<i>Hemp. aris bakewellii</i> ..	1859, 119
<i>ursina</i>	1856, 384	<i>emilia</i>	1850, 16
<i>ustulata</i>	1854, 171	<i>ida</i>	1856, 16
<i>vallicola</i>	1854, 289	<i>insularis</i>	1856, 16
<i>vancouverensis</i> ..	1856, 220	<i>Hemiplacuna rozieri</i> ..	1849, 124
{	1848, 109	<i>Hemisalamandra cristata</i>	1858, 143
{	1854, 172	<i>marmorata</i>	1858, 140
<i>varicosa</i>	1852, 148	<i>Hemispingus rubrirostris</i>	1856, 92
<i>vellicata</i>	1850, 55	<i>superclarius</i>	1856, 93
<i>venulata</i>	1857, 108	<i>veneris</i>	1856, 90
<i>veracruzensis</i>	1856, 318	<i>Hemisthus guttatum</i> ..	1858, 343
<i>vermetiformis</i>	1854, 186	<i>Hemithraupis flavicollis</i>	1856, 110
<i>veronica</i>	1853, 58	<i>guira</i>	1856, 109
<i>verrucula</i>	1854, 50	<i>melanoxantha</i>	1856, 110
<i>vexillaris</i>	1855, 113	<i>peruana</i>	1856, 111
<i>vieta</i>	1854, 167	<i>ruficeps</i>	1856, 111
<i>vilis</i>	1851, 263	<i>Hemitragus jemlaicus</i> {	1856, 404
<i>villaris</i>	1854, 146	{	1858, 523
<i>v. pera</i>	1850, 24	<i>quadrimammis</i>	1856, 404
<i>vitellina</i>	1848, 109	<i>Hemitriton alpestris</i> ...	1858, 142
<i>vitensis</i>	1855, 108	<i>asper</i>	1858, 139
<i>vittata</i>	1851, 70	<i>bibronii</i>	1858, 139
<i>volutella</i>	1856, 33	<i>cinereus</i>	1858, 139
<i>vulcan'a</i>	1854, 108	<i>punctulatus</i>	1858, 139
<i>vulgata</i>	1854, 173	<i>rugosus</i>	1858, 139
<i>wallacei</i>	1858, 20	<i>Hemecocichla auricapilla</i>	1856, 203
<i>webbiana</i>	1854, 197	<i>Hemicopernis longicauda</i>	1850, 153
<i>wollastoni</i>	1854, 198	<i>Henucha? delegorguei</i> ..	1849, 59
<i>woodiana</i>	1851, 254	<i>grinamia</i>	1849, 59
<i>xiphias</i>	1856, 383	{	1849, 59
<i>yatesi</i>	1855, 92	{	1849, 59
<i>yorkensis</i>	1854, 145	<i>Heptathya aubryi</i> ...	1860, 315
<i>zollingeri</i>	1852, 159	<i>Hermes nassatella</i> ...	1853, 117
<i>zosterophora</i>	1854, 146	<i>spectabilis</i>	1853, 117
(<i>Carocolla</i>) <i>zelandica</i>	1849, 165	<i>violaceus</i>	1853, 117
(<i>Nanina</i>) <i>dohrniana</i>	1860, 136		
(—) <i>mouhoti</i>	1860, 136		
(<i>Zonites</i>) <i>coma</i>	1849, 166		

	Page		Page
<i>Herodias alba</i>	1853, 503	<i>Herpsilochmus argenta-</i>	
<i>albolineata</i>	1859, 166	<i>tus</i>	1853, 250
<i>bubulcus</i>	1853, 503	<i>pectoralis</i>	1857, 132
<i>candidissima</i>	1857, 233	<i>pileatus</i>	1858, 233
<i>egretta</i>	1859, 369	<i>rufimarginatus</i>	1858, 233
<i>flavicollis</i>	1830, 364	<i>Hesperiphona icterio-</i>	1838, 483
<i>garzetta</i>	1859, 150	<i>des</i>	1859, 178
<i>leuce</i>	1857, 236	<i>Hesperomys albigularis</i>	1860, 264
<i>picata</i>	1853, 188	<i>arvicoloides</i>	1860, 262
<i>Herpestes badius</i>	1849, 11	<i>aureus</i>	1860, 219
<i>fasciatus</i>	1849, 28	<i>bicolor</i>	1860, 217
.	1859, 212	<i>bimaculatus</i>	1860, 221
.	1850, 156	<i>caliginosus</i>	1860, 263
.	1852, 89	<i>cephalotes</i>	1858, 548
<i>griseus</i>	1853, 516	<i>darwinii</i>	1860, 221
.	1859, 436	<i>elegans</i>	1830, 213
.	1860, 416	<i>latimanus</i>	1860, 263
.	1860, 442	<i>longicaudatus</i>	1858, 548
<i>mutzigella</i>	1849, 11	1860, 217
<i>nepalensis</i>	1860, 416	<i>longipilus</i>	1860, 221
<i>nyula</i>	1856, 397	<i>maculipes</i>	1860, 262
.	1853, 516	<i>minutus</i>	1860, 215
<i>ochraceus</i>	1843, 138	<i>nasutus</i>	1860, 221
<i>punctulatus</i>	1849, 11	<i>renggei</i>	1860, 262
<i>smithii</i>	1851, 131	<i>squampes</i>	1858, 548
<i>vitticollis</i>	1850, 156	<i>tumidus</i>	1860, 221
<i>Herpetodryas bernieri</i>	1858, 380	<i>Hesta splendens</i>	1860, 8
<i>biserialis</i>	1860, 97	<i>vallicola</i>	1860, 8
.	1860, 452	<i>Heterocardia cumingii</i>	1854, 339
.	1860, 456	<i>fabagella</i>	1854, 340
<i>boddaerti</i>	1860, 452	<i>gibbosula</i>	1854, 340
.	1859, 412	<i>Heterocnemis albigularis</i>	1858, 67
.	1860, 233	<i>bambla</i>	1855, 146
<i>brunneus</i>	1860, 452	<i>marginata</i>	1855, 145
.	1860, 456	<i>nævia</i>	1858, 247
<i>flavigularis</i>	1860, 452	<i>Heterocyathus æquicos-</i>	
<i>frenatus</i>	1860, 163	<i>tatus</i>	1849, 77
<i>fuscus</i>	1859, 89	<i>cochlea</i>	1849, 77
.	1859, 412	<i>eupsammides</i>	1849, 77
<i>margaritiferus</i>	1860, 456	<i>hemisphaerica</i>	1849, 77
<i>quadrilineatus</i>	1853, 380	<i>rousseanus</i>	1849, 77
.	1859, 412	<i>Heterodon diadema</i>	1859, 80
.	1860, 452	<i>diversidens</i>	1851, 216
<i>rappii</i>	1860, 456	<i>Heteroglossa africana</i>	1858, 165
<i>Herpeton tentaculatum</i>	1860, 114	<i>Heterolepis bicarinatus</i>	1858, 162
.	1860, 163	<i>poensis</i>	1858, 162
<i>Herpetoreas sieboldii</i>	1860, 167	<i>Heteronotus triangularis</i>	1858, 161
.	1860, 171	<i>Heteropelma amazonum</i>	1860, 466
.	1855, 134	<i>aurifrons</i>	1860, 467
.	1857, 201	1860, 467
.	1859, 52	<i>flavicapillum</i>	1860, 466
<i>Herpetotheres cachin-</i>	1859, 368	1860, 467
<i>nans</i>	1859, 368		
.	1860, 238		
.	1860, 298		

	Page		Page
<i>Heteropelma rufo-oliva-</i>		<i>Hipponyx panamensis</i> .	1856, 3
<i>ceum</i>	1860, 467	<i>radiatus</i>	1856, 4
<i>turdinum</i>	1860, 467	<i>serratus</i>	1856, 3
<i>unicolor</i>	1860, 467	<i>subrufus</i>	1856, 4
<i>vera-pacis</i>	1860, { 300	<i>tuberculatus</i>	1856, 4
	467	(<i>Amalthea</i>) <i>effodiens</i>	1856, 4
<i>Heterornis pyrrhogenys</i> .	1860, 355	(—) <i>grayanus</i> . .	1856, 4
<i>Heterura sylvana</i>	1859, 185	<i>Hippopotamus amphi-</i>	{ 1849, 163
<i>Heterurus arctifasciatus</i> .	1858, 380	<i>bius</i>	{ 1850, 160
<i>gaimardii</i>	1858, 380		{ 1860, 195
<i>rufescens</i>	1858, 161	<i>Hipposideros armiger</i> .	1856, 394
<i>Hexabanchus nebulosus</i> .	1860, 33	<i>aruensis</i>	1858, 107
<i>pulchellus</i>	1860, 33	<i>insignis</i>	1858, 108
<i>Hiaticula azarae</i>	1860, 298	<i>speoris</i>	1858, 108
<i>cantiana</i>	1860, 372	<i>Hircus megaceos</i> . . .	1858, 525
<i>collaris</i>	1860, 290	<i>Hirundinea ferruginea</i> .	1855, 150
<i>falklandica</i>	1860, 386	<i>Hirundo albicollis</i> . .	1854, 110
<i>inornata</i>	{ 1858, 187	<i>apus</i>	1857, 13
	{ 1860, 363	<i>bicolor</i>	1860, 131
<i>philippina</i>	{ 1858, 505	<i>brevirostris</i>	1858, 171
<i>rufinella</i>	{ 1859, 188	<i>collaris</i>	1854, 110
<i>Hiatula lamarchii</i>	1858, 505	<i>daurica</i>	{ 1858, 494
<i>Hierax caerulescens</i> . .	{ 1858, 52		{ 1859, 175
	{ 1854, 258	<i>domicola</i>	{ 1854, 264
<i>malayensis</i>	{ 1860, 343		{ 1855, 29
<i>Hierocoteyx varius</i> . . .	1854, 258	<i>filifera</i>	{ 1857, 88
<i>Himantopus candidus</i> . .	1859, 459		{ 1858, 494
<i>mexicanus</i>	1858, 505		{ 1859, 175
<i>nigricollis</i>	{ 1857, 237	<i>flavigastra</i>	1860, 292
	{ 1857, 206	<i>frontalis</i>	1859, 154
<i>Himella fluviatilis</i> . . .	{ 1860, 290	<i>fuciphaga</i>	1858, 171
<i>Hindsia acuminata</i> . . .	1860, 203	<i>gutturalis</i>	{ 1854, 264
<i>angicostata</i>	1853, 182		{ 1860, 345
<i>bitubercularis</i>	1860, 142	<i>javanica</i>	{ 1854, 264
<i>carduus</i>	1853, 183		{ 1860, 345
<i>egregia</i>	1853, 182	<i>jewan</i>	1854, 264
<i>nassoides</i>	1853, 183	<i>melanogaster</i>	1858, 206
<i>nivea</i>	1853, 182	<i>nidifica</i>	1858, 171
<i>nodicostata</i>	1853, 183	<i>nigricans</i>	1858, 171
<i>suturalis</i>	1853, 183	<i>panayana</i>	1854, 264
<i>varicifera</i>	1853, 183	<i>panayensis</i>	1860, 345
	{ 159	<i>riparia</i>	{ 1851, 146
<i>Hinulia indica</i>	{ 167		{ 1857, 13
	{ 171	<i>robini</i>	1855, 135
	{ 172	<i>ruficollis</i>	1860, 292
	{ 173		{ 1851, 146
<i>Hippocamelus dubius</i> . .	1850, 236		{ 1854, 264
<i>Hippocampus brevirostris</i>	1859, 212	<i>rustica</i>	{ 1857, 13
<i>Hippone sardica</i>	1855, 36		{ 1858, 494
<i>Hipponyx antiquatus</i> . .	1856, 3		{ 1859, 150
<i>australis</i>	1856, 3		{ 1859, 151
<i>barbatus</i>	1856, 3		{ 1859, 175
<i>costellatus</i>	1856, 4	<i>rusticoides</i>	1854, 264
<i>foliaceus</i>	1856, 3	<i>rutila</i>	1855, 135
<i>granulata</i>	1853, 176	<i>serripennis</i>	1856, 285
<i>grayanus</i>	1856, 226	<i>subfusca</i>	1856, 137
<i>mitrula</i>	1856, 3	<i>thalassina</i>	1859, 235
		<i>urbica</i>	1851, 146

	Page		Page
<i>Hirundo urbica</i>	1857, 13	<i>Hydrobata melanogaster</i>	1859, 181
<i>Hispidella armitageana</i>	1854, 179	<i>Hydrocena acutilirata</i>	1855, 106
<i>deflorata</i>	1854, 179	<i>albescens</i>	1854, 306
<i>Histiophorus maculatus</i>	1860, 36	<i>aurantiaca</i>	1854, 307
<i>Histiotus velatus</i>	1858, 546	<i>brevicula</i>	1854, 306
<i>Holcostoma setigerum</i>	1858, 174	<i>bridgesii</i>	1854, 305
<i>Holocnemis cinnamomea</i>	1858, 249	<i>cattaroensis</i>	1854, 305
<i>flammatus</i>	1858, 247	{ 1850, 11	
<i>lineata</i>	1858, 247	<i>chinensis</i>	1857, 112
<i>nævia</i>	1858, 247	<i>cornea</i>	1854, 306
<i>Holopneustes porissimus</i>	1855, 36	<i>dubia</i>	1854, 308
<i>Holothuria digitata</i>	1858, 361	<i>erosa</i>	1854, 307
<i>flava</i>	1858, 366	<i>expansilabris</i>	1854, 309
<i>inhærens</i>	1858, 360	<i>exquisita</i>	1854, 307
	368	<i>exserta</i>	1854, 306
<i>Holuropholis olivaceus</i>	1858, 159	<i>fragilis</i>	1860, 439
<i>Homalocranium atrocinctum</i>	1860, 454	<i>glabrata</i>	1854, 308
<i>Homalocranium laticeps</i>	1860, 240	<i>globosa</i>	1854, 308
<i>melanocephalum</i>	1859, 412	<i>granum</i>	1854, 308
	1859, 433	<i>gutta</i>	1854, 305
<i>Homarus vulgaris</i>	1860, 371	<i>hieroglyphica</i>	1854, 307
<i>Homonotus audax</i>	1858, 159	<i>huaheiniensis</i>	1854, 308
<i>Homarus bicornis</i>	1859, 447	<i>malleata</i>	1854, 308
<i>Hoplocephalus supeibus</i>	1860, 371	<i>minutissima</i>	1854, 305
<i>Hoploclerus biaculeatus</i>	1852, 52	<i>multilirata</i>	1854, 308
<i>Hoplophorus euphractus</i>	1851, 217	<i>oblonga</i>	1854, 305
<i>selloi</i>	1851, 217	<i>obtusa</i>	1854, 306
	1859, 63	<i>plicosa</i>	1854, 308
<i>Hoplopterus cayanus</i>	1860, 290	<i>pupoides</i>	1854, 307
<i>persicus</i>	1850, 221	<i>pyramis</i>	1854, 306
<i>spinosus</i>	1850, 221	<i>radiata</i>	1854, 308
<i>ventralis</i>	1859, 150	<i>rosea</i>	1854, 307
<i>Horeites major</i>	1854, 105	<i>rubens</i>	1854, 307
<i>Hortulia regia</i>	1858, 164	<i>scitula</i>	1854, 307
<i>sebæ</i>	1858, 164	<i>sirkii</i>	1854, 305
<i>Huhua nipalensis</i>	1854, 263	<i>solidula</i>	1854, 305
<i>pectoralis</i>	1854, 263	<i>terebialis</i>	1854, 307
<i>Humphreyia strangei</i>	1858, 317	<i>vallata</i>	1854, 307
<i>Hyæna crocuta</i>	1860, 417	<i>vulpina</i>	1857, 112
	1856, 397	<i>(Omphalotropis) ce-</i>	
<i>striata</i>	1858, 514	<i>rea</i>	1857, 112
	1859, 477	{ <i>guamensis</i>	1857, 113
<i>virgata</i>	1856, 397	{ <i>navigantium</i>	1857, 113
<i>Hyalonema mirabilis</i>	1857, 279	{ <i>vestita</i>	1855, 106
<i>sieboldii</i>	1857, 279	<i>Hydrochelidon nigra</i>	1850, 221
<i>Hydnocerus bellus</i>	1852, 47	<i>Hydrocissa albirostris</i>	1859, 150
<i>exilis</i>	1852, 48	<i>convexa</i>	1859, 448
<i>flavolineatus</i>	1852, 48	<i>galerita</i>	1859, 450
<i>flavovarius</i>	1852, 49	<i>malayana</i>	1859, 448
<i>pectoralis</i>	1852, 48	<i>nigrirostris</i>	1859, 449
<i>V-reversus</i>	1852, 48	<i>Hydromedusa subde-</i>	
<i>Hydra tuba</i>	1859, 201	<i>pressa</i>	1852, 134
<i>Hydraspis spixii</i>	1852, 134	<i>Hydrophasianus chirur-</i>	
	1858, 489	<i>gus</i>	1858, 507
<i>Hydrobata asiatica</i>	1859, 180	<i>sinensis</i>	1859, 150
	1858, 489	<i>Hydropsalis lyra</i>	1855, 135
<i>cinctus</i>	1859, 180	<i>segmentatus</i>	1855, 135
	1859, 180	<i>Hyelaphus porcinus</i>	1850, 233

	Page		Page
<i>Hyelaphus porcinus</i> ..	{ 1856, 406	<i>Hyperoodon rostratum</i> ..	1860, { 373
<i>Hygrobium lucidum</i> ..	{ 1858, 530		{ 422
	{ 1854, 216		{ 420
<i>Hyla arborea</i>	{ 1858, 390	<i>Hyphantes baltimoren-</i>	{ 1857, 205
	{ 1858, 391	sis	{ 1850, 57
	{ 1858, 395	<i>Hyphantidium sericarium</i>	1850, 305
	{ 1860, 372	<i>Hyphantornis custaneo-</i>	1850, 207
aubryi	1858, { 165	fusca	1850, 433
euphorbiacea	1858, { 392	textor	1850, 433
fasciata	1850, 89		{ 1854, 254
holochlora	1860, 460	<i>Hypocnemis cantator</i> ..	{ 1858, 67
punctata	1858, 165		{ 1858, 250
rhodopepla	1850, 89	elegans	{ 1857, 47
versicolor	1858, 395		{ 1858, 252
viidis	1859, 433	erythrophrys	{ 1855, 146
<i>Hylæora eucalypti</i> ..	1848, 118		{ 1858, 252
<i>Hylarana erythræa</i> ..	{ 1858, 303		{ 1855, 146
	{ 1860, 116	leucophrys	{ 1858, 252
<i>Hylobates lar</i>	1859, { 8		{ 1854, 254
syndactylus	1859, { 16	melanolæma	{ 1855, 146
<i>Hylocharis cæruleigula-</i>			{ 1858, 251
ris	1856, 140	melanopogon	{ 1857, 130
chrysogaster	1857, 17		{ 1858, 253
goudoti	1857, 17		{ 1854, 254
portmanni	1855, 141	melanosticta	{ 1855, 147
<i>Hylodes conspicillatus</i> ..	1859, { 89		{ 1858, 67
	{ 416		{ 1858, 251
lineatus	1859, 89		{ 1855, 146
unistrigatus	1850, 416	myiotherina	{ 1857, 130
<i>Hylomanes gularis</i> ..	1857, 256		{ 1858, 67
	{ 1857, 201		{ 1858, 251
	{ 1857, 256		{ 1858, 252
momotula	{ 1859, 54	nævia	{ 1857, 265
	{ 1859, 387		{ 1858, 238
<i>Hylophilus cæruleus</i>	1856, 100	nævioides	{ 1858, 254
cinereiceps	1860, 290		{ 1860, 204
cyanoleucus	1856, 100	ornata	{ 1858, 67
flavipes	1855, 144		{ 1854, 254
guira	1856, 100		{ 1857, 18
	{ 1855, 155	pœcilonota	{ 1857, 130
leucophrys	{ 1856, 93		{ 1858, 67
melanoxanthus	1856, 110		{ 1858, 251
ochraceiceps	1859, 375	schistacea	1858, 252
ruficeps	1856, 111	theressa	{ 1858, 67
semibrunneus	1855, 144		{ 253
<i>Hylotomus pileatus</i> ..	1859, 236	tinnabulata	1858, 250
<i>Hyoncterns albiventer</i> ..	1856, 179	<i>Hypogrammica nuchalis</i>	1859, 461
discifera	1856, 179	<i>Hypopyrrhus pyrhogas-</i>	
	{ 153	ter	1855, 154
<i>Hypotamias vectianus</i> ..	1849, { 154	<i>Hypostomus erinaceus</i> ..	1850, 420
	{ 154	<i>Hypothlypis callophrys</i> ..	1856, 268
<i>Hyperolius marmoratus</i> ..	1858, 165	nidina	1856, 267
ocellatus	1858, 165	<i>Hypothyris cæsia</i>	1850, 299
plicatus	1858, 165	melanops	1859, 182
viridiflavus	1858, 165	<i>Hypotriorchis aurantius</i> ..	1850, 285
<i>Hyperoodon butzkopf</i> ..	1860, 424	columbarius	1858, 450
latifrons	1860, 424	femorialis	1850, 285

	Page		Page
<i>Hypotriorchis femoralis</i>	1859, 368	<i>Icteria viridis</i>	1859, 363
<i>ruficularis</i>	1855, 134	<i>Icterus abeillei</i>	1860, 252
<i>Hypsalia producta</i>	1854, 202	<i>affinis</i>	1859, 380
<i>Hypsbemon ruficapillus</i>	1858, 282	<i>atigularis</i>	1855, 154
<i>rufulus</i>	1858, 283	<i>auduboni</i>	1856, 301
<i>Hypsipetes malaccensis</i>	1854, 280	<i>baltimorensis</i>	1855, 65
<i>psaroides</i>	1858, 495	<i>cucullatus</i>	1859, 381
<i>Hypsiprymnus biunni</i>	1859, 181	<i>baltimorensis</i>	1859, 433
<i>ursinus</i>	1858, 106	<i>dominicensis</i>	1856, 301
<i>Hypsurhina aer</i>	1858, 106	<i>dominicensis</i>	1857, 232
<i>maura</i>	1860, 114	<i>giraudi</i>	1855, 154
<i>Hypuroptila buffoni</i>	1858, 159	<i>giraudi</i>	1857, 228
<i>caeruleigaster</i>	1855, 139	<i>gularis</i>	1857, 205
<i>Hyracotherium cuniculus</i>	1855, 139	<i>gularis</i>	1857, 223
<i>Hyrax dorsalis</i>	1849, 156	<i>gularis</i>	1858, 358
<i>habessinicus</i>	1852, 99	<i>gularis</i>	1859, 365
<i>Hystricella bicarnata</i>	1859, 234	<i>jamaicai</i>	1860, 415
<i>cheiranthicola</i>	1854, 186	<i>melanicterus</i>	1859, 380
<i>echinulata</i>	1854, 187	<i>melanicterus</i>	1856, 301
<i>mustelina</i>	1854, 186	<i>melanocephalus</i>	1858, 97
<i>oxtropus</i>	1854, 183	<i>melanocephalus</i>	1859, 365
<i>turnicula</i>	1854, 186	<i>melanocephalus</i>	1855, 154
<i>vermitiformis</i>	1854, 186	<i>melanocephalus</i>	1857, 228
<i>Hystrix alophus</i>	1854, 186	<i>mentalis</i>	1859, 58
<i>cristata</i>	1856, 401	<i>mentalis</i>	1857, 205
<i>leucurus</i>	1860, 442	<i>mentalis</i>	1855, 154
	1850, 157	<i>mentalis</i>	1856, 301
	1856, 401	<i>mesomelas</i>	1859, 58
	1858, 520	<i>mesomelas</i>	1860, 277
<i>Ianthia</i>	1854, 76	<i>mesomelas</i>	1860, 293
<i>Ianthocenas albogularis</i>	1857, 6	<i>mesomelas</i>	1857, 228
<i>halmahera</i>	1857, 228	<i>mesomelas</i>	1858, 303
<i>hypnochoera</i>	1858, 303	<i>mesomelas</i>	1860, 251
<i>Iberus gualteriana</i>	1859, 165	<i>mesomelas</i>	1857, 205
<i>wollastoni</i>	1854, 197	<i>mesomelas</i>	1856, 301
<i>Ibex aethiopica</i>	1854, 198	<i>mesomelas</i>	1857, 7
<i>imberbis</i>	1850, 221	<i>mesomelas</i>	1859, 58
<i>Ibidorhynchus struthersii</i>	1850, 112	<i>mesomelas</i>	1857, 228
<i>theisii</i>	1858, 505	<i>mesomelas</i>	1858, 303
<i>Ibis alba</i>	1859, 188	<i>mesomelas</i>	1857, 6
<i>papillosa</i>	1857, 230	<i>mesomelas</i>	1857, 228
<i>peiegrius</i>	1855, 74	<i>mesomelas</i>	1858, 303
<i>Ibycter americanus</i>	1860, 364	<i>mesomelas</i>	1859, 380
<i>americanus</i>	1857, 16	<i>mesomelas</i>	1857, 7
<i>Ichthyaetus bicolor</i>	1858, 451	<i>mesomelas</i>	1857, 228
<i>cultrunguis</i>	1854, 260	<i>mesomelas</i>	1859, 381
<i>horsfieldi</i>	1854, 261	<i>mesomelas</i>	1855, 184
<i>hucarus</i>	1854, 260	<i>mesomelas</i>	1856, 285
<i>nanus</i>	1854, 261	<i>mesomelas</i>	1859, 360
<i>Ichthyophis glutinosus</i>	1860, 166	<i>mesomelas</i>	1859, 390
<i>Icteria longicauda</i>	1856, 299	<i>mesomelas</i>	1860, 415
<i>velasquezi</i>	1856, 298	<i>mesomelas</i>	1850, 106
<i>viridis</i>	1859, 363	<i>mesomelas</i>	1848, 99
	1859, 375	<i>mesomelas</i>	1849, 106
	1856, 299	<i>mesomelas</i>	1859, 410
		<i>mesomelas</i>	1860, 233

	Page		Page
<i>Iguanodon</i>	1848, 101	<i>Isidella coralloides</i>	1857, 284
<i>Imperator</i> , n. sp. ?	1856, 44	<i>elongata</i>	1857, 288
<i>Indm</i>	1849, 10	<i>Isis aurantia</i>	1857, 285
<i>Infundibulum californi-</i>		<i>coccinea</i>	1859, 486
<i>cum</i>	1851, 153	<i>coralloides</i>	1857, 284
<i>cariniferum</i>	1851, 152	<i>dichotoma</i>	1857, 284
<i>chloromphalus</i>	1851, 153	<i>elongata</i>	1859, 486
<i>conceavum</i>	1851, 152	<i>enocrinula</i>	1857, 283
<i>delicatulum</i>	1851, 152	<i>gracilis</i>	1857, 283
<i>depressum</i>	1851, 153	<i>hippuris</i>	1857, 283
<i>kochii</i>	1851, 152	<i>nobilis</i>	1857, 287
<i>radiatum</i>	1851, 152	<i>ochracea</i>	1857, 285
<i>saga</i>	1851, 152	<i>Isognomon costellata</i>	1859, 485
<i>Ino stagnalis</i>	1852, 19	<i>Isopida bicincta</i>	1856, 219
<i>Insect-eater</i> , The	1851, 59	<i>bitorquata</i>	1850, 216
<i>Iodopleura isabellæ</i>	1857, 266	<i>Ispidula variabilis</i>	1854, 269
<i>laplaci</i>	1857, 266	<i>IXalus aurifasciatus</i>	1850, 216
<i>pipra</i>	1857, 266	<i>concolor</i>	1854, 260
<i>Iolæma schreibersi</i>	1854, 111	<i>leucorhinus</i>	1858, 303
<i>Iora scapularis</i>	1854, 281	<i>psiculopleurus</i>	1858, 303
<i>typhia</i>	1854, 281	<i>variabilis</i>	1858, 303
<i>viridissimus</i>	1859, 150	<i>Ixidia cyaniventris</i>	1854, 278
<i>zeylanica</i>	1854, 281	<i>Ixos atriceps</i>	1854, 279
<i>Ioteron eugenisæ</i>	1858, 496	<i>erythrotis</i>	1854, 278
<i>iogastra</i>	1856, 187	<i>inornatus</i>	1854, 217
<i>Ipalura variegata</i>	1860, 359	<i>metallicus</i>	1854, 270
<i>Iphigenia psammobialis</i>	1854, 160	<i>monticolus</i>	1854, 278
<i>Iphisa elegans</i>	1854, 346	<i>obscurus</i>	1850, 217
<i>Ips gigas</i>	1851, 39	<i>pyrrhotis</i>	1858, 202
<i>Irena puella</i>	1856, 10	<i>vidua</i>	1854, 279
<i>malayana</i>	1854, 282	<i>Ixothraupis chrysogaster</i>	1854, 249
<i>Iridina (Pterodon) speki</i>	1859, 348	<i>guttulata</i>	1850, 240
<i>Iridornis analis</i>	1855, 227	<i>punctata</i>	1854, 240
<i>dubusia</i>	1856, 243	<i>pusilla</i>	1854, 250
<i>porphyrocephala</i>	1855, 157	<i>Ixulus castaniceps</i>	1854, 141
<i>Iridosornis dubusia</i>	1856, 243	<i>occipitalis</i>	1854, 141
<i>rufivertex</i>	1856, 243	<i>Jacamaraleyon tridactyla</i>	1855, 16
<i>Iris depauperata</i>	1854, 174	<i>Jacamerops grandis</i>	1855, 16
<i>laciniosa</i>	1854, 174	<i>Jacchina</i>	1857, 263
<i>squalida</i>	1854, 174	<i>Jacchus bicolor</i>	1849, 10
<i>Irisor erythrorhynchus</i>	1850, 216	<i>tamarin</i>	1852, 107
<i>senegalensis</i>	1850, 216	<i>Janella antipodarum</i>	1852, 107
<i>Isanda coronata</i>	1853, 189	<i>Janulus bifrons</i>	1853, 111
<i>lepida</i>	1853, 190	<i>calathus</i>	1854, 178
<i>pulchella</i>	1853, 190	<i>Jemania henslowana</i>	1854, 178
<i>sulcifera</i>	1853, 190	<i>Johnstonella catharina</i>	1853, 94
<i>Isaura cycladoidea</i>	1849, 85	<i>Juuda chalybea</i>	1850, 217
<i>tetracera</i>	1849, 90	<i>eytoni</i>	1856, 368
<i>Ischnognathus dekayi</i>	1858, 387	<i>longicauda</i>	1856, 368
<i>occipitomaculatus</i>	1860, 456		

	Page		Page
<i>Juida nitens</i>	1857, 215	<i>Kinosternon pennsylvan-</i>	
<i>rufiventris</i>	1850, 217	<i>nicum</i>	1855, 198
<i>Juliamyia amabilis</i> ..	1857, 17	<i>punctatum</i> ...	1855, 198
	1860, 296	<i>scorpiodes</i> ..	1849, 17
<i>typica</i>	1857, 17	<i>Kinyx belliana</i> ...	1858, 166
	1860, 283	<i>castanea</i>	1858, 166
<i>Julis cyanogramma</i> ...	1860, 296	<i>erosa</i>	1858, 166
<i>dussumieri</i>	1850, 73	<i>homeana</i>	1858, 166
<i>Jumbi Bird</i>	1851, 61	<i>shoensis</i>	1858, 166
<i>Junceella juncea</i> ...	1857, 287	<i>Kite, The Scissors-tailed</i>	1851, 57
	1856, 306	<i>Kittacincla macroura</i> ..	1854, 283
	1857, 7		1857, 94
<i>Junco cinereus</i> ...	1858, 304	<i>Kobus adansonii</i>	1850, 129
	1859, 365	<i>ellipsiprymnus</i>	1850, 130
<i>hyemalis</i>	1857, 7	<i>leché</i> ..	1850, 130
<i>oregonus</i>	1857, 7		171
<i>phaenotus</i>	1856, 306	<i>sing-sing</i>	1850, 131
<i>Kakadoe albocristata</i> ..	1860, 358	<i>Kraussia deshayesi</i>	1852, 80
<i>cristata</i>	1860, 358	<i>lamarckiana</i>	1852, 80
<i>Kakapo</i>	1852, 31	<i>pisum</i>	1852, 80
<i>Kaloula pulchra</i> ...	1853, 393	<i>Labiella callosa</i>	1856, 334
	1860, 116	<i>dentata</i>	1856, 7
<i>Katostoma phlebophora</i> .	1854, 166	<i>Labio articulata</i> ..	1851, 178
<i>psammophora</i> ...	1854, 166	<i>cingulata</i>	1851, 178
<i>Kellia tellnoides</i> ...	1856, 340	<i>concolor</i>	1851, 180
<i>Kemas hodgsonii</i> ..	1850, 112	<i>constrictor</i> ..	1851, 177
	1856, 403	<i>corrosa</i> ..	1851, 180
<i>Kerivoula aërosa</i> ...	1858, 333	<i>crinita</i>	1851, 179
<i>brasiliensis</i> ..	1858, 336	<i>fulgurata</i>	1851, 179
<i>formosa</i> ..	1858, 336	<i>fulginea</i> ...	1851, 180
<i>grisea</i>	1858, 336	<i>indecora</i> ..	1851, 179
<i>hardwickii</i>	1858, 329	<i>lineata</i> ..	1851, 179
<i>lanosa</i>	1858, 331	<i>melanoloma</i>	1851, 179
<i>papillosa</i>	1858, 337	<i>nigerrima</i>	1851, 178
	1850, 156	<i>pica</i>	1851, 179
	1856, 175	<i>porcata</i>	1851, 179
	1858, 78	<i>porcifera</i>	1851, 179
<i>picta</i> ..	1858, 120	<i>reticularis</i>	1851, 178
	1858, 325	<i>rudis</i>	1851, 179
	1858, 336	<i>scorpio</i> ..	1851, 179
	1858, 337	<i>striolata</i>	1851, 178
<i>poensis</i> ..	1858, 336	<i>subrostrata</i> ...	1851, 178
<i>rufopicta</i>	1858, 85	<i>sulcata</i>	1851, 178
<i>sykesii</i>	1858, 336	<i>tæniata</i>	1851, 178
<i>trilatoides</i>	1858, 336	<i>tamsii</i>	1851, 179
<i>Ketupa ceylonensis</i> ..	1858, 473	<i>tergestina</i>	1851, 179
<i>javanica</i>	1859, 150	<i>tessellata</i>	1851, 178
	1854, 263	<i>zealandica</i>	1851, 178
<i>Kevel</i>	1850, 112	<i>zebra</i>	1851, 178
<i>gris</i> ..	1850, 112	<i>Labrus gouldi</i>	1850, 72
<i>Kiang</i> ..	1848, 62	<i>larvatus</i>	1850, 249
<i>King Vulture</i>	1851, 53	<i>maculatus</i> ..	1859, 433
<i>Kinosternon hippocrepis</i>	1855, 198	<i>mixtus</i> ..	1850, 249
		<i>scrofa</i> ...	1850, 249
		<i>tetricus</i> ..	1850, 70
		<i>Lacerta ocellata</i> ...	1858, 155
			1859, 470

	Page		Page
<i>Lacerta ocellata</i>	1859, 473	<i>Laminella luctuosa</i>	1855, 204
<i>viridis</i>	1859, { 212 434	<i>micans</i>	1859, 31
<i>Lachesis ntidus</i>	1859, 414	<i>rudis</i>	1855, 5
<i>Lachnolaimus gouldii</i>	1850, 72	<i>sericea</i>	1859, 31
<i>Lacuna carinifera</i>	1851, 225	<i>serrata</i>	1860, 439
<i>unifasciata</i>	1856, 205	<i>subiustrata</i>	1859, 31
<i>Lafresnaya flavicaudata</i>	1856, 140	<i>transversalis</i>	1855, 204
<i>gayi</i>	1860, { 81 94	<i>umbilicata</i>	1855, 204
<i>Lagena californica</i>	1851, 272	<i>Lampadia webbiana</i>	1854, 197
<i>Lagenorhynchus clanculus</i>	1849, 2	<i>Lampetra caeca</i>	1851, 241
<i>thioleae</i>	1849, 2	<i>fluvialis</i>	1851, 237
<i>Lagomys nipalensis</i>	1856, 402	<i>lamottenii</i>	1851, 238
<i>roylei</i>	1858, 520	<i>major</i>	1851, 236
<i>Lagopus hemileucurus</i>	1858, 354	<i>minima</i>	1851, 241
<i>scoticus</i>	1849, 140	<i>neunauge</i>	1851, 241
<i>Lagothrix</i>	1849, 10	<i>planeri</i>	1851, 238
<i>humboldtii</i>	1852, 107	<i>rondeletii</i>	1851, 236
<i>Laimodon albiventris</i>	1850, { 393 395	<i>sanguisuga</i>	1851, 238
<i>bifrenatus</i>	1859, 386	<i>subcinerea</i>	1851, 238
<i>hirsutus</i>	1859, 397	<i>Lampornis aurescens</i>	1857, 263
<i>leucocephalus</i>	1859, 395	<i>aurulenta</i>	1857, 233
<i>leucomelas</i>	1859, 395	<i>mango</i>	{ 1857, 16 1857, 263 1860, 234 1856, 237
<i>merithorax</i>	1859, 395	<i>prevosti</i>	{ 1859, 367 1859, 365
<i>saltii</i>	1859, 396	<i>veaguensis</i>	1856, 140
<i>undatus</i>	1859, 396	<i>Lamprocolius splendidus</i>	1860, 112
<i>unidentatus</i>	1859, 395	<i>Lampronetta fischeri</i>	1855, 212
<i>vieilloti</i>	1859, 396	<i>Lamprophus modestus</i>	1858, 163
<i>Laimodonta concinna</i>	1854, 34	<i>Lamproscapha schomburgki</i>	1860, 15
<i>layardi</i>	1854, 34	<i>Lamprospiza habia</i>	1856, 78
<i>sandwichensis</i>	1854, 34	<i>melanoleuca</i>	1856, 78
<i>sulcata</i>	1854, 34	<i>Lamprotes albicristatus</i>	1855, 156
<i>tamata</i>	1854, 34	<i>loricatus</i>	1856, 121
<i>Lalage aurea</i>	1860, 353	<i>rubricollis</i>	1850, 121
<i>naevia</i>	1850, 163	<i>rubrigularis</i>	1850, 121
<i>orientalis</i>	1854, 272	<i>viridis</i>	1856, 122
<i>rufiventris</i>	1858, 170	<i>Lamprotornis cantor</i>	{ 1858, 181 1859, 445
<i>Lama huanacos</i>	1860, 183	<i>cyanothis</i>	1850, 217
<i>Lambidium oniscus</i>	1851, 229	<i>obscura</i>	1860, 355
<i>Lamellaria ophioma</i>	1849, 109	<i>purpureoptera</i>	1860, 197
<i>Lamia asiamensis</i>	1850, 14	<i>pyrrhopogon</i>	1860, 355
<i>nobilis</i>	1850, 12	<i>Lamproteron holosericea</i>	{ 1859, 165 1855, 184
<i>pedicornis</i>	1859, 123	<i>superba</i>	1860, 360
(<i>Cerosterna</i>) <i>trifasciella</i>	1850, 13	<i>Lamar us chrysogaster</i>	1860, 197
<i>Laminella albida</i>	1855, 203	<i>erythrogaster</i>	1860, 197
<i>extincta</i>	1855, 204	<i>Laniisoma arcuatum</i>	1854, 114
<i>farcimen</i>	1856, 334	<i>grayana</i>	{ 1855, 156 1856, 118
<i>ferussaci</i>	1855, 203	<i>glossa</i>	1858, 72
<i>fusiformis</i>	1855, 5	<i>inflata</i>	1858, 454
<i>glutiosa</i>	1855, 204		
<i>gonostigma</i>	1855, 203		
<i>grayana</i>	1855, 204		
<i>glossa</i>	1855, 204		
<i>inflata</i>	1855, 203		

	Page		Page
<i>Lanio aurantius</i>	1856, 119	<i>Lanius lictor</i>	1851, 44
	1856, 303	<i>lineatus</i>	1858, 206
	1857, 229	<i>longicaudatus</i>	1859, 151
	1855, 83	<i>lucionensis</i>	1854, 272
<i>auritus</i>	1855, 156	<i>luctuosus</i>	1858, 211
	1856, 116	<i>ludovicianus</i> ..	1857, 126
<i>cristatus</i>	1856, 115	<i>lunulatus</i> ..	1858, 208
<i>tenunostus</i>	1856, 114	<i>macrocerus</i> ..	1860, 197
	1856, 119	<i>maculatus</i> ..	1858, 208
<i>versicolor</i>	1857, 264	<i>magnirostris</i> ..	1854, 272
<i>viellottii</i>	1856, 115	<i>melanocephalus</i> ..	1854, 278
<i>Lamstina concinna</i> ..	1856, 366	<i>melanotis</i>	1854, 272
<i>nana</i>	1856, 365	<i>meleager</i>	1858, 208
<i>Lanius algeriensis</i>	1850, 217	<i>mexicanus</i> ..	1859, 375
<i>arenarius</i>	1850, 217	<i>mitratus</i> ..	1857, 75
	1857, 77	<i>musicus</i>	1854, 282
<i>atricapillus</i>	1858, 215	<i>nævius</i> ..	1858, 213
<i>aurantius</i>	1856, 118	<i>niger</i>	1857, 72
	212	<i>notodelos</i>	1858, 246
<i>cæsius</i>	1858, 223	<i>nubicus</i>	1850, 217
<i>canadensis</i>	1858, 215	<i>palliatu</i>	1858, 219
	1858, 488	<i>personatus</i> ..	1850, 217
<i>caniceps</i>	1859, 180	<i>phœnicurus</i>	1854, 272
	1857, 69		1860, 108
<i>cayanus</i>	1848, 37	<i>pictatus</i>	1856, 79
<i>collurio</i>	1850, 217	<i>pileatus</i>	1858, 215
	1850, 80	<i>pœcilurus</i> ..	1858, 215
<i>coronatus</i>	1859, 446	<i>punctatus</i> ..	1858, 213
	1854, 272	<i>rubiginosus</i> ..	1858, 217
<i>cristatus</i>	1854, 272	<i>rutilus</i> ..	1854, 272
<i>cucullatus</i>	1860, 353	<i>scalaris</i>	1858, 220
<i>doliatus</i>	1858, 217	<i>scapulatus</i> ...	1850, 79
<i>domicella</i>	1858, 246		1859, 446
<i>erythronotus</i>	1857, 92	<i>septentrionalis</i>	1849, 64
<i>erythropterus</i>	1850, 217	<i>severus</i>	1858, 208
	1850, 217	<i>stagurus</i>	1858, 209
<i>excubitor</i>	1854, 46	<i>striatus</i>	1859, 164
	1857, 219	<i>strigatus</i>	1854, 272
	1857, 126		1854, 272
<i>excubitoroides</i> ...	1859, 375	<i>superciliaris</i> ..	1858, 488
	1854, 272		1858, 489
<i>ferox</i>	1854, 272	<i>tephronotus</i>	1854, 272
<i>ferrugiceps</i>	1854, 272	<i>tigrinus</i> ..	1857, 72
	66	<i>validus</i> ..	1858, 207
<i>funebis</i>	1858, 207	<i>variolosus</i>	1858, 220
	258	<i>vestitus</i>	1854, 272
<i>gularis</i>	1854, 272	<i>virgatus</i>	1854, 41
<i>guttulatus</i>	1858, 221	<i>Larina stangei</i> ..	1851, 142
	1854, 40		1857, 13
<i>hardwickii</i>	1858, 488	<i>Larus arge itatus</i>	1859, 467
	1859, 150		1860, 183
<i>hypoleucus</i>	1857, 71		1860, 371
<i>inquisitor</i>	1859, 445	<i>belcheri</i>	1859, 237
<i>insidiator</i>	1850, 217		1858, 509
<i>isabellinus</i> ..	1854, 278	<i>brunneicephalus</i> ..	1859, 190
<i>jocosus</i>	1858, 489		1857, 13
<i>keroula</i> ..	1850, 217	<i>canus</i>	1860, 258
	1857, 91	<i>dominicanus</i>	1859, 97
<i>lahtora</i>	1858, 488		
	1850, 79		
<i>leverianus</i>	1856, 79		

	Page		Page
<i>Larus dominicanus</i>	1860, 300	<i>Leda conradi</i>	1860, 440
<i>fuscus</i>	1860, 258	<i>costellata</i>	1856, 48
<i>glaucotes</i>	1860, 391	<i>cremifera</i>	1856, 48
<i>glaucus</i>	1860, 417	<i>decora</i>	1856, 50
<i>hematorhynchus</i>	1860, 391	<i>electa</i>	1856, 48
<i>heermanni</i>	1859, 237	<i>fastidiosa</i>	1856, 49
<i>jamesoni</i>	1859, 166	<i>fulgida</i>	1856, 50
<i>maculipennis</i>	1860, 391	<i>hindsii</i>	1860, 440
<i>marinus</i>	{ 1857, 13	<i>inconspicua</i>	1856, 49
<i>novæ-hollandiæ</i>	{ 1860, 191	<i>inornata</i>	1856, 48
<i>ridibundus</i>	{ 1857, 13	<i>lepida</i>	1856, 49
<i>roseiventris</i>	{ 1858, 509	<i>lugubris</i>	1856, 49
<i>rossii</i>	1860, 391	<i>metcalffi</i>	1860, 370
<i>sabini</i>	1860, 108	<i>pluifera</i>	1856, 50
<i>scopulinus</i>	1859, 166	<i>semisulcata</i>	1856, 50
<i>scoresbii</i>	1860, 391	<i>siligua</i>	1856, 48
<i>tridactylus</i>	1851, 146	<i>taylori</i>	1860, 370
<i>Larva aquatica</i>	1852, 19	<i>Legatus albicollis</i>	{ 1859, 46
<i>Larivora cyanea</i>	1859, 183	<i>variegatus</i>	{ 1860, 68
<i>Lasiocampa strigina</i>	1849, 37	<i>Leggada booduga</i>	1850, 157
<i>Lasiurus aga</i>	1857, 43	<i>Leguocinclus mexicanus</i>	1856, 213
<i>caudatus</i>	1857, 42	<i>Leiorhates boscu</i>	1857, 290
<i>grayi</i>	1837, 40	<i>glaberrima</i>	1857, 290
<i>noveboracensis</i>	{ 1857, 34	<i>Leiostraca distorta</i>	1860, 438
<i>pearsoni</i>	{ 1856, 395	<i>Leiostyla anglica</i>	1854, 208
<i>pruinosis</i>	{ 1857, 37	<i>cheilogona</i>	1854, 208
<i>rufus</i>	{ 1857, 35	<i>irrigula</i>	1854, 208
<i>Lathrosoma typicum</i>	1857, 276	<i>lavigata</i>	1854, 210
<i>Latia neritoides</i>	1849, 168	<i>laurinea</i>	1854, 209
<i>Latiaxis fortuni</i>	1853, 99	<i>macilenta</i>	1854, 210
<i>nodosus</i>	1853, 98	<i>recta</i>	1854, 210
<i>rhodostoma</i>	1854, 138	<i>sphinctostoma</i>	1854, 209
<i>Latirus armatus</i>	1854, 314	<i>vincta</i>	1854, 208
<i>contemptus</i>	1854, 315	<i>Leiothrix cinerea</i>	1854, 142
<i>decoratus</i>	1854, 316	<i>Leistes guianensis</i>	{ 1857, 19
<i>despectus</i>	1854, 315	<i>Leiupeus viridis</i>	{ 205, 174
<i>distinctus</i>	1854, 314	<i>Leiurus ornatus</i>	1858, 157
<i>elegans</i>	1854, 315	<i>Lembus maculatus</i>	{ 1859, 418
<i>flavidus</i>	1854, 314	<i>Lemidius corallipennis</i>	{ 1860, 234
<i>marquesanus</i>	1854, 315	<i>festivus</i>	{ 1860, 236
<i>neglectus</i>	1854, 314	<i>Lemiscia michaudii</i>	1852, 47
<i>newcombii</i>	1854, 314	<i>Lemur albifrons</i>	1854, 170
<i>strangei</i>	1854, 316	<i>albimanus</i>	1860, 422
<i>Latris hecateia</i>	1850, 67	<i>hybridus</i>	1860, 422
<i>Latyris tumens</i>	1856, 166	<i>nigrifrons</i>	1860, 422
<i>Laughing-Hawk, The</i>	1851, 56	<i>rufifrons</i>	1849, 17
<i>Lebias dispar</i>	1859, 474	<i>Leodia richardsonii</i>	1851, 36
<i>Lebiasina bimaculata</i>	{ 1859, 418	<i>Leoneopenna blainvillii</i>	1858, 372
<i>brooki</i>	{ 1860, 234	<i>Leopardus bengalensis</i>	1858, 514
<i>concinna</i>	{ 1860, 240	<i>concolor</i>	1859, 51
<i>Leda bellula</i>	1856, 49	<i>hernandesii</i>	1857, 278
<i>brookii</i>	1860, 440	<i>horsfieldi</i>	1858, 514
<i>concinna</i>	1856, 48	<i>onca</i>	1859, 51
		<i>pardalis</i>	1850, 51

	Page		Page
<i>Leopardus torquatus</i> ..	1858, 514	<i>Leptopoma conula</i>	1854, 127
<i>uncia</i>	{ 1856, 395	<i>duplicatum</i>	1856, 338
<i>varius</i>	{ 1858, 514	<i>flammeum</i>	1854, 127
<i>viverrinus</i>	{ 1850, 150	<i>hanleyanum</i>	1856, 384
<i>Lepas rostrata</i> . . .	1853, 86	<i>minutissimum</i> . . .	1854, 305
<i>simplex</i>	1853, 86	<i>pœcilum</i>	1854, 302
<i>Lepidœnas speciosa</i> .	{ 1856, 309	<i>sechellarum</i>	1854, 302
	{ 1859, 61	<i>signatum</i>	1856, 338
	{ 1856, 342	<i>subconicum</i>	1859, 27
<i>Lepidosiren annectens</i> .	{ 1858, 535	<i>wallacei</i>	1857, 112
	{ 1859, 436		{ 1857, 214
<i>paradoxa</i>	1856, 344	<i>Leptoptila albifrons</i> .	{ 1858, 99
<i>Lepidurus glacialis</i> . .	1852, 6		{ 1859, 368
<i>productus</i>	1852, 6		{ 1859, 391
<i>viridis</i>	{ 1850, 254		{ 1860, 289
	{ 1852, 6	<i>dubusi</i>	{ 1858, 76
<i>Lepomis frederici</i> . .	1859, 418	<i>jamaicensis</i>	1858, 99
<i>mulleri</i>	1859, 92	<i>rufaxilla</i>	{ 1856, 309
<i>Leptachatina dimidiata</i> .	1855, 205		{ 1858, 99
<i>margarita</i>	1855, 206		{ 1856, 103
<i>oryza</i>	1855, 206	<i>verreauxii</i>	{ 1859, 147
<i>semicostata</i>	1855, 206		{ 1860, 289
<i>teres</i>	1855, 206	<i>Leptoptilus crumenife-</i>	
<i>Leptasthenura platensis</i> .	1859, 197	<i>rus</i>	1860, 417
<i>Leptaxis erubescens</i> . .	1854, 165	<i>Leptorhynchus gutta-</i>	{ 1855, 90
<i>fluvva</i>	1854, 165	<i>tus</i>	{ 1858, 243
<i>membranacea</i> . . .	1854, 165	<i>leuchtenbergi</i> . . .	1850, 252
<i>Lepterosdas ibis</i> . . .	1850, 221	<i>striolatus</i>	{ 1859, 90
<i>Leptocephalus candidis-</i>			{ 1858, 242
<i>simus</i>	1840, 83	<i>Leptoxyna obsoleta</i> .	1859, 197
<i>morissii</i>	1840, 83	<i>semicinerea</i>	1859, 197
<i>Leptocoma hasselti</i> . .	1859, 462	<i>Lepus</i> ——— ?	1850, 353
	{ 1859, 89	<i>brasiliensis</i>	1860, 264
<i>Leptodeira annulata</i> . .	{ 1860, 457		{ 1850, 157
<i>discolor</i>	1860, 317	<i>cuniculus</i>	{ 1860, 372
<i>hippocrepis</i>	1858, 161		{ 1860, 416
<i>rufescens</i>	1858, 161	<i>hibernicus</i>	1860, 372
<i>Leptodera elongata</i> . .	1858, 225	<i>hispidus</i>	1856, 402
<i>flexilis</i>	1858, 225		{ 1850, 157
	{ 80	<i>macrotus</i>	{ 1856, 401
<i>Leptognathus catesbyi</i> .	1859, { 414		{ 1858, 520
<i>indicus</i>	1858, 381	<i>nigricollis</i>	{ 1850, 157
<i>milani</i>	1859, 414		{ 1858, 520
<i>Leptophis chenouii</i> . .	1858, 161	<i>nigripes</i>	1857, 160
<i>gracilis</i>	1858, { 158	<i>oiostolus</i>	1858, 520
<i>kirtlandi</i>	1858, 159	<i>pallipes</i>	1856, 401
<i>mexicana</i>	1860, 458	<i>ruficaudatus</i>	1856, 402
	{ 158	<i>taloi</i>	1856, 401
<i>smaragdina</i>	1858, { 161	<i>timidus</i>	1860, { 183
<i>viridis</i>	1858, 160		{ 372
<i>Leptopogon amauroce-</i>		<i>Lerva nivicola</i>	{ 1858, 501
<i>phalus</i>	1859, 384		{ 1859, 186
<i>superciliaris</i>	{ 1858, 71		{ 1855, 140
	{ 1860, 69		{ 1858, 450
<i>Leptopoma barbatum</i> . .	1855, 104	<i>Lesbia amaryllis</i> . . .	{ 1858, 460
			{ 1858, 555
			{ 1860, 81

	Page		Page
<i>Lesbia amaryllis</i>	1860, 94	<i>Limax cinereus</i>	1858, 225
<i>cyanura</i>	1855, 140	<i>flavus</i>	1854, 162
<i>gorgo</i>	1860, 95	<i>gagates</i>	1854, 162
<i>gouldi</i>	1855, 140	<i>maculata</i>	1854, 162
	1855, 140	<i>maximus</i>	1854, 162
<i>gracilis</i>	1858, 450	<i>pardalis</i>	1854, 162
	1858, 460	<i>punctata</i>	1854, 162
	1860, 63	<i>variegatus</i>	1854, 162
	1860, 70	<i>virescens</i>	1854, 162
	1860, 94	<i>Limemtus aceris</i>	1858, 9
<i>Lestris antarctica</i>	1860, 990	<i>columella</i>	1858, 7
<i>cataractes</i>	1851, 146	<i>eurynome</i>	1858, 10
	1860, 390	<i>heliodore</i>	1858, 4
<i>cepphus</i>	1860, 322	<i>hordonia</i>	1858, 4
<i>Leucernana auricula</i> ..	1859, 477	<i>illigera</i>	1858, 19
<i>Leuciscus alburnus</i> ..	1859, 477	<i>inara</i>	1858, 13
<i>apollonitis</i>	1856, 376	<i>larymna</i>	1858, 12
<i>baldneri</i>	1856, 376	<i>nette</i>	1858, 13
<i>cephalus</i>	1859, 435	<i>sankara</i>	1858, 18
<i>cil</i>	1856, 375	<i>selenophora</i>	1858, 14
<i>erythrophthalmus</i> ..	1856, 374	<i>vikasi</i>	1858, 7
<i>lancasteriensis</i>	1856, 376	<i>zaida</i>	1858, 6
	1856, 435	<i>Lamnadia</i> —	1849, 87
<i>rutulus</i>	1859, 477	<i>antillarum</i>	1852, 30
<i>Leucocerca albofrontata</i> ..	1858, 495		85
<i>fuscoventris</i>	1858, 495	<i>hermanni</i>	1849, 86
<i>javanica</i>	1859, 151		88
<i>Leuconerpes albolarvatus</i> ..	1858, 3		85
<i>Leuconia alba</i>	1854, 36	<i>mauritiana</i>	1849, 87
<i>auricella</i>	1854, 37		86
<i>bivona</i>	1854, 36	<i>tetracera</i>	1849, 90
<i>michei</i>	1854, 36	<i>Limnea luteola</i>	1856, 186
<i>microstoma</i>	1854, 36	<i>nuttalliana</i>	1856, 220
<i>sayi</i>	1854, 36	<i>peregra</i>	1856, 186
<i>Leucopygia ruficollis</i> ..	1856, 112	<i>pinguis</i>	1858, 134
<i>Leucozonia angulata</i> ..	1856, 43	<i>stagnalis</i>	1856, 186
	1857, 167	<i>tagrina</i>	1858, 134
<i>Lewisia agassiziana</i>	1857, 168	<i>tuncatula</i>	1856, 186
	1857, 169	<i>Limnaetus horsfieldii</i> ..	1854, 259
<i>macandrewiana</i>	1857, 168	<i>Limnaeus minutus</i>	1854, 218
	1857, 170	<i>trunculatus</i>	1854, 218
<i>philippiana</i>	1857, 167	<i>Limnodynastos dorsalis</i> ..	1858, 345
	1857, 168	<i>Limnornis canifrons</i>	1855, 143
<i>woodwardiana</i>	1857, 169	<i>unibrunnea</i>	1858, 550
	1857, 168	<i>unirufa</i>	1856, 143
<i>Liarea egea</i>	1854, 304	<i>Limosa aegecephala</i>	1858, 500
<i>Lichenella brentii</i> ..	1858, 822	<i>fedoa</i>	1850, 64
<i>Lichia vadigo</i>	1850, 248		1850, 96
<i>Lima acuminata</i>	1850, 186	<i>hudsonica</i>	1800, 387
<i>auricularia</i>	1856, 186		258
<i>hookeri</i>	1856, 186	<i>lapponica</i>	1800, 364
<i>tetrica</i>	1856, 203		1851, 146
<i>Limax agrestis</i>	1854, 162		1860, 416
<i>antiquorum</i>	1854, 162	<i>melanura</i>	1848, 38
<i>ater</i>	1854, 162	<i>uropygialis</i>	1848, 38
<i>bisentaculatus</i>	1853, 111	<i>Lindsleya albersiana</i> ..	1857, 169
<i>cinereus</i>	1854, 162		190
		<i>aldemana</i>	1857, 169
			194

	Page		Page
<i>Landsleya arthuriana</i> ... 1857,	169	<i>Linota montium</i> { 1855,	217
	195		1858, 483
<i>boissieriana</i> 1857,	169		1859, 184
<i>bridgesiana</i> 1857,	192	<i>Linsang pardicolor</i>	1856, 306
	169	<i>Liocephalus imdescens</i> ..	1859, 409
<i>denisoniana</i> 1857,	185	<i>ornatus</i>	1859, 89
	169		408
<i>fischeriana</i> 1857,	189	<i>Liophis cobella</i>	1859, 412
	169	<i>tæniurus</i>	1859, 89
<i>gaskoiniana</i> 1857,	190		412
	169	<i>Liotia affinis</i>	1850, 50
<i>gutierreziana</i> 1857,	192	<i>coronata</i>	1850, 51
	169	<i>duplicata</i>	1850, 51
<i>henryana</i> 1857,	196	<i>nodulosa</i>	1850, 51
	169	<i>peronii</i>	1850, 50
<i>jayana</i> 1857,	194	<i>pulcherrima</i>	1850, 50
	169	<i>scalarioides</i>	1850, 50
<i>leana</i> 1857,	189	<i>varicosa</i>	1850, 50
	169	<i>Lipaugus fuscocornereus</i> { 1855,	153
<i>lindsleyana</i> 1857,	189		1858, 71
	169	<i>holerythrus</i>	1860, 300
<i>loweana</i> 1857,	188	<i>hypopyrrhus</i>	1857, 276
	169	<i>rufescens</i>	1857, 276
<i>luksiana</i> 1857,	200	<i>unirufus</i>	1859, 385
	169	<i>Lissotriton palmatus</i> ..	1858, 139
<i>morcandiana</i> 1857,	200		140
	169	<i>palmipes</i>	1858, 141
<i>newcombiana</i> 1857,	191	<i>punctatus</i>	1858, 224
	169	<i>Lithodes antarctica</i> ...	1850, 133
<i>oweniana</i> 1857,	193	<i>arctica</i>	1856, 133
	169	<i>breviceps</i>	1850, 134
<i>pickeringiana</i> 1857,	196	<i>brevipex</i>	1848, 48
	169	<i>camschatica</i>	1856, 133
<i>poeyana</i> 1857,	188	<i>granulosa</i>	1856, 134
	169	<i>hystrix</i>	1856, 133
<i>polyblankiana</i> 1857,	193	<i>maia</i>	1856, 132
	169		133
<i>redfieldiana</i> 1857,	190	<i>(Echidnocerus) ci-</i>	
	169	<i>barius</i>	1856, 132
<i>reeveana</i> 1857,	189	<i>(Petalocerus) belli-</i>	
	169	<i>anus</i>	1856, 134
<i>russeana</i> 1857,	191	<i>Lithodomus falcatus</i> ...	1856, 202
	169	<i>gruneri</i>	1856, 202
<i>salleana</i> 1857,	193	<i>Lithoglyphus zonatus</i> ..	1859, 349
	169	<i>Lithophagus falcatus</i> ..	1856, 202
<i>shuttleworthiana</i> .. 1857,	195	<i>Litiopa divisa</i>	1855, 234
	169	<i>saxicola</i>	1855, 234
<i>wollastoniana</i> 1857,	191	<i>Littorina albicans</i>	1851, 73
	169	<i>litorea</i>	1853, 43
<i>Lineus beattiei</i> 1857,	197	<i>melanostoma</i>	1851, 73
<i>longissimus</i> 1858,	210	<i>ngerrima</i>	1854, 41
	307	<i>planaxis</i>	1856, 226
	{ 1855,	<i>quadrifasciata</i> . .	1856, 20
<i>Linota brevirostris</i>	216	<i>scabia</i>	1851, 73
	{ 1858,	<i>tenebiata</i>	1856, 226
	1859, 178	<i>Livona pica</i>	1856, 204
	1859, 184	<i>Lama vicuna</i>	1860, 371
<i>cannabina</i> 1855,	217		
<i>fringillirostris</i> 1855,	217		

	Page		Page
<i>Lobiger cuningii</i>	1854, 94	<i>Lorius cucullatus</i>	1860, 356
<i>pellucidus</i>	1854, 94	<i>cyanauchen</i>	1859, 158
<i>philippu</i>	1854, 94	}	1860, 227
<i>Lobivanellus albicapillus</i>	1850, 221	<i>domicella</i>	1859, 433
}	1858, 505	}	1860, 356
<i>goensis</i>	1859, 150		225
}	1859, 151	<i>garrulus</i>	1860, 226
}	1859, 188	}	227
<i>lobatus</i>	1857, 28	}	343
<i>Lobophora aurita</i>	1851, 35	}	356
<i>bifissa</i>	1851, 35	<i>isidori</i>	1860, 356
<i>Loedorus goiavier</i>	1854, 278	<i>superbus</i>	1859, 158
<i>Loemodon leucocephalus</i>	1860, 197	}	1849, 146
<i>vieilloti</i>	1860, 197	}	1859, 158
<i>Loepa katinka</i>	1859, 260	<i>tricolor</i>	1860, 226
<i>thibeta</i>	1859, 260	}	1860, 227
<i>Lomanotus portlandicus</i>	1859, 67	}	1860, 350
<i>Lomelia epimethea</i>	1849, 36	<i>unicolor</i>	1849, 145
<i>Lomis dentata</i>	1856, 134	<i>Lottia pallida</i>	1856, 222
<i>hirta</i>	1856, 134	<i>puntadina</i>	1856, 221
<i>Lophastur jerdoni</i>	1860, 342	<i>punctata</i>	1856, 222
<i>Lophinus palmatus</i>	1858, 139	<i>scabra</i>	1856, 222
	140	<i>Loxia atricapilla</i>	1859, 444
<i>Lophiodon</i>	1849, 150	<i>bonariensis</i>	1856, 235
	158	<i>canadensis</i>	1856, 65
<i>Lophocercus krohnii</i>	1854, 94	<i>capsicum</i>	1856, 77
<i>sieboldi</i>	1854, 94	<i>erythromelas</i>	1856, 65
<i>Lophocitta ardesiaca</i>	1850, 446	<i>frontalis</i>	1856, 218
<i>galericulata</i>	1850, 79	<i>fuliginosa</i>	1856, 64
}	1859, 446	<i>grossa</i>	1856, 63
<i>histrionica</i>	1850, 79	<i>gularis</i>	1856, 74
}	1859, 446	<i>javensis</i>	1859, 443
<i>Lophodytes cucullatus</i>	1859, 369	<i>leucocephala</i>	1859, 444
<i>Lophophanes galeatus</i>	1858, 299	<i>maja</i>	1859, 444
<i>wollweberi</i>	1858, 299	<i>malacca</i>	1859, 444
	1859, 373	<i>melaleuca</i>	1859, 163
	1848, 112	<i>mexicana</i>	1859, 365
<i>Lophophorus impeya-</i>	1858, 500	<i>molucca</i>	1859, 444
<i>nus</i>	1858, 545	}	1860, 355
	1859, 185	<i>oryzivora</i>	1859, 443
	1859, 205	<i>prasina</i>	1858, 461
<i>Lophorina respublica</i>	1857, 6	<i>punctularia</i>	1859, 443
<i>Lophornis delattni</i>	1857, 17	<i>virens</i>	1856, 233
<i>helenæ</i>	1856, 288	<i>virginica</i>	1856, 123
<i>regina</i>	1858, 460	<i>Loxigilla violacea</i>	1857, 231
<i>Lophospiza cruenta</i>	1860, 276	<i>Lucapina crenulata</i>	1856, 223
<i>pilenta</i>	1855, 100	<i>Lucidella inequalis</i>	1859, 28
<i>Loricaria pleistoma</i>	1856, 345	<i>nana</i>	1857, 111
<i>Lomulus galgulus</i>	1850, 454	<i>Lucilla cellaria</i>	1854, 177
<i>stigmatus</i>	1860, 225	<i>scintilla</i>	1854, 177
	226	<i>Lucina artemidis</i>	1856, 201
<i>Loris gracilis</i>	1850, 156	<i>bella</i>	1856, 218
<i>tardigradus</i>	1850, 156	<i>californica</i>	1856, 218
<i>Lorius ambomensis</i>	1849, 142	<i>childreni</i>	1858, 61
<i>borneus</i>	1860, 357	<i>lactea</i>	1855, 225
<i>cardinalis</i>	1849, 143	<i>nuttalli</i>	1856, 218
<i>chlorocercus</i>	1856, 137	<i>orbella</i>	1856, 202
	1860, 228		218

	Page		Page
<i>Lucina pecten</i>	1856, 218	<i>Lyria costata</i>	1855, 61
(<i>Codakia</i>) <i>munda</i> ..	1855, 225	<i>delessertiana</i> .. .	1855, 61
(<i>Cryptodon</i>) <i>plicifera</i> .. .	1855, 225	<i>festiva</i> .. .	1855, 61
(<i>Myrtea</i>) <i>layardi</i> ..	1855, 225	<i>lyraeformis</i> .. .	1855, 60
(—) <i>strangei</i> ..	1855, 225	<i>lyrata</i> .. .	1855, 61
<i>Lucinopsis undata</i>	1855, 231	<i>mitraeformis</i>	1855, 60
<i>Lupus laniger</i>	1856, 397	<i>nucleus</i> .. .	1855, 61
<i>Lusciola aurorea</i>	1854, 28	(<i>Enaeta</i>) <i>cumingi</i> ..	1855, 62
<i>Lutra aurobrunnea</i>	1855, 126	(—) <i>cylleniformis</i> ..	1855, 61
<i>chinensis</i>	1856, 399	(—) <i>guldmgii</i> ..	1855, 62
<i>indigitata</i>	1855, 126	(—) <i>harpa</i> .. .	1855, 61
<i>monticola</i>	1855, 126	<i>Maboua brevirostris</i> ..	1860, 316
<i>nair</i>	1850, 156	<i>Mabouya agilis</i>	1848, { 59 62
<i>sinensis</i>	1855, 126	<i>sloanei</i> .. .	1848, 62
<i>vulgaris</i> .. .	1859, 434	<i>Macabra squamulata</i> ..	1856, 285
<i>Lutreria arcuata</i>	1854, 70	<i>Macacus arctoides</i>	1860, 420
<i>australis</i>	1854, 70	<i>cynomolgus</i>	{ 1859, 434 1860, 183 1860, 372 1860, 422
<i>curta</i>	1854, 71	<i>erythraeus</i>	1860, 416
<i>dissumilis</i>	1854, 72	<i>fusco-ater</i>	1860, 420
<i>impar</i>	1854, 70	<i>maurus</i>	1860, { 416 420
<i>intermedia</i> .. .	1854, 71	<i>nemestrinus</i> .. .	1860, 422
<i>philippinarum</i>	1854, 71	<i>ocreatus</i>	1860, 420
<i>sieboldia</i>	1854, 71	<i>pileatus</i>	{ 1859, 434 1860, 422 1860, 442
<i>undulata</i>	1856, 200	<i>radiatus</i>	1860, { 188 242 422
<i>ventricosa</i>	1856, 200	<i>rhesus</i>	{ 1856, 394 1858, 512 1850, 434 1859, 436 1860, 242 1860, 416 1860, 422 1860, 442
<i>Lutremys europaea</i> ..	1855, 197	<i>si'enus</i> .. .	1860, { 416 422
<i>Lycaon pictus</i> .. .	{ 1855, 189 1860, 180	<i>sinicus</i> .. .	1859, 10
<i>Lycocorax pyrrhopterus</i> ..	1860, 355	<i>speciosus</i> .. .	1860, 420
<i>Lycodon auleus</i> .. .	{ 1858, 382 1860, 164 1860, 168 1860, 170	<i>Macandrewia azorica</i> ..	1859, 438
<i>geometricus</i> .. .	1858, 159	<i>Macgillivrayia straminea</i> ..	1853, 97
<i>horstockii</i> .. .	1858, 159	<i>Machæra lucida</i> .. .	1853, 211
<i>unicolor</i> .. .	1858, 159	<i>Machærrhynchus flavi-</i>	
<i>Lycophudion horstockii</i> ..	1858, 159	<i>venter</i> .. .	1850, 277
<i>laterale</i> .. .	1858, 159	<i>xanthogenys</i>	1858, 176
<i>Lymnaea catascopium</i> ..	1850, 49	<i>Machetes pugnax</i> ...	{ 1850, 221 1860, 415 1860, 416
<i>desidiosa</i>	1850, 49	<i>Macoma brugneri</i> .. .	1860, 369
<i>elodes</i> .. .	1850, 49	<i>Macrochelys temminckii</i> ..	1855, 200
<i>hookeri</i> .. .	1850, 49	<i>Macrochisma angustata</i> ..	1850, 203
<i>palustris</i>	1850, 49		
<i>peregra</i> .. .	1850, 49		
<i>stagnalis</i> .. .	1850, 49		
<i>truncatula</i>	1850, 49		
<i>Lymneus minutus</i> .. .	1854, 218		
<i>Lymnodytes albilabris</i> ..	1858, 165		
<i>Lyncornis temminckii</i> ..	1854, 266		
<i>Lynx chaus</i>	1856, 396		
<i>Lyonsia californica</i> ..	1856, { 199 211		
<i>cuneata</i>	1855, 229		
<i>diaphana</i> .. .	1855, 228		
<i>nitida</i>	1856, { 199 211		
<i>Lypornis ruficapilla</i>	1853, 124		

	Page		Page
<i>Macrochisma compressa</i>	1850, 202	<i>Mactra eximia</i>	1853, 16
<i>cuspidata</i>	1850, 202	<i>exoleta</i>	1856, 200
<i>dilatata</i>	1850, 202	<i>explanata</i>	1854, 66
<i>hiatula</i>	1850, 202	<i>goniata</i>	1854, 70
<i>maxima</i>	1850, 202	<i>hepatica</i>	1854, 63
<i>megatrema</i>	1850, 202	<i>liantina</i>	1854, 62
<i>producta</i>	1850, 202	<i>inaequalis</i>	1854, 64
<i>sinensis</i>	1855, 122	<i>incongrua</i>	1854, 64
<i>Macrodon tareira</i>	1850, 418	<i>intuspecta</i>	1854, 64
.	1860, 233	<i>luzonica</i>	1854, 64
<i>Macronus pilosus</i>	1854, 275	<i>mariae</i>	1856, 53
<i>Macropteryx mystaceus</i>	1858, 170	<i>mendica</i>	1856, 200
.	1860, 345	<i>mera</i>	1853, 16
<i>Macropus bennettii</i>	1852, 106	<i>meretriciformis</i>	1853, 16
.	1859, 433	<i>murchisoni</i>	1854, 64
<i>fuliginosus</i>	1860, 323	<i>obesa</i>	1853, 16
<i>giganteus</i>	1860, 323	<i>opposita</i>	1854, 65
.	1840, 90	<i>pellucida</i>	1854, 68
<i>major</i>	1852, 104	<i>planulata</i>	1856, 214
.	1860, 181	<i>phcatilis</i>	1854, 69
<i>penicillatus</i>	1852, 105	<i>pura</i>	1853, 15
<i>rufus</i>	1860, 372	<i>pusilla</i>	1855, 226
(<i>Osphranter</i>) <i>pictus</i>	1860, 373	<i>quadrangularis</i>	1853, 15
<i>Macropygia albicapilla</i>	1860, 361	<i>radiolata</i>	1854, 65
<i>ambonensis</i>	1860, 361	<i>reevei</i>	1853, 15
<i>doraya</i>	1859, 159	<i>rostralis</i>	1854, 69
<i>leptogrammica</i>	1860, 361	<i>scalpellum</i>	1854, 65
<i>phasianella</i>	1858, 187	<i>sericea</i>	1854, 65
<i>reinwardtii</i>	1860, 361	<i>sihcula</i>	1854, 69
(<i>Reinwardtæna</i>)		<i>sublanceolata</i>	1854, 66
<i>reinwardtii</i>	1860, 361	<i>sulcataria</i>	1853, 15
<i>Macrorhamphus griseus</i>	1859, 237	<i>symmetrica</i>	1853, 17
<i>Macrosoma elegans</i>	1858, 160	<i>transversa</i>	1854, 66
<i>Macrotrastus bitorquatus</i>	1850, 220	<i>tristis</i>	1854, 69
<i>Macrotrastus subnotatus</i>	1852, 37	<i>undulata</i>	1856, 200
<i>uniformis</i>	1852, 37	<i>veneriformis</i>	1853, 15
<i>Mactra æquilateralis</i>	1853, 17	<i>virgo</i>	1854, 66
<i>alta</i>	1854, 347	(<i>Mactrella</i>) <i>laciniata</i>	1856, 161
<i>angulifera</i>	1854, 70	<i>Macularia chrysomela</i>	1854, 167
<i>angusta</i>	1854, 67	<i>fluctuosa</i>	1854, 167
<i>aphrodina</i>	1854, 62	<i>Madrepora cochlea</i>	1849, 77
<i>attenuata</i>	1854, 62	<i>Maina canschatica</i>	1856, 133
<i>bilineata</i>	1854, 67	<i>vittata</i>	1855, 131
<i>bullata</i>	1854, 67	<i>Maina cristatellodes</i>	1859, 445
<i>californica</i>	1854, 68	<i>Malacocercus canorus</i>	1857, 92
.	1856, 214	1855, 50
<i>capillacea</i>	1854, 69	<i>caudatus</i>	1857, 92
<i>carinulata</i>	1854, 67	1858, 486
<i>complanata</i>	1853, 14	<i>lineatus</i>	1850, 182
<i>contraria</i>	1854, 62	<i>malcolmi</i>	1858, 486
<i>corbiculoides</i>	1854, 62	1854, 285
<i>corbuloides</i>	1854, 63	<i>Malacocichla dryas</i>	1858, 64
<i>cornea</i>	1853, 16	1850, 324
<i>cuvieri</i>	1853, 17	<i>maculata</i>	1858, 64
<i>decora</i>	1854, 63	<i>mexicana</i>	1857, 203
<i>dissimilis</i>	1854, 63	1858, 64
<i>dolabrata</i>	1854, 66	<i>Malacocinclia abbottii</i>	1854, 76
<i>egena</i>	1854, 68	<i>Malacopteron abbottii</i>	1854, 76

	Page		Page
<i>Malacopteron aureum</i>	1854, 278	<i>Mancinella aculeata</i>	1851, 230
<i>cinereum</i>	1854, 276	<i>armigera</i>	1851, 230
<i>coronatum</i>	1854, 275	<i>bezoar</i>	1851, 230
<i>macrodactylum</i>	1854, 275	<i>castanea</i>	1851, 230
<i>magnum</i>	1854, 275	<i>hystrix</i>	1851, 230
<i>squamatum</i>	1854, 276	<i>mutabilis</i>	1851, 230
<i>Malacoptila aspersa</i>	1853, 123	<i>Mangelia acuticostata</i>	1850, 162
<i>frontalis</i>	1855, 186	<i>rigida</i> , var. <i>fuscoligata</i>	1856, 163
<i>fulvicularis</i>	1855, 136	<i>Manis africana</i>	1851, 220
<i>fulvogularis</i>	1855, 196	<i>aurea</i>	1851, 220
<i>fulvogularis</i>	1853, 123	<i>crassicaudata</i>	1856, 406
<i>fusca</i>	1854, 110	<i>javanica</i>	1851, 218
<i>fusca</i>	1855, 136	<i>macroura</i>	1859, 133
<i>fusca</i>	1855, 196	<i>macroura</i>	1851, 219
<i>inornata</i>	1858, 60	<i>multiscutata</i>	1851, 220
<i>inornata</i>	1855, 196	<i>multiscutata</i>	1860, 247
<i>mystacalis</i>	1855, 136	<i>multiscutata</i>	1850, 158
<i>mystacalis</i>	1855, 196	<i>pentadactyla</i>	1851, 219
<i>mystacalis</i>	1855, 196	<i>pentadactyla</i>	1856, 406
<i>nigrifusca</i>	1855, 196	<i>temminkii</i>	1851, 219
<i>nigrifusca</i>	1858, 60	<i>tetradactyla</i>	1851, 220
<i>panamensis</i>	1855, 196	<i>tricuspis</i>	1860, 247
<i>rufa</i>	1860, 297	<i>Manouria fusca</i>	1852, 134
<i>rufa</i>	1855, 196	<i>Manucodia atra</i>	1860, 395
<i>substriata</i>	1853, 123	<i>gouldii</i>	1859, 158
<i>substriata</i>	1855, 136	<i>keraudreni</i>	1859, 158
<i>substriata</i>	1855, 196	<i>Maracana weddellii</i>	1858, 76
<i>torquata</i>	1855, 196	<i>Mareca chiloensis</i>	1859, 96
<i>unioiques</i>	1858, 60	<i>chiloensis</i>	1860, 389
<i>Malea ringens</i>	1856, 43	<i>penelope</i>	1851, 146
<i>Malurus amabilis</i>	1850, 277	<i>Margaritina vanderbushiana</i>	1850, 199
<i>coronatus</i>	1857, 221	<i>Margarita acuminata</i>	1851, 190
<i>cyaneus</i>	1859, 221	<i>angulata</i>	1851, 190
<i>elegans</i>	1850, 277	<i>arctica</i>	1851, 189
<i>lamberti</i>	1850, 277	<i>argentea</i>	1851, 190
<i>longicaudus</i>	1854, 81	<i>aspecta</i>	1854, 40
<i>pulcherrimus</i>	1850, 277	<i>balteata</i>	1851, 191
<i>Manacus bogotensis</i>	1855, 151	<i>biangulosa</i>	1854, 40
<i>candei</i>	1856, 299	<i>bicarinata</i>	1851, 190
<i>candei</i>	1859, 56	<i>cerulescens</i>	1851, 191
<i>candei</i>	1859, 385	<i>calostoma</i>	1851, 190
<i>edwardsii</i>	1855, 151	<i>cauinata</i>	1851, 190
<i>flaveolus</i>	1855, 151	<i>carnea</i>	1851, 189
<i>gutturatus</i>	1855, 151	<i>cinerea</i>	1851, 190
<i>Manatus americanus</i>	1857, 29	<i>costellata</i>	1851, 190
<i>americanus</i>	1857, 59	<i>cumingii</i>	1851, 191
<i>americanus</i>	1857, 29	<i>dilecta</i>	1854, 40
<i>australis</i>	1857, 33	<i>expansa</i>	1851, 191
<i>australis</i>	1857, 59	<i>glauca</i>	1851, 189
<i>latirostris</i>	1857, 59	<i>greenlandica</i>	1851, 189
<i>nasutus</i>	1857, 29	<i>helicina</i>	1851, 189
<i>nasutus</i>	1857, 29	<i>heliconides</i>	1851, 189
<i>senegalensis</i>	1857, 33	<i>lineata</i>	1851, 192
<i>senegalensis</i>	1857, 59	<i>margarita</i>	1851, 189
<i>senegalensis</i>	1857, 30	<i>marmorea</i>	1860, 435
<i>vogeli</i>	1857, 33		

	Page		Page
<i>Margarita nitiligneus</i> ..	1851, 190	<i>Mastophora lamourouxii</i>	1858, 322
<i>obscura</i>	1851, 189	<i>Mastula lamellosa</i>	1854, 214
<i>sigaretina</i>	1851, 191	<i>Maticora lineata</i>	1850, 82
<i>solariformis</i>	1851, 190	<i>Mazama americana</i>	1850, 136
<i>striata</i>	1851, 189	<i>campestris</i>	1850, 237
<i>sulcata</i>	1851, 190	<i>doisata</i>	1850, 137
<i>taeniata</i>	1851, 191	<i>furcata</i>	1850, 237
<i>tessellata</i>	1851, 191	<i>sericea</i>	1850, 137
<i>umbilicalis</i>	1851, 189	<i>Mecistops bennettii</i> ..	{ 1857, 57
<i>undulata</i>	1851, 185	<i>cataphractus</i>	1858, 167
<i>vahlhi</i>	1851, 189	<i>journei</i>	1857, 57
<i>variabilis</i>	1851, 191	<i>leptorhynchus</i>	1857, 57
<i>violacea</i>	1851, 192	<i>Medusa æquorea</i>	1851, 272
<i>vulgaris</i>	1851, 189	<i>aurita</i>	1851, 274
<i>Margarops densirostris</i> ..	1859, 336	<i>patina</i>	1851, 274
<i>fuscatus</i>	1859, 336	<i>pelagica</i>	1851, 274
<i>montanus</i>	1859, 336	<i>Megacephala æquino-</i>	
<i>Margarornis brunnes-</i>	{ 1856, 27	<i>tialis</i> ..	1851, 200
<i>cens</i>	{ 1860, 88	<i>austalasie</i>	1851, 199
<i>perlata</i>	1855, 142	<i>euphratica</i> ..	1851, 199
	{ 1855, 142	<i>quadrisingnata</i>	1851, 199
	{ 1858, 553	<i>senegalensis</i>	1851, 190
<i>squamigera</i>	{ 1860, 63	<i>sepulchralis</i>	1851, 200
	{ 1860, 66	<i>tostudinea</i>	1851, 200
	{ 1860, 88	<i>Megaderma lyra</i>	1856, 394
<i>Marginella angustoma</i> ..	1849, 19	<i>schistacea</i>	1856, 394
<i>contaminata</i>	1849, 20	<i>Megara trigonocephala</i> ..	1858, 383
<i>cornea</i>	1849, 20	<i>Megalema barbatula</i> ..	1859, 399
<i>faba</i>	1849, 21	<i>bilineata</i>	1859, 398
<i>gemma</i>	1855, 122	<i>leucotis</i>	1859, 395
<i>jewettii</i>	1856, 207	<i>Megalauma australis</i> ..	1860, 358
<i>lineato-labrum</i>	1849, 20	<i>capistrata</i>	1857, 268
<i>oryza</i>	1860, 147	<i>chrysopogon</i>	1859, 454
<i>pudica</i>	1849, 18	<i>duvaucelli</i>	1859, 455
<i>pulcherrima</i> ..	1849, 21	<i>indica</i>	{ 1857, 100
<i>quadrilineata</i> ..	1849, 17	<i>myristicifera</i>	{ 1858, 475
<i>radiata</i>	1855, 64	<i>versicolor</i>	{ 1859, 451
<i>sagittata</i>	1849, 22	<i>virens</i>	{ 1858, 475
<i>sandwicensis</i>	1860, 147	<i>mystacophanos</i>	{ 1859, 454
<i>serrata</i>	1849, 19	<i>philippensis</i>	1860, 358
<i>tessellata</i>	1849, 19	<i>versicolor</i>	1859, 454
<i>triplicata</i>	1849, 19	<i>virens</i>	{ 1858, 475
<i>triticea</i>	1849, 20	<i>myristicifera</i>	{ 1859, 150
<i>Marinula æqualis</i>	1854, 35	<i>Megalestria antarctica</i> ..	{ 1859, 48
<i>callacensis</i>	1854, 35	<i>indica</i>	{ 1860, 390
<i>cymbæformis</i>	1854, 35	<i>Megalomastoma compla-</i>	
<i>marinella</i> ..	1854, 35	<i>natum</i> ..	1856, 36
<i>patula</i> ..	1854, 35	<i>myersii</i> ..	1860, 11
<i>pepita</i> ..	1854, 35	<i>Megalonyx jeffersonii</i> ..	1851, 209
<i>punctata</i>	1854, 35	<i>Megalophrys grigas</i> ..	1860, 165
<i>recluziana</i> ..	1854, 35	<i>Megalophus mexicanus</i> ..	1856, 295
<i>xanthostoma</i>	1854, 35	<i>Megaloprepia formosa</i> ..	1860, 300
<i>Martes abietum</i>	1858, 517	<i>Megalorhynchus hayi</i> ..	1859, 455
<i>flavigula</i>	{ 1856, 398	<i>spinosus</i> ..	1859, 455
<i>gwatkinsi</i> ..	{ 1858, 516	<i>Megapicus sclateri</i> ..	1860, 71
<i>masius</i> ..	1858, 516	<i>Megapodius cumingi</i> ..	1851, 119
<i>Masius chrysopterus</i> ...	1855, 152	<i>duperreyni</i>	1858, 187
<i>coronulatus</i>	1860, 91	<i>forsteri</i>	1860, 302

	Page		Page
<i>Megapodius freycineti</i> ..	1860, 362	<i>Melampus pallescens</i> ..	1854, 10
reinwardtii ..	{ 1858, 187	panamensis ..	1854, 10
wallacei ..	{ 1859, 159	patulus ..	1854, 35
<i>Megarhynchus chryso-</i>	1860, 362	pellucidus ..	1854, 11
gaster ..	{ 231	philippu ..	1854, 10
<i>Megatherium cuvieri</i> ..	1851, 209	pulchellus ..	1854, 11
laumillardi ..	1851, 209	pusillus ..	1854, 10
<i>Meiglyptes badius</i> ..	1857, 229	pyriformis ..	1854, 10
brunneus ..	1859, 457	sculptus ..	1859, 29
tristis ..	1859, 457	spiralis ..	1854, 122
<i>Meioceras cornubovis</i> ..	1858, 439	stutchburyi ..	1856, 393
cornucopiæ ..	1858, 439	tobagensis ..	1854, 9
nitidum ..	1858, 438	umlaasianus ..	1854, 9
<i>Meizodon bitorquata</i> ..	1860, 428	zealandicus ..	1854, 12
dumerili ..	1860, 429	(Traha) semiplicata ..	1860, 146
regularis ..	{ 1858, 162	<i>Melanerpes albolarvatus</i> ..	1858, { 2
<i>Melampicos flavigula</i> ..	1855, 161	cruentatus ..	1855, 161
<i>Melampus adamsianus</i> ..	1854, 121	erythrocephalus ..	1858, 2
æqualis ..	1854, 35	flavigula ..	1855, 161
anglostoma ..	1854, 11	flavigularis ..	1856, 307
ater ..	1854, 10		{ 1856, 143
bidentatus ..	1854, 10		{ 1856, 307
borealis ..	1854, 10		{ 1857, 127
bridgesii ..	1856, 161	formicivorus ..	{ 1858, 2
cingulatus ..	1854, 11		{ 1858, 305
coffeus ..	1854, 9		{ 1859, 60
commodus ..	1854, 12		{ 1859, 367
coronulus ..	1854, 10	hirundinaceus ..	1858, 460
costatus ..	1854, 12	melanopogon ..	1856, 307
costellatus ..	1854, 12	ruber ..	{ 1857, 127
cristatus ..	1854, 122		{ 1858, 2
duplicatus ..	1854, 151	rubrigularis ..	1858, 2
elongatus ..	1854, 11	thyroideus ..	1858, 2
exaratus ..	1854, 13	torquatus ..	1858, 2
exiguus ..	1854, 11	<i>Melania acanthica</i> ..	1850, 194
fasciatus ..	1854, 11		{ 1850, 183
firmini ..	1854, 35	aculeus ..	{ 1850, 193
flavus ..	1854, 9		{ 1858, 135
floridianus ..	1854, 11	acus ..	1850, 181
frickii ..	1859, 29	albescens ..	1850, 188
fuscus ..	1854, 9	amarula ..	1850, 194
globulus ..	1854, 11	apis ..	1850, 190
gracilis ..	1854, 35	armillata ..	1850, 195
granifer ..	1854, 12	australis ..	1850, 185
infrequens ..	1854, 11	bellicosa ..	1850, 194
kusteri ..	1854, 11	blatta ..	1850, 184
libermanus ..	1854, 12	canalis ..	1850, 180
lividus ..	1854, 10	cincta ..	1850, 183
luteus ..	1854, 10	circumstriata ..	1851, 73
maurus ..	1854, 11	cochlea ..	1850, { 196
mitralis ..	1854, 13		{ 197
nitidulus ..	1854, 12	cochlidrum ..	1850, 183
oblongus ..	1856, 393	confusa ..	1858, 135
obovatus ..	1854, 12	constellaris ..	1850, { 184
olivula ..	1854, 11		{ 185
		contracta ..	1850, 182
		conulus ..	1850, 190

	Page		Page
<i>Melania cornuta</i>	1850, 194	<i>Melania virginica</i>	1850, { 188
<i>crebrum</i>	1850, 193		{ 190
<i>crenifera</i>	1850, 192	<i>zeylanica</i>	1850, { 194
<i>cumingii</i>	1850, 191		{ 196
<i>dactylus</i>	1850, 191	(<i>Melanella</i>) <i>nasa</i> ..	1850, 349
<i>datura</i>	1858, 135	<i>Melanitis melane</i>	1858, 405
<i>denticulata</i>	1850, 195	<i>Melanocorypha tartarica</i>	1858, 484
<i>dormestoidea</i>	1850, 181		{ 1858, 484
<i>diadema</i>	1850, 194	<i>torquata</i>	{ 1859, 184
<i>elegantissima</i>	1853, 179		{ 1859, 95
<i>episcopalis</i>	1850, 184	<i>Melanodera typica</i>	{ 1860, 385
<i>ferruginea</i>	1850, 182	<i>xanthogramma</i>	1859, 95
<i>flammulata</i>	1850, 180	<i>Melanopsis bucemoides</i> ..	1853, 43
<i>foeda</i>	1850, 180	<i>helena</i>	1860, 14
<i>fraseri</i>	1859, 168	<i>Melanoptila glaberrimis</i>	{ 1857, 275
<i>fuscopunctata</i>	1859, 167	<i>tris</i>	{ 1859, 55
<i>granifera</i>	1850, 196		{ 1859, 337
<i>hastula</i>	1850, 189	<i>Melanotis caerulea</i> ..	{ 1850, 337
<i>impuna</i>	1850, 182		{ 362
<i>indefinita</i>	1850, 187	<i>hypoleucus</i>	1850, 337
<i>juncea</i>	1850, 180	<i>Melasoma edoliodhes</i> ..	1850, 217
<i>laevissima</i>	1850, 179	<i>Meleagris cristata</i>	1860, 299
<i>lancea</i>	1850, 183	<i>gallopavo</i>	1856, 62
<i>lateritia</i>	1850, 196	<i>mexicana</i>	1850, 61
<i>layardi</i>	1858, 135		{ 1859, 62
<i>luzoniensis</i>	1850, 188	<i>ocellata</i>	{ 1860, 192
<i>maxima</i>	1850, 187	<i>Meles leucurus</i>	1856, 398
<i>microstoma</i>	1850, 186		{ 183
<i>mundoriensis</i>	1850, 187	<i>taxus</i>	1860, { 371
<i>mirifica</i>	1853, 99	<i>Melias diardi</i>	1859, 458
<i>modicella</i>	1850, 196	<i>Melibe pilosa</i>	1860, 34
<i>nana</i>	1850, 192	<i>Melherax canorus</i>	1850, 215
<i>obruta</i>	1850, 190	<i>gabari</i>	1850, 215
<i>orientalis</i>	1853, 99	<i>musicus</i>	1850, 215
<i>pagoda</i>	1850, 197		{ 1850, 215
<i>pallida</i>	1853, 180	<i>polyzonus</i>	{ 1850, 435
<i>polygonata</i>	1850, 195	<i>Meliphaga javensis</i>	1854, 280
<i>recta</i>	1850, 185	<i>Melitaea aurantia</i>	1857, 285
<i>reticulata</i>	1850, 193	<i>coccinea</i>	1857, 285
<i>rudis</i>	1850, { 186	<i>lutea</i>	1859, 485
	{ 187	<i>ochracea</i>	{ 1857, 285
<i>rufa</i>	1853, 179		{ 1859, 485
<i>scabra</i>	1850, 194	<i>retifera</i>	{ 1857, 285
<i>scalaris</i>	1853, 179		{ 1859, 486
<i>semplicata</i>	1850, 187	<i>rissoi</i>	1857, 285
<i>simplex</i>	1850, 182	<i>tenella</i>	{ 1857, 285
<i>sobria</i>	1850, 181		{ 1859, 486
<i>speciosa</i>	1853, 99	<i>textiformis</i>	{ 1857, 285
<i>spinulosa</i>	1850, 195		{ 1859, 486
<i>subsuturalis</i>	1851, 73	<i>Melitella coccinea</i>	1859, 486
<i>subula</i>	1850, 181	<i>elongata</i>	1859, 465
<i>tessellata</i>	1850, 192	<i>retifera</i>	1859, 486
<i>toratella</i>	1850, { 185	<i>tenella</i>	1859, 486
	{ 187	<i>Mellisuga minima</i>	1857, 233
<i>torriculus</i>	1850, 190	<i>Melita erythraea</i>	1851, 36
<i>transversa</i>	1850, { 186	<i>hexapora</i>	1851, 36
	{ 187	<i>lobata</i>	1851, 36
<i>truncata</i>	1850, 187		

	Page		Page
Mellita quinquefora	1851, 36	Merops daudini	1854, 263
similis	1851, 36	erythropterus	1850, 216
testudinaria	1851, 36	javanicus	1854, 263
Melo æthiopicus	1855, 54	lafresnayei	1850, 216
armatus	1855, 54	lamareki	1850, 216
broderipii	1855, 53	latreillei	1854, 264
cylindratus	1855, 55	leschenaulti	1854, 264
cymbiola	1855, 63	munulus	1850, 216
diadema	1855, 54	nubicus	1850, 216
georginæ	1855, 53	ornatus	1859, 155
indicus	1855, 53	1860, 348	
miltonis	1855, 55	1854, 263	
mucronatus	1855, 54	philippinus	1857, 87
nauticus	1855, 54	1859, 150	
regius	1855, 55	1859, 151	
senticosus	1855, 54	quinticolor	1854, 264
tessellatus	1855, 54	1854, 263	
umbilicatus	1855, 54	sumatranus	1859, 151
Melopelia leucoptera	1859, 61	superbus	1850, 216
Melopsittacus undulatus	1857, 27	typicus	1854, 263
Melospiza fallax	1859, 235	urica	1854, 264
lincolni	1859, 379	1850, 216	
Meminna indica	1850, 157	1855, 27	
Menetrix impudica	1860, 17	1857, 87	
zonaria	1860, 17	viridis	1858, 475
Menobranchus maculatus	1857, 62	1850, 150	
Menopoma alleghanien-		1859, 151	
sis	1857, 62	1859, 174	
fusca	1857, 12	vividissimus	1850, 216
lateralis	1857, 62	Merula atrosericæa	1859, 136
Menura alberti	1853, 45	dominicensis	1859, 341
superba	1860, 113	falklandica	1859, 330
Meretrix grata	1860, 61	infuscata	1859, 334
Merganetta columbiana	1853, 7	leucogenys	1859, 333
Mergellus albellus	1858, 510	nestor	1855, 164
1857, 215		olivacea	1857, 105
Mergus albellus	1860, 242	silens	1859, 212
anataris	1860, 336	surinamensis	1859, 335
cucullatus	1860, 336	taistis	1856, 114
Mermis rigidus	1850, 237	1859, 330	
spiralis	1853, 19	vinitincta	1855, 165
Merops ægyptius	1850, 216	1859, 161	
amictus	1860, 197	vulgaris	1856, 40
apiaster	1854, 264	1858, 490	
badius	1851, 145	Merulaxis atra	1858, 69
bicolor	1858, 474	griseicollis	1854, 111
cæruleocephalus	1859, 174	orthonyx	1860, 64
castaneus	1854, 263	Mesalia decussata	1855, 142
collaris	1850, 216	plicata	1851, 279
cyanopygius	1854, 264	striata	1855, 123
		Mesodesma angulus	1851, 279
		angusta	1854, 337
		crassula	1854, 338
		elongata	1854, 336
		heterodon	1854, 337
			1854, 337

	Page		Page
<i>Mesodesma intermedia</i> ..	1854, 338	<i>Microglossum . aterri-</i>	1850, 150
<i>lanceolata</i>	1854, 337	<i>mum</i>	1860, 227
<i>layardi</i>	1854, 339	<i>Micromys badius</i>	1858, 473
<i>macrodon</i>	1854, 330	<i>monogrammicus</i> . .	1860, 109
<i>mactroides</i>	1854, 336	<i>soloensis</i>	1860, 344
<i>mitis</i>	1854, 330	<i>Micropalama himantopus</i>	1860, 200
<i>mutida</i>	1854, 338	<i>Microphractus humeralis</i>	1859, 90
<i>ovalis</i>	1854, 336		402
<i>præcisa</i>	1854, 338	<i>Micropogon fuliginosus</i> .	1859, 455
<i>retusa</i>	1854, 338	<i>margaritatus</i>	1850, 360
<i>sulcata</i>	1854, 339	<i>sulphuratus</i>	1859, 399
<i>transversa</i>	1854, 330	<i>Micropternus badius</i> . .	1859, 457
	1855, 140	<i>Micropterus brachypte-</i>	
	1858, 555	<i>rus</i>	1860, 389
<i>Metallura tyrianthina</i> .	1859, 145	<i>cinereus</i>	1859, 96
	1860, 63		368
	1860, 95	<i>rufonotus</i>	1859, 150
<i>Metcalfeia bacqueana</i> . .	1857, 168	<i>Microtarsus cantori</i> . . .	1854, 270
	180	<i>melanoleucos</i>	1854, 279
<i>chittiana</i>	1857, 168	<i>Microtus tuberculata</i> . . .	1850, 36
	179	<i>Milvago australis</i> . . .	1860, 383
<i>dohrniana</i>	1857, 168	<i>carunculatus</i>	1860, 81
	182	<i>leucurus</i>	1859, 93
<i>layardiana</i>	1857, 168		1860, 383
	183	<i>megapterus</i>	1858, 555
<i>metcalfeiana</i>	1857, 168		1860, 82
	179	<i>Milvulus monachus</i> . . .	1859, 384
<i>mitchelliana</i>	1857, 168		1855, 150
	182		1856, 141
<i>morchiana</i>	1857, 108	<i>tyrannus</i>	1856, 207
	181		1858, 358
<i>sinclairiana</i>	1857, 108		1859, 55
	182	<i>Mivus affinis</i>	1854, 4
<i>sutherlandiana</i>	1857, 168	<i>ater</i>	1858, 471
	180		1854, 259
<i>swiftiana</i>	1857, 168	<i>govinda</i>	1857, 85
	183		1858, 471
<i>verreauxiana</i>	1857, 168		1859, 170
	181	<i>indicus</i>	1854, 250
<i>Metopias typhlops</i>	1850, 251	<i>melanotis</i>	1854, 259
<i>Metoponia pusilla</i> . . .	1858, 484	<i>parasiticus</i>	1860, 417
	1859, 178	<i>pondicerianus</i>	1854, 4
<i>Metoporphina irrorata</i> . .	1858, 159	<i>regalis</i>	1860, 183
<i>Metula cumingii</i>	1853, 173		416
	1856, 285	<i>rotundicollis</i>	1854, 262
<i>Micrastur concentricus</i> .	1857, 261	<i>subhimalayanus</i>	1854, 259
	1858, 96	<i>Mimeta mulleri</i>	1858, 175
	1860, 96	<i>Mimocichla</i>	1859, 336
	1857, 261	<i>Mimus cærulescens</i> . . .	1856, 294
<i>gilvicollis</i>	1858, 96	<i>calandra</i>	1859, 343
	1860, 96		1856, 294
<i>guerilla</i>	1858, 96		1859, 336
<i>xanthothorax</i>	1859, 368	<i>columbianus</i>	1855, 145
<i>Micrhylla achatina</i>	1858, 343		1859, 342
<i>Microeca conspicillata</i> . .	1859, 156	<i>dominicus</i>	1857, 232
<i>flavovirescens</i>	1858, 178		1859, 341
<i>Microglossum alecto</i> . . .	1860, 227	<i>dorsalis</i>	1859, 341
<i>aterrimum</i>	1858, 184	<i>gilvus</i>	1859, 342

	Page		Page
<i>Mimus gracilis</i>	1859, { 55 343	<i>Mitra cingulata</i>	1851, 136
<i>gundlachii</i>	1859, 342	<i>columbellina</i>	1851, 141
<i>leucospilus</i>	1859, 344	<i>compta</i>	1851, 134
<i>lividus</i>	1859, 342	<i>cratitia</i>	1851, 132
<i>longicaudatus</i>	1859, 345	<i>crenilabris</i>	1851, 140
<i>longirostris</i>	1859, 294	<i>crenicipitata</i>	1851, 139
<i>melanopterus</i>	{ 1855, 145 1859, 342	<i>cyri</i>	1860, 367
<i>melanotis</i>	1859, 345	<i>dealbata</i>	1851, 140
<i>modulator</i>	1859, 343	<i>delicata</i>	1851, 137
<i>montanus</i>	1859, 340	<i>dichroma</i>	1851, 140
<i>orpheus</i>	1859, 341	<i>echmata</i>	1851, 138
<i>parvulus</i>	1859, 345	<i>episcopalis</i>	1853, 36
<i>patagonicus</i>	1859, 344	<i>ericea</i>	1860, 146
<i>peruvianus</i>	1859, 344	<i>exarata</i>	1851, 133
	{ 1857, 212 1859, 340	<i>exima</i>	1851, 135
<i>polyglottus</i>	{ 1859, 433 1860, 250 1860, 417	<i>ferruginea</i>	1854, 134
<i>rubripes</i>	1859, 336	<i>flammea</i>	1851, 141
<i>rufus</i>	1860, 108	<i>formosa</i>	1851, 138
<i>saturninus</i>	1859, 344	<i>gibba</i>	1860, 368
<i>thenca</i>	1859, 344	<i>insculpta</i>	1851, 133
<i>trifasciatus</i>	1859, 345	<i>insignis</i>	1851, 132
<i>triurus</i>	1859, 341	<i>interrupta</i>	1851, 135
<i>Miniopteris australis</i>	{ 1858, 125 1860, 4	<i>judaeorum</i>	1860, 367
<i>blepotis</i>	1858, 121	<i>jukesii</i>	1851, 139
<i>dasythrix</i>	1858, 118	<i>laeta</i>	1851, 135
<i>schreibersii</i>	1858, 117	<i>levis</i>	1851, 132
<i>tristis</i>	1858, 124	<i>ligata</i>	1851, 134
<i>ursinii</i>	1858, 117	<i>luctuosa</i>	1851, 133
<i>Minla cinerea</i>	1854, 142	<i>lyraeformis</i>	1855, 60
<i>Mino dumontii</i>	1858, 182	<i>macrospira</i>	1851, 138
	{ 45 46	<i>mariae</i>	1851, 140
<i>Mionectes assimilis</i>	1859, { 366 1856, 296	<i>marmorea</i>	1851, 139
	{ 1858, 71 1859, 45	<i>marquesana</i>	1851, 270
<i>oleagineus</i>	{ 1859, 46 1860, 283	<i>maura</i>	1856, 227
	{ 1859, 144 1860, 93	<i>mirabilis</i>	1851, 136
<i>striaticollis</i>	1860, 93	<i>mochu</i>	1854, 134
<i>Mirafr assamica</i>	1857, 95	<i>multilirata</i>	1851, 135
<i>cordofanica</i>	1850, 218	<i>nebulosa</i>	1851, 270
<i>Mitra adusta</i>	1853, 36	<i>nitida</i>	1851, 134
<i>albina</i>	1851, 137	<i>nodilirata</i>	1851, 136
<i>amoena</i>	1851, 137	<i>nodulifera</i>	1851, 140
<i>antonelli</i>	1860, 367	<i>nux-avellana</i>	1860, 368
<i>antoni</i>	1860, 368	<i>ornata</i>	1851, 135
<i>asperulata</i>	1851, 136	<i>pallida</i>	{ 1851, 139 1860, 146
<i>astyagus</i>	1860, 367	<i>peasei</i>	1860, 366
<i>autumnalis</i>	1860, 367	<i>philippinarum</i>	1851, 141
<i>bellula</i>	1851, 138	<i>pia</i>	1860, 366
<i>castanea</i>	1851, 140	<i>pigra</i>	1851, 133
		<i>plebeia</i>	1860, 368
		<i>propinqua</i>	1851, 270
		<i>pudica</i>	1860, 146
		<i>punctostrata</i>	1854, 134
		<i>pura</i>	1851, 136
		<i>pusilla</i>	1851, 141
		<i>reticulata</i>	1851, 136
		<i>rubiginea</i>	1854, 134
		<i>rufescens</i>	1851, 137

	Page		Page
<i>Mitra rufocincta</i>	1851, 134	<i>Molothrus pecoris</i>	{ 1859, 365
<i>rutula</i>	1851, 137		{ 1860, 252
<i>sacerdotalis</i>	1851, 138		{ 1857, 223
<i>samuelis</i>	1860, 368	<i>Momotus equatorialis</i> .	{ 1857, 250
<i>scitula</i>	1851, 138		{ 1858, 61
<i>serotina</i>	1851, 132	<i>bahamensis</i>	1857, 252
<i>serpentina</i>	1851, 270	<i>brasiliensis</i>	{ 1855, 135
<i>straminea</i>	1851, 132		{ 1856, 285
<i>tiarella</i>	1851, 133		{ 1857, 250
<i>tigina</i>	1851, 132		{ 1857, 201
<i>turricula</i>	1851, 139	<i>cæruleiceps</i>	{ 1857, 253
<i>virex</i>	1851, 134		{ 1859, 367
<i>wisemani</i>	1860, 367	<i>castaneiceps</i>	{ 1854, 154
<i>Mitreola punctostriata</i> ..	1854, 134		{ 1857, 254
<i>Mitrephorus fulvifrons</i> ..	1859, 45	<i>cyanogaster</i>	1857, 255
	{ 44	<i>dombeyi</i>	1857, 258
<i>phæocercus</i>	1859, 360	<i>gularis</i>	{ 1857, 256
	{ 384		{ 1856, 139
<i>Mitylia gerrardi</i>	1858, 58		{ 1856, 285
	{ 1855, 133	<i>lessoni</i>	{ 1857, 253
	{ 1855, 143		{ 1859, 54
	{ 1856, 140		{ 1859, 387
<i>Mniotilta varia</i>	{ 1856, 201	<i>levallanti</i>	1857, 255
	{ 1858, 298	<i>martii</i>	{ 1857, 254
	{ 1859, 303		{ 1854, 154
	{ 1859, 373	<i>mexicanus</i>	{ 1857, 253
<i>Moa</i>	1850, 209		{ 1859, 387
<i>Mocoa africana</i>	1858, 156		{ 1860, 252
<i>sikhimensis</i> .. .	1860, 160	<i>microstephanus</i> ..	{ 1857, 251
<i>Modiola capax</i>	1856, 218		{ 1860, 296
<i>nitens</i>	1856, 202	<i>momota</i>	1857, 250
<i>recta</i>	1856, 218	<i>momotula</i>	1857, 256
<i>trapezina</i>	1854, 108	<i>nattereri</i>	1857, 251
<i>Modiola sub torta</i>	1856, 365	<i>parvirostris</i>	1857, 260
<i>trapezina</i>	1854, 108	<i>platyrhynchus</i> ..	{ 1855, 136
<i>Modulus carchedonicus</i> ..	1850, 203		{ 1857, 256
<i>cerodes</i>	1850, 204	<i>psalura</i>	1857, 259
<i>cidaris</i>	1850, 204	<i>rubricapillus</i>	1857, 258
<i>disculus</i>	1856, 205	<i>ruficapillus</i>	1857, 258
<i>dorsuosus</i>	1856, 205		{ 1855, 135
<i>duplicatus</i>	1850, 204	<i>semirufus</i>	{ 1857, 254
<i>lenticularis</i>	1850, 203		{ 1858, 61
<i>tectum</i>	1850, 203	<i>subhutu</i>	1857, 253
<i>Moho apicalis</i>	1860, 380	<i>subrufescens</i>	1857, 252
<i>Mole</i>	1851, 130	<i>superciliaris</i>	1857, 257
<i>Molge striata</i>	1858, 144	<i>tutu</i>	1857, 258
<i>Molossus acetabulosus</i> ..	1859, 78	<i>varius</i>	1857, 200
<i>australis</i>	1858, 372	<i>yucatanensis</i>	1857, 258
<i>fuliginosus</i> .. .	1858, 546	<i>Monacanthus auriga</i>	1850, 253
<i>fumarius</i>	1860, 213	<i>filamentosus</i>	1850, 253
<i>nasutus</i>	1859, 78	<i>Monarcha binaculata</i> ..	1860, 352
<i>norfolkensis</i>	1859, 78	<i>cæsia</i>	1854, 270
<i>obscurus</i>	{ 1858, 546	<i>chrysomela</i>	1858, 177
	{ 1860, 213	<i>cinerascens</i>	1860, 351
	{ 1856, 300	<i>dichroa</i>	1859, 156
<i>Molothrus æneus</i>	{ 1859, 365	<i>gouldi</i>	1860, 352
	{ 1859, 381	<i>griseogularis</i>	{ 1858, 177
<i>pecoris</i>	1857, 213		{ 1860, 352

	Page		Page
<i>Monarcha guttula</i>	1858, 177	<i>Monodonta atrata</i>	1851, 174
<i>inornata</i>	1858, 177	<i>australis</i>	1851, 174
<i>leucotis</i>	{ 1850, 201	<i>baccata</i>	1851, 174
<i>leucura</i>	{ 1858, 178	<i>canalifera</i>	1851, 174
<i>melanoptera</i>	1858, 178	<i>carchedonicus</i>	1850, 203
<i>nigrimentum</i>	1860, 352	<i>circumcincta</i>	1851, 175
<i>telescopthalma</i> {	1858, 177	<i>clathrata</i>	1851, 175
<i>trivirgata</i>	{ 1859, 156	<i>constricta</i>	1851, 177
<i>velata</i>	1850, 201	<i>couturii</i>	1851, 158
<i>Monasa atra</i>	1854, 270	<i>crassa</i>	1851, 179
<i>flavirostris</i>	1855, 196	<i>crenulata</i>	{ 1851, 174
<i>ngrifrons</i>	{ 1855, 196	<i>draparnaudii</i>	{ 1854, 41
<i>personata</i>	{ 1858, 60	<i>dunkeri</i>	1851, 178
<i>peruana</i>	{ 1855, 196	<i>edentula</i>	1851, 174
	{ 1857, 262	<i>exasperata</i>	1851, 176
	{ 1858, 60	<i>exigua</i>	1851, 177
<i>Moneilema albo-pictum</i> ..	1856, 407	<i>fermonii</i>	1851, 176
<i>laevadorsale</i>	1856, 407	<i>foveolata</i>	1851, 185
<i>longipes</i>	1856, 407	<i>fragarioides</i>	1851, 176
<i>Monilea benzi</i>	1851, 188	<i>gemmata</i>	1851, 178
<i>callifera</i>	1851, 188	<i>inconspicua</i>	1851, 174
<i>calyculus</i>	1851, 188	<i>indecora</i>	1851, 175
<i>kalisoma</i>	1851, 188	<i>interrupta</i>	1851, 174
<i>lentiginosa</i>	{ 1851, 188	<i>jussieui</i>	1851, 177
<i>lirata</i>	{ 1854, 41	<i>krausii</i>	1851, 159
<i>menkei</i>	1851, 188	<i>labio</i>	1851, 150
<i>nucleus</i>	1854, 38	<i>labrostoma</i>	1851, 173
<i>philippii</i>	1851, 188	<i>lineata</i>	1851, 177
<i>plumbea</i>	{ 1851, 188	<i>lugubris</i>	1851, 170
<i>pusilla</i>	{ 1854, 41	<i>lupina</i>	1851, 179
<i>swainsonii</i>	1851, 188	<i>margaritaria</i>	1851, 159
<i>Monitor gouldi</i>	1851, 189	<i>melanoloma</i>	1851, 159
<i>niloticus</i>	1860, 372	<i>olivieri</i>	1851, 179
	{ 1858, 155	<i>patagonica</i>	1851, 178
	{ 1860, 417	<i>philippii</i>	1851, 158
<i>Monoceros brevidens</i> ..	1850, 229	<i>philippina</i>	1851, 174
<i>brevidentatum</i> ..	1856, 229	<i>punctigera</i>	1851, 176
<i>engonatum</i>	1856, 228	<i>punicea</i>	1851, 177
<i>lapilloides</i>	1856, 228	<i>regulosa</i>	1851, 158
<i>maculatum</i>	1856, 229	<i>retusa</i>	1850, 203
<i>punctatum</i>	1856, 229	<i>ringens</i>	1851, 158
<i>punctulatum</i>	1856, 229	<i>rosea</i>	1851, 170
<i>unicarinatum</i>	1856, 228	<i>rubra</i>	1851, 176
	{ 84	<i>sayii</i>	1850, 203
<i>Monoculus lenticularis</i> ..	{ 85	<i>scorpio</i>	1851, 179
	{ 87	<i>spilota</i>	1851, 177
<i>Monodonta alveolata</i> ..	1851, 176	<i>strangei</i>	1851, 177
<i>angulifera</i>	1851, 176	<i>subrostrata</i>	1851, 178
<i>apicina</i>	1851, 171	<i>sulcifera</i>	1851, 175
<i>aracnis</i>	1851, 158	<i>tricarinata</i>	1851, 174
<i>articulata</i>	1851, 178	<i>tricingulata</i>	1851, 175
<i>aspera</i>	1851, 174	<i>tuberculata</i>	1851, 175
<i>aspeisa</i>	1851, 174	<i>turbinata</i>	1851, 173
		<i>turrita</i>	1851, 172
		<i>vieilloti</i>	1851, 168
		<i>virgata</i>	1851, 171
		<i>viridis</i>	1851, 176

	Page		Page
<i>Monochammus armatus</i> ..	1858, 405	<i>Morphnus schistaceus</i> .	{ 1857, 261
<i>asperulus</i>	1858, 411		{ 1858, 128
<i>bowringi</i>	1858, 398	<i>urubitinga</i>	{ 1857, 227
<i>brianus</i>	1858, 409		{ 261
<i>championi</i>	1858, 398	<i>Morrisia anomoioides</i> ..	1852, 79
<i>fredericus</i>	1858, 408	<i>Morsus norvegicus</i>	1853, 113
<i>georgius</i>	1858, 407	<i>Mortonia australis</i>	1851, 38
<i>laryatus</i>	1858, 406	<i>Morulus cidaris</i>	1850, 204
<i>luridus</i>	1858, 398	<i>Morum tuberculatum</i> ..	1853, 144
<i>melanosticticus</i>	1858, 407	<i>xanthostoma</i>	1853, 174
<i>nivosus</i>	1858, 409	<i>Morunga</i>	1848, 88
<i>obfuscatus</i>	1858, 411	<i>Moschus delicatula</i>	1850, 241
<i>officator</i>	1858, 409	<i>grimmia</i>	1850, 120
<i>ruber</i>	1858, 399		{ 1856, 404
<i>sierricola</i>	1858, 410	<i>leucogaster</i>	{ 1858, 528
<i>stephanus</i>	1858, 406	<i>meminna</i>	1848, 37
<i>subcruciatu</i> s	1858, 410		{ 1856, 404
<i>sublineatus</i>	1858, 410	<i>moschiferus</i>	{ 1858, 528
<i>tesserula</i>	1858, 408	<i>pygmæus</i>	1850, 126
<i>Monophylla uniformis</i> .	1852, 37	<i>Motacilla alba</i>	1851, 145
<i>Monoplocus dorsalis</i> ..	1850, 404	<i>alpina</i>	1854, 116
<i>Monoptygma amœna</i> ..	1851, 223	<i>atrata</i> .	1854, 26
<i>casta</i>	1851, 223	<i>aurorea</i>	1854, 28
<i>fulva</i>	1851, 222	<i>bistrigata</i>	1854, 284
<i>granulata</i>	1851, 222		{ 1851, 142
<i>lauta</i>	1851, 223		{ 1854, 284
<i>speciosa</i> ..	1851, 223	<i>boarula</i>	{ 1858, 486
<i>spirata</i>	1851, 223		{ 1859, 178
<i>striata</i>	1851, 222	<i>cærulea</i>	1855, 11
<i>stylina</i>	1851, 224	—, var.	1856, 12
<i>suturalis</i>	1851, 224	<i>campestris</i>	1856, 209
<i>tenella</i>	1851, 224	<i>capensis</i>	1850, 217
<i>Monornis perpulchra</i> ..	1859, 467	<i>ceraunia</i> ..	1854, 27
<i>Montacuta coquimbensis</i>	1856, 340	<i>cingalensis</i>	1859, 463
<i>Monticola cinclorhyncha</i>	1859, 181	<i>dukhunensis</i>	1858, 486
<i>Montifringilla adamsi</i> {	1858, 482	<i>erythaca</i>	1854, 25
	1859, 178	<i>erythrogastra</i>	1854, 27
	1851, 115	<i>flava</i>	1858, 77
<i>hæmatopygia</i>	{ 1858, 482	<i>flavescens</i>	1860, 350
	1859, 178	<i>gibraltariensis</i>	1854, 26
<i>nemicola</i>	1858, 482	<i>grisea</i>	1858, 238
<i>Mopsea dichotoma</i>	{ 1857, 284	<i>guira</i>	1856, 100
	1850, 486	<i>longicauda</i>	{ 1854, 81
<i>elongata</i>	1857, 283		{ 284
<i>encrinula</i>	1857, 284	<i>luzoniensis</i>	{ 1858, 486
<i>erythracea</i>	1857, 283		{ 1859, 150
<i>gracilis</i>	1857, 283		{ 1859, 178
<i>mediterranea</i>	1857, 283	<i>maderaspatana</i>	1858, 486
<i>verticillata</i>	1857, 284	<i>modularis</i>	1854, 118
<i>Mopsella dichotoma</i> ..	{ 1857, 284	<i>montanella</i>	1854, 118
	1859, 486	<i>phœnicura</i>	1854, 25
<i>gracilis</i>	1859, 486	<i>sepium</i>	1854, 79
<i>Mordacia mordax</i>	1851, 240	<i>subviridis</i>	1854, 281
<i>Morelia argus</i>	1848, 38	<i>sulphurea</i>	1854, 284
<i>Morphnus anthracinus</i> ..	1857, { 211		{ 1851, 194
	227	<i>sutoria</i>	{ 1854, 81
<i>mexicanus</i>	1858, 129		{ 1854, 284
<i>schistaceus</i>	1857, 227	<i>typha</i>	1854, 281

	Page		Page
<i>Motacilla velia</i>	1856, 267	<i>Murex pulcher</i>	1851, 270
<i>viridis</i>	1854, 285	<i>pumilus</i>	1853, 70
<i>xanthoschistos</i>	1854, 284	<i>pusio</i>	1850, 56
<i>yarrellii</i>	1860, 417	<i>roseotinctus</i>	1859, 429
<i>Mucronalia nitidula</i> ..	1860, 437	<i>salleanus</i>	1853, 70
<i>ovata</i>	1860, 437	<i>scalaris</i>	1853, 71
<i>rosea</i>	1860, 437	<i>serotinus</i>	1851, 268
<i>Mulleripicus javensis</i> ..	1859, 455	<i>singaporensis</i>	1851, 270
<i>pulverulentus</i>	1859, 455	<i>solidus</i>	1851, 267
<i>Munia acuticauda</i>	1859, 444	<i>speciosus</i>	1855, 121
<i>amandava</i>	1857, 96	<i>spinosus</i>	1851, 268
<i>maja</i>	1859, 444	<i>subspinosus</i>	1853, 72
<i>malabarica</i>	1858, 481	<i>tenuatus</i>	1859, 428
<i>molucca</i>	1860, 355	<i>trigonulus</i>	1857, 209
<i>punctularia</i>	1859, 151	<i>trivialis</i>	1853, 71
<i>sinensis</i>	1859, 444	<i>Muricea myura</i>	1859, 484
<i>undulata</i>	1858, 481	<i>verticillaris</i>	1857, 286
<i>Muntjacus vaginalis</i> ..	1850, 157		1856, 394
	1850, 234	<i>Murina suillus</i>	1857, 45
	1856, 405		1858, 370
<i>Muraena anguilla</i>	1849, 84	<i>Mus aequicaudalis</i>	1856, 401
<i>Murex alabaster</i>	1855, 121	<i>assimilis</i>	1857, 241
<i>arausiacus</i>	1855, 60	<i>bandicota</i>	1850, 157
<i>armatus</i>	1853, 71		1858, 520
<i>australensis</i>	1853, 72	<i>barbarus</i>	1860, 416
<i>barclayi</i>	1857, 209	<i>caudatior</i>	1856, 401
<i>bifasciatus</i>	1851, 269	<i>decumanus</i>	1850, 157
<i>cantinelosus</i>	1855, 59		1857, 241
<i>castus</i> ..	1853, 71	<i>fuscipes</i>	1857, 241
<i>coccineus</i>	1853, 72	<i>gouldi</i>	1857, 242
<i>coreanicus</i>	1853, 72	<i>gracilicauda</i>	1857, 242
<i>costularis</i>	1856, 356	<i>manicatus</i>	1857, 242
<i>crassus</i>	1851, 269	<i>morungensis</i>	1856, 401
<i>cumingi</i>	1851, 270		1850, 157
<i>decollatus</i>	1854, 83	<i>musculus</i>	1856, 38
<i>delectus</i>	1855, 120		1856, 106
<i>despectus</i>	1853, 72	<i>myothrix</i>	1856, 401
<i>diadema</i>	1853, 70	<i>nanus</i>	1857, 242
<i>euracanthus</i>	1851, 268	<i>nipalensis</i>	1856, 400
<i>exasperatus</i>	1851, 268	<i>niventar</i>	1850, 157
<i>excavatus</i>	1851, 269	<i>nudo-phicatus</i>	1856, 38
<i>expansus</i>	1859, 428	<i>pilorides</i>	1849, 105
<i>fimbriatus</i>	1853, 71	<i>plurimammis</i>	1856, 401
<i>fulgora</i>	1855, 60		1857, 242
<i>fusiformis</i> ..	1851, 268	<i>rattus</i>	1860, 247
<i>inornatus</i>	1851, 269		1860, 264
<i>iostomus</i>	1851, 267	<i>sordidus</i>	1857, 242
<i>lignarius</i>	1851, 268	<i>squamipes</i>	1858, 548
<i>lyratus</i>	1851, 269	<i>tarayensis</i>	1856, 400
<i>nitens</i>	1853, 72	<i>Muscicapa anthoides</i> ..	1858, 288
<i>niveus</i>	1851, 270	<i>aurantia</i>	1857, 75
<i>noduliferus</i>	1851, 268	<i>azurea</i>	1854, 271
<i>nubilus</i>	1859, 428	<i>belli</i>	1855, 65
<i>obeliscus</i>	1851, 269		1859, 374
<i>octogonus</i>	1859, 428	<i>bivittata</i>	1859, 187
<i>pagodus</i>	1851, 269		1855, 66
<i>pauxillus</i>	1853, 71	<i>brasieri</i>	1856, 292
			1859, 374

	Page		Page
<i>Muscicapa caerulea</i>	{ 1854, 271 1855, 11	<i>Muscicapa tricolor</i>	{ 1854, 283 1860, 351
<i>caeruleocephala</i>	1854, 271	<i>turdina</i>	{ 1854, 114 1860, 467
<i>caesia</i>	1858, 223	<i>virescens</i>	1854, 114
<i>caledonica</i>	1859, 162	<i>vulnerata</i>	{ 1855, 65 1856, 292
<i>carolinensis</i>	1859, 336	<i>uropygiata</i>	1859, 41
<i>chalybeocephalus</i>	1859, 156	<i>xanthetrea</i>	1859, 162
<i>chrysomela</i>	1858, 177	<i>xanthopygia</i>	1854, 283
<i>cinerea</i>	1859, 41	<i>Muscigralla brevicauda</i>	1860, 281
<i>cinereocapilla</i>	1854, 271	<i>Muscipeta aurantia</i>	1857, 79
<i>cooperi</i>	1851, 51	<i>castanea</i>	1854, 270
<i>crimata</i>	1851, 51	<i>marginata</i>	1857, 77
<i>delalandii</i>	1858, 287	<i>melaleuca</i>	1860, 351
<i>derhamii</i>	{ 1855, 65 1856, 292	<i>nigriceps</i>	1857, 75
<i>elisabethæ</i>	1857, 5	<i>paradisi</i>	1859, 182
<i>enado</i>	1858, 177	<i>princeps</i>	1854, 271
<i>eques</i>	1857, 75	<i>Muscisaxicola albifrons</i>	1860, 78
<i>eximia</i>	1860, 69	<i>alpina</i>	{ 1860, 92 1859, 95
<i>fuliginosa</i>	1859, 43	<i>macloviana</i>	{ 1860, 385 1860, 92
<i>fulvifrons</i>	{ 1855, 65 1858, 301 1859, 45	<i>maculirostris</i>	{ 1856, 295 1858, 301
<i>galeata</i>	1856, 117	<i>Muscivora mexicana</i>	{ 1859, 45 1859, 56
<i>goiavier</i>	1854, 278	<i>occidentalis</i>	1860, 282
<i>grisola</i>	1857, 215	<i>regia</i>	{ 1855, 67 1858, 301 1859, 45
<i>guttula</i>	1858, 177	<i>Musculium lacustre</i>	1851, 232
<i>hæmatodes</i>	1859, 41	<i>Musophaga africana</i>	1851, 145
<i>inornata</i>	1858, 177	<i>rossæ</i>	1851, 93
<i>irritabilis</i>	1851, 51	<i>rossæ</i>	1854, 24
<i>javanica</i>	1854, 271	<i>violacea</i>	1854, 23
<i>latirostris</i>	1854, 270	<i>Mustela canadensis</i>	1860, 417
<i>lawrencei</i>	1855, 65	<i>canigula</i>	1856, 398
<i>legatus</i>	1859, 46	<i>erminea</i>	1858, 517
<i>leucomus</i>	1855, 66	<i>fluvialis</i>	1851, 238
<i>melanops</i>	1856, 117	<i>kathiah</i>	1856, 398
<i>miniata</i>	1856, 292	<i>striata</i>	1848, 21
<i>nævia</i>	1859, 163	<i>strigidorsa</i>	1850, 398
<i>nigriceps</i>	1857, 75	<i>strigodorsa</i>	1853, 191
<i>nitida</i>	1854, 271	<i>subhimalayana</i>	1858, 517
<i>occipitalis</i>	1854, 271	<i>vulgaris</i>	1860, 415
<i>olivacea</i>	1859, 162	<i>Mya arenaria</i>	1855, 220
<i>pectoralis</i>	1854, 270	<i>semistriata</i>	1850, 86
<i>poonensis</i>	1854, 270	<i>Mycetes beelzebub</i>	1852, 107
<i>psidu</i>	1854, 278	<i>caraya</i>	1852, 107
<i>pygmæa</i>	1858, 234	<i>palliatu</i>	1848, 138
<i>rubra</i>	{ 1856, 123 1859, 41	<i>ursinus</i>	1852, 107
<i>rubrifrons</i>	1858, 299	<i>splendens</i>	{ 1859, 47 1859, 150
<i>rufa</i>	1857, 79	<i>Mycteria australis</i>	{ 1860, 328 1860, 196
<i>rufescens</i>	1857, 79	<i>senegalensis</i>	1860, 196
<i>rugensis</i>	1857, 5	<i>Mygale antipodum</i>	1849, 3
<i>splendens</i>	1857, 77	<i>emilia</i>	1856, 183
<i>stenura</i>	1855, 11		
<i>surinama</i>	1857, 74		
<i>telescopthalma</i>	1858, 177		
<i>texensis</i>	1855, 65		
<i>thamnophiloides</i>	1859, 41		

	Page		Page
<i>Mygale emilia</i>	1856, 186	<i>Myiobius cinnamomeus</i> .	1860, 466
<i>hexops</i>	1849, 3	<i>crypterythrurus</i>	1860, 464
<i>rosea</i>	1856, 183	<i>cryptoxanthus</i>	1860, 465
<i>versicolor</i>	1856, 183	<i>erythrurus</i>	1858, 70
<i>zebra</i>	1856, 183	{ 1860, 295	
<i>Myiabeillia typica</i>	1856, 287	{ 1860, 466	
<i>Myiabeillia guimeti</i>	1857, 17	<i>flavicans</i>	1860, 464
<i>Myiadestes armillata</i> ..	1857, 6	<i>fuscocapilla</i>	1855, 149
<i>elisabethae</i>	1857, 5	<i>naevius</i>	1860, 466
<i>griseiventris</i>	1857, 6	{ 1859, 144	
<i>leucotis</i>	1860, 64	{ 1860, 93	
{ 1856, 299		{ 1860, 466	
{ 1857, 5		<i>phoenicurus</i>	1858, 70
<i>obscurus</i>	1857, 213	{ 1860, 466	
{ 1859, 364		<i>pulcher</i> ..	1860, 464
{ 1859, 376		<i>pyrrhopterus</i>	1855, 149
{ 1860, 300		{ 1859, 45	
<i>townsendi</i>	1857, 5	<i>sulphureipygus</i> ..	1859, 384
{ 1858, 97		{ 1860, 465	
{ 1856, 299		<i>vieillotides</i>	1860, 466
<i>unicolor</i>	1857, 5	<i>vieilloti</i>	1855, 149
{ 1857, 213		<i>villosus</i>	1860, 93
{ 1858, 97		{ 1859, 465	
{ 1857, 6		<i>xanthopygius</i>	1860, 465
<i>venezuelensis</i>	1860, 64	<i>Myiociocla ochrata</i>	1858, 542
<i>Myiagra azurea</i>	1854, 271	{ 1854, 111	
<i>flavirostris</i>	1858, 176	<i>Myiodiodes canadensis</i> {	1855, 143
<i>galeata</i>	1860, 352	{ 1858, 64	
<i>lucida</i>	1858, 176	{ 1858, 451	
<i>manadensis</i>	1860, 352	<i>chrysophrys</i>	1855, 65
<i>nitens</i>	1860, 352	<i>coronatus</i>	1855, 133
<i>pectoralis</i> ..	1854, 270	<i>mitratus</i>	1856, 291
<i>perspicillata</i>	1859, 161	{ 1856, 291	
<i>viridinitens</i>	1859, 162	<i>pusillus</i>	1859, 363
<i>Myiagrus lineatus</i>	1858, 285	{ 1859, 374	
<i>Myiarchus cinerascens</i> .	1859, 384	<i>tristriatus</i> ...	1859, 137
<i>cooperi</i>	1859, 384	<i>Myiodynastes atrifrons</i> .	1859, 43
<i>ferox</i>	1855, 150	<i>audax</i>	1859, 43
<i>fuscus</i>	1859, 366	{ 1859, 43	
<i>lawrencii</i>	1859, 366	{ 1859, 143	
<i>mexicanus</i>	1856, 296	<i>chrysocephalus</i> ..	1860, 63
<i>nigriceps</i> .	1860, 68	{ 1860, 92	
<i>phaeocephalus</i>	1860, 281	{ 42	
<i>uropygiatus</i>	1850, 41	{ 43	
<i>virens</i>	1855, 150	<i>luteiventris</i>	1859, 45
<i>Myiodiodes mitratus</i> ..	1858, 358	{ 56	
<i>pusillus</i> .	1858, 299	{ 366	
<i>Myiobatrachus paradox-</i>		{ 383	
<i>us</i>	1849, 145	<i>nobilis</i>	1859, 42
{ 1859, 45		{ 1859, 43	
{ 1860, 282		{ 1860, 295	
<i>Myiobius barbatus</i>	1860, 295	<i>solitarius</i>	1859, 43
{ 1860, 465			
<i>cinnamomeus</i>	1858, 554		

	Page		Page
<i>Myiolestes aruensis</i>	1858, 180	<i>Myiothlypis luteoviridis</i>	1855, 143
<i>gouldii</i>	1858, 180	<i>nigricristata</i>	{ 1855, 143 1859, 440
<i>griseatus</i>	1858, 180	<i>Myioturdus fuscater</i>	1858, { 64 289
<i>megarhynchus</i>	1859, 157	<i>lineatus</i>	1858, 247
<i>phaionotus</i>	1860, 353	<i>marginatus</i>	1858, 278
<i>Myiophonus</i>	1858, 489	<i>ochroleucus</i>	1858, 282
<i>minckii</i>	1859, 181	<i>palikour</i>	1858, 275
<i>Myiopsitta lineola</i>	1857, 225	<i>perspicillatus</i>	1858, 286
<i>tigrina</i>	{ 1858, 306 1857, 225	<i>rex</i>	1858, 280
<i>Myiothera albifrons</i>	1858, 278	<i>tetema</i>	1858, 277
<i>analis</i>	1858, 277	<i>tamniensis</i>	1858, 281
<i>ardesiaca</i>	1858, 288	<i>Myiozetetes cayennensis</i>	1859, 45
<i>brachyura</i>	1854, 274	<i>columbianus</i>	1860, 295
<i>cærulea</i>	1854, 278	<i>guianensis</i>	1860, 283
<i>calcarata</i>	1858, 287	<i>texensis</i>	{ 1859, 45 56 366
<i>campanisona</i>	1858, 278	<i>Myhusia callocyathes</i>	1859, 439
<i>castanea</i>	1858, 249	<i>Myiodon darwini</i>	1851, 210
<i>cinerea</i>	1858, 235	<i>harlan</i>	1851, 210
<i>colma</i>	1858, 277	<i>robustus</i>	{ 1851, 206 210
<i>domicella</i>	1858, 246	<i>Myobatrachus gouldii</i>	1850, 10
<i>epilepidota</i>	1854, 279	<i>paradoxus</i>	1850, 10
<i>ferruginea</i>	1858, 239	<i>Myobius stolidus</i>	1851, 51
<i>fuliginosa</i>	1858, 236	<i>Myochama anomioidea</i>	1850, 23
<i>grallaria</i>	1858, 230	<i>keppelliana</i>	1852, 90
<i>leucophrys</i>	1858, 238	<i>strangei</i>	1850, 23
<i>longirostris</i>	1858, 243	<i>stutchburyi</i>	1852, 90
<i>loricata</i>	1858, 248	<i>transversa</i>	1850, 23
<i>maculata</i>	1858, 242	<i>Myodes groenlandicus</i>	1848, 43
<i>malura</i>	1858, 241	<i>helvolus</i>	1848, 43
<i>margaritacea</i>	1858, 250	<i>hudsonicus</i>	1848, 43
<i>mentalis</i>	1858, 221	<i>lemurus</i>	1848, 43
<i>nigromaculata</i>	1858, 276	<i>trimucronatus</i>	1848, 44
<i>nudiceps</i>	{ 1854, 112 1857, 47 1858, 274	<i>Myoictes wallacei</i>	1858, 112
<i>perspicillata</i>	1858, 286	<i>Myriotrochus rinkai</i>	1858, 366
<i>pileata</i>	1858, 233	<i>Myristicivora bicolor</i>	1859, 466
<i>plumbea</i>	1858, 222	<i>melanura</i>	1860, 361
<i>pocilonota</i>	1858, 251	<i>Myrmeciza argentata</i>	1858, 250
<i>pocilloptera</i>	1858, 235	<i>cinnamomea</i>	1858, 249
<i>poliocephala</i>	1858, 221	<i>exsul</i>	{ 1858, 540 1860, 294
<i>rufa</i>	1858, 240	<i>hemimelæna</i>	{ 1857, 48 1858, 249
<i>ruficeps</i>	1858, 277	<i>leucaspis</i>	{ 1854, 253 1855, 147
<i>rufimarginata</i>	1858, 233	<i>longipes</i>	{ 1858, 249 1857, 48
<i>scapularis</i>	1858, 233	<i>loricata</i>	{ 1858, 248 1854, 253
<i>squamata</i>	1858, 241	<i>margaritata</i>	1858, 221
<i>strictothorax</i>	1858, 221	<i>melanura</i>	1858, 246
<i>strigilata</i>	{ 1858, 242 278		
<i>superciliaris</i>	1858, 239		
<i>tetema</i>	1858, 277		
<i>thamnophiloides</i>	1858, 251		
<i>variegata</i>	1858, 233		
<i>yarrelli</i>	1858, 289		
<i>Myiotheretes erythropus</i>	1860, 78		
<i>striaticollis</i>	1860, 92		

	Page		Page
<i>Myrmeciza ruficauda</i> ...	1858, 248	<i>Mysia tumida</i>	1856, 215
<i>Myrmecophaga annulata</i>	1851, 218	<i>Mystacina tuberculata</i> ..	1857, 138
<i>bivittata</i>	1860, 262	<i>Mytilia gerrardi</i>	1858, 263
<i>jubata</i>	1851, 217	<i>melanogaster</i>	1858, 264
<i>longicaudata</i>	1854, 24	<i>templetoni</i>	1858, 263
<i>tamandua</i>	1854, 154	<i>unimaculata</i>	1858, 264
<i>tetradactyla</i>	1857, 22	<i>Mytilimera nuttalli</i>	1856, 211
<i>Myrmelastes nigerrimus</i>	1860, 181	<i>Mytilus adamsianus</i>	1856, 360
<i>plumbeus</i>	1851, 218	<i>atropurpureus</i>	1856, 359
<i>Myrmonax cinnamomeus</i>	1851, 218	<i>bifurcatus</i>	1856, 219
<i>leucophrys</i>	1860, 262	<i>californianus</i>	1856, 219
<i>longipes</i>	1858, 275	<i>curvatus</i>	1856, 361
<i>loricatus</i>	1858, 274	<i>edulis</i>	1856, 219
<i>lugubris</i>	1858, 249	<i>glomeratus</i>	1856, 202
<i>myiotherinus</i>	1858, 146	<i>horridus</i>	1856, 359
<i>Myrmothera atricapilla</i> ..	1858, 252	<i>latissimus</i>	1858, 90
<i>axillaris</i>	1858, 249	<i>morrisi</i>	1856, 219
<i>cærulescens</i>	1858, 248	<i>niger</i>	1856, 360
<i>campanella</i>	1858, 248	<i>obscurus</i>	1856, 360
<i>colma</i>	1858, 236	<i>rostratus</i>	1856, 358
<i>formicivora</i>	1858, 244	<i>smaragdinus</i>	1860, 17
<i>fuscicapilla</i>	1858, 250	<i>splendens</i>	1856, 358
<i>gularis</i>	1858, 277	<i>tortus</i>	1858, 90
<i>guttata</i>	1858, 275	<i>Myura simplex</i>	1859, 484
<i>leucophrys</i>	1858, 277	<i>Myzomela boiei</i>	1860, 349
<i>longipes</i>	1858, 235	<i>erythrocephala</i>	1858, 173
<i>melanoleuca</i>	1858, 235	<i>nigrita</i>	1858, 173
<i>menetriesi</i>	1858, 235	<i>simplex</i>	1859, 155
<i>minuta</i>	1858, 238	<i>simplex</i>	1860, 349
<i>rufa</i>	1858, 249	<i>Nacella depicta</i>	1856, 204
<i>tessellata</i>	1858, 288	<i>Naga rhombeatus</i>	1858, 163
<i>tetema</i>	1858, 237	<i>Naja haje</i>	1849, 95
<i>troglodytes</i>	1858, 234	<i>Naja angusticeps</i>	1858, 160
<i>unicolor</i>	1858, 288	<i>fula-fula</i>	1859, 88
<i>vittata</i>	1858, 288	<i>haje</i>	1858, 163
<i>Myrmotherula axillaris</i> ..	1858, 236	<i>sommersetta</i>	1859, 88
<i>brevicauda</i>	1858, 237	<i>haje</i>	1858, 380
<i>erythronota</i>	1858, 236	<i>haje</i>	1858, 375
<i>gularis</i>	1858, 235	<i>haje</i>	1858, 378
<i>guttata</i>	1858, 235	<i>haje</i>	1858, 379
<i>haematonota</i>	1858, 235	<i>haje</i>	1858, 380
<i>hauxwelli</i>	1858, 236	<i>sommersetta</i>	1859, 88
<i>melæna</i>	1858, 237	<i>haje</i>	1858, 380
<i>menetriesi</i>	1858, 237	<i>haje</i>	1858, 381
<i>menetriesi</i>	1860, 67	<i>haje</i>	1858, 382
<i>menetriesi</i>	1860, 89	<i>haje</i>	1860, 117
<i>multistriata</i>	1858, 234	<i>haje</i>	1860, 164
<i>ornata</i>	1858, 235	<i>haje</i>	1860, 167
<i>pygmaea</i>	1858, 234	<i>haje</i>	1860, 169
<i>surinamensis</i>	1858, 234	<i>haje</i>	1860, 170
<i>urosticta</i>	1858, 238	<i>haje</i>	1860, 171
<i>Myron richardsonii</i>	1858, 384	<i>Nandinia binotata</i>	1860, 247
		<i>Nanina albaiensis</i>	1853, 110
		<i>birmana</i>	1860, 7
		<i>celinde</i>	1849, 164
		<i>distincta</i>	1860, 7
		<i>dohrmiana</i>	1860, 136
		<i>ergone</i>	1849, 165

	Page		Page
<i>Nanina hainesi</i>	1860, 7	<i>Nassa crenulata</i>	1851, 103
^p <i>krivi</i>	1840, 164	<i>cumingii</i>	1851, 98
<i>mariae</i>	1840, 164	<i>dealbata</i>	1851, 112
<i>mouhoti</i>	1860, 136	<i>decussata</i>	1851, 111
<i>siamensis</i>	1860, 7	<i>delicata</i>	1851, 99
<i>tullia</i>	1849, 165	<i>denticulata</i>	1851, 110
(<i>Hesta</i>) <i>splendens</i>	1860, 8	<i>dentafera</i>	1851, 111
(—) <i>vallicola</i>	1860, 8	<i>dispar</i>	1851, 96
(<i>Trochomorpha</i>)— ^p	1860, 8	<i>distorta</i>	1851, 105
<i>Nanotragus perpusillus</i>	1850, 126	<i>dorsuosa</i>	1851, 102
<i>regius</i>	1850, 126	<i>echinata</i>	1851, 101
<i>Napothera atricapilla</i>	1854, 277	<i>elegans</i>	1851, 104
<i>coronata</i>	1854, 275	<i>exilis</i>	1851, 106
<i>pyrrhomelanura</i>	1854, 275	<i>fasciata</i>	1851, 111
<i>Narica ovoidea</i>	1856, 205	<i>festiva</i>	1851, 111
<i>Nasica flavigaster</i>	1856, 289	<i>filosa</i>	1851, 105
<i>guttata</i>	1854, 111	<i>fissilabris</i>	1851, 99
<i>Nasiterna pygmæa</i>	1860, 227	<i>fuscata</i>	1851, 112
<i>Nassa abbreviata</i>	1851, 113	<i>gaudiosa</i>	1851, 104
<i>abyssicola</i>	1851, 100	<i>gayi</i>	1851, 112
<i>albescens</i>	1851, 96	<i>gemma</i>	1851, 96
<i>ambigua</i>	1851, 101	<i>gemmaulata</i>	1851, 95
<i>angulifera</i>	1851, 109	<i>gemmaulifera</i>	1851, 99
<i>anomala</i>	1851, 111	<i>geniculata</i>	1851, 100
<i>antillarum</i>	1851, 95	<i>gibbosula</i>	1851, 101
<i>arcularia</i>	1851, 94	<i>glans</i>	1851, 104
<i>ascanias</i>	1851, 111	<i>granifera</i>	1851, 101
<i>australis</i>	1851, 272	<i>grumeri</i>	1851, 96
<i>badia</i>	1851, 107	<i>hirta</i>	1851, 103
<i>bellula</i>	1851, 102	<i>hispidula</i>	1851, 101
<i>bimaculosa</i>	1851, 102	<i>horrida</i>	1851, 101
<i>bronnii</i>	1851, 104	<i>isabellei</i>	1851, 95
<i>cæolata</i>	1851, 97	<i>jacksoniana</i>	1851, 103
<i>callosa</i>	1851, 98	<i>japonica</i>	1851, 110
<i>callospira</i>	1851, 102	<i>joni</i>	1851, 96
<i>canaliculata</i>	1851, 106	<i>labecula</i>	1851, 98
<i>cancellata</i>	1851, 99	<i>læta</i>	1851, 104
<i>candens</i>	1851, 95	<i>lentiginosa</i>	1851, 105
<i>caperata</i>	1851, 96	<i>leptospira</i>	1851, 103
<i>cinctella</i>	1851, 110	<i>livescens</i>	1851, 95
<i>cinnamomea</i>	1851, 107	<i>luctuosa</i>	1851, 105
<i>circumcincta</i>	1851, 102	<i>luteostoma</i>	1851, 95
<i>clathrata</i>	1851, 101	<i>lyrilla</i>	1851, 95
<i>clathratula</i>	1851, 99	<i>margaritifera</i>	1851, 96
<i>complanata</i>	1851, 104	<i>marginulata</i>	1851, 94
<i>compta</i>	1851, 107	<i>marmorea</i>	1851, 106
<i>concinna</i>	1851, 112	<i>micans</i>	1851, 106
<i>cooperi</i>	1850, 273	<i>microstoma</i>	1860, 145
<i>coronata</i>	1851, 94	<i>miga</i>	1851, 109
<i>coronula</i>	1851, 96	<i>mitralis</i>	1851, 108
<i>corrugata</i>	1851, 110	<i>mcesta</i>	1851, 95
<i>corticata</i>	1851, 98	<i>monilis</i>	1851, 103
<i>costata</i>	1851, 98	<i>mucronata</i>	1851, 105
<i>costellifera</i>	1851, 112	<i>multicostata</i>	1851, 98
<i>crassa</i>	1851, 96	<i>multigrana</i>	1851, 112
<i>cremata</i>	1851, 95	<i>muricata</i>	1851, 101
<i>crenellifera</i>	1851, 98	<i>mutabilis</i>	1851, 94
<i>crenolirata</i>	1851, 100	<i>myristicata</i>	1851, 109

	Page		Page
<i>Nassa nana</i>	1851, 102	<i>Nassa succincta</i>	1851, 107
<i>nassoides</i>	1851, 103	<i>sulcata</i>	1851, 112
<i>nivea</i>	1851, 110	<i>sulcifera</i>	1851, 98
<i>nodata</i>	1851, 109	<i>suturalis</i>	1851, 104
<i>nodicincta</i>	1851, 110	<i>teretiuscula</i>	1851, 108
<i>nodicostata</i>	1851, 99	<i>thersites</i>	1851, 102
<i>nodifera</i>	1851, { 95	<i>tiarula</i>	1851, 94
<i>nodulifera</i>	1851, 103	<i>trifasciata</i>	1851, 112
<i>nucleolus</i>	1851, 109	<i>tritoniformis</i>	1851, 111
<i>obliquata</i>	1851, 105	<i>trivittata</i>	1851, 112
<i>obliqueplicata</i>	1851, 112	<i>turrita</i>	1851, 110
<i>obtusata</i>	1851, 100	<i>unicolor</i>	1851, 106
<i>olivacea</i>	1851, 103	<i>variabilis</i>	1851, 103
<i>orbiculata</i>	1851, 102	<i>varicifera</i>	1851, 108
<i>ornata</i>	1851, 106	<i>variegata</i>	1851, 97
<i>pallida</i>	1851, 109	<i>venusta</i>	1851, 95
<i>pallidula</i>	1851, 106	<i>verrucosa</i>	1851, 97
<i>papillosa</i>	1851, 103	<i>vibex</i>	1851, 101
<i>pauperata</i>	1851, 95	<i>woodwardi</i>	1850, 273
<i>perpinguis</i>	1851, 109	<i>zonalis</i>	1851, 107
<i>picta</i>	1851, 104	<i>Nasua fusca</i>	{ 1859, 435
<i>planocostata</i>	1851, 108		{ 1860, 243
<i>plicatella</i>	1851, 111		{ 1860, 323
<i>polygonata</i>	1851, 94	<i>Natalus stramineus</i> ..	1856, 178
<i>pulchella</i>	1851, 108	<i>Natica californica</i> ..	1856, 227
<i>pullus</i>	1851, 94	<i>caribæa</i>	1851, 234
<i>punctata</i>	1851, 105	<i>catenata</i>	1851, 233
<i>pusio</i>	1851, 100	<i>collaria</i>	1860, 17
<i>ramda</i>	1851, 97	<i>excavata</i>	1856, 165
<i>reevei</i>	1851, 100	<i>fossar</i>	1853, 186
<i>reeviana</i>	1851, 104	<i>incei</i>	1851, 233
<i>retecosa</i>	1851, 97	<i>intemerata</i>	1851, 233
<i>reticulata</i>	1851, 112	<i>intricata</i>	1850, 272
<i>retusa</i>	1851, 113	<i>lineata</i>	1860, 16
<i>rossyi</i>	1851, 109	<i>maculosa</i>	{ 1851, 74
<i>rufocincta</i>	1851, 106		{ 1860, 17
<i>rufula</i>	1851, 104	<i>maroccana</i>	1856, 227
<i>sanctæ helenæ</i> ..	1851, 110	<i>pomum</i>	1851, 234
<i>scabriuacula</i>	1851, 111	<i>pritchardi</i>	1850, 272
<i>scalariformis</i>	1851, 109	<i>pulchella</i>	1853, 68
<i>scalaris</i>	1851, 108	<i>vestalis</i>	1851, 234
<i>semigranosa</i>	1851, 96	<i>Natrix lacertina</i> ..	1858, 160
<i>seminodosa</i>	1851, 104	<i>lubrica</i>	1859, 89
<i>semplicata</i>	1851, 107	<i>Nauclerus furcatus</i> ..	1851, 57
<i>serotina</i>	1851, 108	<i>riocouri</i>	1850, 215
<i>sertula</i>	1851, 107	<i>Nautilus macromphalus</i>	1859, 226
<i>signata</i>	1851, 112	<i>pompilius</i>	{ 1850, 1
<i>sinusigera</i>	1851, 100		{ 1859, 226
<i>siquijorensis</i> ..	1851, 97	<i>scrobiculatus</i>	1857, 21
<i>sordida</i>	1851, 97		{ 1857, 21
<i>speciosa</i>	1851, 100	<i>umbilicatus</i>	{ 1859, 226
<i>spirata</i>	1851, 106	<i>Navicella livesayi</i> ..	1858, 135
<i>splendidula</i>	1851, 96	<i>squamata</i>	1858, 135
<i>stigmæria</i>	1851, 96	<i>Nææra fragilis</i>	1855, 226
<i>stolida</i>	1851, 105	<i>Necrobia eximia</i> ..	1852, 54
<i>sturni</i>	1851, 95	<i>punguis</i>	1852, 52
<i>subspinosa</i>	1851, 101	<i>Nectarinia angolensis</i>	1860, 110
		<i>asiatica</i>	1857, 101

	Page		Page
<i>Nectarinia asiatica</i>	1858, 497	<i>Nemoricola indica</i>	1857, 95
<i>aspasia</i>	{ 1858, 173	<i>alba</i>	{ 1855, 109
<i>aspasioides</i>	1859, 155	<i>albicularis</i> ..	{ 1855, 155
<i>auriceps</i>	1860, 348	<i>atra</i>	{ 1856, 111
<i>auriceps</i>	1860, 348	<i>auricollis</i>	1856, 67
<i>australis</i>	{ 1850, 201	<i>blanda</i>	1856, 111
<i>chlorolæma</i>	1858, 173	<i>blanda</i>	1856, 112
<i>cingalensis</i>	1860, 110	<i>diademata</i>	1856, 241
<i>cyanocephala</i>	1859, 403	<i>diademata</i>	{ 1855, 109
<i>cyanolæma</i>	1860, 110	<i>flavicollis</i>	{ 1856, 110
<i>cyanolæma</i>	1860, 110	<i>flavicollis</i>	{ 1857, 264
<i>eques</i>	1859, 155	<i>fulvescens</i>	1856, 112
<i>erythrothorax</i>	1860, 110	<i>guira</i>	{ 1855, 155
<i>erythrothorax</i>	1860, 110	<i>guira</i>	{ 1856, 109
<i>flammaxillaris</i>	1859, { 150	<i>guirina</i>	1856, 110
<i>flammaxillaris</i>	1859, { 151	<i>insignis</i>	1856, 110
<i>flammaxillaris</i>	1859, { 462	<i>nigricollis</i>	1856, 109
<i>frenata</i>	{ 1850, 201	<i>ornata</i>	1859, 138
<i>frenata</i>	{ 1858, 173	<i>peruana</i>	1856, 111
<i>frenata</i>	1860, 348	<i>puleata</i>	1856, 109
<i>goalpariensis</i>	1858, 496	<i>rubrirostris</i> ..	1856, 92
<i>hasseltii</i>	1859, 462	<i>ruficapilla</i>	1856, 111
<i>hypogrammica</i>	1859, 461	<i>ruficeps</i>	1856, 112
<i>javanica</i>	1859, 461	<i>sordida</i>	1856, 112
<i>javanica</i>	1859, 462	<i>superciliaris</i>	1856, 92
<i>lathamii</i>	1859, 461	<i>torquata</i>	{ 1855, 84
<i>lepidia</i>	1859, 461	<i>torquata</i>	{ 1856, 138
<i>melanorhynchus</i> ..	1850, 216	<i>verticalis</i>	1856, 93
<i>metallica</i>	1850, 216	<i>Nemura hodgsonii</i>	1854, 76
<i>mystacalis</i>	1859, 461	<i>Neochloe brevipennis</i> ..	1857, 213
<i>perreinii</i>	1860, 110	<i>Neocorys spraguei</i>	1857, 5
<i>phayrei</i>	1859, 462	<i>Neodon sikimensis</i>	1856, 401
<i>phoenicotis</i>	1859, 463	<i>Neodon sikimensis</i>	{ 1850, 214
<i>pulchella</i>	1850, 216	<i>Neophon percnopterus</i> {	1854, 2
<i>rubescens</i>	1860, 110	<i>Neophon percnopterus</i> {	1856, 469
<i>siparaja</i>	1859, 461	<i>Neophon percnopterus</i> {	1859, 170
<i>solaris</i>	1860, 348	<i>Neornis cærulea</i>	1856, 269
<i>solaris</i>	{ 1858, 173	<i>Neotragus hemprichia-</i>	
<i>zenobia</i>	1859, 155	<i>nus</i>	1850, 120
<i>zenobia</i>	1860, 348	<i>madoka</i>	1850, 120
<i>zeylonica</i>	1858, 497	<i>saltiana</i>	{ 1850, 120
<i>Necturus maculatus</i>	1857, 61	<i>saltiana</i>	{ 1859, 169
<i>maculosus</i>	1856, 343	<i>Nephrocetes borealis</i> ...	1850, 236
<i>Neilo cumingii</i>	1852, 93	<i>niger</i>	1850, 236
<i>Nematura deltae</i>	1851, 225	<i>ambra</i>	1858, 7
<i>glabrata</i>	1851, 226	<i>ananta</i>	1858, 5
<i>minima</i>	1851, 225	<i>antara</i>	1858, 4
<i>olivacea</i>	1851, 226	<i>columella</i>	1858, 7
<i>polita</i>	1851, 226	<i>duryodana</i>	1858, 10
<i>puncticulata</i>	1851, 226	<i>heliodora</i>	1858, 8
<i>Nemertes borlassii</i>	1858, 307	<i>heliodore</i>	1858, 4
<i>Nemophis lessoni</i>	1858, 168	<i>hordona</i>	1858, 4
<i>Nemorhædus bubalina</i> ..	1850, 173	<i>ida</i>	1858, 10
<i>sumatrensis</i>	1850, 173	<i>jumba</i>	1858, 7
<i>taxicolor</i>	1856, 405	<i>manasa</i>	1858, 5
<i>taxicolor</i>	{ 1856, 403	<i>matuta</i>	1858, 9
<i>Nemorhedus goral</i>	1858, 523	<i>miah</i>	1858, 4
<i>proclivis</i>	1850, 135		
<i>Nemorhina palpalis</i>	1850, 262		

	Page		Page
<i>Neptis nandina</i>	1858, 9	<i>Ninox scutulatus</i>	1854, 262
<i>narayana</i>	1858, 6	<i>Niphæa hyemalis</i>	1856, 306
<i>nata</i>	1858, 10	<i>oregona</i>	1856, 306
<i>pata</i>	1858, 4	<i>rufidorsis</i>	1856, 306
<i>radha</i>	1858, 6	<i>Nisæctus nipalensis</i>	1854, 260
<i>shepherdi</i>	1858, 8	<i>pallidus</i>	1854, 260
<i>soma</i>	1858, 9	<i>Nisus chionogaster</i>	1851, 41
<i>tiga</i>	1858, 4	<i>Nitidella gouldii</i>	1856, 208
<i>vikasi</i>	1858, 7	<i>Nitidula ænea</i>	1850, 19
<i>zaida</i>	1858, 6	<i>Noctilinia lasyura</i>	1857, 45
<i>Neptunea fuscolineata</i> ..	1860, 189	<i>Noctilio leporinus</i>	1860, 261
<i>Nerita albicilla</i>	1858, 94	<i>Noctua indica</i>	1854, 45
<i>atra</i>	1858, 94	<i>perlneata</i>	1854, 262
<i>chameleon</i>	1858, 94	<i>Noctula leucippe</i>	1858, 81
<i>costata</i>	1858, 186	<i>Noctulnia escholtzi</i> ..	1858, 121
<i>exuvia</i>	1858, 94	<i>lasyura</i>	1858, 370
<i>inconspicua</i>	1858, 94	<i>Nonnulla frontalis</i>	1856, 196
<i>lineolata</i>	1858, 93	<i>rubecula</i>	1858, 60
<i>malaccensis</i>	1858, 94	<i>ruficapilla</i>	1858, 124
<i>ornata</i>	1858, 94	<i>Notauges superbus</i>	1855, 196
<i>peloronta</i>	1858, 93	<i>viridescens</i>	1855, 196
<i>plicata</i>	1858, 93	<i>Nothocercus sallæi</i>	1855, 196
<i>polita</i>	1858, 93	<i>superbus</i>	1860, 197
<i>senegalensis</i>	1858, 94	<i>Nothophtalma minata</i> ..	1856, 310
<i>signata</i>	1858, 94	<i>sallæi</i>	1859, 392
<i>tessellata</i>	1858, 94	<i>Notophtalma minata</i> ..	1858, 138
<i>variabilis</i>	1858, 94	<i>viridescens</i>	1858, 138
<i>versicolor</i>	1858, 94	<i>Notopteris macdonaldii</i> ..	1859, 38
<i>(Synæra) hepatica</i>	1856, 20	<i>Notornis</i>	1848, 2
<i>Neritina beckii</i>	1851, 72	<i>macdonaldii</i>	1859, 208
<i>crepidularia</i>	1851, 72	<i>mantelli</i>	1850, 209
<i>dubia</i>	1860, 14	<i>minata</i>	1851, 212
<i>melanostoma</i>	1851, 73	<i>Nototrema marsupiatum</i> ..	1859, 89
<i>neglecta</i>	1860, 14	<i>Notoxus pulcher</i>	1852, 402
<i>piperina</i>	1860, 435	<i>Novaculina olivacea</i> ..	1851, 61
<i>piperina</i>	1851, 72	<i>Nucifraga caryocatactes</i> ..	1849, 74
<i>Nesocichla eremita</i> ...	1855, 165	<i>hemispila</i>	1849, 23
<i>eremita</i>	1856, 144	<i>castanea</i>	1858, 478
<i>Nesotragus moschatus</i> ..	1850, 119	<i>crenulata</i>	1859, 172
<i>Nestor hypopolius</i>	1856, 94	<i>divaricata</i>	1849, 23
<i>notabilis</i>	1856, 94	<i>gibba</i>	1860, 441
<i>Nettapus coromandelicus</i> ..	1859, 150	<i>Nucula antipodum</i>	1860, 441
<i>pulchellus</i>	1857, 28	<i>bellotii</i>	1856, 51
<i>Newcombia chlorotica</i> ..	1855, 203	<i>castanea</i>	1856, 53
<i>cinnamomea</i>	1858, 22	<i>crenulata</i>	1856, 52
<i>gemma</i>	1858, 22	<i>divaricata</i>	1860, 189
<i>minuscula</i>	1858, 22	<i>gibba</i>	1856, 52
<i>sulcata</i>	1858, 22	<i>layardii</i>	1856, 51
<i>zebrina</i>	1855, 202	<i>m'andrewii</i>	1860, 441
<i>Nidalia occidentalis</i> ..	1851, 125	<i>malabarica</i>	1860, 441
<i>occidentalis</i>	1857, 129	<i>margaritacea</i>	1856, 51
<i>Nightingale</i>	1851, 196	<i>nitidula</i>	1856, 51
<i>Nika edulis</i>	1856, 102	<i>nucleus</i>	1856, 341
<i>edulis</i>	1856, 105	<i>obliqua</i>	1860, 441
<i>Niltava sundara</i>	1858, 492	<i>paulula</i>	1856, 52
<i>sundara</i>	1859, 183	<i>paytensis</i>	1856, 51
<i>Ninox jeridius</i>	1854, 262	<i>sculpta</i>	1860, 189
<i>mpalensis</i>	1854, 262	<i>simplex</i>	1856, 52
		<i>strangeri</i>	1856, 52

	Page		Page
<i>Nucula striolata</i>	1856, 52	<i>Nyctiornis amicta</i>	1854, 264
<i>sulcata</i>	1856, 53	<i>Nyctipithecus felinus</i> ..	1852, 107
<i>Nuculina donaciforme</i> ..	1849, 89	<i>trivirgatus</i>	1852, 107
<i>donaciformis</i>	1854, 6	<i>Nyctiplanus rotundatus</i> ..	1848, 58
<i>triangularis</i>	1854, 6	<i>Nyctophilus geoffroyi</i> ..	1858, 29
<i>Numenius</i> —	1858, 188	<i>gouldi</i>	1858, 31
<i>arcuata</i>	1850, 188	<i>timoriensis</i>	1858, 34
1851, 146		1858, 33	
1858, 506		1850, 78	
<i>arquata</i>	1860, 242	<i>Nylghau</i>	1851, 116
1860, 258		<i>Nymphalis aceris</i>	1858, 9
<i>australasianus</i>	1860, 364	<i>helicopus</i>	1858, 8
<i>brevirostris</i>	1860, 387	<i>heliodore</i>	1858, 4
<i>minor</i>	1858, 188	<i>hordonia</i>	1858, 4
1860, 364		<i>nefte</i>	1858, 13
1851, 146		<i>strophia</i>	1858, 18
1858, 506		<i>venilia</i>	1858, 20
<i>phaeopus</i>	1860, 258	<i>Nymphicus bisetis</i>	1850, 164
1860, 415		<i>cornutus</i>	1859, 164
<i>uropygalis</i>	1858, 188	<i>novæ-hollandiæ</i> ..	1857, 27
<i>Numida meleagris</i>	1857, 236	<i>Nyroca leucophthalma</i> ..	1850, 190
<i>ptilonorhyncha</i>	1860, 416	1858, 442	
<i>ptilorhyncha</i>	1849, 106	<i>Obeliscus achates</i>	1856, 206
<i>Nyctale acadica</i>	1850, 219	<i>clavulus</i>	1850, 206
<i>harnsi</i>	1858, 295	<i>Octoeca albiduema</i>	1856, 28
<i>Nyctalitinus albipunctatus</i>	1856, 25	<i>fumicolor</i>	1850, 28
<i>Nyctea nivea</i>	1860, 417	1858, 554	
<i>Nyctereutes procyonoides</i> 1848, 70		1860, 79	
<i>Nyctibius pectoralis</i>	1860, 79	1858, 554	
<i>Nycticebus javanicus</i> ..	1849, 17	<i>fumigata</i>	1860, 63
<i>Nycticejus atalapha</i>	1857, 35	1860, 67	
<i>macrotis</i>	1858, 546	1856, 28	
<i>nivicolus</i>	1856, 395	1858, 554	
<i>noveboracensis</i>	1857, 35	1860, 63	
<i>prunosus</i>	1857, 37	1860, 67	
<i>varius</i>	1857, 35	1856, 28	
<i>Nycticorax americana</i>	1850, 90	1858, 554	
<i>caledonicus</i>	1860, 387	<i>lessoni</i>	1860, 63
1840, 106		1860, 68	
1850, 166		1860, 92	
1860, 364		<i>leucophrys</i>	1850, 28
<i>europæus</i>	1850, 151	<i>oceanthoides</i>	1856, 28
1860, 197		<i>rufipectoralis</i>	1856, 28
1857, 206		<i>Octonus holosteon</i>	1850, 105
1857, 230		1855, 153	
<i>gardeni</i>	1858, 77	<i>Ocyalus wagleri</i>	1857, 228
1859, 63		1850, 57	
1859, 369		<i>Ocyptes suilla</i>	1858, 370
1860, 387		<i>Ocyphaps lophotes</i>	1850, 206
1859, 63		1860, 258	
<i>violaceus</i>	1860, 253	<i>Ocypterus leucorhynchus</i> 1858, 179	
<i>Nyctidromus america-</i>	1860, 290	<i>papuensis</i>	1858, 179
<i>nus</i>	1856, 285	<i>Odontidium levissimum</i> . 1858, 436	
<i>derbyanus</i>	1859, 367	<i>regulosum</i>	1858, 415
<i>gallarius</i>	1856, 285	1858, 425	
1855, 135		<i>Odontophorus balliviani</i> . 1850, 94	

	Page		Page
<i>Odontophorus columbianus</i>	1850, 94	<i>Oiketicus m'leaii</i>	1854, 222
<i>dentatus</i>	1850, 94	<i>nigricans</i>	1854, 220
<i>erythroptus</i>	1859, 99	<i>saundersii</i>	1854, 223
<i>guttatus</i>	1859, 147	<i>templetoni</i>	1854, 234
<i>hyperythrus</i>	1860, 72	<i>tertius</i>	1854, 234
<i>lineolatus</i>	1860, 298	<i>Oleacina binneyana</i>	1855, 117
<i>marmoratus</i>	1856, 108	<i>boucardi</i>	1859, 27
<i>melanonotus</i>	1856, 309	<i>ghiesbreghtii</i>	1856, 379
<i>thoracicus</i>	1859, 391	<i>indusiata</i>	1860, 138
<i>veraguensis</i>	1857, 223	<i>pulchella</i>	1856, 379
<i>Odostomia achates</i>	1856, 206	<i>Oligodon sublineatus</i>	1858, 383
<i>carychium</i>	1854, 33	<i>Olisthops cyanomelas</i>	1850, 75
<i>clathrata</i>	1853, 180	<i>Oliva acuminata</i>	1858, 50
<i>fenestrata</i>	1853, 179	<i>alba</i>	1858, 44
<i>formosa</i>	1853, 179	<i>alectona</i>	1858, 53
<i>gravidata</i>	1856, 207	<i>anazora</i>	1858, 53
<i>indistincta</i>	1853, 180	<i>ancillarioides</i>	1858, 52
<i>lactea</i>	1853, 179	<i>angulata</i>	1858, 41
<i>rufa</i>	1853, 179	<i>anomina</i>	1858, 45
<i>scalans</i>	1853, 179	<i>aquatilis</i>	1858, 48
(<i>Chrysallida</i>) <i>crebri-</i>		<i>araneosa</i>	1858, 44
<i>striata</i>	1856, 170	<i>atalna</i>	1858, 44
<i>Oedemia fusca</i>	1860, 442	<i>athenia</i>	1858, 49
<i>Oedicnemus affinis</i>	1850, 220	<i>attenuata</i>	1858, 55
<i>australis</i>	1860, 197	<i>auricularia</i>	1858, 39
<i>crepitans</i>	1859, 212	<i>aurora</i>	1858, 49
<i>magnirostris</i>	1850, 220	<i>australis</i>	1858, 45
<i>recurvirostris</i>	1851, 146	<i>avellana</i>	1858, 49
<i>senegalensis</i>	1855, 81	<i>azemula</i>	1858, 41
<i>Oedipus variegatus</i>	1858, 504	<i>bicincta</i>	1858, 43
<i>Oestrus bovis</i>	1859, 435	<i>bicungulata</i>	1858, 47
<i>equi</i>	1858, 187	<i>biplicata</i>	1858, 56
<i>hæmorrhoidalis</i>	1860, 363	<i>brasiliensis</i>	1858, 48
<i>tarandi</i>	1855, 82	<i>bulbiformis</i>	1858, 46
<i>Oiketicus boisduvalii</i>	1850, 220	<i>bullata</i>	1858, 49
<i>consortus</i>	1854, 235	<i>cærulea</i>	1858, 53
<i>crameri</i>	1854, 236	<i>caldania</i>	1858, 52
<i>doubledaii</i>	1854, 235	<i>calosoma</i>	1858, 49
<i>elongatus</i>	1854, 223	<i>candida</i>	1858, 47
<i>herricki</i>	1854, 232	<i>carneola</i>	1858, 49
<i>hubneri</i>	1854, 228	<i>caroliniana</i>	1858, 46
<i>kurui</i>	1854, 227	<i>cincta</i>	1858, 51
<i>lewini</i>	1854, 231	<i>cingulata</i>	1858, 50
		<i>claneophila</i>	1858, 48
		<i>columba</i>	1858, 53
		<i>columellaris</i>	1858, 55
		<i>conoidalis</i>	1858, 54
		<i>contortuplicata</i>	1858, 52
		<i>cumingii</i>	1858, 45
		<i>dactyliola</i>	1858, 49
		<i>dama</i>	1858, 55
		<i>dealbata</i>	1858, 54

	Page		Page
<i>Oliva duclousi</i>	1858, 45	<i>Oliva micans</i>	1858, 57
<i>eburnea</i>	1858, 54	<i>millepunctata</i>	1858, 57
<i>elegans</i>	1858, 42	<i>miriadin</i>	1858, 53
<i>episcopalis</i>	1858, 42	<i>monilifera</i>	1858, 53
<i>erythrostoma</i>	1858, 42	<i>multiplicata</i>	1858, 46
<i>esther</i>	1858, 53	<i>mustelina</i>	1858, 43
<i>evania</i>	1858, 42	<i>mutica</i>	1858, 54
<i>fabigina</i>	1858, 47	<i>nana</i>	1858, 57
<i>fimbriata</i>	1858, 55	<i>nebulosa</i>	1858, 50
<i>flammulata</i>	1858, 45	<i>neolina</i>	1858, 46
<i>flaveola</i>	1858, 45	<i>nitelma</i>	1858, 52
<i>fulgida</i>	1858, 54	<i>nitidula</i>	1858, 44
<i>fulminans</i>	1858, 42	<i>nivea</i>	1858, 54
<i>funeralis</i>	1858, 42	<i>nobilis</i>	1858, 43
<i>fura</i>	1858, 55	<i>nodulina</i>	1858, 51
<i>fusiformis</i>	1858, 43	<i>nux</i>	1858, 56
<i>galeola</i>	1858, 49	<i>obesina</i>	1858, 44
<i>gibbosa</i>	1858, 50	<i>obtusaria</i>	1858, 43
<i>glandiformis</i>	1858, 42	<i>olorinella</i>	1858, 45
	52	<i>olympiadina</i>	1858, 43
<i>gracilis</i>	1858, 55	<i>oriola</i>	1858, 44
<i>granitella</i>	1858, 43	<i>oryza</i>	1858, 53
<i>gouldingi</i>	1858, 55		57
<i>guttata</i>	1858, 41	<i>ozodina</i>	1858, 51
<i>harpularia</i>	1858, 44		51
<i>hemiltona</i>	1858, 46	<i>paniculata</i>	1858, 53
	43		48
<i>hepatica</i>	1858, 44	<i>patula</i>	1858, 44
	51	<i>paxilla</i>	1858, 53
<i>hiatula</i>	1858, 52	<i>pellucida</i>	1858, 43
<i>hieroglyphica</i>	1858, 51	<i>peruviana</i>	1858, 42
<i>indusica</i>	1858, 51	<i>philantha</i>	1858, 43
<i>inflata</i>	1858, 47	<i>pica</i>	1858, 48
	43	<i>picta</i>	1858, 50
<i>irisans</i>	1858, 49	<i>pindarina</i>	1858, 44
<i>ispidula</i>	1858, 47	<i>pintamella</i>	1858, 44
	45	<i>polpasta</i>	1858, 44
<i>jaspidea</i>	1858, 54	<i>ponderosa</i>	1858, 42
	44	<i>porphyria</i>	1858, 41
<i>julieta</i>	1854, 45	<i>propatula</i>	1856, 200
<i>kaleontina</i>	1854, 53	<i>puelchana</i>	1858, 53
<i>lanceolata</i>	1854, 45		51
<i>lentiginosa</i>	1854, 49	<i>pulchella</i>	1858, 53
<i>lepida</i>	1854, 55		55
<i>lepta</i>	1854, 41	<i>purpurata</i>	1858, 50
<i>leucophaea</i>	1854, 49	<i>pygmaea</i>	1858, 44
<i>leucostoma</i>	1854, 50	<i>quersolma</i>	1858, 47
<i>leucozonalis</i>	1854, 46		52
<i>ligneola</i>	1854, 55	<i>reticulata</i>	1858, 44
<i>lineolata</i>	1854, 43	<i>rosalina</i>	1858, 56
<i>litterata</i>	1854, 46	<i>rufifasciata</i>	1858, 57
<i>lugubris</i>	1858, 50	<i>rufula</i>	1858, 46
<i>luteola</i>	1858, 42	<i>sandwicensis</i>	1860, 145
<i>macleaya</i>	1858, 41	<i>sanguinolenta</i>	1858, 42
<i>maculata</i>	1858, 54	<i>schumacheriana</i>	1858, 46
<i>mandaina</i>	1858, 41	<i>scripta</i>	1858, 43
<i>mantichora</i>	1858, 42	<i>selasia</i>	1858, 54
<i>maura</i>	1858, 54	<i>semisulcata</i>	1858, 55
<i>mica</i>	1858, 54	<i>senegalensis</i>	1858, 43

	Page		Page
<i>Oliva sidela</i>	1858, 46	<i>Olivina jaspidea</i>	1858, 54
<i>splendida</i>	1858, 44	<i>lanceolata</i>	1858, 53
<i>stainforthii</i>	1858, 44	<i>lepta</i>	1858, 55
<i>steeria</i>	1858, 51	<i>lineolata</i>	1858, 55
<i>stellata</i>	1858, 45	<i>mandarina</i>	1858, 54
<i>strigata</i>	1858, 54	<i>mica</i>	1858, 54
<i>subulata</i>	1858, 50	<i>miriadina</i>	1858, 53
<i>tehuelchana</i>	1858, 53	<i>mutica</i>	1858, 54
<i>tergina</i>	1858, 54	<i>paniculata</i>	1858, 53
<i>tessellata</i>	1858, 49	<i>puelchana</i>	1858, 53
<i>testacea</i>	{ 1856, 209	<i>pulchella</i>	1858, 53
<i>textilina</i>	{ 1858, 51	<i>razamola</i>	1858, 52
<i>tigrdella</i>	1858, 43	<i>selasia</i>	1858, 54
<i>tigrina</i>	1858, 45	<i>semisulcata</i>	1858, 55
<i>timoria</i>	{ 42	<i>strigata</i>	1858, 54
<i>todosina</i>	{ 47	<i>tehuelchana</i>	1858, 53
<i>tremulina</i>	1858, 44	<i>tergina</i>	1858, 54
<i>tricolor</i>	1858, 49	<i>tunquina</i>	1858, 53
<i>tringa</i>	1858, 43	<i>zanoea</i>	1858, 56
<i>triticea</i>	1858, 42	<i>zenopira</i>	1858, 54
<i>tunuma</i>	1858, 45	<i>zigzag</i>	1858, 54
<i>undata</i>	1858, 50	<i>zonalis</i>	1858, 55
<i>undatella</i>	1858, 53	<i>Omadius clytiformis</i>	1856, 26
<i>ustulata</i>	1858, 47	<i>ctenostomoides</i>	1855, 24
<i>utricula</i>	1858, 51	<i>fasciatus</i>	1852, 44
<i>venulata</i>	1858, 44	<i>fasciipes</i>	1855, 24
<i>vermiculata</i>	1858, 44	<i>mediofasciatus</i>	1852, 44
<i>volutella</i>	1858, 47	<i>modestus</i>	1855, 25
<i>volvarenoides</i>	1858, 50	<i>olivaceus</i>	1852, 44
<i>zanoea</i>	1858, 56	<i>prasinus</i>	1852, 53
<i>zebra</i>	1858, 42	<i>seticornis</i>	1855, 25
<i>zeilanica</i>	1858, 43	<i>vigilans</i>	1855, 25
<i>zenopira</i>	1858, 54	<i>Ommatotriton vittatus</i>	1858, 140
<i>zigzag</i>	1858, 54	<i>Omphalius ater</i>	1856, 224
<i>zonalis</i>	{ 51	<i>aureotinctus</i>	1856, 224
<i>Olivancillaria auricularia</i>	{ 55	<i>caelatus</i>	1854, 39
	48	<i>fuscescens</i>	1856, 224
	56	<i>marginatus</i>	1856, 224
<i>Olivella glandinaria</i>	1856, 227	<i>pfeifferi</i>	1856, 204
<i>intorta</i>	1856, 207	<i>sticticus</i>	1854, 39
<i>lineolata</i>	1858, 55	<i>Omphalotropis auran-</i>	1852, 151
<i>volutella</i>	1858, 47	<i>tiaca</i>	1854, 307
<i>Olivina alectona</i>	1858, 53	<i>cerea</i>	1857, 112
<i>anazora</i>	1858, 53	<i>dubia</i>	1852, 151
<i>bullata</i>	1858, 53		1854, 308
<i>caerulea</i>	1858, 54	<i>erosa</i>	1852, 151
<i>caldanina</i>	1858, 52		1854, 307
<i>columba</i>	1858, 53	<i>expansilabris</i>	1852, 150
<i>columellaris</i>	1858, 55		1854, 309
<i>dealbata</i>	1858, 54	<i>exquisita</i>	1854, 307
<i>esther</i>	1858, 53	<i>glabrata</i>	1854, 308
<i>fimbriata</i>	1858, 55	<i>globosa</i>	1852, 151
<i>fulgida</i>	1858, 54		1854, 308
<i>fura</i>	1858, 55	<i>granum</i>	1854, 308
<i>gracilis</i>	1858, 52	<i>guamensis</i>	1857, 113
<i>guldinigi</i>	1858, 55	<i>hieroglyphica</i>	1852, 151
			1854, 307
		<i>huaheinensis</i>	1854, 308

	Page		Page
<i>Omphalotropis maculatus</i> 1860,	11	<i>Opisthoglossa oxydactyla</i> 1858,	347
<i>malleata</i> 1854,	308	<i>platydactyla</i> 1858,	341
<i>multilirata</i> { 1852,	150		{ 344
<i>navigatorum</i> 1857,	113		{ 347
<i>plicosa</i> 1854,	308	<i>Opisthoporus cochinchin-</i>	
<i>pupoides</i> { 1852,	151	<i>nensis</i> 1850,	337
<i>radiata</i> 1854,	308	<i>euryomphalus</i> 1850,	337
<i>rosea</i> { 1852,	151	<i>siamensis</i> 1860,	10
<i>rubens</i> 1854,	307	<i>Opopsitta desmaresti</i> .. 1860,	227
<i>scitula</i> 1852,	151	<i>diophtalma</i> 1860,	227
<i>terebralis</i> { 1854,	307	<i>Orbicula cumingii</i> 1852,	82
<i>vallata</i> 1852,	151	<i>evansii</i> 1852,	82
<i>vestita</i> 1855,	106	<i>strigata</i> 1852,	82
<i>Oniscia grandis</i> 1853,	185	<i>Orchesticus abeillei</i> .. 1856,	66
<i>ponderosa</i> 1858,	255	<i>ater</i> 1856,	67
<i>testudo</i> 1850,	97	<i>capistratus</i> 1850,	67
<i>Onychocephalus liberi-</i>		<i>occipitalis</i> 1856,	66
<i>ensis</i> 1858,	157	<i>Oreas canna</i> 1850,	143
<i>nigrolineatus</i> 1858,	157	<i>derbianus</i> 1850,	144
<i>Onychodactylus japoni-</i>		<i>Oreomanes fraseri</i> 1860,	75
<i>cus</i> 1858,	144	<i>Oreophasis derbianus</i> .. 1860,	184
<i>Onychognathus hartlaubi</i> 1858,	291	<i>Oreopyra leucaspis</i> 1860,	312
<i>Onychophis liberiensis</i> .. 1858,	157	<i>Oreortyx pictus</i> 1859,	236
<i>nigrolineatus</i> 1858,	157	<i>Oreoscoptes montanus</i> .. 1859,	340
<i>punctata</i> 1858,	157	<i>Oreothraupis arremonops</i> 1856,	80
<i>Onychoprion fuliginosus</i> 1856,	144	<i>Oreotragus melanotis</i> .. 1850,	169
<i>serrata</i> .. 1859,	166	<i>saltatrix</i> 1850,	119
<i>Onychotria mexicana</i> .. 1849,	17	<i>scoparius</i> 1850,	169
<i>Operculatum pictum</i> .. 1854,	137	<i>tragulus</i> 1850,	169
<i>Opetiopalpus obesus</i> ... 1852,	46	<i>Oreotrochilus chumborazo</i> 1860,	79
<i>Opetiorhynchus antar-</i>		<i>pichincha</i> 1860,	79
<i>cticus</i> ... { 1850,	95	<i>Oriolus aureus</i> { 1850,	279
<i>vulgaris</i> { 1860,	385	<i>baraffii</i> 1850,	279
		<i>broderipii</i> 1850,	279
<i>Ophicardelus australis</i> .. 1854,	34	<i>castanopterus</i> 1854,	282
<i>concinna</i> 1854,	34	<i>chinensis</i> { 1854,	281
<i>layardii</i> 1854,	35	<i>cochinchinensis</i> .. { 1850,	279
<i>quoyi</i> 1854,	34	<i>furcatus</i> 1854,	201
<i>sandwichensis</i> 1854,	34	<i>gubula</i> { 1850,	217
<i>stutchburyi</i> 1856,	393	<i>hippocrepis</i> 1850,	279
<i>sulcata</i> 1854,	34	<i>indicus</i> 1854,	281
<i>tænata</i> 1854,	34	<i>kundoo</i> { 1857,	94
<i>Ophidium glesne</i> 1849,	82	<i>leucogaster</i> 1854,	282
<i>imberbe</i> 1849,	84	<i>leucopterus</i> 1856,	113
<i>Opilus hilaris</i> 1852,	50	<i>melaleucus</i> 1850,	113
<i>moerens</i> 1852,	50	<i>melanocephalus</i> ... 1859,	150
<i>sexnotatus</i> 1852,	51	<i>moloxita</i> 1850,	279
<i>sordidus</i> 1852,	42	<i>mulleri</i> 1858,	175
<i>Opisthocomus cristatus</i> . 1857,	19	<i>musicus</i> 1856,	301
<i>Opisthoglossa oxydactyla</i> 1858,	341	<i>phæochromus</i> 1860,	351
	344	<i>regens</i> 1850,	279

	Page		Page
<i>Oriolus striatus</i>	1859, 156	<i>Orthocera trachea</i>	1858, { 414
	{ 1854, 139		{ 423
<i>Orites erythrocephalus</i>	{ 1854, 140	<i>Orthogonys cyanicterus</i>	1856, 122
	{ 1858, 480	<i>viridis</i>	1856, 122
<i>glaucoocularis</i>	1854, 140	<i>Orthotomus atrogularis</i>	1854, 78
<i>jouschistos</i>	1854, { 139	<i>bennettii</i>	1854, { 81
	{ 140		{ 284
<i>leucogenys</i>	1854, 139	<i>cineraceus</i>	1854, 80
<i>niveocularis</i>	1854, 140	<i>cucullatus</i>	1854, 81
<i>Ornismya kingi</i>	1855, 140	<i>derbianus</i>	1854, 309
<i>lessoni</i>	1858, 297		{ 1854, 79
<i>silphia</i>	1855, 140	<i>edela</i>	{ 1859, 150
<i>Ornithion inerme</i>	1857, 204		{ 1859, 151
<i>Ornithoptera croesus</i>	1859, 424	<i>flavoviridis</i>	1854, 79
<i>priamus</i>	1859, 425	<i>lingoo</i>	1854, { 81
<i>richmondia</i>	1859, 425		{ 284
<i>victoriae</i>	1856, 8		{ 1854, 81
<i>Ornithorhynchus anatinus</i>	1859, 213	<i>longicauda</i>	{ 1854, 284
	{ 1856, 294		{ 1857, 95
<i>Orpheus caeruleus</i>	1859, 337	<i>longicaudatus</i>	1858, 488
<i>calandria</i>	1859, 343	<i>longirostris</i>	1854, 80
<i>curvirostris</i>	1859, 339	<i>maculicollis</i>	1854, 309
<i>dorsalis</i>	1859, 341	<i>patia</i>	1854, { 81
<i>longirostris</i>	{ 1856, 294		{ 284
	{ 1859, 339	<i>ruficapillus</i>	1854, { 81
<i>melanotis</i>	1859, 345		{ 284
<i>montanus</i>	1859, 340	<i>ruficeps</i>	1854, 79
<i>parvulus</i>	1859, 345	<i>sepium</i>	{ 1854, 78
<i>patagonicus</i>	1859, 344		{ 80
<i>polyglottus</i>	1859, 341	<i>sphenurus</i>	1854, { 81
<i>rufus</i>	1859, 340		{ 284
<i>thenca</i>	1859, 344	<i>sutorius</i>	1854, 81
<i>tricaudatus</i>	1859, 341	<i>Ortygometra crex</i>	1851, 146
<i>trifasciatus</i>	1859, 345	<i>Ortyx leylandi</i>	1859, 62
<i>Ortalida arcuata</i>	1860, 72	<i>nigrogularis</i>	1859, 63
<i>goudoti</i>	1856, 30		{ 1856, 310
<i>guttata</i>	1858, 76	<i>pectoralis</i>	{ 1857, 206
<i>leucogastra</i>	1859, 391		{ 1859, 369
	{ 1857, 19	<i>thoracicus</i>	1856, 310
	{ 1858, 76	<i>Ortyxelos meiffreni</i>	1850, 220
	{ 1858, 556	<i>Orycteropus capensis</i>	1848, 67
<i>montagnii</i>	{ 1860, 63	<i>Oryctes mullerianus</i>	1859, 118
	{ 1860, 72	<i>Oryx beatrix</i>	1857, 158
	{ 1860, 97	<i>beisa</i>	{ 1850, 134
<i>poliocephala</i>	1856, 310		{ 1857, 157
<i>ruficeps</i>	1860, 289	<i>capensis</i>	1850, 134
<i>rufiventris</i>	1859, 147		{ 1850, 134
	{ 1850, 310	<i>gazella</i>	{ 1850, 175
	{ 1859, 62		{ 1857, 157
<i>vetula</i>	{ 1859, 369		{ 1850, 134
	{ 1859, 391	<i>leucoryx</i>	{ 1850, 175
	{ 1840, 6		{ 1857, 157
<i>Orthagoriscus mola</i>	1850, 19	<i>Oryzivora leucotis</i>	1859, 443
<i>Orthalicus boucardi</i>	1860, 138	<i>Oryzoborus aethiops</i>	1860, { 88
<i>Orthis anomoides</i>	1852, 79		{ 276
<i>Orthocera glabra</i>	1858, 436	<i>funereus</i>	1859, 378
<i>imperfurata</i>	1858, 425	<i>occidentalis</i>	1860, 276
		<i>torridus</i>	1858, 455

	Page		Page
<i>Oryzornis oryzivora</i>	1859, 443	<i>Otus crassirostris</i>	1858, 450
<i>Osilinus gallina</i>	1856, 204	<i>palustris</i>	{ 1859, 94 1860, 384
<i>Osmotreron olax</i>	1859, 405	<i>vulgaris</i>	1848, 37
<i>viridis</i>	1859, 405	<i>Ounkaria calvus</i>	1849, 10
<i>Osphranter rufus</i>	1860, 323	<i>spvii</i>	1849, 10
<i>Osteodesma diaphana</i> ..	1855, 228	<i>Ovatella bivona</i>	1854, 32
<i>nitidum</i>	{ 1855, 229 1856, 199	<i>Ovibos moschatus</i>	1850, 177
<i>Ostinops atrovirens</i> ..	{ 1850, 140 1860, 88	<i>Ovis ammon</i>	{ 1859, 350 1860, 129
<i>bifasciatus</i>	1856, 300	<i>ammonoides</i>	{ 1856, 404 1860, 129
<i>cristatus</i>	{ 1855, 153 1858, 455	<i>argali</i>	1856, 404
<i>montezumæ</i>	1859, 380	<i>aries</i>	{ 1850, 157 1856, 149
<i>Ostrea anomialis</i>	1849, 118	<i>barwal</i>	1856, 404
<i>conchaphila</i>	1856, 220	<i>burrhel</i>	1860, 129
<i>striata</i>	1849, 122	<i>changluk</i>	1856, 404
<i>Ostreum stratum</i>	1849, 122	<i>cycloceros</i>	1860, 128
<i>Otaria californica</i>	1859, 359	<i>gmelini</i>	1849, 91
<i>delalandii</i>	1850, { 108 109	<i>hodgsoni</i>	{ 1856, 404 1860, 129
<i>gilliespi</i>	1850, 110	<i>hoonia</i>	1856, 404
<i>leonina</i>	1859, { 102 359	<i>hunia</i>	1859, 350
<i>peronii</i>	1850, 108	<i>montana</i>	1850, 136
<i>pusilla</i>	1859, 108	<i>nahoor</i>	{ 1856, 404 1860, 129
<i>Otilophus margaritifer</i> ..	1859, { 89 416	<i>polii</i>	1860, { 130 443
<i>Otina fusca</i>	1851, 225	<i>tragelaphus</i>	1840, 1
<i>Otis aurita</i>	1855, 33	<i>vigni</i>	1860, 127
<i>houbara</i>	1848, 37	<i>Ovula pudica</i>	1854, 131
<i>macqueenii</i>	1858, 504	<i>Ovulum aciculare</i>	1848, { 135 136
<i>nigriceps</i>	{ 1855, 32 1858, 504	<i>birostre</i>	1848, 136
<i>rhaad</i>	1850, 220	<i>doflexum</i>	1848, 136
<i>tarda</i>	{ 1848, 37 1856, 1	<i>lanceolatum</i>	1848, 135
<i>tetrax</i>	1855, 33	<i>margarita</i>	1848, 135
<i>Otocompsa jocosa</i>	1854, 278	<i>philippinarum</i>	1848, 136
<i>Otocorys chrysolæma</i> ..	{ 1855, 66 1855, 110 1859, 372	<i>secale</i>	1848, 136
<i>chrysomela</i>	1856, 306	<i>simile</i>	1848, 136
<i>cornuta</i>	1859, 373	<i>subrostratum</i>	1848, 136
<i>longirostris</i>	1855, 215	<i>traillii</i>	1855, 222
<i>penicillata</i>	1855, 215	<i>umbilicatum</i>	1848, 135
<i>peregrina</i>	1855, { 110 160	<i>uniplicatum</i>	1848, 135
<i>spraguii</i>	1857, 5	<i>Owl, The Large Long-</i> <i>legged, or Jumbi</i> <i>Bird</i>	1851, 61
<i>Otocyon lalandii</i>	1848, { 37 76	<i>Little Long-legged</i> ..	1851, 61
<i>Otogyps auricularis</i>	1850, 214	<i>Small-booted Brown</i> ..	1851, 61
<i>calvus</i>	1858, 469	<i>Oxybelis kirtlandi</i>	1858, 159
<i>nubicus</i>	1853, 192	<i>lecomptei</i>	1858, 159
<i>Otothrix hodgsoni</i>	1859, 101	<i>Oxyglossus luma</i>	1860, 116
<i>brachyotus</i>	{ 1857, 212 1860, 384 1860, 442	<i>Oxylophus afer</i>	1850, 219
		<i>glandarius</i>	1850, 219
		<i>jacobinus</i>	1850, 219

	Page		Page
<i>Oxylophus melanoleucus</i>	1858, 476	<i>Pachyrhamphus pectoralis</i>	1859, 142
<i>serratus</i>	1850, 219	<i>polychropterus</i> ..	1857, 77
<i>Oxymycterus</i>	1860, 221	<i>roseicollis</i>	1857, 56
<i>Oxypogon guerini</i>	1848, 14	<i>rufescens</i>	1857, 73
<i>lindeni</i>	1855, 140	<i>semifasciatus</i>	1857, 79
<i>paradisæ</i>	1848, 14	<i>spodiurus</i>	1851, 46
<i>paulinæ</i>	1855, 140	<i>squamatus</i>	1860, 279
<i>Oxyrhopus petolaris</i> ..	1859, 89	<i>surinamus</i>	1855, 150
<i>plumbeus</i>	1859, 414	<i>validus</i>	1857, 74
<i>præornatus</i> ..	1858, 158	<i>versicolor</i>	1851, 46
<i>Oxyrhopus trigeminus</i> .	1859, 477	<i>viridis</i>	1857, 72
<i>Pachycephala griseiceps</i> .	1858, 178	<i>viridis</i>	1855, 150
<i>melanura</i>	1860, 353	<i>viridis</i>	1857, 76
<i>monacha</i>	1858, 179	<i>Pachyrhynchus aglaia</i> ..	1857, 71
<i>rufipennis</i>	1858, 178	<i>albifrons</i>	1857, 75
<i>xanthetæa</i>	1859, 162	<i>aterrimus</i>	1857, 77
<i>xanthocnemis</i>	1860, 353	<i>cayanus</i>	1857, 72
<i>Pachychilus cumingi</i> ..	1850, 179	<i>cinerascens</i>	1857, 70
<i>lævisima</i>	1850, 179	<i>cuvieri</i>	1857, 72
<i>Pachydactylus tristis</i> ..	1858, 157	<i>leucogaster</i>	1857, 75
<i>Pachyrhamphus aglaia</i> }	1851, 46	<i>marginatus</i>	1857, 75
<i>albogriseus</i>	1856, 297	<i>niger</i>	1857, 76
<i>atricapillus</i>	1857, 5	<i>pectoralis</i>	1857, 73
<i>cinereus</i>	1857, 74	<i>polychropterus</i>	1857, 77
<i>cuvieri</i>	1857, 78	<i>rufescens</i>	1857, 79
<i>dimidiatus</i>	1855, 77	<i>ruficeps</i>	1857, 79
<i>dorsocinereus</i>	1857, 67	<i>semifasciatus</i>	1857, 70
<i>griseus</i>	1857, 75	<i>spixii</i>	1857, 77
<i>homochrous</i>	1857, 75	<i>squamatus</i>	1857, 76
<i>latirostris</i>	1857, 67	<i>swansoni</i>	1857, 77
<i>major</i>	1857, 75	<i>variegatus</i>	1857, 77
<i>marginatus</i>	1857, 75	<i>Pachysoma aegyptiacum</i> .	1860, 44
<i>minor</i>	1857, 75	<i>brevicaudatum</i>	1858, 537
<i>niger</i>	1857, 75	<i>duvaucellii</i>	1860, 44
<i>nigrescens</i>	1857, 75	<i>gambianus</i>	1860, 52
<i>nigriventris</i>	1857, 75	<i>labiatus</i>	1860, 55
<i>pectoralis</i>	1857, 75	<i>macrocephala</i>	1860, 50
	1857, 75	<i>marginatum</i>	1858, 537
	1857, 75	<i>stramineum</i>	1860, 44
	1857, 75	<i>whitei</i>	1860, 50
	1857, 75	<i>Padda oryzivora</i>	1859, 443
	1857, 75	<i>Pagrus bocagii</i>	1860, 391
	1857, 75	<i>Paguma grayi</i>	1856, 396
	1857, 75	<i>Pagurus bernhardi</i>	1859, 433
	1857, 75	<i>prideauxii</i>	1859, 432
	1857, 75	<i>Palæmon serratus</i>	1859, 433
	1857, 75	<i>Palæornis alexandri</i> ..	1854, 256
	1857, 75	<i>barbatus</i>	1857, 99
	1857, 75		1858, 490
	1857, 75		1859, 151
	1857, 75		1859, 173
	1857, 75		1860, 417
	1857, 75		1859, 151

	Page		Page
<i>Palaeornis bengalensis</i> ..	1854, 256	<i>Paludinella microspora</i> ..	1854, 207
<i>caniceps</i>	1859, 453	<i>Paludomus abbreviatus</i> ..	1852, 127
<i>cubicularis</i>	1850, 219	<i>acutus</i>	1854, 88
<i>cyanocephalus</i> ...	1857, 99	<i>arcus</i>	1852, 127
<i>derbianus</i>	1858, 491	<i>baccula</i>	1854, 88
<i>erythrogyens</i>	1859, 150	<i>bacula</i>	1852, 128
<i>javanica</i>	1859, 151	<i>bicinctus</i>	1854, 88
<i>longicauda</i>	1859, 173	<i>bifasciatus</i>	1852, 129
<i>malaccensis</i>	1860, 350	<i>chilinoideus</i>	1854, 88
<i>schisticeps</i>	1850, 245	<i>clavatus</i>	1854, 90
<i>torquatus</i>	1850, 245	<i>conicus</i>	1854, 88
<i>derbianus</i>	1859, 453	<i>constrictus</i>	1852, 129
<i>javanica</i>	1859, 436	<i>cumingianus</i>	1854, 88
<i>longicauda</i>	1850, 246	<i>decussatus</i>	1857, 124
<i>malaccensis</i>	1859, 453	<i>dilatatus</i>	1852, 127
<i>schisticeps</i>	1860, 71	<i>distingueundus</i>	1854, 88
<i>torquatus</i>	1858, 491	<i>dromedarius</i>	1854, 90
<i>derbianus</i>	1859, 173	<i>erinaceus</i>	1852, 128
<i>javanica</i>	1859, 436	<i>fulguratus</i>	1857, 123
<i>longicauda</i>	1850, 246	<i>globulosus</i>	1854, 88
<i>malaccensis</i>	1859, 453	<i>hanleyi</i>	1854, 90
<i>schisticeps</i>	1860, 372	<i>laevis</i>	1858, 535
<i>torquatus</i>	1848, 130	<i>layardii</i>	1854, 89
<i>Palaeotherium</i>	1849, 150	<i>loricatus</i>	1852, 128
<i>Palapteryx</i>	1849, 158	<i>maurus</i>	1857, 125
<i>dromioides</i>	208	<i>nasutus</i>	1852, 127
<i>geranoides</i>	209	<i>nigricans</i>	1854, 88
<i>gracilis</i>	1848, 1	<i>nodulosus</i>	1854, 90
<i>ingens</i>	1848, 1	<i>paludinoideus</i>	1857, 125
<i>robustus</i>	1850, 45	<i>palustris</i>	1852, 127
<i>struthioides</i>	1850, 209	<i>parvus</i>	1854, 88
<i>Pallenura javensis</i>	1850, 45	<i>phasianinus</i>	1854, 90
<i>Paloplotherium</i>	1852, 11	<i>pictus</i>	1857, 127
<i>Palparia lambertella</i> ..	1854, 244	<i>punctatus</i>	1854, 88
<i>Paludina angularis</i>	1848, 1	<i>pyriformis</i>	1852, 126
<i>bengalensis</i> , var. ..	1850, 209	<i>rudis</i>	1854, 88
<i>ceylonica</i>	1850, 209		
<i>cingulata</i>	1852, 11		
<i>desnoyersii</i>	1854, 244		
<i>fasciata</i>	1854, 244		
<i>hamiltoni</i>	1860, 13		
<i>inflata</i>	1851, 73		
<i>japonica</i>	1851, 189		
<i>oxytropis</i>	1860, 13		
<i>polygramma</i>	1860, 13		
<i>tricarinata</i>	1860, 13		
<i>trochoides</i>	1860, 12		
<i>Paludinella edentula</i> ..	1854, 206		
<i>limnæana</i>	1854, 206		

	Page		Page
<i>Paludomus skinneri</i>	1857, 124	<i>Papilio plantilla</i>	1858, 9
<i>solidus</i>	1857, 124	<i>sulpitia</i>	1858, 18
<i>sphaericus</i>	1857, 124	<i>telamon</i>	1852, 71
<i>spiralis</i>	1854, { 88	<i>telearchus</i>	1859, 422
<i>stephanus</i>	1854, { 91	<i>venilia</i>	1858, 20
<i>sulcatus</i>	1857, 88	<i>victoriae</i>	1856, 8
<i>svainsoni</i>	1857, 124	(Ornithoptera) <i>cres-</i>	
<i>torrenticola</i>	1858, 125	<i>sus</i>	1859, 424
<i>trifasciatus</i>	1852, 536	<i>Papio ocreatus</i>	1860, 420
<i>Palumbus torquatus</i>	1858, 126	<i>Paractis viduata</i>	1858, 148
<i>Pandion</i>	1851, 497	<i>Paradigalla carunculata</i>	1857, 6
<i>haliaetus</i>	1859, { 55	<i>Paradisea apoda</i>	{ 1858, 95
<i>humilis</i>	1854, { 150	<i>bartlettii</i>	{ 1858, 181
<i>ichthyastus</i>	1854, { 160	<i>papuana</i>	{ 1859, 157
<i>Pandora claviculata</i>	1855, 435	<i>regia</i>	{ 1858, 95
<i>punctata</i>	{ 1855, 211	<i>wallacei</i>	{ 1859, 158
<i>wardiana</i>	1859, 487	<i>wallaciana</i>	1858, 181
<i>Panolia acuticornis</i>	1850, 229	(Semioptera) <i>wal-</i>	
<i>eedii</i>	1850, 229	<i>lacei</i>	1860, 355
<i>platyceros</i>	1850, 229	<i>Paradoxurus aureus</i>	1860, 416
<i>Panopea abbreviata</i>	1855, 220	<i>grayi</i>	1856, 396
<i>aldrovandi</i>	1855, 218	<i>hermaphrodita</i>	1858, 113
<i>antarctica</i>	1855, 220	<i>musanga</i>	1860, 417
<i>austrials</i>	1855, 220	<i>nipalensis</i>	1856, 396
<i>generosa</i>	1855, 220	<i>quadriscipitus</i>	{ 1853, 191
<i>intermedia</i>	1855, 220	<i>strictus</i>	{ 1856, 396
<i>japonica</i>	{ 1849, 170	<i>typus</i>	{ 1856, 396
<i>middendorffii</i>	{ 1855, 220	<i>zeylanicus</i>	{ 1849, 24
<i>natalensis</i>	{ 1854, 137	<i>acuminata</i>	{ 1840, 28
<i>norvegica</i>	{ 1855, 221	<i>bisulcata</i>	{ 1859, 212
<i>solandri</i>	1855, 220	<i>californica</i>	{ 1860, 416
<i>zelandica</i>	1855, 220	<i>penita</i>	1856, 209
<i>Panoplites flavescens</i>	1855, 147	<i>Parasia carlinella</i>	1856, 209
<i>matheusii</i>	1859, 145	<i>parvula</i>	1856, 210
<i>Panthalops hodgsoni</i>	1856, 403	<i>Parasias carlinella</i>	1854, 224
<i>Pantholops hodgsoni</i>	1858, 521	<i>Pardalotus maculatus</i>	1859, 464
<i>Pantoporia nefte</i>	1858, 13	<i>Parias maculata</i>	1860, 164
<i>Papilio aceris</i>	1858, 9	<i>Parmophorus australis</i>	1851, 221
<i>actorion</i>	1848, 117	<i>breviculus</i>	1851, 222
<i>calisto</i>	1858, 464	<i>corrugatus</i>	1851, 222
<i>columella</i>	1858, 7	<i>elongatus</i>	1851, 221
<i>heliodora</i>	1858, 8	<i>gibbosus</i>	1851, 222
<i>heliodore</i>	1858, 4	<i>granulatus</i>	1851, 221
<i>hordonia</i>	1858, 4	<i>imbricatus</i>	1851, 222
<i>janaka</i>	1857, 104	<i>intermedius</i>	1851, 88
<i>leucothoe</i>	1858, 10	<i>tumidus</i>	1851, 222
<i>nefte</i>	1858, 13	<i>Paroaria cucullata</i>	1859, 434
<i>noctus</i>	1859, 423	<i>Paroides flammiceps</i>	1859, 177
<i>pandarus</i>	1858, 464	<i>Parolomus granulosa</i>	1856, 134
<i>paradoxa</i>	1859, 422	<i>Parra africana</i>	1860, 197
<i>pipleis</i>	1858, 464	<i>brasilensis</i>	1856, 282
		<i>cordifera</i>	1856, 283

	Page		Page
<i>Parra gallinacea</i>	1860, 365	<i>Parus carolinensis</i>	1856, 203
	1856, 283	<i>caudatus</i>	1857, 215
	1857, 206	<i>cinereus</i>	1858, 479
<i>gymnostoma</i>	1858, 360	<i>dichrous</i>	1859, 176
	1859, 64	<i>erythropis</i>	1858, 480
	1859, 393	<i>leucotis</i>	1858, 299
<i>hypomelaena</i>	1856, 143	<i>melanolophos</i>	1855, 65
	1856, 283	<i>melanolophus</i>	1859, 292
<i>intermedia</i>	1857, 20	<i>melanotus</i>	1858, 479
	1856, 282	<i>meridionalis</i>	1859, 176
<i>jacana</i>	1856, 282	<i>palustris</i>	1858, 299
<i>jassana</i>	1860, 290	<i>rufonuchalis</i>	1856, 293
<i>melanopygia</i>	1856, 282	<i>xanthogenys</i>	1857, 81
<i>nigra</i>	1856, 283	<i>domesticus</i>	1858, 299
<i>sinensis</i>	1856, 282	<i>indica</i>	1859, 363
<i>variabilis</i>	1859, 188	<i>indicus</i>	1857, 215
<i>Parthenia crenata</i>	1856, 282	<i>montanus</i>	1859, 177
<i>elegantissima</i>	1853, 179	<i>simplex</i>	1858, 479
<i>turritella</i>	1853, 179	<i>Passer cinnamomeus</i> ..	1858, 481
<i>Parula alabastrina</i>	1853, 180	<i>domesticus</i>	1859, 177
<i>callifera</i>	1856, 390	<i>indica</i>	1859, 177
<i>dentifera</i> ..	1856, 333	<i>indicus</i>	1857, 96
<i>filosa</i>	1852, 85	<i>montanus</i>	1858, 481
<i>glutinosa</i>	1851, 262	<i>simplex</i>	1860, 443
<i>laevigata</i>	1852, 85	<i>Passerculus alaudinus</i> .	1860, 417
<i>lilacina</i>	1856, 334	<i>geospizopsis</i>	1850, 218
<i>macgillivrayi</i>	1856, 334	<i>lincolni</i>	1856, 305
<i>mastersi</i>	1855, 97	<i>zonarius</i>	1858, 303
<i>micans</i>	1857, 110	<i>geospizopsis</i>	1855, 160
<i>minuta</i>	1852, 138	<i>lincolni</i>	1856, 306
<i>mucida</i>	1856, 384	<i>zonarius</i>	1858, 303
<i>nitens</i>	1855, 98	<i>zonarius</i>	1859, 305
<i>nodosa</i> ..	1854, 293	<i>zonarius</i>	1856, 305
<i>pacifica</i>	1851, 262	<i>zonarius</i>	1857, 82
<i>purpurascens</i> ..	1854, 125	<i>zonarius</i>	1858, 303
<i>pusilla</i>	1856, 333	<i>Passerita mycterizans</i> ..	1858, 383
<i>reeveana</i>	1855, 1	<i>Pastor fuscus</i>	1859, 455
<i>repanda</i>	1852, 188	<i>mahrattensis</i>	1855, 40
<i>salomonis</i>	1852, 98	<i>malayensis</i>	1859, 445
<i>stenostoma</i>	1852, 137	<i>musicus</i>	1855, 445
<i>strigosa</i>	1855, 97	<i>nigrocinctus</i>	1859, 445
<i>suturalis</i>	1856, 384	<i>roseus</i>	1857, 0
<i>turneri</i>	1854, 98	<i>roseus</i>	1854, 158
<i>Parula americana</i>	1856, 98	<i>roseus</i>	1855, 40
<i>brasiliensis</i>	1800, 140	<i>tristis</i>	1858, 481
<i>brasiliana</i>	1858, 299	<i>tristis</i>	1854, 144
<i>mexicana</i>	1859, 137	<i>Patagona gigas</i>	1858, 555
<i>superciliaris</i>	1860, 84	<i>antiquata</i>	1860, 81
<i>superciliaris</i>	1860, 273	<i>Patella ambigua</i>	1851, 221
<i>superciliaris</i>	1860, 291	<i>auriculata</i>	1856, 3
<i>superciliaris</i>	1855, 75	<i>australis</i>	1856, 3
<i>superciliaris</i>	1858, 299	<i>cnis</i>	1856, 221
<i>superciliaris</i>	1858, 299	<i>cornea</i>	1853, 86
<i>superciliaris</i>	1859, 373	<i>crystallina</i>	1851, 82
<i>Parulus ruficeps</i>	1856, 98	<i>cumingi</i>	1856, 221
<i>Parus annexus</i>	1858, 299	<i>diaphana</i>	1856, 221
<i>atricapillus</i>	1856, 293	<i>elongata</i>	1851, 221
<i>cæruleus</i>	1857, 81		
	1857, 215		

	Page		Page
<i>Penelope purpurascens</i>	1860, 269	<i>Peristerna cinerea</i>	{ 1856, 309 1859, 61 1859, 301
<i>rufocephala</i>	1860, 289	<i>molanopecta</i>	{ 1860, 82 1858, 98 1858, 99
<i>scutellata</i>	1860, 270	<i>Peristernia nodulosa</i>	1854, 313
<i>superciliosa</i>	1860, 271	<i>stigmataria</i>	1854, 313
<i>Penicillus ambiguus</i>	1858, 311	<i>Peristethus brevifurcatus</i>	1859, 107
<i>aquarius</i>	{ 1857, 244 1858, 312	<i>cataphractus</i>	1859, 105
<i>javanus</i>	1858, 311	<i>gigas</i>	1859, 106
<i>mirabilis</i>	1857, 288	<i>orientalis</i>	1859, 105
<i>radix</i>	1858, 312	<i>riefleri</i>	1859, 106
<i>Penitella wilsoni</i>	1856, 200	<i>Perna costellata</i>	1856, 219
<i>Pentastoma annulatum</i>	{ 1853, 21 1853, 86 1857, 115	<i>Pernis apivorus</i>	1860, 416
<i>megacephalum</i>	1853, 21	<i>crustatus</i>	1854, 4
<i>Penthopha nigricans</i>	1854, 220	<i>Persona tuberosa</i>	1858, 145
<i>Pentonyx gambonensis</i>	1858, 166	<i>Petalocerus bellianus</i>	1856, 134
<i>Perameles (Echmipera)</i>		<i>Petalocochus cereus</i>	1856, 316
<i>doreyanus</i>	1858, 113	<i>cochlidium</i>	1856, 314
<i>Perca fluviatilis</i>	{ 435 477	<i>flavescens</i>	1856, 314
<i>Perdicula asiatica</i>	1858, 504	<i>macrophragma</i>	{ 1856, 226 1856, 313
<i>Perdix cinerea</i>	{ 1857, 12 1860, 258	<i>nerinoides</i>	1856, 316
<i>coturnix</i>	1851, 142	<i>octosectus</i>	1856, 317
<i>hodgsoniae</i>	1859, 185	<i>renisectus</i>	1856, 315
<i>hodgsoni</i>	1858, 503	<i>varians</i>	1856, 315
<i>indica</i>	1850, 220	<i>woodwardi</i>	1856, 316
<i>picta</i>	1855, 30	<i>Petasophora cyanotis</i>	{ 1855, 139 1859, 145
<i>reticulata</i>	1859, 492	<i>delphinæ</i>	{ 1855, 139 1858, 450 1858, 459 1858, 555
<i>rubra</i>	1851, 142	<i>iolata</i>	{ 1859, 145 1860, 81 1860, 94
<i>rufa</i>	{ 1857, 12 1860, 258	<i>thalassina</i>	{ 1858, 297 1859, 367 1859, 386
<i>Perga eucalypti</i>	1859, 211	<i>Petaurus sciureus</i>	1858, 109
<i>Pericrocotus flammeus</i>	{ 1858, 404 1859, 182 1860, 354	<i>Petitia adamsiana</i>	{ 1857, 168 185, 185 1857, 168 1857, 184 1857, 169 1857, 187 1857, 168 1857, 184 1857, 168 1857, 184 1857, 169 1857, 187 1857, 168 1857, 184 1857, 168 1857, 184 1857, 169
<i>peregrinus</i>	1858, 404	<i>anthoniana</i>	1857, 184
<i>speciosus</i>	{ 1854, 271 1857, 89	<i>carpenteriana</i>	1857, 169
<i>Periops parallelus</i>	1858, 162	<i>cumingiana</i>	1857, 184
<i>Periploma argentaria</i>	{ 1855, 229 1856, 211 1855, 229 1855, 220 1855, 220 1856, 211	<i>fortuncana</i>	1857, 168
<i>excurva</i>	1855, 229	<i>grevilleana</i>	1857, 169
<i>leana</i>	1855, 220	<i>petitiana</i>	1857, 184
<i>papyracea</i>	1855, 220	<i>stevensiana</i>	1857, 168
<i>planiuscula</i>	1856, 211	<i>stokesiana</i>	1857, 169
<i>Periporphyrus atropur-</i>			
<i>puratus</i>	1856, 65		
<i>erythromelas</i>	1856, 65		
<i>Peristedion cataphrac-</i>			
<i>tum</i>	1859, 105		
<i>chabrontera</i>	1859, 105		
<i>malamart</i>	1859, 105		
<i>orientale</i>	1859, 105		
<i>Peristerna albifacies</i>	1858, 98		
<i>brachyptera</i>	1858, 99		

	Page		Page
<i>Petitia stokesiana</i>	1857, 187	<i>Petromyzon maximus</i> ..	1851, 236
<i>stricklandiana</i>	1857, 169	<i>mordax</i>	1851, 240
<i>tayloriana</i>	1857, 169	<i>niger</i>	1851, 240
(P <i>Lewisia</i>) <i>bar-</i>	1857, 187	<i>nigricans</i>	1851, 237
<i>roniana</i>	1857, 169	<i>plumbeus</i> ...	1851, 240
<i>Petrocola arcuata</i>	1856, 188	<i>sanguisuga</i> ..	1851, 238
<i>bulbosa</i>	1856, 214	<i>septoecil</i>	1851, 240
<i>californica</i>	1856, 198	<i>tridentatus</i>	1851, 240
<i>carditoides</i>	1856, 214	<i>Petrophassa albipennis</i> .	1857, 27
<i>cordieri</i>	1856, 214	<i>Peucea bachmanni</i>	1857, 7
<i>cylindracea</i>	1856, 214	<i>lincolni</i>	1857, 82
<i>robusta</i> ...	1856, 198	<i>ruficeps</i>	1859, 380
<i>sinuosa</i>	1856, 209	<i>Pezites brevirostris</i> ...	1856, 455
<i>Petrochelidon bicolor</i> .	1857, 201	<i>Pfefferia micans</i>	1853, 110
<i>cyanoleuca</i>	1859, 364	<i>Phacochcerus æthiopi-</i>	1850, 78
<i>cyanoleucus</i>	1858, 450	<i>cus</i>	1860, 443
<i>fulva</i>	1858, 459	<i>pallasi</i>	1851, 63
<i>lunifrons</i>	1859, 138	<i>Phædinus xanthomelas</i> .	1856, 408
<i>murina</i> ..	1860, 75	<i>Phænodon ringens</i>	1850, 251
<i>swainsoni</i>	1860, 85	<i>Phæolæma æquatorialis</i>	1860, 70
<i>Petrocincla affinis</i>	1859, 150	<i>rubinoides</i> ...	1859, 145
<i>cyanea</i>	1858, 491	<i>rubinus</i>	1860, 70
<i>longirostris</i>	1859, 181	<i>Phaethon æthereus</i>	1856, 144
<i>Petrodroma mexicana</i> ..	1855, 212	<i>candidus</i>	1856, 144
<i>Petrogale lateralis</i>	1854, 249	<i>flavivittatus</i>	1856, 144
<i>penicillata</i>	1859, 212	<i>phœnicurus</i>	1856, 144
<i>penicillatus</i>	1860, 323	<i>phœnicurus</i>	1856, 287
<i>xanthopus</i> ...	1854, 249	<i>Phaethornis adolphi</i> .	1859, 367
<i>Petroica cerviniventris</i> ..	1857, 221	<i>anthophilus</i>	1859, 385
<i>hypoleuca</i> ..	1859, 155	<i>emilia</i>	1855, 139
<i>Petromyzon</i> —	1851, 237	<i>episcopus</i>	1857, 14
<i>americanus</i>	1851, 237	<i>eremita</i>	1857, 14
<i>appendix</i>	1851, 240	<i>griseogularis</i>	1851, 115
<i>argenteus</i>	1851, 240	<i>guyi</i>	1855, 139
<i>bicolor</i>	1851, 240	<i>guyi</i>	1857, 14
<i>branchialis</i>	1851, 241	<i>longirostris</i>	1859, 145
<i>cæcus</i>	1851, 241	<i>moorii</i> ..	1857, 227
<i>fluviatilis</i>	1851, 236	<i>obscura</i>	1860, 296
<i>jurae</i>	1859, 435	<i>pygmaeus</i> ...	1857, 14
<i>lamproie</i>	1851, 236	<i>striigularis</i>	1854, 111
<i>maculosus</i>	1851, 236	<i>superciliosus</i> ..	1855, 139
<i>marinus</i>	1851, 237	<i>syrrhaptes</i>	1854, 111
		<i>viridicaudata</i>	1859, 145
		<i>yaraqui</i>	1857, 14
		<i>zonura</i>	1860, 94
		<i>Phainopepla nitens</i> ..	1860, 305
		<i>Phalacrocorax caruncu-</i>	1858, 543
		<i>latus</i>	1860, 391
		<i>currhatus</i>	1860, 391
		<i>erythrops</i> ..	1860, 391
		<i>flavivittatus</i>	1860, 366
		<i>imperialis</i> ...	1860, 391
		<i>magellanicus</i> ...	1860, 391
		<i>melanoleucus</i>	1860, 366

	Page		Page
<i>Phalacrocorax mexi-</i>	1857, 207	<i>Pharomacrus antisianus</i>	1858, 60
<i>canus</i>	1859, 65	<i>auriceps</i>	1858, 60
<i>Phalæna atlas</i>	1849, 33	<i>mocinno</i>	1850, 144
<i>brachyura</i>	1849, 49	<i>paradiseus</i>	1856, 139
<i>capensis</i>	1849, 44	<i>molæ</i>	1850, 52
<i>cynthia</i>	1859, 267	<i>Antechinus</i>	1860, 374
<i>guineensis</i>	1849, 46	<i>Phascogale</i>	1858, 106
<i>flava perele-</i>		<i>Phasianella compta</i>	1858, 204
<i>gans</i>	1849, 45	<i>leucostigma</i>	1851, 171
<i>maxima</i>	1849, 37	<i>Phasianus colchicus</i> ..	1857, 81
<i>paphia</i>	1849, 46	<i>impeyanus</i>	1860, 1
<i>ricini</i>	1859, 247	<i>torquatus</i>	1860, 258
<i>tyrrhea</i>	1859, 267	<i>Phaуда mahisa</i> ..	1860, 373
<i>(Attacus) alinda</i> ..	1849, 44	<i>Phœasants, Hybrid</i>	1857, 215
<i>atlas</i>	1849, 51	<i>Phenilia sanguinolenta</i> ..	1859, 212
<i>cynthia</i>	1850, 265	<i>Pheucticus aureiventer</i> ..	1860, 415
<i>epimethea</i> ..	1850, 267	<i>aureiventris</i>	1859, 200
<i>fenestrata</i> ..	1849, 50	<i>chrysogaster</i>	1851, 62
<i>jana</i>	1850, 246	<i>la</i>	1859, 482
<i>lucina</i>	1859, 256	<i>velatum</i> ..	1855, 154
<i>luna</i>	1849, 57	<i>Philetærus nitens</i>	1858, 551
<i>mylitta</i>	1850, 261	<i>Philinopsis nigra</i>	1858, 450
<i>paphia</i>	1859, 247	<i>speciosa</i>	1858, 454
<i>perspicua</i> ..	1859, 247	<i>Philippia layardi</i>	1860, 87
<i>phædusa</i>	1859, 246	<i>oxytropis</i>	1860, 87
<i>(Bombyx) mori</i> ...	1849, 51	<i>Philodryas goudoti</i>	1858, 317
<i>Phalænopis jardini</i> ..	1859, 237	<i>minutus</i>	1854, 317
<i>minutissima</i>	1855, 134	<i>viridissimus</i>	1858, 380
<i>Phalangista alba</i>	1855, 134	<i>Philomachus pugnax</i> ..	1858, 506
<i>cavifrons</i>	1858, 104	<i>Philomedes longicornis</i> ..	1858, 200
<i>chrysorrhœos</i>	1858, 104	<i>olivaceus</i>	1860, 200
<i>fuliginosa</i>	1859, 432	<i>Philopotamis regalis</i> ...	1854, 88
<i>maculata</i>	1858, 101	<i>sulcatus</i>	1854, 88
<i>nudicaudata</i> ...	1849, 110	<i>thwaitesii</i>	1854, 88
<i>orientalis</i>	1858, 103	<i>Phlogœnas stairi</i>	1858, 93
<i>papuensis</i>	1858, 104	<i>Phlogophilus hemileucu-</i>	1860, 310
<i>quoyi</i>	1858, 109	<i>rus</i>	1858, 276
<i>rufa</i>	1858, 104	<i>Phlogopsis erythropterus</i> ..	1858, 276
<i>ursina</i>	1858, 103	<i>Phoca barbata</i>	1858, 93
<i>vulpina</i>	1859, 433	<i>californica</i>	1859, 359
<i>Phalangium listeri</i>	1860, 372		
<i>Phalaropus hyperboreus</i> ..	1860, 415		
<i>Phalcoænus caruncula-</i>			
<i>tus</i>	1860, 81		
<i>Phalium erinaceum</i>	1851, 229		
<i>glaucom</i>	1851, 229		
<i>Phallanna horsfieldi</i>	1859, 200		
<i>polymena</i>	1859, 200		
<i>Phalus testaceus</i>	1858, 311		
<i>Phaps histrionica</i>	1857, 27		
<i>Pharomacrus antisianus</i> ..	1860, 70		

	Page		Page
<i>Phoca parva</i>	1859, 107	<i>Pholas calva</i>	1849, 162
<i>pusilla</i>	1859, 107	<i>concamerata</i>	1856, 210
<i>ursina</i>	1859, 102	<i>constricta</i>	1849, 161
<i>vitulina</i>	1860, 416	<i>fragilis</i>	1849, 161
<i>Phoebe concinna</i>	1856, 408	<i>incii</i>	1849, 161
<i>Phoenicophaus crawfordi</i>	1859, 458	<i>janellii</i>	1856, 209
<i>curvirostris</i>	1859, 458	<i>laqueata</i>	1849, 161
<i>javanicus</i>	1859, 458	<i>latissima</i>	1849, 162
<i>viridirostris</i>	1859, 458	<i>manillæ</i>	1849, 161
<i>Phoenicophilus palma-</i>	1856, 84	<i>multistriata</i>	1849, 162
<i>rum</i>	1857, 232	<i>ovoidea</i>	1856, 198
<i>poliocephalus</i>	1856, 84	<i>penita</i>	1856, 210
<i>Phenicopter antio-</i>		<i>spatulata</i>	1849, 162
<i>rum</i>	1849, 94	<i>terediniformis</i>	1849, 161
<i>erythraus</i> ?	1859, 436	<i>tubifer</i>	1849, 162
<i>roseus</i>	1858, 509	<i>Pholeoptynx cucularia</i>	1860, 96
<i>ruber</i>	1857, 236	<i>hypogæa</i>	1859, 368
<i>Phenicornis peregrinus</i>	1854, 48	<i>Pholidus badius</i>	1854, 263
<i>Phenicothraupis erythro-</i>		<i>Phonipara canora</i>	1855, 159
<i>lamus</i>	1856, 120	<i>gutturalis</i>	1855, 160
<i>gutturalis</i>	1855, 156	<i>olivacea</i>	1855, 159
<i>rubica</i>	1856, 120	<i>pusilla</i>	1857, 232
<i>rubicoides</i>	1856, 119	<i>pusilla</i>	1855, 159
<i>rubicoides</i>	1856, 120	<i>pusilla</i>	1856, 304
<i>rubicoides</i>	1856, 303	<i>pusilla</i>	1859, 365
<i>rubicoides</i>	1859, 58	<i>pusilla</i>	1859, 379
<i>rubicoides</i>	1859, 364	<i>Phorcus californicus</i>	1851, 157
<i>rubicoides</i>	1859, 377	<i>carneus</i>	1851, 156
<i>rubra</i>	1856, 120	<i>cruciatus</i>	1851, 156
<i>Phenocura albifrons</i>	1854, 25	<i>dentatus</i>	1851, 156
<i>atrata</i>	1854, 26	<i>fuscescens</i>	1851, 157
<i>cæruleocephala</i>	1854, 29	<i>gramfer</i>	1851, 157
<i>frontalis</i>	1854, 29	<i>liratus</i>	1851, 157
<i>fuliginosa</i>	1854, 29	<i>margarita</i>	1851, 189
<i>leucocephala</i>	1854, 30	<i>melaleucos</i>	1851, 156
<i>leucoptera</i>	1854, 28	<i>modestus</i>	1851, 156
<i>lineoventris</i>	1854, 30	<i>nodicinctus</i>	1851, 157
<i>muraria</i>	1854, 25	<i>occultus</i>	1851, 156
<i>nipalensis</i>	1854, 26	<i>quadricarinatus</i>	1851, 156
<i>plumbea</i>	1854, 30	<i>quadricostatus</i>	1851, 156
<i>reevesii</i>	1854, 26	<i>scalaris</i>	1851, 156
<i>rubicauda</i>	1854, 30	<i>semigranulosus</i>	1851, 157
<i>ruticilla</i>	1854, 25	<i>umbilicaris</i>	1851, 156
<i>schisticeps</i>	1854, 29	<i>variegatus</i>	1851, 156
<i>Phenisona æstiva</i>	1856, 123	<i>Phos articulatus</i>	1850, 153
<i>ardens</i>	1855, 156	<i>biplicatus</i>	1856, 166
<i>azare</i>	1856, 124	<i>blainvillii</i>	1850, 153
<i>bidentatum</i>	1856, 126	<i>cancelatus</i>	1850, 153
<i>bivittatum</i>	1856, 126	<i>crassus</i>	1850, 153
<i>hepatica</i>	1856, 124	<i>cumingi</i>	1850, 153
<i>rubra</i>	1856, 123	<i>cyanostoma</i>	1850, 155
<i>Pholadidea melanura</i>	1856, 209	<i>cylleoides</i>	1850, 155
<i>ovoidea</i>	1856, 198	<i>fasciatus</i>	1853, 175
<i>Pholadopsis pectinata</i>	1856, 209	<i>filosus</i>	1853, 175
<i>Pholas aperta</i>	1849, 161	<i>gaudens</i>	1850, 153
<i>californica</i>	1856, 209	<i>lævigatus</i>	1850, 155
		<i>ligatus</i>	1853, 175

	Page		Page
<i>Pica erythrorhyncha</i> ...	1858, 479	<i>Picus major</i>	{ 1857, 215
<i>formosa</i>	{ 1850, 84	<i>malaccensis</i>	{ 1860, 372
<i>megaloptera</i>	1859, 381	<i>melanogaster</i>	1859, 456
<i>melanocephalos</i> ...	1858, 479	<i>melanopogon</i>	1859, 457
<i>miles</i>	1850, 85	<i>mentalis</i>	1855, 161
<i>pyrrhoptera</i>	1850, 84	<i>miniatus</i>	1859, 456
<i>stridens</i>	1860, 355	<i>moluccensis</i>	1859, 457
<i>tibetana</i>	1850, 82	<i>natalæ</i>	1859, 2
	{ 1858, 479		{ 1858, 308
	1859, 172	<i>nutalli</i>	{ 1857, 127
	1856, 289		{ 1858, 3
<i>Picolaptes affinis</i>	1859, 365	<i>oleaginus</i>	1856, 307
	{ 1859, 381	<i>parvus</i>	1856, 307
<i>albolineatus</i>	1858, 63	<i>phæopus</i>	1859, 457
<i>cinnamomeus</i>	1860, 277	<i>poicalophus</i>	1859, 457
	{ 1855, 142	<i>pollens</i>	1855, 161
<i>lacrymiger</i>	{ 1859, 140	<i>pubescens</i>	1857, 127
	1860, 88	<i>pulverulentus</i>	1859, 455
<i>leucogaster</i>	1858, 297	<i>pumiceus</i>	1859, 456
<i>lineaticeps</i>	1860, 252	<i>rafflesi</i>	1859, 456
<i>souleyeti</i>	1860, 278	<i>rivoli</i>	1855, 161
	293	<i>rubiginosus</i>	1859, 457
	{ 95		{ 1856, 307
<i>Picumnus granadensis</i> ..	1860, 287	<i>scalaris</i>	{ 1857, 127
<i>granadensis</i>	1855, 162		{ 1859, 367
<i>olivaceus</i>	1855, 162	<i>squamatus</i>	1859, 173
<i>squamulatus</i>	1855, 162	<i>strenuus</i>	1859, 456
<i>Picus æruginosus</i>	1856, 307	<i>stricklandi</i>	1859, 367
<i>badioides</i>	1859, 60	<i>sultaneus</i>	1850, 456
<i>badius</i>	1859, 457	<i>tristis</i>	1859, 457
<i>brachyurus</i>	1859, 457	<i>validus</i>	1859, 455
<i>cafer</i>	1859, 399		{ 1856, 308
<i>callonotus</i>	1860, 286	<i>varius</i>	{ 1858, 305
<i>cancellatus</i>	1856, 308		{ 1859, 367
<i>castaneus</i>	1858, 359		{ 1859, 388
<i>concretus</i>	1859, 455	<i>villosus</i>	1857, 127
<i>crawfordii</i>	1859, 456	<i>viridis</i>	1857, 12
<i>gairdneri</i>	1859, 286	<i>wilsoni</i>	1856, 308
<i>gardineri</i>	1857, 127	<i>(Hemicercus) con-</i>	
<i>guayaquilensis</i>	1860, 286	<i>cretus</i>	1860, 358
<i>gularis</i>	1859, 456	<i>Pieris durvasa</i>	1857, 103
	{ 1857, 127	<i>indra</i>	1857, 103
<i>harrisi</i>	{ 1858, 3	<i>nama</i>	1857, 102
<i>hartlaubii</i>	1859, 445	<i>sanaca</i>	1857, 103
<i>himalayanus</i>	{ 1858, 475	<i>seta</i>	1857, 102
	1859, 173	<i>Piezorhynchus chalybeo-</i>	
<i>horsfieldii</i>	1859, 455	<i>cephalus</i>	1859, 156
<i>imperialis</i>	1856, 63	<i>lucidus</i>	1859, 156
	{ 1856, 308	<i>rufolateralis</i>	{ 1858, 176
	1857, 214		{ 1859, 156
<i>jardini</i>	{ 1858, 359	<i>Pileopsis mitrula</i> ...	1856, 3
	1859, 367	<i>subrufa</i>	1856, 4
	1859, 388	<i>Pimelodus cinerascens</i> ..	1860, { 234
<i>javensis</i>	1859, 455		{ 237
<i>labarum</i>	1859, 456	<i>elongatus</i>	1860, { 234
<i>leucogaster</i>	1859, 455		{ 238
<i>mackloti</i>	1859, 455	<i>modestus</i>	1860, 234
<i>mahrattensis</i>	1858, 475		

	Page		Page
<i>Pimelodus modestus</i> ...	1860, 239	<i>Pipilopsis semirufus</i> ...	1856, 88
<i>Pinaxia coronata</i>	1853, 185	<i>superciliaris</i>	1856, 92
<i>Pinna assimilis</i>	1858, 255	<i>Pipistrellus alcythoe</i> ...	1858, 81
<i>carolinensis</i>	1858, 225	<i>blepotis</i>	1858, 121
<i>chemnitzii</i>	1858, 136	<i>noctula</i>	1858, 81
<i>cuningii</i>	1858, 254	<i>pictus</i>	1858, 325
<i>d'orbigny</i>	1858, 228	<i>savii</i>	1858, 81
<i>euglypta</i>	1858, 228	<i>Pipra albifrons</i>	1858, 273
<i>fumata</i>	1858, 227	<i>atricapilla</i>	1857, 75
<i>gouldii</i>	1858, 255	<i>auricapilla</i>	1858, 457
<i>hystrix</i>	1858, 226	<i>chlorocapilla</i>	1856, 269
<i>kraussii</i>	1858, 226	<i>cinerea</i>	1857, 75
<i>menkei</i>	1858, 228	<i>coracina</i>	1856, 29
<i>minax</i>	1858, 227	<i>coracina</i>	1858, 71
<i>pectinata</i>	1858, 136	<i>coronata</i>	1854, 114
<i>regia</i>	1858, 227	<i>coronata</i>	1857, 265
<i>rostellum</i>	1858, 227	<i>cornuta</i>	1858, 71
<i>rumphii</i>	1858, 136	<i>cyaneocapilla</i>	1854, 114
<i>strangei</i>	1858, 254	<i>cyanoccephala</i>	1856, 272
<i>Pionus chalcopterus</i> ..	1855, 162	<i>deliciosa</i>	1860, 90
<i>cobaltinus</i>	1859, 147	<i>elata</i>	1855, 150
<i>corallinus</i>	1855, 163	<i>elegantissima</i>	1855, 66
<i>fuscicapillus</i>	1859, 159	<i>elegantissima</i>	1856, 272
<i>hæmatotus</i>	1860, 300	<i>elegantissima</i>	1855, 152
<i>menstruus</i>	1857, 19	<i>filicauda</i>	1860, 313
<i>menstruus</i>	1857, 206	<i>flavicapilla</i>	1855, 152
<i>menstruus</i>	1858, 460	<i>flavincta</i>	1855, 151
<i>menstruus</i>	1860, 287	<i>flavincta</i>	1852, 34
<i>menstruus</i>	1856, 306	<i>flavincta</i>	1855, 66
<i>senilis</i>	1857, 230	<i>galericulata</i>	1856, 273
<i>senioides</i>	1855, 162	<i>galericulata</i>	1856, 303
<i>vinaceicollis</i>	1857, 225	<i>herbacea</i>	1854, 114
<i>Pipilo albicollis</i>	1858, 304	<i>heterocerca</i>	1860, 313
<i>arcticus</i>	1859, 380	<i>inornata</i>	1860, 467
<i>chlorurus</i>	1857, 127	<i>isidori</i>	1854, 114
<i>fuscus</i>	1860, 275	<i>isidori</i>	1855, 152
<i>fuscus</i>	1856, 304	<i>isidori</i>	1854, 114
<i>fuscus</i>	1857, 127	<i>leucocilla</i>	1855, 152
<i>fuscus</i>	1856, 304	<i>leucocilla</i>	1856, 29
<i>maculatus</i>	1858, 304	<i>leucocilla</i>	1857, 265
<i>maculatus</i>	1859, 380	<i>leucotis</i>	1858, 285
<i>mesoleucus</i>	1856, 304	<i>manacus</i>	1854, 114
<i>oregonus</i>	1857, 127	<i>manacus</i>	1856, 299
<i>oregonus</i>	1859, 235	<i>mentalis</i>	1859, 385
<i>rufipileus</i>	1857, 7	<i>musica</i>	1856, 271
<i>Pipilopsis albitemporalis</i>	1856, 89	<i>nævia</i>	1858, 253
<i>atripileus</i>	1856, 92	<i>pareolides</i>	1855, 151
<i>canigularis</i>	1856, 90	<i>pectoralis</i>	1856, 279
<i>cristatus</i>	1855, 156	<i>percussa</i>	1859, 463
<i>cristatus</i>	1856, 118	<i>rubricapilla</i>	1857, 265
<i>flavicularis</i>	1856, 91	<i>rupicola</i>	1859, 99
<i>flavipectus</i>	1856, 90	<i>rupicola</i>	1855, 152
<i>fulviceps</i>	1856, 88	<i>striolata</i>	1857, 265
<i>personatus</i>	1856, 89	<i>striolata</i>	1858, 72
<i>rubrirostris</i>	1856, 92	<i>Pipreola aureipectus</i> ...	1855, 153
<i>ruficeps</i>	1856, 108	<i>chlorolepidota</i> ...	1854, 113
<i>semirufus</i>	1855, 125	<i>chlorolepidota</i> ...	1859, 441
		<i>jucunda</i>	1860, 89

	Page		Page
<i>Pitylus brasiliensis</i>	1856, 66	<i>Planaxis succincta</i>	1851, 271
<i>cærulescens</i>	1856, 66	<i>zonata</i>	1851, 271
<i>canadensis</i>	1856, 66	<i>Planesticus casus</i>	1859, 330
<i>capistratus</i>	1856, 67	<i>Planorbis chinensis</i>	1848, 41
<i>celæno</i>	1856, 65	<i>corinna</i>	1849, 167
<i>chrysogaster</i>	1856, 454	<i>coromandelicus</i> ..	{ 1856, 186
<i>erythromelas</i>	1856, 65		{ 1860, 12
<i>erythrorhynchus</i> ..	1856, 64	<i>cunninghami</i>	1848, 41
<i>flavocinctus</i>	1856, 66	<i>elegantulus</i>	1858, 134
<i>fuliginosus</i>	1856, 64	<i>fokkesii</i>	1848, 42
<i>gnatho</i>	1856, 64	<i>fuscus</i>	1848, 42
	{ 1855, 154	<i>gilberti</i>	1848, 40
<i>grossus</i>	{ 1856, 64	<i>hindusianus</i>	1848, 41
	{ 1857, 264	<i>inflatus</i>	1848, 40
	{ 1860, 293	<i>limosus</i>	1848, 42
<i>personatus</i>	1856, 66	<i>nanus</i>	1856, 186
	{ 1856, 66	<i>nitidulus</i>	1848, 40
<i>poliogaster</i>	{ 1856, 302	<i>obesus</i>	1848, 41
	{ 1859, 376	<i>panamensis</i>	1848, 41
<i>viridis</i>	1856, 65	<i>philippianus</i>	1848, 43
<i>Placenta ephippium</i> ..	1848, 114	<i>refulgens</i>	1853, 54
<i>lincolni</i>	1848, 114	<i>ruppellii</i>	1848, 42
<i>orbicularis</i>	1848, 115	<i>salleanus</i>	1853, 54
<i>papyracea</i>	1848, 114	<i>sericeus</i>	1848, 42
<i>sella</i>	1848, 114	<i>sibiricus</i>	1848, 42
<i>Placentula compar</i> ..	1854, 195	<i>stelzneri</i>	1858, 134
<i>dealbata</i>	1854, 196	<i>stramineus</i>	1848, 42
<i>fictilis</i>	1854, 196	<i>suberenatus</i>	1856, 220
<i>leptosticta</i>	1854, 195	<i>trivolvus</i>	1860, 12
<i>maderensis</i>	1854, 195	<i>Platacanthomys lasiurus</i>	1860, 260
<i>micromphala</i>	1854, 195	<i>Platalea ajaja</i>	1857, 206
<i>spirorbis</i>	1854, 195	<i>leucorodia</i>	{ 1855, 71
<i>Placotrochus laevis</i> ..	1849, 76		{ 1858, 507
<i>Placuna papyracea</i> ..	1848, 114	<i>regia</i>	1859, 353
<i>placenta</i>	1848, 115	<i>Platycercus adelaidæ</i> ..	1860, 371
<i>sella</i>	1848, 114	<i>amboinensis</i>	1859, 153
<i>Placunanomia abnorma-</i>		<i>ater</i>	1850, 26
<i>lis</i>	1849, 121	<i>barnardi</i>	1849, 64
<i>alope</i>	1849, 122	<i>caledonicus</i>	1859, 164
<i>broderipii</i>	1849, 121	<i>cornutus</i>	1859, 164
<i>cepio</i>	1849, 121	<i>cyanogenys</i>	{ 1855, 165
<i>colon</i>	1849, 123		{ 1866, 166
<i>cumingii</i>	1849, 120	<i>hypophoniuss</i>	1860, 353
<i>echinata</i>	1849, 120	<i>palliceps</i>	{ 1855, 165
<i>foliata</i>	1849, 120		{ 1855, 166
<i>ione</i>	1849, 123		{ 1857, 221
<i>macrochisma</i>	1849, 121	<i>pileatus</i>	1859, 212
<i>patelliformis</i>	1849, 122	<i>tabuensis</i>	1849, 14
<i>pectinata</i>	1849, 121	<i>Platylophus galericula-</i>	
<i>rudis</i>	1849, 120	<i>tus</i>	1859, 446
<i>zealandica</i>	1849, 123	<i>Platymopsis armatulus</i> ..	1859, 122
<i>Planaxis buccinea</i>	1851, 272	<i>Platyodon cancellata</i> ..	1856, 210
<i>cingulata</i>	1851, 271	<i>Platyonyx agassizii</i>	1851, 211
<i>fulva</i>	1851, 271	<i>biomartii</i>	1851, 211
<i>labiosa</i>	1851, 272	<i>bucklandi</i>	1851, 211
<i>nigritell</i>	1850, 273	<i>cuvieri</i>	1851, 211
<i>obscura</i>	1851, 271	<i>minutus</i>	1851, 211
<i>pigra</i>	1850, 273	<i>oweni</i>	1851, 211

	Page		Page
<i>Platyptaris affinis</i>	1850, 306	<i>Pleidodon spekii</i>	1859, 348
<i>aglaiae</i>	1859, { 306	<i>Plestiodon sikkimensis</i> ..	1860, { 160
<i>latirostris</i>	1857, 74	<i>glutinosum</i>	1858, 144
<i>Platypteryx</i>	1849, 36	<i>persimilis</i>	1859, 230
<i>Platyrrhynchus albogularis</i>	1860, { 68	<i>varians</i>	1860, 25
<i>cancroma</i>	{ 92	<i>Pleurobranchus margi-</i>	
<i>cancrominus</i>	{ 295	<i>natus</i>	1860, 25
<i>capensis</i>	1856, 71	<i>pellucidus</i>	1860, 24
<i>ceylonensis</i> ..	1858, 384	<i>reticulatus</i>	1860, 25
<i>coronatus</i>	1860, 299	<i>rufus</i>	1860, 25
<i>duponti</i> ..	1851, 52	<i>varians</i> ..	1860, 25
<i>hirundinaceus</i> ..	1854, 271	<i>Pleurodeles walti</i>	1858, 138
<i>melanops</i>	1858, 71	<i>waltii</i> ..	1858, 391
<i>perspicillatus</i> ..	1857, 75	<i>Pleurotoma babylonica</i> { 1850, 57	
<i>pusillus</i> ..	1855, 150	<i>bicarinata</i>	1854, 101
<i>rostratus</i> ..	1858, 286	<i>concinna</i>	1850, 57
<i>Platysma flindersi</i> ..	1854, 271	<i>coronata</i>	1856, 356
<i>sturtii</i> ..	1859, 44	<i>gracillima</i>	1860, 57
<i>Platysmurus leucopterus</i>	1858, 71	<i>oxytrophis</i> ..	1850, 57
<i>Plebecula lurda</i>	1859, 117	<i>virginis</i> ..	1856, 356
<i>vulgata</i>	1859, 117	<i>virgo</i> ..	1850, 57
<i>Plecotrema bella</i>	1859, 446	<i>Plexaura suberosa</i>	1859, 482
<i>clausa</i>	1854, 174	<i>Ploceus abyssinicus</i> ..	1859, 396
<i>concinna</i>	1854, 173	<i>baya</i>	{ 1857, 96
<i>decussata</i>	1854, 37	<i>hypoxanthus</i>	{ 1858, 481
<i>exarata</i>	1853, 121	<i>luteolus</i> ..	{ 1859, 444
<i>imperfectorata</i> ..	1853, 122	<i>manyar</i>	{ 1859, 151
<i>inæqualis</i> ..	1853, 120	<i>personatus</i>	{ 1850, 217
<i>labrella</i> ..	1853, 122	<i>philippensis</i>	{ 1855, 50
<i>lirata</i>	1853, 121	<i>sanguinirostris</i> ..	{ 1859, 150
<i>monilifera</i>	1853, 121	<i>personatus</i>	{ 1850, 217
<i>punctato-striata</i> ..	1853, 121	<i>philippensis</i>	{ 1852, 88
<i>punctigera</i>	1853, 120	<i>sanguinirostris</i> ..	{ 1850, 218
<i>typica</i>	1853, 120	<i>orientalis</i>	{ 1860, 372
<i>Plecotus auritus</i>	1858, { 26	<i>Plotia mirifica</i>	{ 1853, 99
<i>darjelingensis</i>	{ 81	<i>orientalis</i>	{ 1857, 207
<i>homochrous</i>	1850, 395	<i>Plotus anHINGA</i>	{ 1859, 65
<i>timoriensis</i> ..	1856, 395	<i>Pluvianus ægyptius</i>	{ 1859, 369
<i>velatus</i>	1858, 30	<i>Pnoepyga longicaudata</i> ..	1850, 220
<i>Plectrophanes melano-</i>	1858, 546	<i>Podargus auritus</i>	1854, 74
<i>mus</i>	1860, 251	<i>crimifrons</i>	1854, 266
<i>Plectropteron diane</i> ..	1859, 261	<i>marmoratus</i>	1859, 154
<i>selene</i>	1859, 261	<i>ocellatus</i>	1858, 170
<i>Plectropterus gamben-</i>	{ 1859, 131	<i>stellatus</i>	1854, 266
<i>sis</i> ..	{ 1860, 38	<i>Podica personata</i>	1848, 90
<i>melanonotus</i>	1860, 41	<i>Podiceps calipareus</i> ..	{ 1859, 98
<i>ruppellii</i>	{ 1859, 132	<i>dominicus</i>	{ 1860, 389
<i>Plectrurus perrotettii</i> ..	1858, 265	<i>minor</i>	{ 1857, 207
			{ 1857, 237
			{ 1859, 369
			1855, 189

	Page		Page
<i>Podiceps philippensis</i>	1855, 184 1858, 510 1859, 98 1860, 389	<i>Pogonothraupis atrica-</i> <i>pilla</i>	1856, 118 1860, 298
<i>rollandi</i>		<i>Polyptila albiloris</i>	1856, 12 1860, 278
(<i>Sylbeocyclus</i>) <i>tri-</i> <i>color</i>	1860, 366	<i>bilineata</i>	1860, 291 1855, 11 1859, 363
<i>Podilymbus carolinensis</i>	1859, 65	<i>cærulea</i>	1859, 12 1855, 12
<i>Pododesmus decipiens</i>	1849, 120	<i>dumicola</i>	1855, 12
<i>Poecilometta bahamensis</i>	1860, 389	<i>leucogastra</i>	1855, 12 1855, 363 1859, 378
<i>Poecilophis dorsalis</i>	1859, 88	<i>mexicana</i>	1859, 378
<i>hygia</i>	1859, 88	<i>Poliornis teesa</i>	1858, 472
<i>Poecilornis rufivertex</i>	1856, 243	<i>Polyartemia forcipata</i>	1852, 29
<i>Poecilothraupis igniven-</i> <i>tris</i>	1856, 242	<i>Polyboroides radiatus</i>	1850, 216 1857, 211 1859, 363 1860, 288
<i>lacrimosa</i>	1856, 242	<i>Polybranchia pellucida</i>	1860, 141
<i>lunulata</i>	1856, 241 1858, 551 1860, 76 1860, 86	<i>Polycera quadrilneata</i>	1859, 68
<i>Pocephalus meyeri</i>	1860, 197	<i>Polychlorus intermedius</i>	1857, 226 1857, 226 1860, 226 1860, 227
<i>Poephagus</i>	1855, 125	<i>magnus</i>	1857, 226 1860, 227
<i>grunniens</i>	1853, 191 1856, 405 1858, 529	<i>westermanni</i>	1857, 226
<i>Poephila gouldiæ</i>	1857, 26	<i>Polydonta aspera</i>	1851, 154
<i>paddoni</i>	1858, 462 1859, 164	<i>concinna</i>	1851, 154
<i>pandoni</i>	1859, 164	<i>corrugata</i>	1851, 155
<i>personata</i>	1857, 26	<i>costata</i>	1851, 153
<i>Pogonias bidentatus</i>	1859, 394	<i>elegantula</i>	1851, 154
<i>bifrenatus</i>	1859, 396	<i>gibberula</i>	1851, 155
<i>brucii</i>	1859, 396	<i>hanleyana</i>	1851, 154
<i>dubius</i>	1859, 394	<i>ignobilis</i>	1851, 155
<i>erythromelas</i>	1859, 394	<i>inequalis</i>	1851, 153
<i>fuscescens</i>	1859, 396	<i>incarnata</i>	1851, 155
<i>hæmatops</i>	1859, 396	<i>incrassata</i>	1851, 154
<i>hirsutus</i>	1859, 396	<i>lneata</i>	1851, 154
<i>lævirostris</i>	1859, 395	<i>maculata</i>	1851, 153
<i>levaillantii</i>	1859, 395	<i>maræ</i>	1855, 222
<i>major</i>	1859, 394	<i>ochroleucos</i>	1851, 154
<i>melanocephalus</i>	1859, 396	<i>pallidula</i>	1851, 155
<i>niger</i>	1859, 395	<i>pustulosa</i>	1851, 155
<i>nigrithorax</i>	1859, 395	<i>regia</i>	1851, 153
<i>personatus</i>	1859, 395	<i>reticulata</i>	1851, 154
<i>rolleti</i>	1859, 394	<i>spengleri</i>	1851, 154
<i>rubescens</i>	1850, 219 1859, 396	<i>squamigera</i>	1851, 155
<i>rufifrons</i>	1859, 396	<i>tentorium</i>	1851, 153
<i>saltii</i>	1859, 396	<i>tiarata</i>	1851, 154
<i>senegalensis</i>	1850, 219 1859, 396	<i>turris</i>	1851, 155
<i>stephani</i>	1859, 395	<i>vernalis</i>	1851, 154
<i>sulcirostris</i>	1859, 394	<i>verrucosa</i>	1851, 153
<i>undatus</i>	1859, 396	<i>viridescens</i>	1851, 154
<i>unidentatus</i>	1859, 395	(<i>Infundibulum</i>) <i>æ-</i> <i>mulans</i>	1854, 132
<i>vieillotii</i>	1850, 219 1859, 396	(—) <i>concinnum</i>	1854, 132
<i>Pogonochampus</i>	1859, 394	(—) <i>neptum</i>	1854, 132
		(—) <i>tritonis</i>	1854, 132

	Page		Page
<i>Prionites martii</i>	1857, 256	<i>Propasser rhodochrous</i> ..	1855, 216
<i>mexicanus</i>	1857, 254	<i>rhodopeplus</i>	1855, 216
<i>momota</i>	1857, 250	<i>thura</i>	1855, 215
<i>ruficapillus</i>	1857, { 255	<i>Proserpina eolna</i>	1856, 100
<i>superciliaris</i>	1857, 258	<i>salleana</i>	1856, 100
<i>tutu</i>	1857, 257	<i>(Ceres) salleana</i> ...	1856, 322
<i>yucatanensis</i>	1857, 255	<i>Prosthamera novæ-</i>	1849, 14
<i>Prioniturus discurus</i> ...	1860, 224	<i>seelandiæ</i>	1853, 192
<i>flavicans</i>	1860, { 223	<i>Prosymna meleagris</i> ...	1858, 163
<i>platurus</i>	1860, 226	<i>Protætia ferruginea</i> ...	1856, 17
<i>setarius</i>	1860, { 223	<i>procera</i>	1856, 17
<i>wallacii</i>	1860, 226	<i>regalis</i>	1856, 17
<i>Prionochilus maculatus</i> .	1859, 404	<i>schaumii</i>	1856, 17
<i>percussus</i>	1859, 403	<i>Proteus anguinus</i>	{ 1848, 38
<i>Prionodon pardicolor</i> ..	1856, 396		1857, 63
<i>Prionus scabricornis</i> ...	1853, 6		1856, 343
<i>Proboscidea hamiglos-</i>		<i>Protonopsis horrida</i> ..	{ 1856, 345
<i>sa</i>	1850, 41		1857, 62
<i>Procapra gutturosa</i>	1850, 115	<i>Prox albipes</i>	1850, 235
<i>picticauda</i>	{ 1850, 116	<i>melas</i>	1850, 235
	1856, 403	<i>muntjac</i>	1850, 234
	1858, 523	<i>ratwa</i>	1850, 235
<i>Procellaria anginho</i>	1851, 142	<i>reevesii</i>	1850, 235
<i>anglorum</i>	1851, 142	<i>stylocerus</i>	1850, 235
<i>berardi</i>	1860, 390	<i>Psalidocoptus scaber</i> ...	1856, 12
<i>bulweri</i>	1851, 142	<i>Psalidognathus friendi</i> .	1856, 10
<i>conspicillata</i>	1860, 390	<i>Psaltia erythrocephala</i> .	1859, 177
<i>gigantea</i>	1860, 390	<i>exilis</i>	1856, 38
<i>glacialis</i>	1860, 334	<i>flaviceps</i>	1856, 37
<i>leachii</i>	1851, 146	<i>melanotis</i>	1856, 37
<i>obscura</i>	1851, 142		{ 1856, 37
<i>pelagica</i>	1851, 146	<i>minima</i>	1857, 126
<i>puffinus</i>	1851, 142	<i>Psaltiparus melanotis</i> ..	1858, 299
<i>Prochilodus humeralis</i> .	1859, 419	<i>personatus</i> ..	1858, 300
<i>Procnias heinei</i>	{ 1854, 249	<i>Psammobia abrupta</i> ...	1854, 324
	1856, 259	<i>amœna</i>	1854, 323
	1854, 249	<i>angusta</i>	1854, 320
	1855, 153	<i>anomala</i>	1854, 320
	1858, 74	<i>aurantia</i>	1855, 167
<i>occidentalis</i>	{ 1858, 452	<i>bicarinata</i>	1854, 322
	1860, 275	<i>candidula</i>	1854, 319
	1860, 292	<i>compta</i>	1854, 321
<i>viridis</i>	1856, 269	<i>corrugata</i>	1854, 324
<i>Procnopis argentea</i>	1856, 259	<i>decora</i>	1856, 212
<i>atrocærulea</i>	1856, 258	<i>dispar</i>	1854, 325
<i>melanota</i>	1856, 265	<i>elegans</i>	1854, 322
<i>vassori</i>	1856, 264	<i>grata</i>	1854, 318
<i>Proctoporus pachyurus</i> .	1859, { 89	<i>insignis</i>	1854, 322
	407	<i>intermedia</i>	1854, 319
<i>Procyon cancrivorus</i> ...	1859, 432	<i>lata</i>	1854, 318
	{ 1857, 201	<i>layardi</i>	1854, 323
	1857, 232	<i>marmorea</i>	1854, 324
<i>Progne dominicensis</i> ..	{ 1859, 364	<i>maxima</i>	1854, 317
	1860, 292	<i>menkeana</i>	1854, 319
<i>Propasser pulcherrimus</i> .	1855, 216	<i>modesta</i>	1854, 319
		<i>nivosa</i>	1854, 317
		<i>oblonga</i>	1854, 321
		<i>oriens</i>	1854, 318

	Page		Page
<i>Psammobia ornata</i>	1854, 323	<i>Psaris jardini</i>	1857, 71
<i>pacifica</i>	1856, 212	<i>major</i>	{ 1851, 48
<i>pallida</i>	1854, 323		{ 1857, 78
<i>palmula</i>	1854, 325	<i>marginatus</i>	{ 1851, 48
<i>pennata</i>	1854, 325		{ 1857, 77
<i>petalina</i>	1854, 320	<i>maximus</i>	{ 1851, 46
<i>præstans</i>	1854, 322	<i>megacephalus</i>	{ 1857, 72
<i>puella</i>	1854, 320	<i>melanoleucus</i>	{ 1857, 79
<i>pulcherrima</i>	1854, 325	<i>mexicana</i>	{ 1856, 141
<i>rubicunda</i>	1854, 324		{ 1857, 70
<i>striata</i>	1854, 321	<i>minor</i>	{ 1851, 48
<i>tenuis</i>	1854, 320	<i>nævius</i>	{ 1857, 69
<i>togata</i>	1854, 318	<i>nattereri</i>	{ 1851, 47
<i>tripartita</i>	1854, 321		{ 1857, 71
<i>tristis</i>	1854, 318	<i>niger</i>	{ 1857, 76
<i>vitæa</i>	1855, { 167	<i>nigrescens</i>	{ 1851, 46
			{ 1851, 48
<i>zelandica</i>	1854, 319	<i>parvus</i>	{ 1856, 77
			{ 1857, 76
		<i>pectoralis</i>	{ 1851, 46
<i>Psammodynastes pul-</i>	{ 163		{ 1857, 73
<i>verulentus</i>	1860, { 167	<i>roseicollis</i>	{ 1857, 73
			{ 1857, 73
		<i>selbyi</i>	{ 1851, 47
<i>Psammophis collaris</i> ...	1860, 161		{ 1857, 71
<i>crucifer</i>	1858, 160	<i>semifasciatus</i>	{ 1851, 46
<i>elegans</i>	1858, 160		{ 1857, 70
<i>flavigularis</i>	1860, 456	<i>strigatus</i>	{ 1857, 72
<i>irregularis</i>	1858, 160	<i>surinamus</i>	{ 1851, 49
<i>lineatus</i>	1858, 388	<i>tityroides</i>	{ 1856, 141
<i>moniliger</i>	1858, 160		{ 1857, 70
<i>philippsii</i>	1858, 160	<i>tristis</i>	{ 1851, 48
<i>subulans</i>	1858, { 160	<i>validus</i>	{ 1851, 46
		<i>versicolor</i>	{ 1851, 45
<i>temminckii</i>	1860, 97	<i>virgata</i>	{ 1857, 60
<i>Psammosaurus griseus</i> ..	1849, 95	<i>Psarocolius gularis</i> ...	{ 1857, 205
		<i>melanocephalus</i> ..	{ 1856, 65
<i>Psaris aglaïæ</i>	{ 1851, 46	<i>pectoralis</i>	{ 1857, 205
		<i>Psaroglossa spiloptera</i> ..	{ 1858, 481
<i>atricapillus</i>	1851, 45	<i>Psephotus chrysoptery-</i>	
<i>brasiliensis</i>	{ 1851, 46	<i>gius</i>	{ 1857, 220
			{ 1859, 483
<i>cayana</i>	1857, 70	<i>multicolor</i>	{ 1860, 371
<i>cayanensis</i>	1857, 69	<i>pulchellus</i>	{ 1860, 243
<i>cristatus</i>	1857, 72	<i>Pseudechis porphyriaca</i> ..	{ 1860, 371
		<i>Pseudemys concinna</i> ...	{ 1855, 197
<i>curveri</i>	{ 1851, 45	<i>seriata</i>	{ 1856, 197
		<i>Pseudocervus wallichii</i> ..	{ 1850, 227
<i>cyanus</i>	1851, 46	<i>Pseudocheirus nudi-</i>	{ 1849, 110
<i>erythrogenys</i>	{ 1851, 47	<i>caudatus</i>	{ 1858, 108
		<i>Pseudocolaptes boisso-</i>	
<i>fraserii</i>	{ 1855, 150	<i>neauti</i>	{ 1860, 88
		<i>semicinnamomeus</i> ..	{ 1853, 142
		<i>Pseudois nahoor</i>	{ 1856, 404
<i>guianensis</i>	1857, 69		{ 1858, 527
<i>habia</i>	1856, 78	<i>Pseudoliva æthiops</i>	{ 1853, 184
<i>inquisitor</i>	{ 1851, 47	<i>ancilla</i>	{ 1859, 429
		<i>australis</i>	{ 1853, 184
<i>jardini</i>	1851, 47	<i>kellettii</i>	{ 1853, 185

	Page		Page
<i>Pseudoliva livida</i>	1854, 136	<i>Psittacus cyanicollis</i>	1860, 358
<i>monoceros</i>	1853, 184	<i>monotus</i>	1860, 357
<i>nassoides</i>	1859, 430	<i>mus</i>	1860, 223
<i>plumbea</i>	1853, 184	<i>dorsalis</i>	1859, 158
<i>sepimenta</i>	1853, 184	<i>erythacus</i>	1857, 215
<i>septimenta</i>	1854, 136	<i>fuscicapillus</i>	1860, 358
<i>stratula</i>	1853, 184	<i>galeritus</i>	1858, 184
<i>zebrina</i>	1853, 184	<i>galgulus</i>	1859, 454
<i>Pseudomeles leucurus</i> ..	1856, 398	<i>garrulus</i>	1860, 356
<i>Pseudotriton salmoneus</i> ..	1857, 63	<i>geoffroyanus</i>	1860, 358
<i>Pseudotyphlops oxy-</i>		<i>goliath</i>	1858, 184
<i>rhynchus</i>	1858, 264	<i>grandis</i>	1849, 143
<i>philippinus</i>	1858, 263	<i>hæmatoqus</i>	1860, 357
<i>Psilorhamphus gutta-</i>	1855, 90	<i>hueti</i>	1857, 19
<i>tus</i>	1858, 243	<i>incertus</i>	1859, 452
<i>maculatus</i>	1858, 288	<i>leucocephalus</i>	1857, 225
<i>Psilorhinus bullocki</i> ...	1850, 84	<i>leucorhynchus</i> ...	1856, 306
<i>flaviviridis</i>	1858, 479	<i>longicaudus</i>	1859, 453
<i>gubernatrix</i>	1850, 84	<i>lory</i>	1849, 145
<i>momo</i>	1856, 300	<i>macrohynchus</i>	1860, 358
<i>occipitalis</i>	1859, 57	<i>magnus</i>	1857, 226
<i>occipitalis</i>	1859, 365	<i>magnus</i>	1858, 182
<i>occipitalis</i>	1858, 479	<i>magnus</i>	1860, 358
<i>Psittacara chloroptera</i> ..	1857, 225	<i>malaccensis</i>	1859, 452
<i>erythrogenys</i>	1859, 146	<i>malaccensis</i>	1860, 453
<i>maugrei</i>	1860, 71	<i>mascarinus</i>	1857, 226
<i>maugrei</i>	1857, 225	<i>megalorhynchus</i> ..	1860, 358
<i>Psittacodis interme-</i>	1850, 26	<i>mercenarius</i>	1858, 75
<i>dius</i>	1857, 226	<i>meyeri</i>	1848, 126
<i>magnus</i>	1850, 26	<i>moluccensis</i>	1860, 356
<i>sinensis</i>	1857, 226	<i>moluccensis</i>	1860, 357
<i>stravornii</i>	1850, 26	<i>nasutus</i>	1860, 358
<i>stravornii</i>	1860, 227	<i>novæ-hollandiæ</i> ...	1857, 215
<i>westermanni</i>	1850, 26	<i>paragua</i>	1857, 226
<i>westermanni</i>	1857, 226	<i>personatus</i>	1860, 358
<i>Psittacula cælestis</i>	1860, 287	<i>personatus</i>	1858, 182
<i>conspicilla</i>	1855, 162	<i>placensis</i>	1860, 357
<i>diophthalma</i>	1858, 183	<i>placensis</i>	1860, 357
<i>lineola</i>	1857, 230	<i>platurus</i>	1860, 223
<i>lineolata</i>	1856, 306	<i>polychlorus</i>	1860, 358
<i>passerina</i>	1854, 115	<i>pucherani</i>	1859, 159
<i>reticulata</i>	1859, 452	<i>pulverulentus</i>	1858, 75
<i>Psittacus amazonicus</i> ..	1853, 75	<i>pulverulentus</i>	1849, 142
<i>aruensis</i>	1858, 183	<i>puniceus</i>	1860, 357
<i>aterrimus</i>	1858, 184	<i>pyrrhopterus</i>	1860, 287
<i>bisetis</i>	1859, 164	<i>riciniatus</i>	1860, 356
<i>borneus</i>	1860, 356	<i>ruber</i>	1860, 357
<i>cæruleatus</i>	1860, 357	<i>rubra</i>	1859, 454
<i>capistratus</i>	1858, 183	<i>rufiventris</i>	1848, 126
<i>cardinalis</i>	1849, 142	<i>ruppellii</i>	1848, 126
<i>cardinalis</i>	1849, 143	<i>setarius</i>	1860, 223
<i>ceylonensis</i>	1860, 357	<i>sinensis</i>	1860, 358
<i>cochinsinensis</i>	1860, 356	<i>sinensis</i>	1860, 358
<i>cornutus</i>	1859, 164	<i>spatuliger</i>	1860, 223
<i>cristatus</i>	1860, 353	<i>spatuliger</i>	1860, 224
<i>cucullatus</i>	1860, 356	<i>torquatus</i>	1859, 453
<i>cyanauchen</i>	1859, 158	<i>torquatus</i>	1859, 453
		<i>(Geoffroyi) cyanei-</i>	
		<i>collis</i>	1860, 358

	Page		Page
<i>Psittacus</i> (Geoffroius)		<i>Pteroglossus erythro-</i>	
<i>personatus</i> 1860,	358	<i>gius</i> 1860,	286
(<i>Platycercus</i>) <i>hypo-</i>	 { 1854, 115	
<i>phonus</i> 1860,	356	<i>flavirostris</i> { 1857, 267	
(<i>Psittacula</i>) <i>cyani-</i>	 { 1858, 75	
<i>collis</i> 1860,	358	<i>humboldtii</i> 1857,	267
(—) <i>grandis</i> 1860,	357	<i>pluricinctus</i> 1858,	75
(<i>Trichoglossus</i>) <i>pla-</i>	 { 1857, 205	
<i>centus</i> 1860,	357 { 1858, 359	
<i>Psittaculus placens</i> .. { 1858, 182		<i>torquatus</i> { 1859, 59	
..... { 1860, 357	 { 1859, 388	
<i>Psittinus malaccensis</i> .. 1859,	452	<i>wiedi</i> 1855,	15
<i>Psittospiza prasina</i> 1856,	78	<i>Pterogorgia pectinata</i> .. 1857,	287
<i>riefferi</i> { 1856, 78		<i>sulcifera</i> 1857,	288
..... { 1860, 76		<i>Pteromys caniceps</i> 1856,	402
<i>Psittovius tovi</i> 1855,	162	<i>magnificus</i> 1856,	403
<i>Psyche stettinella</i> 1849,	35	<i>nitidus</i> 1850,	157
<i>Pterocles alchata</i> 1860,	183	<i>nobilis</i> 1856,	402
<i>arenarius</i> { 1858, 501		<i>Pteronotus speciosus</i> ... 1855,	121
..... { 1860, 258		<i>Pterophanes cyanopterus</i> 1855,	139
<i>bicinctus</i> 1850,	220	<i>temminckii</i> 1855,	139
<i>exustus</i> { 1855, 30		<i>Pteropus amplexicauda-</i>	
..... { 1858, 502		<i>tus</i> 1859,	38
..... { 1860, 220		<i>argentatus</i> 1858,	107
<i>fasciatus</i> { 1858, 502		<i>conspicillatus</i>, 1849,	109
..... { 1859, 186		<i>dasyrnallus</i> 1860,	44
..... { 1860, 220		<i>edulis</i> { 1858, 537	
<i>quadricinctus</i> { 1855, 30	 { 1860, 44	
<i>tricinctus</i> 1850,	220	<i>edwardsi</i> 1858,	156
<i>Pterocyanea discors</i> ... 1859,	64 { 1860, 512	
<i>Pterocyclos biclathum</i> .. 1851,	72 { 1860, 44	
<i>bifrons</i> 1855,	117	<i>epomophorus</i> 1860,	{ 42
<i>cumingi</i> 1852,	158 { 1849, 110	
(<i>Spiraculum</i>) <i>housei</i> 1860,	10 { 1858, 536	
<i>Pterocylus lineatus</i> 1856,	488 { 1858, 537	
<i>Pterodactylus brevis-</i>		<i>gambianus</i> 1860,	52
<i>tris</i> 1851,	15	<i>hypomelanus</i> { 1858, 536	
..... { 1851, 32	 { 1860, 44	
<i>compressirostris</i> .. 1851,	15	<i>labiatus</i> 1860,	55
..... { 1851, 29		<i>macrocephalus</i> 1860,	{ 43
..... { 1851, 29	 { 1858, 537	
<i>cuvieri</i> 1851,	28	<i>marginatus</i> 1860,	{ 43
..... { 1851, 28	 { 1860, 50	
<i>diomedeus</i> 1851,	14	<i>megacephalus</i> 1849,	109
..... { 1851, 21	 { 1849, 110	
..... { 1851, 28		<i>poliocephalus</i> { 1860, 44	
<i>giganteus</i> 1851,	15 { 1860, 44	
..... { 1851, 29		<i>rubricollis</i> 1860,	44
<i>longirostris</i> 1851,	29	<i>schoensis</i> 1860,	{ 46
..... { 1851, 56	 { 1860, 467	
<i>Macronyx</i> (<i>buck-</i>		<i>Ptilinopus melanoceph-</i>	
<i>landi</i>) 1851,	17	<i>lus</i> 1849,	64
<i>Pterogasteron bellum</i> . . 1860,	36	<i>Ptilocercus lowii</i> 1848,	24
<i>ornatum</i> 1860,	36	<i>Ptilochloris arcuata</i> 1854,	114
<i>Pteroglossus aracari</i> .. 1855,	15	<i>remigialis</i> 1854,	114
<i>beauharnaisi</i> 1857,	267 { 1854, 114	
<i>castanotis</i> { 1854, 115	 { 1854, 114	
..... { 1855, 161		<i>rufo-olivaceus</i> { 1860,	467
<i>erythropterygius</i> 1860,	71		

	Page		Page
<i>Ptilochloris virescens</i> .	1854, 114	<i>Pucrasia nipalensis</i>	1854, 100
	1860, 467	<i>Puncturella cognata</i>	1851, 228
	1856, 299	<i>conica</i>	1851, 228
	1858, 302	<i>cucullata</i>	1851, 228
<i>Ptilogonys cinereus</i> ..	1858, 542	<i>fastigiata</i>	1851, 228
	1859, 364	<i>galeata</i>	1851, 228
	1859, 376	<i>noachina</i>	1851, 227
<i>leucotis</i>	1858, 542	<i>princeps</i>	1851, 228
<i>nitens</i>	1858, 542	<i>Pupa abbreviata</i>	1854, 213
	543	<i>albersii</i>	1854, 295
<i>Ptilonopus aurantiifrons</i>	1858, 185	<i>anconostoma</i>	1854, 208
<i>chrysogaster</i>	1858, 48	<i>anglica</i>	1854, 208
<i>coronulatus</i>	1858, 185	<i>bacillus</i>	1856, 35
<i>cyanovirens</i>	1860, 360	<i>barbadensis</i>	1852, 69
<i>diadematus</i>	1860, 360	<i>calathiscus</i>	1854, 212
<i>formosus</i>	1860, 360	<i>cassida</i>	1854, 212
<i>greyi</i>	1859, 165	<i>cassidula</i>	1854, 212
<i>holosericeus</i>	1859, 165	<i>ceylanica</i>	1855, 9
<i>hyogaster</i>	1860, 359	<i>cheilogona</i>	1854, 208
<i>iozonus</i>	1858, 186	<i>concinna</i>	1854, 212
<i>monachus</i>	1860, 359	<i>conoidea</i>	1852, 70
<i>perlatus</i>	1858, 185	<i>cumingiana</i>	1852, 68
<i>porphyreus</i> ..	1860, 360	<i>dilucida</i>	1854, 207
<i>prasinorrhous</i>	1858, 185	<i>edentula</i>	1854, 206
<i>purpureocinctus</i> ..	1853, 48	<i>exigua</i>	1854, 33
	1858, 184	<i>fanalensis</i>	1854, 208
<i>superbus</i>	1859, 159	<i>ferraria</i>	1854, 211
	1860, 360	<i>fragilis</i>	1854, 215
<i>swamsoni</i>	1857, 27	<i>fusca</i>	1854, 211
<i>viridis</i>	1860, 360	<i>gibba</i> ..	1854, 213
<i>wallacii</i>	1858, 185	<i>huttoniana</i>	1856, 186
(<i>Cyanotreron</i>) <i>monachus</i>	1860, 359	<i>indica</i>	1854, 295
(<i>Iotreron</i>) <i>ioaster</i> ..	1860, 359	<i>irrigua</i>	1854, 208
(<i>Lamprotreron</i>) <i>superbus</i> ..	1860, 360	<i>kusteni</i>	1852, 69
<i>Ptilonorhynchus holosericeus</i>	1849, 61	<i>laevigata</i> ..	1854, 210
<i>melanotis</i> ..	1858, 181	<i>lamellosa</i> ..	1854, 214
<i>Ptilopus purpuratus</i>	1859, 165	<i>laminea</i>	1854, 209
<i>Ptiloris paradiseus</i>	1849, 111	<i>limnaea</i>	1854, 206
<i>victoriae</i>	1849, 111	<i>linearis</i>	1854, 207
<i>Ptilotis chrysotis</i>	1859, 155	<i>macilenta</i>	1854, 210
<i>fasciogularis</i>	1851, 285	<i>microspora</i> ..	1854, 207
	1850, 278	<i>millegranata</i>	1854, 211
<i>filigera</i>	1858, 174	<i>minutissima</i>	1854, 207
	1859, 155	<i>monticola</i>	1854, 212
<i>megarhynchus</i> ...	1858, 174	<i>newcombi</i>	1852, 69
	1859, 155	<i>novoseelandica</i> ..	1852, 149
<i>similis</i>	1858, 174	<i>oblonga</i> ..	1852, 69
	1859, 155	<i>obovata</i>	1855, 9
<i>unicolor</i> ..	1850, 278	<i>puriei</i>	1854, 295
<i>Ptychodes honduræ</i>	1858, 412	<i>pygmæa</i>	1854, 214
<i>Ptyonura albifrons</i>	1860, 78	<i>recta</i>	1854, 210
<i>Pucrasia castanea</i>	1854, 99	<i>saxicola</i> ..	1854, 214
	1854, 99	<i>seminulum</i>	1854, 214
<i>macrolopha</i> ...	1858, 500	<i>sennaricensis</i> ..	1856, 35
	1859, 186	<i>sphinctostoma</i>	1854, 209
		<i>strangei</i>	1852, 69
		<i>substrata</i>	1854, 211
		<i>teres</i>	1856, 35

	Page		Page
<i>Pupa umbilicata</i>	1854, 207	<i>Pyctorhis longirostris</i> ..	1854, 104
<i>vincta</i>	1854, 208	<i>sinensis</i>	1854, 105
<i>Puperita pupa</i>	1858, 94		1857, 94
<i>Pupina bilinguis</i>	1850, 97		1858, 488
<i>cumingiana</i>	1853, 52	<i>Pygoptila maculipennis</i> ..	1858, 220
<i>nicobarica</i>	1852, 145	<i>margaritata</i> ..	1858, 221
<i>superba</i>	1855, 118	<i>Pygmornis adolphi</i>	1856, 287
<i>templemani</i>	1852, 158	<i>Pygosceles papua</i>	1860, 390
<i>Purpura analoga</i>	1850, 273	<i>wagleri</i>	1860, 390
<i>aperta</i>	1856, 227	<i>Pyramudella aclus</i>	1851, 224
<i>carolensis</i>	1850, 274	<i>auris-cati</i>	1853, 177
<i>columellaris</i> ..	1850, 274	<i>glans</i>	1853, 177
<i>conradi</i>	1856, 228	<i>gracilis</i>	1853, 178
<i>cornigera</i>	1856, 229	<i>maculosa</i>	1853, 177
<i>costata</i> ..	1853, 186	<i>magnifica</i>	1853, 177
<i>decemcostata</i>	1850, 274	<i>metula</i>	1851, 224
<i>emarginata</i>	1856, 228	<i>mutralis</i>	1853, 177
<i>fasciata</i>	1856, 357	<i>nitida</i>	1853, 178
<i>freycineti</i>	1850, 274	<i>plicata</i>	1853, 177
<i>fuscata</i>	1850, 274	<i>propinqua</i>	1853, 177
<i>harpa</i>	1856, 228	<i>punctata</i>	1853, 177
<i>lapillus</i>	1850, 273	<i>subulata</i>	1853, 177
<i>macrostoma</i>	1856, 227	<i>variegata</i> ..	1853, 178
<i>pansa</i>	1856, 208	<i>Pyramis acutus</i> ..	1851, 151
<i>patula</i>	1856, 208	<i>architectonicus</i>	1851, 152
<i>planospira</i>	1850, 274	<i>cærulescens</i>	1851, 151
<i>spirata</i>	1856, 228	<i>crenatus</i>	1853, 179
(<i>Monoceros</i>) <i>brevi-</i>		<i>crenulatus</i>	1851, 152
<i>dens</i>	1856, 229	<i>dentatus</i>	1851, 151
(—) <i>engonata</i> ..	1856, 228	<i>elegantissima</i> ..	1853, 179
(—) <i>lapilloides</i> ..	1856, 229	<i>fenestratus</i>	1851, 151
<i>Pusionella grandis</i> ..	1853, 73	<i>indistinctus</i> ..	1853, 180
<i>lirata</i> ..	1853, 73	<i>leucogaster</i> ..	1851, 152
<i>Pustularia rosea</i>	1858, 271	<i>mauritianus</i>	1851, 151
<i>Putorius communis</i> ..	1860, 183	<i>noduliferus</i>	1851, 151
<i>striatus</i>	1848, 21	<i>obeliscus</i>	1851, 151
<i>tibetanus</i>	1856, 398	<i>prasinus</i>	1851, 151
<i>Pycnonotus barbatus</i> ..	1850, 217	<i>triserialis</i>	1851, 151
	1858, 496		1855, 156
	1857, 93		1856, 123
<i>bengalensis</i>	1858, 495		1856, 142
	1859, 181		1856, 303
<i>finlaysoni</i>	1859, 150		1858, 73
<i>goiavier</i>	1854, 278	<i>Pyrranga æstiva</i>	1858, 358
	1859, 151		1859, 364
<i>hæmorrhous</i>	1858, 495		1859, 377
<i>humeraloides</i>	1854, 272		1860, 65
	1854, 278		1860, 293
	1855, 40		1860, 371
<i>jocosus</i>	1858, 496		1855, 156
	1859, 150	<i>albicollis</i>	1856, 117
	1858, 496		1856, 126
<i>leucogenys</i>	1859, 181	<i>ardens</i>	1859, 139
<i>leucotis</i> ..	1858, 496		1855, 156
<i>nigripileus</i>	1859, 150	<i>azarae</i>	1856, 124
<i>pygæus</i>	1857, 93		1856, 126
	95	<i>bidentata</i>	1857, 205
<i>Pycnoptilus floccosus</i> ..	1850, 279		1859, 364

	Page		Page
<i>Pyrrangia bivittata</i>	1855, 153	<i>Pyrriglena leucoptera</i> ..	1858, 243
	1856, 126	<i>maculicaudis</i>	1858, 247
<i>cucullata</i>	1855, 156	<i>nudiceps</i>	1854, 113
<i>cyanictera</i>	1856, 125	<i>picea</i>	1857, 47
<i>dentata</i>	1856, 212	<i>quixensis</i>	1858, 274
<i>erythrocephala</i> ..	1856, 124	<i>rufiventris</i>	1858, 279
<i>erythromelana</i> ..	1856, 125	<i>serva</i>	1860, 294
<i>erythromelana</i> ..	1859, 377	<i>tyrannina</i>	1854, 112
<i>erythromelana</i> ..	1856, 303		1855, 147
<i>erythromelas</i>	1859, 364		1858, 66
<i>erythropis</i>	1856, 126		1858, 241
	1855, 156		1854, 112
	1856, 123		1858, 67
	1856, 125		1858, 241
	1856, 124		1858, 66
<i>hepatica</i>	1857, 213		1858, 247
	1858, 303		1855, 90
	1859, 364		1855, 147
	1859, 377		1858, 245
<i>icteropus</i>	1856, 122		45
<i>ignicapilla</i>	1856, 120	<i>Pyrocephalus mexicanus</i> 1859,	56
<i>leucoptera</i>	1855, 156		366
<i>luctuosa</i>	1856, 126		1859, 46
<i>ludoviciana</i>	1856, 114	<i>nanus</i>	1859, 144
	1856, 125		1860, 282
	1857, 213		1860, 295
	1859, 377	<i>obscurus</i>	1859, 46
<i>mexicana</i>	1856, 65		1854, 113
<i>mississippiensis</i>	1856, 124	<i>rubineus</i>	1855, 149
<i>pyrrhocephala</i>	1856, 125		1856, 296
<i>quajacina</i>	1856, 120		1859, 45
<i>roseogularis</i>	1857, 6	<i>Pyroderus grenadensis</i> ..	1856, 163
	66	<i>Pyrodes smithianus</i>	1850, 12
<i>rubica</i>	1856, 119	<i>tenuicornis</i>	1850, 11
	1855, 156	<i>Pyromelana ignicolor</i> ..	1850, 218
<i>rubra</i>	1856, 123	<i>Pyronicia marmorata</i> ..	1858, 140
	1858, 73	<i>punctata</i> . . .	1858, 141
<i>rubriceps</i>	1855, 156	<i>Pyrrhocoma personata</i> ..	1856, 89
	1856, 125	<i>ruficeps</i>	1856, 108
<i>saura</i>	1856, 124	<i>Pyrrhocorax alpinus</i> ..	1858, 478
<i>sanguinolenta</i>	1856, 126		1859, 172
<i>versicolor</i>	1856, 119	<i>Pyrrhula abeillei</i> . . .	1856, 66
<i>Pyrena terebrahis</i>	1859, 316	<i>aurantia</i>	1858, 484
<i>Pyrgella leacociana</i>	1854, 205	<i>aurantiaca</i>	1859, 177
<i>Pyrgita domestica</i>	1854, 160	<i>caerulea</i>	1857, 222
<i>flavicollis</i>	1854, 160		1856, 241
<i>swainsoni</i>	1850, 219		1857, 223
<i>Pyrgula clathrata</i>	1853, 185	<i>erythrocephala</i> ...	1858, 483
<i>quadricostata</i>	1856, 162		1859, 177
<i>Pyrriglena atra</i>	1858, 66	<i>frontalis</i>	1856, 304
	246	<i>raptor</i>	1856, 69
	1854, 112	<i>rosea</i>	1860, 108
<i>domicella</i>	1855, 109	<i>vulgaris</i>	1857, 223
	1858, 66	<i>Pyrrhulagra ruficollis</i> ..	1856, 269
	1858, 246	<i>violacea</i>	1857, 231
<i>ellisiana</i>	1855, 109	<i>Pyrrhulanda crucifer</i> ..	1854, 255
	1855, 147		1857, 95
	1858, 246	<i>grisea</i>	1858, 488

	Page		Page
<i>Pyrrhulina hæmorrhœa</i> 1856,	304	<i>Querquedula discors</i>	1860, 254
<i>Pyrrhuphonia jamaica</i>	1856, 280	<i>versicolor</i>	1860, 389
<i>Pyrota coryphæus</i>	1856, 114	<i>Querula cruenta</i>	1855, 153
<i>leucoptera</i>	1856, 113	<i>minor</i>	1857, 73
<i>valeryi</i>	1856, 114	<i>rubricollis</i>	1857, 265
<i>Pyrrula lignaria</i>	1856, 41	<i>Quiscalus</i> —	1856, 300
(<i>Rhizochilus</i>) de		<i>barita</i>	1857, 232
<i>burghæ</i>	1857, 208	<i>lugubris</i>	1857, 265
<i>Pytelia elegans</i>	1850, 218	<i>macrurus</i>	1856, 300
<i>monteiri</i>	1860, 111	1858, 353
<i>Pythia celebensis</i>	1854, 299	<i>major</i>	1859, 58
<i>macgillivrayi</i>	1854, 298	<i>subalaris</i>	1855, 153
<i>ovata</i>	1854, 299	<i>sumichrasti</i>	1859, 365
<i>pepita</i>	1854, 35	381
<i>scarabæa</i>	1851, 232		
<i>Pythina arcuata</i>	1856, 47	<i>Radja eytoni</i>	1860, 365
<i>cumingu</i>	1856, 47	<i>Rallina tricolor</i>	1858, 188
<i>mactroides</i>	1856, 340	1859, 159
<i>nuculoides</i>	1856, 341	<i>Rallus aquaticus</i>	1859, 436
<i>paula</i>	1856, 47	<i>australis</i>	1860, 371
<i>peculiaris</i>	1856, 47	<i>gularis</i>	1859, 150
<i>triangularis</i>	1856, 47	<i>indicus</i>	1858, 508
<i>Python bellii</i>	1858, 164	<i>semiplumbeus</i>	1856, 31
<i>bivittatus</i>	1858, 164	<i>stratus</i>	1858, 508
<i>liberiensis</i>	1858, 164	<i>virgimanus</i>	1856, 31
<i>molurus</i>	1860, 192	<i>Ramola volutella</i>	1858, 47
<i>regius</i>	1849, 106	<i>Ramphastos ambiguus</i>	1855, 160
.	1859, 432	<i>carinatus</i>	1856, 308
<i>sebæ</i>	1859, 164	<i>citreolæmus</i>	1855, 161
<i>Pyxipoma anguillæ</i>	1860, 410	<i>culminatus</i>	1858, 75
.	412	460
<i>cylindrella</i>	1860, 410	<i>cuvieri</i>	1855, 161
.	412	1857, 266
<i>laqueus</i>	1860, 409	<i>discolorus</i>	1856, 368
.	412	<i>momota</i>	1857, 250
<i>tahitensis</i>	1860, 413	<i>toco</i>	1860, 416
.	410	<i>vitellinus</i>	1860, 242
	412	<i>Ramphiculus jambu</i>	1859, 465
<i>Querquedula cæruleata</i>	1859, 96	<i>Ramphocænus guttatus</i>	1858, 243
.	1857, 215	<i>maculatus</i>	1858, 242
.	1859, 65	<i>rufiventris</i>	1859, 383
<i>carolinensis</i>	1859, 237	<i>trinitatis</i>	1858, 288
.	1859, 369	<i>viridis</i>	1858, 288
.	1860, 254	<i>Ramphocelus affinis</i>	1856, 130
<i>cireia</i>	1858, 510	<i>atrisericeus</i>	1856, 130
.	1858, 510	<i>aurinotus</i>	1856, 131
<i>creeca</i>	1859, 190	<i>brasilus</i>	1854, 97
.	1860, 303	1856, 127
<i>creccoides</i>	1859, 96	<i>chrysonotus</i>	1856, 131
.	1860, 389	<i>coccineus</i>	1856, 127
.	1855, 164	<i>dimidiatus</i>	1856, 129
.	1856, 311	142
<i>cyanoptera</i>	1859, 237	<i>dorsalis</i>	1854, 97
.	1860, 389	1856, 127
.	1857, 206	<i>flammigerus</i>	1856, 131
<i>discors</i>	1857, 237	1856, 131
.	1859, 393	<i>icteronotus</i>	1859, 139
		1860, 65

	Page		Page
Ramphocelus icteronotus	1860, { 86 274 292	Rana temporaria	{ 1858, 390 1858, 391 1858, 394 1860, 174 1860, 204 1858, 393 1860, 164 1860, 168 1860, 170 1858, 393 1860, 116 1860, 164 1860, 168 1860, 170 1860, 171
jacapa	1856, 128	tigrina	{ 1860, 168 1860, 170
luciani ..	1856, 130	vittigera	{ 1858, 393 1860, 116 1860, 164 1860, 168 1860, 170 1860, 171
magnirostris	1856, 129	Ranella cœlata	1856, 44
nigritularis	1856, 128	jucunda	1853, 70
passerinii	{ 1856, 130 1856, 142 1859, 59	luteostoma	1860, 397
purpureus	1856, 128	producta	1860, 397
sanguinolentus ..	{ 1856, 132 1856, 303 1859, 59 1859, 364 1859, 377	triquetra	1856, 227
unicolor	{ 1856, 128 1857, 19	Rapana clathrata	1853, 97
unopygialis	1856, 130	coralliophila	1853, 98
varians	1856, 131	fortunii	1853, 99
venezuelensis	1856, 129	fragilis	1853, 98
Ramphopsis affinis	1856, 130	nodosa	1853, 98
atrisericeus ..	1856, 130	pulchella	1853, 98
atrococcineus	1856, 128	scala	1853, 98
brasilia	1856, 127	suturalis	1853, 98
coccinea ..	1856, 127	(Latiasis) rhodo-	
dimidiatus	1856, 129	stoma	1854, 138
flammigerus	1856, 131	Raphicerus acuticornis ..	1850, 128
icteronotus ..	1856, 131	subulata ..	1850, 128
jacapa	1856, 128	Realia cattaroensis	1854, 305
luciani	1856, 130	egea	{ 1849, 167 1854, 304
melanogaster	1856, 129	gutta	1854, 305
nigritularis	1856, 128	minutissima	1854, 305
passerinii	1856, 131	rubella	1854, 304
Rana albulabris	1858, 165	turnculata	1854, 304
bibronii	1858, 164	ventricosa	1854, 304
esculenta	{ 1858, 390 1858, 391 1858, 394 1859, 470 1859, 473	Rectes dichrous	1858, 179
galamensis	1858, 164	ferrugineus	1858, 180
halecina	{ 1858, 394 1860, 460	kirrocephalus	1859, 157
hexadactyla	1858, 393	strepitans	{ 1858, 180 1859, 157
kuhlii	1858, 393	Regalecus glesne	{ 1849, 78 1849, 81 1849, 82 1850, 52 1849, 81
leontii	1858, 395	gillii	1849, 81
liebighi	{ 157 165 168 170	rcmpes	{ 78 82
malabarica	1858, 393	Regenia ocellata	{ 1858, 155 1860, 372
oxyrhina	1858, 394	Registoma complanatum ..	1860, 440
rugosa ..	1858, 391	Reguloides proregulus ..	{ 1859, 150 1859, 151
subsigillata	1858, 164	Regulus calendula	1857, 202
superciliaris	1858, 165		
sylvatica	1858, 394		
temporaria	1858, 374		

	Page		Page
<i>Regulus calendula</i> 1859,	{ 362	<i>Rhea americana</i>	1860, 207
	{ 371	<i>darwinii</i>	1860, 207
<i>calendulus</i>	1858, { 290	<i>macrorhyncha</i>	1860, 207
	{ 300		
<i>cristatus</i>	{ 1858, 493	<i>Rhimamphus æstivus</i> .	{ 1855, 133
<i>maderensis</i>	{ 1859, 185		{ 1855, 143
	{ 1854, 153		{ 1856, 141
<i>satrapa</i>	{ 1857, 212		{ 1857, 202
	{ 1859, 235	<i>blackburniæ</i>	{ 1855, 133
	{ 1860, 250		{ 1855, 143
<i>Reinwardtæna typica</i> ..	1860, 361	<i>blackburniæ</i>	{ 1855, 64
<i>Reinwardtipicus validus</i>	1859, 455	<i>cæruleus</i>	{ 1857, 18
<i>Resania taylori</i>	1851, 305	<i>coronatus</i>	{ 1858, 64
<i>Rhabdodon fuscus</i>	1858, 160	<i>coronatus</i>	1856, 291
<i>Rhabdosoma crassicauda-</i>		<i>olivaceus</i>	1856, 291
<i>datum</i>	1859, 411	<i>pensilis</i>	1856, 291
<i>elaps</i>	1859, { 89	<i>striatus</i>	{ 1855, 133
<i>maculatum</i>	1859, { 411	<i>striatus</i>	{ 1855, 143
	{ 165	<i>virens</i>	1856, 291
<i>Rhacophorus maximus</i> .	1860, { 168	<i>Rhinoceros crossi</i>	1854, 250
	{ 171	<i>oswellii</i>	1853, 46
<i>Rhamphastos ambi-</i>	{ 1859, 146	<i>Rhinocryptes amphibia</i> .	1856, 346
<i>guus</i>	{ 1860, 95	<i>Rhinolophus cornutus</i> ..	1859, 76
<i>ariel</i>	1859, 432	<i>crumeniferus</i>	1858, 108
	{ 1849, 94	<i>ferrum-equinum</i> ..	1858, 81
<i>carinatus</i>	{ 1859, 59	<i>hippocæps</i>	1859, 76
	{ 1859, 368	<i>insignis</i>	1858, 108
<i>erythrorhynchus</i> ..	1859, 432	<i>marsupialis</i>	1858, 108
<i>tocard</i>	1860, 70	<i>perniger</i>	1856, 394
<i>Rhamphocænus cine-</i>		<i>speciosus</i>	1858, 108
<i>reiventris</i>	{ 1855, 76	<i>tragatus</i> ..	1856, 394
	{ 1858, 244	<i>Rhinophis oxyrhynchus</i> .	1858, 264
<i>melanurus</i>	{ 1855, 76	<i>philippinus</i>	1858, 263
	{ 1858, 243	<i>punctatus</i>	1858, 264
	{ 1855, 76		{ 339
<i>rufiventris</i>	{ 1857, 202	<i>Rhinophrynus dorsalis</i> ..	1858, { 343
	{ 1858, 244		{ 348
<i>trinitatis</i>	1855, 76	<i>Rhinoplax scutatus</i>	1859, 446
<i>viridis</i>	1855, 76	<i>Rhinoptilus chalcopterus</i>	1850, 220
<i>Rhamphocelus chryso-</i>		<i>Rhinortha caniceps</i>	1859, 458
<i>notus</i>	1853, 157	<i>chlorophæa</i>	1859, 458
<i>dimidiatus</i>	{ 1855, 156	<i>Rhinostoma cupreum</i> ..	1858, 387
	{ 1858, 73	<i>occipitale</i>	1858, 387
<i>flammigerus</i>	1855, 157	<i>Rhipidura albescapa</i>	1859, 221
<i>icteronotus</i>	1853, 157	<i>albofrontata</i>	1857, 89
<i>unicolor</i>	1858, 453	<i>assimilis</i>	1858, 176
<i>Rhamphocinclus bra-</i>	{ 1855, 214	<i>atipennis</i>	{ 1858, 175
<i>chyurus</i>	{ 1859, 338		{ 1860, 351
	{ 1855, 214	<i>gularis</i>	1859, 156
<i>gutturalis</i>	1859, 338	<i>hypertythra</i>	1858, 176
	{ 1855, 214	<i>isura</i>	1858, 176
<i>tremulus</i>	1859, 338	<i>javanica</i>	1854, 271
	{ 1855, 214	<i>maculipectus</i>	1858, 176
<i>Rhamphomeron hetero-</i>		<i>melanoleuca</i>	1860, 351
<i>pogon</i>	1855, 140	<i>melanoleuca</i>	1860, 351
<i>microhynchum</i> ..	1855, 140	<i>mimoides</i>	{ 1858, 175
<i>stanleyi</i>	1860, 81	<i>mimoides</i>	{ 1860, 351
<i>Rhea americana</i>	1859, 205	<i>poliogenys</i>	1854, 106
		<i>squamata</i>	1860, 351
		<i>tricolor</i>	1860, 351

	Page		Page
<i>Rhizochilus asper</i>	1854, 137	<i>Rissoa truncata</i>	1854, 217
californicus	1855, 121	<i>Rissoina bellula</i>	1851, 266
clathratus	1853, 97	clathrata	1851, 265
coralliophilus	1853, 98	coelata	1851, 267
de burghiae	1857, 208	concinna	1851, 266
exaratus	1860, 399	costata	1851, 266
fragilis	1853, 98	d'orbigny	1851, 265
pulchellus	1853, 98	eulimoides	1851, 279
radula	1854, 137	fasciata	1851, 264
scala	1853, 98	micans	1851, 265
suturalis	1853, 98	monilis	1851, 265
<i>Rhizomys badius</i>	1856, 408	nitida	1851, 266
<i>Rhizotrochus typus</i>	1849, 76	nivea	1851, 265
<i>Rhodnocichla rosea</i> ...	1855, 141	nodicincta	1851, 266
<i>Rhopoterpe gularis</i>	1858, 235	plicata	1851, 264
guttata	1858, 235	pyramidalis	1851, 265
torquata	1858, 275	scalariana	1851, 265
<i>Rhopothera punctulata</i> .	1858, 253	semiglabrata	1851, 279
<i>Rhyacophilus glareola</i> ..	1859, 151	striolata	1851, 266
solitarius	1860, 254	tritacea	1860, 438
<i>Rhynchæa picta</i>	1855, 79	turricula	1860, 438
<i>Rhynchaspis clypeata</i> ..	1855, 164	<i>Romicia calcarata</i> . . .	1859, 71
<i>Rhynchea bengalensis</i> ..	1858, 507	<i>Rostellaria melanocheila</i>	1854, 42
<i>Rhynchonella concinna</i> .	1852, 82	{ 1858, 60
nigricans	1852, 81	<i>Rostrhamus sociabilis</i> .	{ 1859, 52
.....	{ 1855, 184	{ 1860, 289
<i>Rhynchops nigra</i>	{ 1858, 77	<i>Rotella aucta</i>	1853, 188
.....	{ 1860, 290	conica	1853, 188
<i>Rhynchopsitta pachy-</i>		costata	1853, 188
rhyncha	1857, 230	elegans	1853, 188
<i>Rhynchotis perdix</i>	1860, 97	gigantea	1853, 188
<i>Rhyticeros plicatus</i>	1859, 451	guamensis	1853, 189
subruficollis	{ 150, 452	javanica	1853, 188
<i>Rhytina borealis</i>	1859, 148	lineolata	1853, 187
stelleri	1859, 148	monilifera	1853, 188
<i>Rhytiphora amacula</i>	1859, 122	rosea	1853, 188
.....	{ 1858, 446	sagittata	1853, 188
<i>Riama unicolor</i>	{ 1859, 89	suturalis	1853, 188
<i>Rimula arcinella</i>	1854, 181	<i>Rotula digitata</i>	1851, 35
calva	1854, 183	ramphii	1851, 35
capsella	1854, 181	<i>Rucervus duvaucellii</i> ..	1850, 230
carinata	1851, 227	elaphoides	1850, 230
cognata	1851, 228	<i>Rumina decollata</i>	1854, 199
cucullata	1851, 228	<i>Runcma hancockii</i>	1854, 107
cumingii	1851, 227	<i>Rupellaria lamellifera</i> ..	1856, 214
exquisita	1851, 226	<i>Rupicapra americana</i> ..	1850, 136
fausta	1854, 182	capella	1850, 137
flemingii	1851, 228	pyrenaica	1850, 137
galeata	1851, 228	tragus	{ 137, 174
noachina	1851, 228	<i>Rupicola aurantia</i>	1859, 99
obscurata	1854, 182	cayana	1859, 99
propinqua	1851, 227	crocea	{ 1859, 99
<i>Rissoa bella</i>	1851, 267	{ 1860, 98
elegans	1851, 267	elegans	1859, 99
gracilis	1860, 438	{ 1855, 152
lucullana	1853, 186	<i>peruviana</i>	{ 1858, 71
membranacea	1853, 43	{ 1859, 99

	Page		Page
<i>Rupicola sanguinolenta</i> {	1859, 99	<i>Sacalis indicus</i>	1856, 397
	1859, 100	<i>Sacropteryx lepturus</i> ..	1858, 547
	1860, 91	<i>Sacta hodgeonæ</i>	1859, 185
<i>Rusa aristotelis</i>	1850, 230	<i>Sagmatorrhina lathamii</i> ..	1851, 202
	1856, 405	<i>Saiga tatarica</i>	1850, 112
<i>dimorphe</i>	1850, 231	<i>Saimaris sciurea</i>	1850, 139
	1856, 405	<i>Saki</i>	1849, 8
<i>equinus</i>	1850, 231	<i>Salamandra atra</i>	1858, 142
	1850, 231		1860, 174
<i>hippelaphus</i>	1856, 405	<i>corsica</i>	1858, 142
		<i>maculosa</i>	1858, 391
<i>jarai</i>	1856, 405	<i>nigra</i>	1860, 372
<i>avanica</i>	1860, 376	<i>vulgaris</i>	1859, 432
<i>kuhli</i>	1850, 232		1859, 433
<i>lepida</i>	1850, 232	<i>Salassa lola</i>	1859, 246
<i>peroni</i>	1850, 232	<i>Salmo fario</i>	1848, 38
<i>philippinus</i>	1850, 232	<i>salar</i>	1860, 442
<i>saput</i>	1850, 232		1855, 66
<i>tunjuc</i>	1850, 232	<i>Salpinctes mexicanus</i> ..	1857, 212
<i>ubi</i>	1850, 232		1858, 297
<i>Ruticilla atrata</i>	1854, 26	<i>obsoletus</i>	1859, 371
<i>aurea</i>	1854, 28	<i>Salpiza cristata</i>	1860, 271
<i>cæruleocephala</i>	1854, 29	<i>jacucaca</i>	1860, 271
	1854, 27	<i>marail</i>	1860, 269
<i>erythrogastra</i>	1858, 492	<i>obscura</i>	1860, 271
	1859, 179	<i>pileata</i> ..	1860, 270
<i>erythronota</i>	1854, 30	<i>purpurascens</i>	1860, 269
<i>erythroprocta</i>	1855, 87	<i>superciliaris</i>	1860, 272
<i>frontalis</i>	1854, 29	<i>Saltator albicollis</i>	1856, 75
	1854, 29		1855, 84
<i>fuliginosa</i>	1858, 492	<i>arremonops</i>	1856, 80
	1859, 179	<i>ater</i>	1856, 67
	1849, 112		1856, 69
<i>grandis</i>	1854, 27		1856, 302
<i>hodgeonii</i>	1854, 26	<i>atriceps</i>	1858, 358
	1854, 26		1859, 58
<i>indica</i>	1858, 492		1859, 364
	1859, 179		1859, 377
	1854, 30	<i>atricollis</i>	1856, 77
<i>leucocephala</i>	1858, 492		1857, 6
	1859, 179	<i>atripennis</i>	1859, 138
<i>leucoptera</i>	1854, 28		1860, 85
<i>melanura</i>	1854, 29	<i>aurantiostriis</i>	1856, 74
<i>nigrogularis</i>	1854, 29		1856, 73
<i>nipalensis</i>	1854, 26	<i>azarae</i>	1858, 72
<i>phoeniceura</i>	1854, 25	<i>bicolor</i>	1856, 79
<i>phoenicuroides</i>	1854, 25		1856, 72
<i>plumbea</i>	1854, 30	<i>cærulescens</i>	1856, 70
<i>reevesii</i>	1854, 26		1856, 233
<i>rufogularis</i>	1854, 27	<i>cayennensis</i>	1856, 78
<i>schisticeps</i>	1854, 29	<i>cyanoptera</i>	1856, 274
<i>simplex</i>	1854, 30	<i>elegans</i> ..	1860, 124
<i>sylvestris</i>	1854, 25	<i>flavicornis</i>	1856, 69
	1854, 25	<i>gigantoides</i>	1856, 72
<i>tithys</i>	1855, 79		1857, 205
	1854, 27	<i>grandis</i>	1859, 58
<i>vigorsii</i>	1858, 492		

	Page		Page
<i>Saltator grandis</i>	1859, { 364	<i>Sanguinolaria miniata</i> ..	1856, 199
<i>guadalupensis</i>	1850, { 377	<i>nuttalli</i>	1856, 212
<i>gularis</i>	1856, 76	<i>pacifica</i>	1856, 212
<i>gutturialis</i>	1856, 74	<i>purpurea</i>	{ 1854, 346
<i>icterophrys</i>	{ 1856, 71	<i>rubroradiata</i>	{ 1856, 199
<i>icteropygius</i>	{ 1857, 72	<i>tellinoides</i>	1856, 212
<i>maculipectus</i>	{ 1857, 205	<i>vitrea</i>	1849, 170
<i>magnoides</i>	{ 1856, 70	<i>San-zjak</i>	1850, 84
<i>magnus</i>	{ 1856, 76	<i>Saperda laeta</i>	1856, 12
<i>martinicensis</i>	{ 1856, 69	<i>Sapphironia lucida</i>	{ 1858, 297
<i>maxillosus</i>	{ 1856, 142	<i>Sarcidornis africana</i> ...	1860, 42
<i>melanoleucus</i>	{ 1856, 302	<i>Sarciophorus pileatus</i> ..	1850, 221
<i>melanopsis</i>	{ 1859, 364	<i>Sarcogorgia phidippus</i> ..	1857, { 159
<i>melanopterus</i>	{ 1859, 377	<i>Sarcoptilus grandis</i> ...	{ 1848, 294
<i>mutus</i>	{ 1855, 154	<i>Sarcorhamphus papa</i> ..	{ 1851, 53
<i>niger</i>	{ 1856, 70	<i>Sarkidornis africana</i> ...	1850, 221
<i>ngrigenys</i>	{ 1858, 72	<i>Sarochalmus rutigularis</i>	1868, 63
<i>olivascens</i>	{ 1859, 138	<i>Saturnia acetes</i>	1849, 53
<i>orenocensis</i>	{ 1860, 65	<i>agathylla</i>	1840, 58
<i>plumbeus</i>	{ 1860, 274	<i>alcinoe</i>	1849, 50
<i>psittacinus</i>	{ 1860, 293	<i>alinda</i>	1849, 50
<i>raptor</i>	{ 1856, 76	<i>alopia</i>	1849, 55
<i>riefferi</i>	{ 1856, 74	<i>angasana</i>	1849, 52
<i>ruber</i>	{ 1857, 79	<i>apollonia</i>	{ 1849, 36
<i>rubicoides</i>	{ 1856, 67	<i>arata</i>	1840, 41
<i>rubicus</i>	{ 1857, 78	<i>argus</i>	1849, 49
<i>ruficapilla</i>	{ 1856, 79	<i>arrundi</i>	1859, 267
<i>rufigiventris</i>	{ 1856, 72	<i>assamensis</i>	1859, 258
<i>similis</i>	{ 1856, 121	<i>belina</i>	1849, 41
<i>sordidus</i>	{ 1856, 72	<i>caecigena</i>	1849, 33
<i>straticeps</i>	{ 1856, 121	<i>caffra</i>	1849, 50
<i>stratipectus</i>	{ 1856, 72	<i>calleta</i>	1853, 161
<i>superciliaris</i>	{ 1856, 70	<i>campionea</i>	1849, 49
<i>validus</i>	{ 1856, 71	<i>carpini</i>	1849, 33
<i>vigorsi</i>	{ 1856, 19	<i>cedo-nulli</i>	1849, 36
<i>virescens</i>	{ 1856, 77	<i>chapata</i>	1853, 162
<i>Samia cynthia</i> ...	1859, 267	<i>cometes</i>	1849, 47
<i>Sanguinolaria californi-</i>		<i>cynthia</i>	1859, 267
<i>na</i>	1856, 212	<i>cytherea</i>	1849, 44
		<i>delegorguei</i>	1849, 59
		<i>dione</i>	{ 1840, 44
		<i>epimethea</i>	{ 1849, 46
		<i>ethra</i>	1849, 50
		<i>forda</i>	1849, 56
		<i>grumma</i>	1849, 52
		<i>grotei</i>	1849, 59
		<i>herilla</i>	1859, 265
		<i>hersilia</i>	1849, 57
		<i>isis</i>	1849, 42
		<i>janeira</i>	{ 1849, 47
			53
			164

	Page		Page
<i>Saturnia jorulla</i>	1853, 159	<i>Sauloprocta melanoleuca</i>	1860, 351
<i>katinka</i>	1859, 200	<i>flavus</i>	1851, 43
<i>larissa</i>	1859, 258	<i>Saurophagus derbianus</i> {	1851, 44
<i>lavendera</i>	1853, 160	<i>pusillus</i>	1856, 297
<i>lola</i>	1859, 246	<i>rufipennis</i>	1851, 44
<i>lucina</i>	1849, { 37	<i>hictor</i>	1851, 44
<i>luna</i>	1849, { 56	<i>pusillus</i>	1851, 44
<i>mænas</i>	1849, { 38	<i>sulphuratus</i>	1856, 297
<i>maia</i>	1849, { 47	<i>swainsoni</i>	1851, 44
<i>melvilla</i>	1853, 166	<i>Saurothera dominicensis</i>	1857, 234
<i>menippe</i>	1849, 43	<i>vieilloti</i>	1857, 234
<i>mimosæ</i>	1849, { 47	<i>Saxicava californica</i>	1856, 214
<i>mylitta</i>	{ 1849, 46	<i>carditoides</i>	1856, 214
<i>mythimnia</i>	{ 1859, 247	<i>norvegica</i>	1855, { 219
<i>nenia</i>	1849, 40	<i>deserti</i>	{ 1855, 50
<i>nictitans</i>	1849, 55	<i>Saxicola atrogularis</i>	{ 1858, 491
<i>orizaba</i>	1853, 158	<i>isabellina</i>	{ 1859, 180
<i>pandiona</i>	1849, 36	<i>cenanthe</i>	{ 1850, 216
<i>paphia</i>	{ 1849, 46	<i>orientalis</i>	{ 1860, 243
<i>paronia</i>	{ 1859, 247	<i>picata</i>	{ 1854, 272
<i>pernyi</i>	1849, 36	<i>picata</i>	{ 1855, 50
<i>perspicilla</i>	1859, 255	<i>picata</i>	{ 1858, 491
<i>phædusa</i>	1849, 30	<i>Saxidomus giganteus</i>	{ 1856, 215
<i>pluto</i>	1849, 51	<i>nuttalli</i>	{ 1856, 215
<i>pyra</i>	1853, 164	<i>Sayornis ardosiacæ</i>	{ 1855, 149
<i>pyra</i>	{ 33	<i>cineracea</i>	{ 1858, 450
<i>pyretorum</i>	1849, { 30	<i>cineracea</i>	{ 1858, 457
<i>ricini</i>	1859, 265	<i>cineracea</i>	{ 1860, 68
<i>sapatoza</i>	1859, 267	<i>nigricans</i>	{ 1856, 296
<i>selene</i>	1853, 163	<i>nigricans</i>	{ 1857, 127
<i>semiramis</i>	1849, 47	<i>nigricans</i>	{ 1859, 383
<i>simla</i>	1849, 49	<i>pallida</i>	{ 1857, 127
<i>spini</i>	1859, 257	<i>pallida</i>	{ 1859, 204
<i>thibetæ</i>	1849, 33	<i>pallida</i>	{ 1859, 366
<i>thibetæ</i>	{ 1853, 166	<i>Scalaria cumingii</i>	{ 1856, 165
<i>trifenestrata</i>	{ 1859, 260	<i>fucata</i>	{ 1860, 400
<i>tyrrhea</i>	1859, 245	<i>hindsii</i>	{ 1856, 165
<i>tyrrhena</i>	1849, 43	<i>loveni</i>	{ 1856, 1
<i>tyrrhena</i>	1849, 51	<i>millecostata</i>	{ 1860, 400
<i>vacuna</i>	1849, 39	<i>mutæformis</i>	{ 1855, 235
<i>wahlbergii</i>	1849, 46	<i>reflexa</i>	{ 1855, 235
<i>zacateca</i>	1853, 159	<i>regularis</i>	{ 1856, 104
<i>zuleika</i>	1859, 245	<i>subnodosa</i>	{ 1856, 165
<i>(Aphelia) apollina-</i>		<i>tiara</i>	{ 1856, 164
<i>ris</i>	1849, 61	<i>turtoni</i>	{ 1853, 39
<i>(Hemucha?) smilax</i>	1849, 59	<i>turtoni</i>	{ 1855, 56
<i>(Urota) snope</i>	1849, 60	<i>Scapha aulica</i>	{ 1859, 36
<i>Saucerottia atala</i>	1856, 140	<i>colocyntha</i>	{ 1855, 57
<i>cyaneifrons</i>	1857, 17	<i>colocyntha</i>	{ 1859, 36
<i>niveiventris</i>	1856, 140	<i>concinna</i>	{ 1855, 58
<i>sophæ</i>	1855, 141	<i>concinna</i>	{ 1859, 36
<i>viridigastrea</i>	1857, 16	<i>deshayesi</i>	{ 1855, 56
		<i>deshayesi</i>	{ 1859, 36

	Page		Page
<i>Scapha dubia</i>	1855, 55	<i>Scaphorhynchus mexi-</i>	1858, 358
<i>ferussacii</i>	1855, 58	<i>canus</i>	1859, 45
	1859, 36		1859, 366
	1855, 58		1851, 44
<i>fusiformis</i>	1859, 35	<i>pitangua</i>	1851, 45
	1859, 36		1859, 45
<i>javanica</i>	1859, 36	<i>Scaphula biplicata</i>	1858, 56
<i>junonia</i>	1855, 57	<i>rosalina</i>	1858, 56
<i>leucostoma</i>	1859, 36	<i>Scarabella cassida</i>	1854, 212
<i>leuteostoma</i>	1855, 57	<i>Scarabus borneensis</i>	1850, 152
<i>magellanica</i>	1855, 57	<i>castaneus</i>	1850, 150
	1859, 36		1851, 151
	1855, 57	<i>cecillii</i>	1850, 149
<i>magnifica</i>	1859, 35	<i>chalcostomus</i>	1850, 152
	1855, 55	<i>cunninghami</i>	1850, 150
<i>mamilla</i>	1859, 35	<i>imbrium</i>	1850, 147
	1859, 36	<i>imperfatus</i>	1850, 151
<i>maria-emma</i>	1859, 231	<i>lekithostoma</i>	1850, 150
<i>megaspira</i>	1855, 58	<i>lessoni</i>	1850, 147
	1855, 56	<i>pantherinus</i>	1850, 152
<i>nivosa</i>	1859, 35	<i>petiverianus</i>	1850, 148
<i>norrissi</i>	1855, 56	<i>plicatus</i>	1850, 148
	1855, 58		1851, 72
<i>pacifica</i>	1859, 36	<i>pollex</i>	1850, 150
<i>piperita</i>	1855, 56	<i>pyramidatus</i>	1850, 149
<i>pulchella</i>	1855, 56		1852, 152
	1855, 57	<i>semisulcatus</i>	1850, 151
<i>punctata</i>	1859, 36	<i>sinuosus</i>	1850, 151
<i>rossiniana</i>	1859, 231	<i>striatus</i>	1850, 148
	1855, 56	<i>trigonus</i>	1850, 148
<i>rutila</i> ..	1859, 35	<i>undatus</i>	1850, 149
<i>sophia</i>	1859, 35		1856, 309
	1855, 56	<i>Scardafella inca</i>	1859, 61
<i>vespertilio</i>	1859, 35		1859, 391
<i>Scaphella fusiformis</i> ..	1855, 58	<i>Scelidothierium leptoce-</i>	
<i>junonia</i>	1855, 57	<i>phalum</i>	1851, 210
<i>maculata</i>	1855, 64	<i>Sceloporus chlorolepido-</i>	
<i>papillosa</i>	1855, 63	<i>tus</i>	1860, 371
<i>reticulata</i>	1855, 64	<i>Schasicheila minuscula</i> .	1859, 29
<i>turneri</i>	1855, 64	<i>Schismotis excisa</i>	1856, 148
<i>undulata</i>	1855, 64	<i>Schistes albogularis</i>	1860, 70
<i>zebra</i> ..	1855, 64	<i>geoffroyi</i>	1855, 139
<i>(Alcithoe) fulgetrum</i> ..	1855, 63		1860, 70
(—) <i>fusiformis</i> ..	1855, 58	<i>personatus</i>	1860, 311
(—) <i>fuscus</i>	1855, 58	<i>Schistochlamys abeillei</i> .	1856, 67
(—) <i>gracilis</i>	1855, 58	<i>atra</i>	1855, 154
(—) <i>megaspira</i> ..	1855, 58		1856, 67
(—) <i>pacifica</i>	1855, 58	<i>capistrata</i>	1856, 67
(—) <i>papillosa</i> ...	1855, 58	<i>fasciata</i>	1856, 68
(—) <i>tuberculata</i> .	1855, 58	<i>leucophaea</i>	1856, 67
<i>Scaphorhynchus atriceps</i>	1851, 44		1855, 69
<i>audax</i>	1851, 44	<i>speculigera</i>	1856, 68
	1851, 45	<i>Schizorhina emilia</i>	1856, 16
<i>chrysocephalus</i> ..	1859, 43	<i>idaea</i>	1856, 16
	1860, 231	(<i>Hemipharis</i>) <i>bake-</i>	
<i>flaviceps</i>	1851, 44	<i>wellfi</i>	1859, 119
<i>mexicanus</i>	1857, 204	<i>Schizorhis zonura</i>	1860, 197

	Page		Page
<i>Schoeniculus magnus</i>	1848, 39	<i>Sciesserella elegans</i>	1859, 202
<i>Sciæna abdominalis</i>	1850, 62	<i>indica</i>	1859, 203
<i>lineata</i>	1850, 68	<i>lævigata</i>	1859, 203
<i>macroptera</i>	1850, 62	<i>mantelli</i>	1859, 202
<i>Sciænoides abdominalis</i>	1850, 62	<i>phicata</i>	{ 1850, 40
<i>Scincus officinalis</i>	1859, { 470	<i>reticulata</i>	{ 1859, 203
<i>Scintilla adamsi</i>	1855, 179	<i>striatula</i>	{ 1850, 40
<i>anomala</i>	1855, 181	<i>Sciuropterus alboniger</i>	1856, 408
<i>aurantiaca</i>	1855, 179	<i>caniceps</i>	1856, 402
<i>candida</i>	1855, 177	<i>chrysothrix</i>	1856, 402
<i>crocea</i>	1855, 175	<i>nobilis</i>	1856, 402
<i>crystallina</i>	1855, 177	<i>senex</i>	1856, 402
<i>cumingi</i>	1855, 173	<i>Sciurus aestuans</i>	{ 1856, 139
<i>cuvieri</i>	1855, 174	<i>boothia</i>	{ 1858, 547
<i>faba</i>	1855, 180	<i>dorsalis</i>	{ 1860, 213
<i>flavida</i>	1855, 175	<i>horsfieldi</i>	1859, 50
<i>forbesii</i>	1855, 179	<i>lokria</i>	1848, 138
<i>hanleyi</i>	1855, 180	<i>lokrioides</i>	1856, 402
<i>hyalina</i>	1855, 180	<i>macrotis</i>	1855, 126
<i>hydatina</i>	1855, 177	<i>macruioides</i>	1855, 126
<i>hydrophana</i>	1855, 178	<i>macrurus</i>	1856, 341
<i>jukesi</i>	1855, 174	<i>maximus</i>	{ 1855, 126
<i>opalina</i>	1855, 177	<i>m'clellandi</i>	{ 1856, 402
<i>ovulina</i>	1855, 174	<i>mollipilosus</i>	{ 1850, 50
<i>oweni</i>	1855, 179	<i>palmarum</i>	{ 1850, 157
<i>pallidula</i>	1855, 178	<i>purpureus</i>	{ 1858, 520
<i>pellicula</i>	1855, 177	<i>siamensis</i>	{ 1860, 372
<i>philippensis</i>	1855, 176	<i>trilineatus</i>	1855, 126
<i>porulosa</i>	1855, 180	<i>vulgaris</i>	1859, 478
<i>pudica</i>	1855, 178	<i>Sclerostoma sipunculi-</i>	1850, 157
<i>recluziana</i>	1855, 178	<i>forme</i>	{ 1858, 521
<i>reevei</i>	1855, 176	<i>Sclerurus brunneus</i>	{ 1860, 183
<i>rosea</i>	1855, 178	<i>caudacutus</i>	1859, 427
<i>scintillans</i>	1855, 175	<i>fuscus</i>	1857, 17
<i>solidula</i>	1855, 174	<i>guatimalensis</i>	1858, 62
<i>strangei</i>	1855, 181	<i>mexicanus</i>	1856, 290
<i>striatula</i>	1855, 176	<i>Scolanthus sphæroides</i>	1857, 18
<i>succinea</i>	1855, 176	<i>Scolopacinus rufiventris</i>	1856, 290
<i>tenuis</i>	1855, 176	<i>Scolopax burka</i>	1857, 18
<i>timorensis</i>	1855, 174	<i>capensis</i>	1856, 290
<i>turgescens</i>	1855, 175	<i>frenata</i>	1857, 18
<i>turgida</i>	1855, 175	<i>gallmago</i>	1859, 365
<i>vitrea</i>	1855, 177	<i>gallinula</i>	1855, 85
<i>Scirpearia dichotoma</i>	1859, 481	<i>Scolopax burka</i>	1858, 244
<i>mirabilis</i>	{ 1857, 288	<i>capensis</i>	1860, 365
<i>Sciesserella angulata</i>	{ 1859, 203	<i>frenata</i>	1857, 18
<i>aspera</i>	1859, 203	<i>gallmago</i>	{ 1856, 290
<i>bertheloti</i>	1859, 203	<i>gallinula</i>	{ 1857, 18
<i>conica</i>	1859, 203	<i>Scolopax burka</i>	1859, 365
<i>costata</i>	1859, 203	<i>capensis</i>	1858, 244
<i>crispata</i>	{ 1850, 40	<i>frenata</i>	1860, 365
<i>decussata</i>	{ 1859, 203	<i>gallmago</i>	1857, 18
<i>d'orbignyi</i>	{ 1850, 40	<i>gallinula</i>	{ 1856, 290
	{ 1859, 203		

	Page		Page
<i>Scolopax gigantea</i>	1856, 31	<i>Scotophilus greyii</i>	1859, 68
<i>grisea</i>	1860, 108	<i>kuhli</i>	{ 1857, 51
<i>hudsonica</i>	1860, 387	{ 1859, 70	
<i>magellanica</i>	1860, 387	{ 1859, 71	
<i>major</i>	1858, 201	{ 1859, 72	
<i>nemoricola</i>	1855, 80	<i>leisleri</i>	{ 1859, 69
{ 1851, 142		{ 1859, 70	
<i>rusticola</i>	{ 1858, 201	<i>lobatus</i>	{ 1858, 539
{ 1858, 506		{ 1859, 70	
{ 1859, 189		{ 1857, 51	
<i>uniclavatus</i>	1860, 365	<i>marginatus</i>	{ 1859, 70
<i>Scomber colias</i>	1850, 248	{ 1859, 72	
<i>scomber</i>	1860, 205	<i>microdon</i>	{ 1859, 08
<i>Sconsia grayi</i>	1854, 136	<i>minutus</i>	1857, 51
<i>striata</i>	1854, 137	<i>morio</i>	1858, 121
<i>Scopelus barbatus</i>	1850, 251	<i>nathusii</i>	1859, 72
<i>humboldtii</i>	1850, 251	<i>nitidus</i>	1858, 538
<i>maderensis</i>	1850, 251	<i>noctula</i>	1858, 28
<i>Scopophorus montanus</i>	1850, 119	<i>pachyomus</i>	1857, 50
<i>oreob.</i>	1850, 118	<i>picatus</i>	1857, 51
<i>Scops asio</i>	1858, 133	{ 1857, 51	
<i>atricapilla</i>	1858, 133	{ 1859, 70	
<i>choliba</i>	{ 1855, 134	<i>pruinus</i>	1857, 37
{ 1858, 133		<i>pumiloides</i>	1857, 51
<i>flammeola</i>	{ 1858, 90	{ 1857, 51	
{ 1858, 133		<i>pumilus</i>	{ 1859, 68
<i>grammicus</i>	1858, 133	<i>serotinus</i>	1858, 28
<i>griseus</i>	1854, 262	<i>tralatitius</i>	{ 1858, 539
<i>javanicus</i>	1854, 262	{ 1859, 70	
<i>letta</i>	1854, 262	<i>tuberculatus</i>	1858, 122
<i>lettoides</i>	1854, 262	<i>ursula</i>	1859, 72
<i>leucotis</i>	1850, 216	<i>Scotornis climacurus</i>	1850, 216
<i>lophotes</i>	1858, 133	<i>Scrobicularia angulata</i>	1855, 230
<i>macalli</i>	1858, 133	<i>biangulata</i>	{ 1855, 230
{ 1858, 296		{ 1856, 213	
<i>nudipes</i>	1858, 133	<i>producta</i>	1855, 230
<i>portoricensis</i>	{ 1855, 134	<i>seychellarum</i>	1856, 53
{ 1858, 133		<i>viridotincta</i>	1856, 100
<i>trichopsis</i>	1858, 357	<i>Scurria mitra</i>	1856, 222
<i>usta</i>	1858, 132	<i>scurra</i>	1856, 222
<i>watsoni</i>	1858, 133	<i>Scutella emarginata</i>	1851, 37
<i>Scotophilus abramis</i>	1859, 70	<i>quingueloba</i>	1851, 37
<i>carolinensis</i>	{ 1857, 51	<i>Scutellina cancellata</i>	1860, 437
{ 1858, 27		<i>Scutibranchiata rhipido-</i>	
{ 1858, 28		<i>glossa</i>	1856, 44
<i>circumdatus</i>	1858, 540	<i>Scutus angustatus</i>	1851, 222
{ 1856, 394		<i>antipodus</i>	1851, 221
{ 1858, 35		<i>corrugatus</i>	1851, 222
<i>coromandelicus</i>	{ 1858, 336	<i>elongatus</i>	1851, 221
{ 1858, 539		<i>granulatus</i>	1851, 221
{ 1859, 74		<i>imbricatus</i>	1851, 222
<i>darwini</i>	1859, 70	<i>tumidus</i>	1851, 222
<i>discolor</i>	1857, 51	<i>unguis</i>	1851, 221
<i>furinalis</i>	1858, 546	<i>Scytalopus fuscus</i>	1860, 385
{ 1857, 136		<i>griseicollis</i>	{ 1854, 111
{ 1858, 122		{ 1855, 142	
{ 1859, 69		{ 1856, 290	
<i>gouldii</i>	1857, 51		

	Page		Page
<i>Scytalopus griseicollis</i> ..	1858, 64		
<i>magellanicus</i>	1860, 385	<i>Seps tridactylus</i>	1859, { 470 473 476
<i>prostheleucus</i>	{ 1856, 290 1858, 63 1858, 96	<i>Serialia convoluta</i>	1858, 321
<i>senilis</i>	1855, 142	<i>Sericaria mori</i>	1859, 238
<i>squamiger</i>	1855, 142	<i>Sericinus fasciatus</i>	1852, 72
<i>Scythrops novæ-hol-</i>	{ 1858, 462 landiæ 1800, 359	<i>fortunei</i>	1852, 72
<i>Seiranota perspicillata</i> ..	1858, 137	<i>greyi</i>	1852, 72
<i>Seiurus aurocapillus</i> ..	1857, 231	<i>montela</i>	1852, 71
<i>Selasphorus anna</i>	1857, 126	<i>telamon</i>	1852, 71
<i>heloisæ</i>	{ 1856, 288 1859, 386	<i>telamona</i>	1852, 72
<i>platycercus</i>	{ 1856, 288 1858, 297	<i>Sericossypha sumptu-</i>	{ 1855, 156 osa
<i>ruber</i>	{ 1857, 126 1858, 297	<i>osa</i>	{ 1856, 121
<i>Selenidera langsdorfi</i> ..	1857, 267	<i>Sericulus anais</i> ..	1857, 6
<i>reinwardti</i>	1858, 75	<i>Serinus jamaicensis</i> ..	1856, 230
<i>Semele amabilis</i>	1853, 97	<i>Serpentarius orientalis</i> ..	1856, 352
<i>amœna</i>	1853, 95	<i>reptilivorus</i>	1856, 343
<i>californica</i>	1853, 96	<i>Serpophaga cinerea</i> ..	{ 1858, 458 1859, 144
<i>casta</i>	1853, 96	<i>parulus</i>	1858, 554
<i>compta</i>	1853, 97	<i>Serpula ammonoides</i> ...	1860, { 401 412
<i>decisa</i>	1856, 213	<i>anguina</i>	1860, { 402 412
<i>decora</i>	1853, 97	<i>anguinarius</i>	1860, 412
<i>flavescens</i>	1856, 199	<i>annularis</i>	1860, 407
<i>gruner</i>	1853, 95	<i>aquaria</i>	1858, 312
<i>jovis</i>	1853, 94	<i>archimedis</i>	1860, 412
<i>jucunda</i>	1853, 96	<i>arenaria</i>	1860, 412
<i>jukesu</i>	1853, 95	<i>clarbonensis</i>	1860, 415
<i>læta</i>	1853, 96	<i>incurvata</i>	1858, 436
<i>luteola</i>	1853, 95	<i>muricata</i>	1860, { 402 414
<i>martini</i>	1853, 97	<i>penes</i>	1858, 312
<i>modesta</i>	1853, 95	<i>perforata</i>	1858, 311
<i>planata</i>	1856, 160	<i>porosa</i>	1860, 414
<i>proxima</i>	1856, 199	<i>recta</i>	1858, { 425 436
<i>pulchella</i>	1853, 97	<i>spirobis</i>	1859, 203
<i>rubrolineata</i> ..	1856, 212	<i>variegata</i>	1860, 415
<i>simplex</i>	1856, 212	<i>volvex</i>	1860, { 402 415
<i>sinensis</i>	1853, 95	<i>Setophaga albidinema</i> ..	{ 1855, 144 1856, 28
<i>sponsa</i>	1853, 95	<i>brasiliæna</i>	1855, 143
<i>venusta</i>	1853, 96	<i>chrysogastria</i>	1859, 137
<i>vestalis</i>	1853, 96	<i>cinerea</i>	1858, 458
<i>virginea</i>	1853, 96	<i>cinnamomeiven-</i>	{ 1855, 144 tris
	{ 1859, 130 1859, 351 1860, 61	<i>coronata</i>	1859, 137
<i>Semioptera wallacci</i> ..	1860, 355	<i>flammea</i>	{ 1851, 50 1855, 77
<i>Semnopithecus bicolor</i> ..	1860, 246	<i>flaveola</i>	{ 1851, 50 1855, 144
<i>entellus</i>	1858, 512	<i>intermedia</i>	1855, 77
<i>schistaceus</i>	{ 1856, 393 1858, 512	<i>leucomphomma</i> ..	{ 1851, 49 1855, 144
<i>velleriosus</i>	1860, 246	<i>melanocephala</i>	1851, 50
<i>Separatista chemnitzii</i> ..	1850, 45		
<i>grayii</i>	1850, 45		
<i>Sepia octopodia</i>	1856, 133		

	Page		Page
<i>Setophaga miniata</i>	1856, 292 1858, 299 1859, 363 1859, 374	<i>Sigaretus debilis</i>	1856, 207 242
<i>multicolor</i>	1851, 50	<i>Silenus veter</i>	1860, 243 371
<i>nigricincta</i>	1855, 143	<i>vetus</i>	1859, 434
<i>nigrocincta</i>	1854, 111	<i>Siliqua lucida</i>	1856, 211
<i>ornata</i>	1851, 50 1855, 144 1851, 50 1855, 66	<i>nuttallii</i>	1856, 211
<i>pieta</i>	1856, 292 1858, 299 1859, 374 1855, 65	<i>Siliquaria anguillæ</i>	1860, 412 411 412
<i>rubra</i>	1856, 292	<i>australis</i>	1860, 411 411
<i>ruficapilla</i>	1851, 49	<i>cumingii</i>	1860, 401
<i>ruficoronata</i>	1851, 49 1855, 144 1858, 550 1860, 74	<i>dubia</i>	1860, 401
<i>rufifrons</i>	1855, 144	<i>encaustica</i>	1860, 411
<i>rufipectus</i>	1856, 291 1855, 144 1851, 49 1854, 111 1855, 133 1855, 144	<i>florina</i>	1860, 401
<i>ruticilla</i>	1856, 292 1857, 231 1859, 374 1860, 84 1860, 292	<i>lima</i>	1860, 401
<i>sallæi</i>	1856, 292	<i>muricata</i>	1860, 403
<i>tricolor</i>	1851, 50	<i>obtusa</i>	1860, 411 408 411
<i>venusta</i>	1855, 143 1851, 50 1855, 144	<i>senegalensis</i>	1860, 403 411
<i>verticalis</i>	1855, 137 1860, 84 1851, 50 1855, 65	<i>sulcata</i>	1860, 411
<i>vulnerata</i>	1851, 50 1855, 65	<i>trochlearis</i>	1860, 411
<i>Sialia cæruleicollis</i>	1856, 293 1856, 293 1857, 126 1859, 235 1859, 362	<i>Siliquarius incisus</i>	1860, 411
<i>mexicana</i>	1859, 235 1859, 362	<i>lacteus</i>	1860, 401
<i>occidentalis</i>	1856, 293 1856, 293 1858, 299 1859, 362	<i>ponderosus</i>	1860, 411
<i>wilsoni</i>	1858, 299 1859, 371 1858, 532	<i>tostus</i>	1860, 411
<i>Sidisia barleei</i>	1858, 532	<i>Siloboura ceylonica</i>	1858, 262 261 262
<i>Sieboldia maxima</i>	1860, 184 193 208 242	<i>elliotti</i>	1858, 261 262
<i>Sigaretus costatus</i>	1858, 186	<i>Simia abellii</i>	1848, 53
		<i>chiropotes</i>	1849, 8
		<i>melanocephalus</i>	1849, 9
		<i>sagulata</i>	1849, 8
		<i>satyrus</i>	1859, 10 1860, 178
		<i>silenus</i>	1850, 156
		<i>sinicus</i>	1850, 155
		<i>troglodytes</i>	1859, 10 1860, 178
		<i>Simocephalus poensis</i>	1858, 162 376 377 381 384
		<i>Simotes coccineus</i>	1858, 382 1860, 161 1860, 166 1860, 167 1860, 170 1860, 171 1858, 382 1860, 161 1860, 168 1860, 169 1860, 170
		<i>purpurascens</i>	1858, 382 1860, 161 1860, 166 1860, 167 1860, 170 1860, 171 1858, 382 1860, 161 1860, 168 1860, 169 1860, 170
		<i>russellii</i>	1860, 168 1860, 169 1860, 170
		<i>trinitatus</i>	1860, 114
		<i>Simpulopsis chiapensis</i>	1856, 377
		<i>cordovana</i>	1856, 319
		<i>salleana</i>	1856, 318

	Page		Page
<i>Siona avena</i>	1854, 32	<i>Siphonaria leucopleura</i> ..	1858, 152
<i>frumentum</i>	1854, 32	<i>lineolata</i>	1858, 152
<i>triticea</i>	1854, 32	<i>lurata</i>	1858, 152
<i>Sipho noachina</i>	1851, 228	<i>luzonica</i>	1858, 152
<i>Siphonaria acuta</i>	1858, 151	<i>macgillivrayi</i>	1858, 152
<i>adansoni</i>	1858, 151	<i>magellanica</i>	1858, 152
<i>aequilorata</i>	1858, 151	<i>maura</i>	1858, 152
<i>albicans</i>	1858, 151	<i>nataleensis</i>	1858, 152
<i>algesura</i>	1858, 151	<i>nuttallii</i>	1858, 153
<i>alternata</i>	1858, 151	<i>obliquata</i>	1858, 152
<i>alternicostata</i>	1858, 151	<i>oculus</i>	1858, 152
<i>amara</i>	1858, 151	<i>palpebra</i>	1858, 152
<i>antarctica</i>	1858, 151	<i>parma</i>	1858, { 24
<i>aspera</i>	1858, 151	<i>pectinata</i>	1858, 152
<i>atra</i>	1858, 151	<i>pica</i>	1858, 152
<i>australis</i>	1858, 151	<i>picta</i>	1858, 152
<i>baconi</i>	1858, 151	<i>placentula</i>	1858, 152
<i>belcheri</i>	1858, 153	<i>plana</i>	1858, 152
<i>bifurcata</i>	1858, 151	<i>plicata</i>	1858, 152
<i>blainvillei</i>	1858, 153	<i>punctata</i>	1858, 152
<i>brasiliانا</i>	1858, 151	<i>radiata</i>	1858, 152
<i>brunnea</i>	1858, { 24	<i>redunculum</i>	1858, { 25
<i>cancer</i>	1858, 151	<i>savignyi</i>	1858, 152
<i>capensis</i>	1858, 151	<i>scabra</i>	1858, 152
<i>carbo</i>	1858, { 24	<i>scutellum</i>	1858, 152
<i>characteristica</i>	1858, 151	<i>sipho</i>	1858, 152
<i>cochleariformis</i>	1858, 151	<i>siquijorensis</i>	1858, 152
<i>concinna</i>	1858, 151	<i>sowerbyi</i>	1858, 152
<i>conica</i>	1858, 151	<i>spinosa</i>	1858, 152
<i>coreensis</i>	1858, 151	<i>stellata</i>	1858, 153
<i>cornuta</i>	1858, 151	<i>striatocostata</i>	1858, 153
<i>corrugata</i>	1858, 151	<i>subrugosa</i>	1858, 153
<i>costata</i>	1858, 151	<i>tristensis</i>	1858, 153
<i>crenata</i>	1858, 151	<i>umbonata</i>	1858, 153
<i>denticulata</i>	1858, 151	<i>variabilis</i>	1858, 153
<i>diemenensis</i>	1858, 151	<i>venosa</i>	1858, 153
<i>exigua</i>	1858, 151	<i>viridis</i>	1858, 153
<i>exulorum</i>	1858, 152	<i>zebra</i>	1858, 153
<i>exulum</i>	1858, 25	<i>zelandica</i>	1858, 153
<i>ferruginea</i>	1858, 152	<i>Siphonium nebulosum</i> ..	1860, { 401
<i>fuliginata</i>	1858, 152	<i>phanes</i>	1857, 238
<i>funiculata</i>	1858, 152	<i>Siredon mexicanus</i>	1858, 224
<i>gigas</i>	1858, 152	<i>Siren lacertina</i>	1856, 345
<i>grisea</i>	1858, 152	<i>Sirex gigas</i>	1849, 95
<i>guamensis</i>	1858, 152	<i>Sitta aculeata</i>	{ 1857, 126
<i>inculta</i>	1858, 152	<i>caesia</i>	{ 1858, 300
<i>japonica</i>	1858, 152	<i>carolinensis</i>	{ 1860, 243
<i>javanica</i>	1858, 152	<i>himalayana</i>	{ 1856, 293
<i>jonasii</i>	1858, 152	<i>lævis</i>	{ 1857, 126
<i>kurracheensis</i>	1858, 152	<i>læviscula</i>	{ 1858, 300
<i>lævis</i>	1858, 152	<i>lateralis</i>	{ 1859, 363
<i>læviscula</i>	1858, 152	<i>lecanium</i>	{ 1859, 373
<i>lateralis</i>	1858, 152	<i>lepida</i>	{ 1858, 494
<i>lecanium</i>	1858, 152	<i>lessoni</i>	{ 1859, 174
<i>lepida</i>	1858, 152		
<i>lessoni</i>	1858, 152		

	Page		Page
<i>Sitta leucopsis</i>	1849, 113	<i>Soriculus nigrescens</i>	1856, 400
<i>pygmæa</i>	1859, 363	<i>Sparus desfontainii</i>	1859, { 474
<i>surinamensis</i>	1858, 234		{ 477
<i>Sittace militaris</i>	1858, 76	<i>Sparvius galvicollis</i>	1857, 261
<i>petzi</i>	1857, 230	<i>Spatha compressa</i>	1860, 16
<i>Sittasomus erithacus</i> ...	1860, { 278	<i>rostrata</i>	1860, 15
	{ 293	<i>rubens</i>	1860, 16
<i>sylvioides</i>	{ 1856, 290	<i>wahlbergi</i>	1860, 16
	{ 1859, 365	<i>Spathura cassiura</i>	1853, 109
<i>Sittella chrysoptera</i>	1859, 351		{ 1859, 145
<i>Siurus auricapillus</i> ..	1859, 55	<i>melanantha</i>	{ 1860, 95
	{ 363	<i>peruana</i>	1853, 109
<i>ludovicianus</i>	1859, { 373	<i>spatuligera</i>	1855, 141
<i>noveboracensis</i>	1859, 363	<i>underwoodi</i>	1855, 141
<i>Siva occipitalis</i>	1854, 141	<i>Spatula clypeata</i>	{ 1856, 95
<i>Sivatherium</i>	1849, 157		{ 1859, 190
<i>Skenea rota</i>	1858, 426	<i>maculata</i>	1856, 95
<i>serpuloides</i> ..	1851, 185	<i>rhynchotis</i>	1856, 95
<i>Snake-eater, The Long-</i>		<i>variegata</i> ..	1856, 95
<i>legged</i>	1851, 59	<i>Spelerpes rubra</i>	1858, { 137
<i>Solanderia gracilis</i>	{ 1857, 284		{ 144
	{ 1859, 482	<i>Spermagra erythroce-</i>	1855, 156
<i>Solea lingua</i>	1849, 83	<i>phala</i>	{ 1856, 125
<i>Solecardia eburnea</i>	1856, 209	<i>Spermestes cheet</i>	1854, 160
<i>Solecurtus californianus</i> .	1856, 212	<i>poensis</i> .	1860, 111
<i>lucidus</i>	1856, 211	<i>Spermolegus montanellus</i>	1854, 118
<i>maximus</i>	1856, 211	<i>Spermophila albigularis</i> .	1856, 302
<i>nuttallii</i>	1856, 211	<i>corvina</i>	1859, 379
<i>radiatus</i>	1856, 211		{ 1855, 160
<i>splendens</i>	1856, 211	<i>gutturalis</i>	{ 1860, 88
<i>subtates</i> ..	1856, 212		{ 1855, 160
<i>Solen angustus</i>	1860, 402	<i>luctuosa</i>	{ 1858, 72
<i>Solenella cumingi</i> ...	1860, 441		{ 1853, 455
<i>Soletellina truncata</i> ...	1860, 18	<i>martha</i>	1855, 160
<i>Solidula affinis</i>	1854, 61	<i>minuta</i>	1855, 160
<i>concinna</i>	1854, 61		{ 1856, 302
<i>glabra</i>	1854, 61	<i>moreleti</i>	{ 1859, 365
<i>insculpta</i>	1854, 61		{ 1859, 378
<i>nitidula</i> ..	1854, 61	<i>olivaceoflava</i>	1855, 160
<i>pusilla</i>	1854, 61	<i>ophthalmica</i>	1860, { 276
<i>solidula</i>	1854, 61		{ 293
<i>suturalis</i>	1854, 61	<i>torqueola</i>	1858, 303
<i>tessellata</i>	1854, 61	<i>Spermophilus guttatus</i> .	1850, 432
<i>Somateria mollissima</i> .	1853, 211	<i>Spes bifasciatus</i>	1854, 59
<i>spectabilis</i>	1853, 211	<i>Sphæna binghami</i>	1850, 87
<i>V-nigrum</i>	1855, 212	<i>californica</i>	1856, 210
<i>Sorex aterrimus</i>	1856, 400	<i>decurtata</i>	1850, 88
<i>caudatus</i>	1856, 400	<i>decussata</i> ..	1850, 87
<i>leucops</i>	1856, 399	<i>elliptica</i>	1850, 88
	{ 1850, 156	<i>mundorensis</i> . . .	1850, 89
<i>murinus</i>	{ 1850, 159	<i>philippinarum</i> ...	1850, 89
	{ 1856, 399	<i>piniceps</i> ..	1850, 88
<i>nemorivagus</i>	1856, 400	<i>ruppelli</i>	1850, 82
<i>purpurascens</i>	1853, 100	<i>semitriata</i> .	1850, 87
<i>pygmæus</i>	1856, 400	<i>Sphærum inconspicuum</i>	1860, 322
<i>saturator</i>	1856, 399	<i>indicum</i>	1854, 342
<i>sikkimensis</i>	1856, 400	<i>novæ zelandiæ</i> ..	1854, 342
<i>soccatus</i>	1856, 400	<i>subtransversum</i>	1860, 322

	Page		Page
<i>Stenotherus derbianus</i> ..	1858, 167	<i>Stoastoma pfeifferianum</i> 1857,	168
<i>Stephanophorus caeruleus</i> 1856,	241		178
<i>leucocephalus</i>	1856, 241	<i>philippianum</i>	1857, 167
<i>Stephanopoma rosea</i> ..	1860, 414		169
<i>Sterna anglica</i> ..	1850, 221		162
<i>antarctica</i> ..	1860, 391	<i>pisum</i>	1857, 166
<i>cassini</i> ..	1860, 391		167
<i>dougallii</i> ..	1851, 146		168
<i>fuliginosa</i>	1859, 166		170
<i>gracilis</i>	1859, 166	<i>redfieldianum</i>	1857, 166
	1851, 142	<i>tappanianum</i>	1857, 189
<i>hirundo</i>	1858, 509	<i>wilkinsonae</i> ..	1857, 175
	1859, 190		163
<i>javanica</i> ..	1858, 509	<i>(Electrina) succi-</i>	1857, 171
<i>melanauchen</i> ..	1859, 166	<i>neum</i>	1857, 168
<i>melanogaster</i> ..	1855, 184	<i>Stomatella arabica</i> ..	1853, 74
	1859, 190	<i>articulata</i>	1850, 30
<i>meridionalis</i>	1860, 391	<i>baconii</i>	1853, 73
<i>nigra</i> ..	1851, 146	<i>biporcata</i> ..	1850, 33
<i>serrata</i> ..	1859, 166	<i>calhostoma</i> ..	1853, 74
<i>torresii</i> ..	1858, 188	<i>cancellata</i>	1850, 30
<i>velox</i> ..	1860, 366		1854, 133
<i>Sternopteryx diaphana</i> ..	1850, 247	<i>clathratula</i>	1854, 133
<i>olfersii</i> ..	1850, 247	<i>coccinea</i> ..	1850, 33
<i>Stethodesma servillei</i> ..	1856, 15	<i>compta</i>	1854, 133
<i>Stigmatium ambulator</i> ..	1855, 23	<i>costellata</i> ..	1850, 30
<i>cursor</i> ..	1855, 23	<i>cumingii</i> ..	1853, 74
<i>cylindrinum</i>	1855, 22	<i>decolorata</i> ...	1850, 31
<i>fervidum</i>	1855, 21	<i>fulgurans</i> ..	1850, 32
<i>granulosum</i>	1855, 22		1850, 32
<i>ignavum</i> ..	1855, 20	<i>haliotidea</i>	1854, 133
<i>torulentum</i>	1855, 21		1850, 30
<i>Stigmatius dorsiger</i>	1852, 37	<i>imbricata</i> ..	1854, 133
<i>elaphroides</i> ..	1852, 45	<i>japonica</i> ..	1850, 31
<i>nebulifer</i>	1852, 36	<i>maculata</i>	1850, 30
<i>rufiventris</i> ..	1852, 45	<i>malukana</i> ..	1850, 31
<i>Stigmodera bakewellii</i> ..	1859, 119	<i>margaritana</i>	1850, 33
<i>guelmi</i> ..	1859, 120	<i>monilifera</i>	1850, 30
<i>parallela</i>	1859, 119	<i>orbiculata</i>	1850, 31
<i>Stoastoma agassizianum</i> 1857,	167	<i>papyracea</i>	1850, 31
	169	<i>sanguinea</i>	1850, 32
<i>anthonianum</i>	1857, 184	<i>selecta</i>	1854, 133
<i>blandianum</i>	1857, 167	<i>speciosa</i> ..	1850, 32
<i>chittyanum</i>	1857, 167	<i>sulcifera</i> ..	1850, 30
	167	<i>tigrina</i>	1850, 33
<i>cumingianum</i>	1857, 184	<i>tumida</i> ..	1850, 31
<i>fadyenianum</i>	1857, 177	<i>Stomatia acuminata</i> ..	1850, 34
<i>gouldianum</i>	1857, 167	<i>angulata</i>	1850, 34
<i>hollandianum</i>	1857, 175	<i>australis</i>	1850, 34
<i>layanum</i> ..	1857, 189	<i>bicarinata</i>	1853, 74
	166	<i>candida</i>	1850, 35
<i>leanum</i>	1857, 189	<i>decorata</i>	1854, 133
	167	<i>decussata</i>	1850, 34
<i>lindsleyanum</i>	1857, 188	<i>duplicata</i>	1850, 34
	168	<i>lirata</i>	1850, 35
<i>livesayanum</i>	1857, 178		1850, 35
<i>moricandianum</i>	1857, 191	<i>notata</i>	1850, 36
<i>petitianum</i>	1857, 184		

	Page		Page
<i>Stomatia pallida</i>	1850, 36		
<i>phymotis</i>	1850, 34	<i>Strepsiceros kudu</i>	{ 1850, 146
<i>rubra</i>	{ 1850, 35		{ 1857, 168
<i>splendidula</i>	{ 1854, 134	<i>oreas</i>	{ 1850, 171
<i>Stomoxys calcitrans</i> .	1850, 258	<i>scriptus</i>	{ 1850, 171
<i>Stoparola melanops</i> ...	1858, 493	<i>sylvaticus</i>	{ 1850, 171
<i>Strebloceras cornuoides</i>	1858, 441	<i>Strepsilas collaris</i> ...	{ 1860, 363
<i>solutum</i>	1858, 441		{ 1851, 146
<i>Strephona angulata</i>	1858, 41	<i>interpres</i>	{ 1859, 166
<i>anomina</i>	1858, 45		{ 1860, 363
<i>atalina</i>	1858, 44	<i>Streptaxis conoidea</i> ...	{ 1854, 149
<i>australis</i>	1858, 45	<i>cumingiana</i>	{ 1849, 126
<i>caroliniana</i>	1858, 46	<i>discus</i>	{ 1851, 252
<i>cruenta</i>	1858, 41	<i>fortunei</i>	{ 1854, 149
<i>cumingii</i>	1858, 45	<i>glabra</i>	{ 1849, 126
<i>episcopalis</i>	1858, 42	<i>uberniformis</i> ..	{ 1848, 108
<i>erythrostoma</i>	1858, 42	<i>Streptocephalus cafer</i> .	{ 1852, 21
<i>flammulata</i>	1858, 45	<i>dichotomus</i>	{ 1860, 445
<i>flaveola</i>	1858, 45	<i>similis</i>	{ 1852, 22
<i>hemiltona</i>	1858, 46	<i>torvicornis</i> . . .	{ 1852, 20
<i>jaspidea</i>	1858, 45	<i>Streptophorus drozii</i> ...	{ 1859, 412
<i>kaleontina</i>	1858, 45	<i>sebæ</i>	{ 1860, 452
<i>lentiginosa</i>	1858, 45		{ 454
<i>ligneola</i>	1858, 46	<i>Strigatella fuscescens</i> .	{ 1860, 146
<i>litterata</i>	1858, 43	<i>picea</i>	{ 1860, 146
<i>lugubris</i>	1858, 46	<i>Strigilla carnaria</i>	{ 1856, 200
<i>maura</i>	1858, 42	<i>disjuncta</i>	{ 1856, 160
<i>multiplicata</i>	1858, 46	<i>fucata</i>	{ 1856, 200
<i>neoshina</i>	1858, 46	<i>mnata</i>	{ 1856, 200
<i>nitidula</i>	1858, 44	<i>Strigops habroptilus</i> .	{ 1852, 31
<i>olorinella</i>	1858, 45	<i>Strix aluco</i>	{ 1857, 215
<i>oriola</i>	1858, 44	<i>americanus</i>	{ 1857, 215
<i>paxillus</i>	1858, 44	<i>badia</i>	{ 1854, 263
<i>peruviana</i>	1858, 43	<i>ceylonensis</i> . . .	{ 1854, 263
<i>pintamella</i>	1858, 44	<i>crucigera</i>	{ 1858, 133
<i>polypasta</i>	1858, 44	<i>erythroptera</i> ...	{ 1854, 262
<i>porphyria</i>	1858, 41		{ 1851, 142
<i>quersolina</i>	1858, 44	<i>flammea</i>	{ 1857, 215
<i>reticularis</i>	1858, 43		{ 1859, 151
<i>rufula</i>	1858, 46		{ 1860, 180
<i>schumacheriana</i> .	1858, 46	<i>flammeola</i>	{ 1858, 96
<i>scripta</i>	1858, 43		{ 133
<i>sidelia</i>	1858, 46	<i>hirsuta</i>	{ 1854, 262
<i>splendidula</i>	1858, 41		{ 1854, 262
<i>stainforthi</i>	1858, 44	<i>infausta</i>	{ 1857, 4
<i>stellata</i>	1858, 45		{ 1857, 126
<i>textilina</i>	1858, 43	<i>javanica</i>	{ 1857, 87
<i>tigridella</i>	1858, 45	<i>ketupa</i>	{ 1854, 263
<i>tricolor</i>	1858, 42	<i>lapponica</i>	{ 1857, 56
<i>tringa</i>	1858, 45	<i>lempiji</i>	{ 1854, 262
<i>Strepsiceros angasii</i>	1850, 171	<i>lugubris</i>	{ 1854, 262
<i>capensis</i>	1850, 143	<i>noctula</i>	{ 1854, 262
<i>decula</i>	1850, 171	<i>orientalis</i>	{ 1854, 262
<i>derbianus</i>	1850, 171	<i>otus</i>	{ 1857, 215
<i>euryceros</i>	1850, 179		{ 1860, 258
<i>excelsus</i>	1850, 143	<i>pagodarum</i>	{ 1854, 263
<i>kudu</i>	1850, 143		{ 1848, 37
		<i>passerina</i>	{ 1857, 4

	Page		Page
<i>Strix passerinoides</i>	1857, 126	<i>Sturnus vulgaris</i>	{ 1858, 480 1859, 173 1860, 258
<i>pratincta</i>	1859, 390	<i>Stylifer barronii</i>	{ 1854, 137 1855, 122
<i>punctatissima</i>	1860, 96	<i>corallinus</i>	1855, 122
<i>radiata</i>	1854, 262	<i>exaratus</i>	1855, 122
<i>scutulata</i>	1854, 262	<i>robustus</i>	1860, 437
<i>seloputo</i>	1854, 263	<i>subangulatus</i>	1855, 122
<i>strepitans</i>	1854, 263	<i>Stylina fulvescens</i>	1853, 73
<i>sumatrana</i>	1854, 263	<i>leonum</i>	{ 1850, 285 1856, 405
<i>tengmalmi</i>	1857, 57	<i>Stylocerus ratwa</i>	{ 1850, 270 1850, 269
<i>undulata</i>	1858, 133	<i>leonum</i>	1850, 269
<i>Strombus ater</i>	1859, 316	<i>Subemarginula alveolata</i>	1851, 90
<i>cancellatus</i>	1860, 398	<i>arabica</i>	1851, 90
<i>obtusus</i>	1854, 83	<i>australis</i>	1851, 90
<i>oniscus</i>	1851, 229	<i>catillus</i>	1851, 91
<i>taurus</i>	1857, 207	<i>clathrata</i>	1851, 90
<i>Strongylus filaria</i>	1856, 53	<i>crassilabrum</i>	1851, 91
<i>Struthio camelus</i>	1849, 94	<i>cratitia</i>	1851, 92
<i>casuarius</i>	1858, 187	<i>denticulata</i>	1851, 91
<i>epoasticus</i>	1860, 210	<i>depressa</i>	1851, 90
<i>Struthiolaria monoceros</i>	1853, 182	<i>elargie</i>	1851, 90
<i>Struthus atrimentalis</i> ..	1857, 7	<i>emarginata</i>	1851, 89
<i>caniceps</i>	{ 1857, 7 1858, 304 1858, 450 1858, 455 1858, 552 1860, 277 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>galeata</i>	1851, 90
<i>Sturnella bellicosa</i>	{ 1858, 455 1858, 552 1860, 277 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>umbricata</i>	1851, 91
<i>hippocrepis</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>nodulosa</i>	1851, 91
<i>ludoviciana</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>octoradiata</i>	1851, 90
<i>militaris</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>panihensis</i>	1851, 90
<i>neglecta</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>polygonalis</i>	1851, 91
<i>Sturnia elegans</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>pumila</i>	1851, 91
<i>pagodarum</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>sculptilis</i>	1851, 92
<i>pyrhopogon</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>tricostata</i>	1851, 90
<i>Sturnira spectrum</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>Subergorgia compressa</i>	{ 1857, 288 1859, 482 1857, 159 1859, 482
<i>Sturnopaster contra</i> ..	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>suberosa</i>	{ 1857, 288 1859, 482
<i>Sturnus collaris</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>Subula dimidiata</i>	1859, 281
<i>dauricus</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>maculata</i>	1859, 280
<i>maritimus</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>Succinea acuta</i>	1849, 132
<i>militaris</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>asperula</i>	1856, 326
<i>unicolor</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>baconii</i>	1854, 298
<i>vulgaris</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>bensoni</i>	1849, 133
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>bermudensis</i>	1857, 110
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>ceylanica</i>	1854, 297
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>chinensis</i>	1857, 110
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>cingulata</i>	1850, 56
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>daucina</i>	1854, 208
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>dominicensis</i>	1851, 147
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>guamensis</i>	1857, 110
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>indica</i>	1849, 133
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>margarita</i>	1853, 60
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>newcombia</i>	1854, 297
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>oregonensis</i>	1856, 220
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>preifferi</i>	1856, 186
	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>picta</i>	1849, 133

	Page		Page
<i>Succinea planti</i>	1856, 326	<i>Suya lepida</i>	1855, { 47
<i>punctata</i>	1854, 297		50
<i>pusilla</i>	1849, 134	<i>Sycalis aureipectus</i>	1855, 159
<i>repanda</i>	1854, 123	<i>Sylphitron perlatum</i> ..	1858, 185
<i>rubicunda</i>	1849, 134	<i>Sylvia affinis</i>	1859, 182
<i>salleana</i>	1849, 133	<i>atrata</i>	1854, 26
<i>simplex</i>	1854, 123	<i>atricapilla</i>	1851, 142
<i>solidula</i>	1849, 134	<i>bilineata</i>	1855, 12
<i>strigata</i>	1854, 297	<i>bivittata</i>	1855, 12
<i>subgranosa</i>	1849, 132	<i>caerulecula</i>	1860, 107
<i>tomentosa</i>	1854, 297	<i>caligata</i>	1860, 108
<i>vitrea</i>	1854, 298	<i>ceithiola</i>	1860, 108
<i>Sula alba</i>	1851, 146	<i>chrysophrys</i>	1855, 65
<i>australis</i>	1856, 145	<i>culicivora</i>	1855, 66
	1856, 145	<i>curruca</i>	1858, 493
	1859, 212	<i>dumicola</i>	1855, 12
<i>bassana</i>	1859, 435	<i>erythrogastra</i>	1854, 27
	1860, 328	<i>erythronota</i>	1854, 30
	1860, 371	<i>flavescens</i>	1860, 349
<i>capensis</i>	1856, 145	<i>guzuratta</i>	1854, { 81
	1860, 112		284
<i>cyanops</i>	1856, 145	<i>halseii</i>	{ 1855, 65
	1858, 188		1858, 298
<i>fiber</i>	1860, 366	<i>hortensis</i>	1851, 145
	1856, 144	<i>javanica</i>	1860, 108
	1857, 237	<i>leucogastra</i>	1855, { 12
<i>fusca</i>	1858, 188		151
	1859, 107	<i>leucophaea</i>	1854, 272
<i>piscatrix</i>	1856, 145	<i>leucorrhoea</i>	1850, 216
<i>variegata</i>	1856, 145	<i>longicauda</i>	1854, 81
<i>Sunetta scipta</i>	1851, 232	<i>magellamica</i>	1860, 385
<i>Suricata zenkeri</i>	1850, 436	<i>melanocausta</i>	1858, 298
<i>Surniculus lugubris</i>	1859, 459	<i>melanoxantha</i>	1856, 110
<i>Sus africanus</i>	1852, 131	<i>mexicana</i>	1858, 299
	1852, 130	<i>modularis</i>	1854, 118
<i>aper</i>	1850, 406	<i>montanella</i>	1854, 118
<i>barbarus</i>	1860, 443	<i>oenanthe</i>	1857, 13
	1848, 73	<i>olivacea</i>	{ 1855, 66
	1850, 158		1856, 291
<i>indicus</i>	1852, 130	<i>phoenicura</i>	1854, 25
	1856, 406	<i>platensis</i>	1860, 384
	1860, 181	<i>rubecula</i>	1851, 142
<i>koiropotamus</i>	1852, 131	<i>rubetra</i>	1857, 215
<i>larvatus</i>	1852, 131	<i>rubicula</i>	1857, 13
<i>papuensis</i>	1858, 107	<i>ruficapilla</i>	1856, 111
<i>penicillatus</i>	1852, 132	<i>sibilatrix</i>	1857, 215
	1850, 158	<i>sutoria</i>	1854, 81
	1858, 531	<i>taeniata</i>	1855, 66
<i>scrofa</i>	1860, 183	<i>tithys</i>	1854, 25
	1860, 443	<i>trochilus</i>	1857, 215
—, var. <i>indicus</i> ..	1856, 406	<i>Sylvicola americana</i> ..	1857, 202
<i>vittatus</i>	1860, { 442	<i>aureola</i>	1860, 291
	443	<i>blackburniae</i>	1854, 111
<i>Suthora webbiana</i>	1852, 72	<i>canadensis</i>	1857, 231
	1851, 195	<i>coronata</i>	1857, 231
<i>Sutoria agilis</i>	1854, 78	<i>palmarum</i>	1857, 231
	1854, 284	<i>superciliosa</i>	1858, 291
<i>Suya atrogularis</i>	1854, 77	<i>taeniata</i>	1850, 291

	Page		Page
<i>Sylvicola virens</i>	1860, 108	<i>Synallaxis gularis</i>	{ 1859, 192
<i>Sylviothorhynchus</i> ...	1856, 26		{ 1860, 89
<i>Syma flavirostris</i>	1858, 172	humicola	1859, 193
tiotoro	1850, 200	hyposticta	1859, 197
torotoro	1858, 172	inornata	1859, 194
<i>Symphelotes (Platymop-</i>		kollari	1859, 197
<i>sis) armatulus</i> ..	1859, 122	laemosticta ..	1859, 192
<i>Symphemia semipalmata</i>	1860, 253	leucocephala	1859, 197
<i>Synallaxis aegithaloides</i>	1859, 193	maluroides ..	1859, 193
albescens	{ 1856, 98	modesta	{ 1856, 99
albiceps	{ 1859, 192		{ 1859, 193
	1859, 194	mcesta	{ 1856, 26
	{ 1858, 63		{ 1859, 193
albigularis	{ 1858, 456	multostriata ..	{ 1857, 273
	{ 1859, 192		{ 1859, 194
albilora	1859, 193	olivascens ..	1856, 97
alopecias	1859, 197	pallida ..	1859, 192
anthoides	1859, 193	patagonica ..	1859, 197
antisiensis	{ 1858, 457	phryganophila ..	1859, 193
	{ 1859, 192	propinqua ..	1859, 197
azarae	1856, 98		{ 1859, 191
brachyura	1859, 197	pudica	{ 1860, 88
brachyurus	1855, 141		{ 1860, 278
	{ 1856, 99		{ 1860, 294
brunnea	{ 1859, 197	pulvericolor	{ 1858, 62
	{ 1858, 62		{ 1856, 25
brunneicaudalis ...	1858, 457	ruficapilla	{ 1856, 97
brunneicaudis ...	1859, 192		{ 1856, 98
candei	1859, 194		{ 1859, 192
caniceps	{ 1856, 98	ruficauda	1859, 193
	{ 1859, 194	ruficeps	1856, 98
castanea	1859, 193	rufigularis ..	1859, 193
	{ 1855, 75	rutilans ..	1859, 193
cinerascens	1859, 194	scutata ..	1859, 191
cinereus	{ 1856, 97	setaria	1859, 194
cinnamomea	1859, 194		{ 1856, 99
	{ 1855, 141	sordida	{ 1859, 193
cinnamomeus	{ 1856, 26		{ 1856, 98
dorsomaculata ..	1859, 193	spixi	{ 1859, 192
	{ 1856, 25	stictothorax	1859, 191
elegans	{ 1859, 141	striaticeps ..	1859, 193
	{ 1859, 192	striaticollis . *	{ 1855, 141
erythrops	1860, 66		{ 1859, 197
	{ 1855, 75	striolata	1859, 197
erythrothorax ...	{ 1856, 238	terrestris ..	1859, 192
	{ 1859, 192	torquata	1859, 193
	{ 1859, 332	trogodytoides ..	1859, 197
flammula ..	1859, 194	unirufa	1859, 194
flammulata ..	1860, 76		{ 1855, 141
	{ 1856, 99	unirufus	{ 1856, 26
flavigularis	{ 1859, 193	vulpina	1859, 194
frontalis	1859, 197	<i>Synapta beselii</i>	{ 1858, 360
fuliginiceps ..	1859, 197		{ 1858, 366
fuliginosa ..	1859, 192	bidentata	1858, 365
	{ 1855, 141	digitata	{ 1858, 361
fuliginosus ..	{ 1856, 26		{ 1858, 366
	{ 1855, 141	duvernæa	1858, 366
gularis	{ 1856, 26	inhærens	1858, 363

	Page		Page
<i>Synapta inhærens</i>	1858, 366	<i>Tachymenis vivax</i>	1858, { 377
<i>lappa</i>	1858, 366	<i>Tachypetes aquila</i>	1856, { 378
<i>maculata</i>	1858, 366	<i>Tachyphonus albitempo-</i>	144
<i>mamillosa</i>	1858, 366	<i>ralis</i>	1856, 89
<i>radiosa</i>	1858, 366	<i>axillaris</i>	1856, 68
<i>reciprocans</i>	1858, { 364	<i>beauperthuyi</i>	1856, 113
<i>serpentina</i>	1858, { 366	<i>brevipes</i>	1856, 156
<i>verrucosa</i>	1858, { 361	<i>canigularis</i>	1856, 90
<i>vittata</i>	1858, { 366	<i>capistratus</i>	1856, 67
<i>Syncera hepatica</i>	1856, 20	<i>chloricterus</i>	1856, 122
<i>Syntomus cantori</i>	1859, 199	<i>coronatus</i>	1854, 158
<i>crawfurdii</i>	1859, 199	<i>coryphæus</i>	1856, 114
<i>humeralis</i>	1859, 197	<i>cristatus</i>	1855, 155
<i>marsdeni</i>	1859, 197	<i>delatru</i>	1856, 115
<i>penanga</i>	1859, 198	<i>delatru</i>	1856, 116
<i>pfeifferæ</i>	1859, 198	<i>elegans</i>	1859, 139
<i>pravata</i>	1859, 199	<i>elegans</i>	1856, 238
<i>rafflesi</i>	1859, 198	<i>flavimucha</i>	1856, 238
<i>vigorsi</i>	1859, 198	<i>flavipectus</i>	1856, 90
<i>walkeri</i>	1859, 199	<i>lacrimosus</i>	1856, 242
<i>wallacei</i>	1859, 198	<i>leucopterus</i>	1856, 113
<i>Syphonota bipes</i>	1860, 23	<i>loricatus</i>	1856, 121
<i>elongata</i>	1860, 24	<i>luctuosus</i>	{ 1854, 115
<i>grandis</i>	1860, 23	<i>luctuosus</i>	{ 1855, 156
<i>Symium albigulare</i>	{ 1855, 135	<i>luctuosus</i>	{ 1856, 114
<i>albigulare</i>	{ 1858, 132	<i>luctuosus</i>	{ 1860, 274
<i>albigulare</i>	{ 1855, 135	<i>luctuosus</i>	{ 1860, 292
<i>albitarse</i>	{ 1858, 132	<i>lunulatus</i>	1856, 241
<i>albigulare</i>	{ 1857, 16	<i>melaleucus</i>	1855, 156
<i>albigulare</i>	{ 1858, 131	<i>melaleucus</i>	1856, 113
<i>albigulare</i>	{ 1860, 96	<i>nigerrimus</i>	1856, 113
<i>hylophilum</i>	{ 1855, 135	<i>ochropygos</i>	1856, 115
<i>hylophilum</i>	{ 1857, 16	<i>olivaceus</i>	1856, 237
<i>hylophilum</i>	{ 1858, 132	<i>palmarum</i>	1856, 84
<i>macabrum</i>	{ 1855, 135	<i>penicillatus</i>	1856, 117
<i>macabrum</i>	{ 1858, 132	<i>phoeniceus</i>	1856, 116
<i>nebulosum</i>	1858, 295	<i>quadricolor</i>	1856, 117
<i>polygrammicum</i>	1858, 132	<i>ruber</i>	1856, 120
<i>rufipes</i>	1858, 132	<i>ruficeps</i>	{ 1856, 108
<i>selo-puto</i>	1854, 263	<i>ruficeps</i>	{ 1856, 112
<i>squamulatum</i>	{ 1856, 285	<i>ruficollis</i>	1856, 113
<i>squamulatum</i>	{ 1858, 132	<i>ruficularis</i>	1856, 269
<i>squamulatum</i>	{ 1855, 135	<i>rufiventer</i>	1856, 115
<i>virgatum</i>	{ 1856, 285	<i>rufiventris</i>	1857, 264
<i>virgatum</i>	{ 1858, 132	<i>sanguinolentus</i>	1856, 132
<i>virgatum</i>	{ 1859, 368	<i>saucius</i>	1856, 116
<i>zonocercum</i>	1858, 132	<i>sermrostris</i>	1856, 116
<i>zonocercus</i>	1856, 285	<i>suchii</i>	1856, 117
<i>Syrnhaptis paradoxus</i>	1850, 92	<i>sumptuosus</i>	1856, 238
<i>tibetanus</i>	{ 1850, 92	<i>surinamus</i>	{ 1856, 114
<i>tibetanus</i>	{ 1858, 502	<i>surinamus</i>	{ 1857, 264
<i>tibetanus</i>	{ 1859, 186	<i>tæniatus</i>	1856, 237
<i>Tachydromus asiaticus</i>	1855, 82	<i>tenurostris</i>	1856, 114
<i>fordii</i>	1858, 155	<i>valerii</i>	1856, 114
		<i>versicolor</i>	1856, 119
		<i>victorini</i>	1856, 238

	Page		Page
<i>Tachyphonus vigorsii</i> ...	1856, 114	<i>Tanagra analis</i>	1856, 243
	1854, 158	<i>archiepiscopus</i>	1856, 234
<i>xanthopygius</i>	1855, 83	<i>argentata</i>	1856, 233
	1855, 156	<i>argentea</i>	1856, 255
	1856, 116	<i>arthus</i>	1856, 251
<i>Tachyspiza soloensis</i> ..	1860, 344	<i>assumilis</i>	1856, 85
<i>Tadorna radjah</i>	1860, 365	<i>atra</i>	1856, 67
	1859, 436	<i>atricapilla</i>	1856, 118
<i>vulpanser</i>	1859, 442		259
	1860, 339	<i>atricollis</i>	1856, 77
	1860, 372	<i>aureata</i>	1856, 272
<i>Tania bremseri</i>	1853, 23	<i>auricapilla</i>	1856, 117
<i>calva</i>	1853, 24	<i>auricrissa</i>	1856, 236
<i>denticula</i>	1853, 24	<i>aurilenta</i>	1856, 250
<i>expansa</i>	1853, 24	<i>axillaris</i>	1856, 68
<i>falciformis</i>	1853, 24	<i>barbadensis</i>	1856, 256
<i>goezii</i>	1853, 24	<i>bonariensis</i>	1856, 121
<i>sulciceps</i>	1859, 111	<i>brasilia</i>	1856, 127
<i>zederi</i>	1853, 24	<i>brasilhensis</i>	1856, 256
<i>Tamnioptera alpina</i> ..	1860, 78	<i>brunnea</i>	1856, 115
	1851, 193		1855, 157
<i>erythropygia</i>	1860, 78		1856, 232
<i>rufiventris</i>	1859, 331	<i>cana</i>	1856, 139
	1851, 193		1860, 274
<i>striaticollis</i>	1855, 77		1860, 292
	1860, 92	<i>capistrata</i>	1856, 67
<i>variegata</i>	1859, 331	<i>cayana</i>	1856, 252
<i>Talegalla lathamii</i>	1860, 426		279
	1858, 187	<i>cayennensis</i> ...	1856, 279
<i>Talegallus cuvieri</i>	1859, 150	<i>chalybea</i>	1856, 276
<i>Talpa cryptura</i> ..	1856, 399	<i>chlorocyanæa</i>	1856, 279
<i>europæa</i>	1860, 206	<i>chloroptera</i>	1856, 253
<i>micrura</i> ...	1856, 399	<i>chlorotica</i>	1856, 273
<i>Talpacotia rufipennis</i> ..	1858, 359	<i>chrysocome</i>	1856, 238
<i>Tamandua tetradactyla</i> ..	1860, 262		235
<i>Tamatia erythropygia</i> ..	1859, 399	<i>chrysogaster</i>	1856, 272
<i>gigas</i>	1855, 193		279
<i>hyperrhynchus</i> ...	1855, 193	<i>chrysolopha</i>	1856, 243
<i>pulmentum</i>	1855, 194	<i>citrinella</i>	1856, 247
	72	<i>coelestis</i>	1854, 115
	230		1856, 232
	232	<i>columbiana</i>	1856, 125
	235	<i>conspicillata</i>	1856, 67
	246		1855, 157
<i>Tanagra</i> — ?	1856, 247	<i>constantii</i>	1856, 241
	254	<i>coryphæa</i>	1856, 114
	269	<i>cristata</i>	1856, 115
	270	<i>cucullata</i>	1856, 239
	272	<i>cyanicollis</i>	1856, 262
	273	<i>cyanilha</i>	1856, 233
	1856, 235		1856, 236
<i>abbas</i>	1858, 358		1856, 247
	1859, 364	<i>cyanoccephala</i>	1859, 139
	1859, 378		1860, 63
<i>æstiva</i>	1856, 123	<i>cyanomelas</i>	1856, 268
<i>affinis</i>	1856, 274	<i>cyanoptera</i>	1856, 233
<i>albirostris</i>	1856, 128	<i>cyaniventris</i>	1856, 247
<i>analis</i>	1855, 227	<i>darwini</i>	1856, 235

	Page		Page
<i>Tanagra darwini</i>	{ 1858, 450 1858, 453 1858, 551 1860, 86	<i>Tanagra melanonota</i>	1856, 265
<i>desmaresti</i>	1856, 113	<i>melanopsis</i>	1856, 67
<i>diaconus</i>	{ 1856, 142 1856, 233 1856, 303 1859, 59 1859, 364	<i>melanoptera</i>	{ 1856, 235 1858, 74 1858, 453 1860, 292
<i>diademata</i>	1856, 241	<i>melanotha</i>	1856, 265
<i>dubusia</i>	1856, 243	<i>mexicana</i>	1856, 257
<i>duplicata</i>	1856, 78	<i>mississippiensis</i>	1856, 123
<i>elegans</i>	1856, 247	<i>montana</i>	1856, 239
<i>episcopus</i>	{ 1855, 157 1856, 231 1856, 233	<i>multicolor</i>	1856, 230
<i>erythromelas</i>	{ 1855, 156 1856, 126	<i>musica</i>	1856, 271
<i>erythrotis</i>	1856, 241	<i>muta</i>	1856, 72
<i>eximia</i>	1856, 240	<i>nigerrima</i>	1856, 113
<i>fasciata</i>	1856, 68	<i>nigricephala</i>	1856, 230
<i>fastuosa</i>	1856, 246	<i>nigricollis</i>	1856, 109
<i>festiva</i>	1856, 246	<i>nigrigula</i>	1856, 109
<i>flammiceps</i>	1856, 119	<i>nigrogularis</i>	1856, 128
<i>flava</i>	1856, 253	<i>nigroviridis</i>	1856, 260
<i>flavifrons</i>	1856, 271	<i>nour</i>	1856, 113
<i>flavinucha</i>	1856, 238	<i>notabilis</i>	{ 1855, 84 1856, 239
<i>flaviventris</i>	1856, 257	<i>occipitalis</i>	1856, 60
<i>flavivertex</i>	1856, 238	<i>olivacea</i>	1856, 274
<i>formosa</i>	1856, 253	<i>olivascens</i>	1856, 234
<i>frugilegus</i>	{ 1854, 97 1856, 235 1858, 453	<i>olivicyanea</i>	1856, 237
<i>fumigata</i>	1856, 113	<i>ornata</i>	1856, 234
<i>glaucia</i>	1856, 232	<i>palmarum</i>	{ 1855, 157 1856, 234 1856, 235 1855, 157
<i>graminea</i>	1856, 250	<i>palpebrosa</i>	1856, 242
<i>grandis</i>	1856, 72	<i>partialis</i>	1856, 115
<i>gubernatrix</i>	1856, 115	<i>parzudakii</i>	1856, 263
<i>gyrola</i>	{ 254 255	<i>penicillata</i>	{ 1855, 156 1856, 117
<i>hirundinacea</i>	1856, 112	<i>peruviana</i>	1856, 254
<i>ignescens</i>	1856, 128	<i>pileata</i>	1856, 109
<i>igniventris</i>	1856, 241	<i>porphyrio</i>	1856, 119
<i>inornata</i>	1856, 233	<i>praelata</i>	1856, 233
<i>iridina</i>	{ 1856, 267 1857, 264	<i>prasina</i>	1856, 78
<i>jacapa</i>	1856, 128	<i>pretrei</i>	1856, 231
<i>jularis</i>	1856, 77	<i>psittacina</i>	1856, 64
<i>labradorides</i>	1856, 262	<i>punctata</i>	1856, 248
<i>leucocampter</i>	1856, 116	<i>rietheri</i>	1856, 78
<i>leucocephala</i>	1856, 241	<i>roux</i>	1856, 67
<i>leucophæa</i>	1856, 67	<i>rubra</i>	1856, 123
<i>loricata</i>	1856, 121	<i>rubricollis</i>	1856, 121
<i>ludoviciana</i>	1856, 125	<i>rubrigularis</i>	1856, 121
<i>lunulata</i>	1856, 241	<i>rufa</i>	1856, 113
<i>magna</i>	1856, 70	<i>ruficervix</i>	1856, 259
<i>maximiliani</i>	1856, 236	<i>ruficollis</i>	1856, 269
		<i>rufiventer</i>	1856, 115
		<i>rufiventris</i>	1856, 279
		<i>sara</i>	1856, 124
		<i>sanguinolenta</i>	1856, 132
		<i>sayaca</i>	1856, 233
		<i>schistacea</i>	1856, 88

	Page		Page
<i>Tapirus americanus</i> ..	{ 1851, 121 1859, 51 1860, 181 1860, 261	<i>Tellina cuspidata</i>	1854, 360
<i>suillus</i>	1860, 261	<i>decolorata</i>	1854, 370
<i>Tarandus rangifer</i>	1850, 225	<i>delicatula</i>	1854, 163
<i>sylvestris</i>	1850, 225	<i>denticulata</i>	1854, 365
<i>Tardivola macroura</i>	1856, 30	<i>deshayesi</i>	1856, 160
<i>Tarentola ægyptiaca</i> ..	1849, 95	<i>dialeuca</i>	1854, 368
<i>mauritania</i>	{ 1859, 470 473 476	<i>diaphana</i>	1854, 364
<i>Taracha torsa</i>	1858, 138	<i>diemenensis</i>	1854, 361
<i>Tarsiger superciliosus</i> ..	1854, 76	<i>dilatata</i>	1854, 359
<i>Tatao fastuosus</i>	1856, 246	<i>discula</i>	1854, 360
<i>festiva</i>	1856, 247	<i>dissimilis</i>	1854, 370
<i>larvatus</i>	1856, 260	<i>donaciformis</i>	1854, 357
<i>paradisea</i>	1856, 244	<i>dubia</i>	1854, 371
<i>tricolor</i>	1856, 246	<i>edentula</i>	1856, 213
<i>yeni</i>	1856, 245	<i>egregia</i>	1854, 366
<i>Tatusia affinis</i>	1851, 212	<i>fabagella</i>	1854, 355
<i>hybrida</i>	1851, 213	<i>flammula</i>	1854, 367
<i>septemcincta</i>	1851, 212	<i>gemma</i>	1856, 200
<i>Tautoga parila</i>	1850, 70	<i>glabrella</i>	1854, 366
<i>Taxidea leucura</i>	1856, 398	<i>grata</i>	1854, 369
<i>leucurus</i>	1853, 190	<i>gratiosa</i>	1854, 369
<i>Tchutrea affinis</i>	1854, 270	<i>incerta</i>	1854, 367
<i>melampyra</i>	1860, 111	<i>inquinata</i>	1854, 357
<i>paradisi</i>	{ 1857, 89 1858, 495	<i>japonica</i>	1854, 265
<i>Tectula albersii</i>	1854, 192	<i>layardii</i>	1854, 357
<i>bulveriana</i>	1854, 192	<i>leda</i>	1854, 364
<i>lyelliana</i>	1854, 191	<i>ligamentina</i>	1856, 213
<i>tectiformis</i>	1854, 192	<i>mazatlanica</i>	1854, 359
<i>Tectura radiata</i>	1860, 437	<i>mnuiata</i>	1856, 199
<i>Tedinia pernoides</i>	1851, 198	<i>moesta</i>	1854, 361
<i>Tegenaria antipodiana</i> ..	1849, 5	<i>moretonensis</i>	1854, 355
<i>Tegula pellis-serpentis</i> { 1851, 152 1856, 44		<i>nasuta</i>	1856, 213
<i>Teinostoma politum</i>	1853, 184	<i>nitens</i>	1854, 358
<i>Teleopus luxatus</i>	1860, 395	<i>nucleolus</i>	1854, 355
<i>Telephonus cucullatus</i> ..	1858, 292	<i>obesa</i>	1854, 354
<i>minutus</i>	1858, 292	<i>obliquaria</i>	1854, 356
<i>Tellina abbreviata</i>	1854, 362	<i>obtusalis</i>	1854, 356
<i>ænigmatica</i>	1849, 118	<i>ornata</i>	1854, 370
<i>æqualis</i>	1854, 358	<i>petalma</i>	1854, 367
<i>alta</i>	1856, 213	<i>pretiosa</i>	1854, 360
<i>amboynensis</i>	1854, 366	<i>pura</i>	1860, 199
<i>amœna</i>	1854, 369	<i>radians</i>	1854, 366
<i>attenuata</i>	1854, 363	<i>recurva</i>	1854, 361
<i>australis</i>	1854, 362	<i>resecta</i>	1854, 364
<i>brevirostris</i>	1854, 362	<i>rombergi</i>	1854, 355
<i>callosa</i>	1854, 361	<i>rubella</i>	1854, 364
<i>clausa</i>	1854, 360	<i>rubra</i>	1854, 364
<i>compressa</i>	1854, 359	<i>rufa</i>	1854, 367
<i>contabulata</i>	1854, 356	<i>sanguinolenta</i>	1854, 359
<i>contorta</i>	1854, 359	<i>secta</i>	1856, 213
<i>crassula</i>	1854, 354	<i>semiaspera</i>	1854, 365
		<i>sieboldii</i>	1854, 368
		<i>silicula</i>	1854, 363
		<i>solenella</i>	1854, 365
		<i>splendida</i>	1854, 370
		<i>squamifera</i>	1854, 365
		<i>squamulosa</i>	1849, 169
		<i>straminea</i>	1854, 363

	Page		Page
<i>Tellina strangei</i>	1854, 362	<i>Tenagodus polygonus</i> ...	1860, 411
<i>suensoni</i>	1854, 358		414
<i>sulcatina</i>	1854, 308	<i>porosa</i>	1860, 411
<i>tersa</i>	1856, 199		414
<i>tessellata</i>	1854, 302	<i>roseus</i>	1860, 411
<i>textilis</i>	1854, 357		414
<i>ticaonica</i>	1854, 358		403
<i>tistis</i>	1854, 361	<i>ruber</i>	1860, 411
<i>turgida</i>	1854, 354		414
<i>ventricosa</i>	1854, 356	<i>senegalensis</i>	1860, 414
<i>venusta</i>	1854, 368	<i>spinosa</i>	1860, 414
<i>vinosa</i>	1854, 369	<i>spiralis</i>	1860, 414
(<i>Areopagia</i>) <i>siamensis</i>	1860, 18	<i>squamata</i>	1860, 411
<i>Telmatobius peruvianus</i>	1858, 343		414
<i>Telophonus senegalus</i> ..	1850, 217	<i>striatus</i>	1860, 411
<i>Temnodon saltator</i> ...	1850, 248		414
<i>vadigo</i>	1850, 248	<i>sulcatus</i>	1860, 411
<i>Temnopleurus tchitrea</i> ..	1855, 36		414
	127	<i>terebella</i>	1860, 415
<i>Temognatha imperatrix</i> ..	1859, 120	<i>tuberculata</i>	1860, 415
<i>Tenagodus ammonoides</i> ..	1860, 412	<i>variegata</i>	1860, 415
<i>angulus</i>	1860, 412	<i>vitis</i>	1860, 415
<i>anguinarius</i>	1860, 412	<i>volvex</i>	1860, 415
	402	(<i>Pyxipoma</i>) <i>anguilla</i> ..	1860, 410
<i>anguinus</i>	1860, 411		412
	412	(—) <i>cylindrella</i> ..	1860, 410
<i>annularis</i>	1860, 412		413
<i>archimedis</i>	1860, 412	(—) <i>lacteus</i>	1860, 409
<i>clairbonensis</i>	1860, 413		413
<i>costæ</i>	1860, 413	(—) <i>tahitensis</i> ..	1860, 410
<i>cristata</i>	1860, 413		414
<i>dubius</i>	1860, 411	(<i>Siliquarius</i>) <i>aus-</i>	1860, 406
	413	<i>tralis</i>	1860, 412
<i>echinata</i>	1860, 413	(—) <i>comifer</i>	1860, 404
<i>florina</i>	1860, 411	(—) <i>cumingi</i> ..	1860, 403
	413	(—) <i>encausticus</i> ..	1860, 408
<i>furcellus</i>	1860, 411		413
	413	(—) <i>ferruginea</i> ..	1860, 407
	402	(—) <i>incisus</i>	1860, 408
<i>gigas</i>	1860, 411		413
	418	(—) <i>japonica</i>	1860, 405
<i>glabra</i>	1860, 413	(—) <i>lævilirata</i> ..	1860, 405
<i>graniti</i>	1860, 413	(—) <i>lineata</i>	1860, 408
<i>lævigata</i>	1860, 411	(—) <i>lumbicalis</i> ..	1860, 405
	413	(—) <i>multilirata</i> ..	1860, 406
<i>lævis</i>	1860, 413	(—) <i>obtusius</i> ...	1860, 407
<i>lima</i>	1860, 411		414
	413	(—) <i>platyomphala</i> ..	1860, 405
<i>multistriatus</i>	1860, 411	(—) <i>ponderosus</i> ..	1860, 409
	414		414
<i>muricata</i>	1860, 414	(—) <i>rosea</i>	1860, 409
<i>occlusus</i>	1860, 411	(—) <i>rudis</i>	1860, 404
	414	(—) <i>scalariformis</i> ..	1860, 406
<i>ornata</i>	1860, 414	(—) <i>tænata</i>	1860, 406
<i>papillosa</i>	1860, 411	(—) <i>tostus</i>	1860, 405
	414		415
<i>polygonus</i>	1860, 403	(—) <i>trochlearis</i> ..	1860, 408
			413

	Page		Page
<i>Tephrodornis gularis</i> ..	1854, 272 1860, 354 1857, 92	<i>Terebra bifrons</i>	1859, 297 1859, 284 1860, 449
<i>pondicerianus</i>	1858, 489 1859, 180 1859, 275	<i>bipartita</i>	1859, 313 1860, 450 1859, 298
<i>Terebra aciculata</i>	1860, 449 1859, 316 1859, 287	<i>bitorquata</i>	1859, 288 1860, 449 1859, 296
<i>aciculina</i>	1860, 449 1859, 315 1860, 450	<i>blanda</i>	1859, 297 1859, 316 1859, 282
<i>acumen</i>	1859, 291 1860, 449 1859, 293	<i>bourguignati</i>	1859, 304 1859, 290 1859, 287
<i>acuta</i>	1859, 299 1860, 449 1859, 296	<i>brevicula</i>	1859, 300 1859, 305 1859, 317
<i>adansoni</i>	1859, 316 1860, 301 1860, 450	<i>brugieri</i>	1859, 317 1859, 284 1859, 449
<i>adita</i>	1859, 280 1859, 295 1860, 450	<i>buccinordea</i>	1859, 290 1859, 300 1860, 449
<i>affinis</i>	1859, 314 1859, 288 1860, 449	<i>buccinulum</i>	1859, 299 1859, 295 1860, 450
<i>africana</i>	1859, 298 1860, 449 1859, 298	<i>cæolata</i>	1859, 304 1859, 290 1859, 287
<i>alba</i>	1859, 315 1859, 297 1859, 291	<i>cærulescens</i>	1859, 300 1859, 305 1859, 317
<i>albicosta</i>	1860, 449 1859, 298 1859, 315	<i>caliginosa</i>	1859, 300 1859, 305 1859, 317
<i>albida</i>	1859, 297 1859, 291 1860, 449	<i>cancellata</i>	1859, 305 1859, 317 1860, 450
<i>albobocincta</i>	1859, 299 1859, 293 1860, 449	<i>carnea</i>	1859, 317 1859, 284 1860, 449
<i>albomarginata</i>	1859, 291 1859, 299 1860, 450	<i>casta</i>	1859, 290 1859, 300 1860, 449
<i>albula</i>	1859, 293 1860, 449 1859, 298	<i>castanea</i>	1859, 300 1860, 449 1859, 299
<i>alveolata</i>	1859, 315 1859, 297 1859, 291	<i>cerithina</i>	1859, 295 1860, 450 1859, 309
<i>amanda</i>	1859, 299 1860, 449 1859, 284	<i>chinensis</i>	1860, 450 1859, 280 1859, 305
<i>amcena</i>	1859, 299 1860, 450 1859, 314	<i>chlorata</i>	1859, 280 1859, 305 1860, 450
<i>anomala</i>	1859, 293 1860, 449 1859, 298	<i>cinctella</i>	1859, 291 1860, 449 1859, 278
<i>apicina</i>	1859, 299 1860, 450 1859, 314	<i>cinerea</i>	1859, 280 1859, 305 1860, 449
<i>approximata</i>	1859, 293 1860, 449 1859, 305	<i>cingula</i>	1859, 284 1860, 449 1859, 313
<i>archimedis</i>	1859, 298 1860, 450 1859, 305	<i>cingulifera</i>	1859, 315 1860, 450 1859, 315
<i>areolata</i>	1859, 299 1860, 449 1859, 309	<i>circinata</i>	1860, 450 1859, 283 1859, 299
<i>argenvillii</i>	1859, 296 1859, 276 1859, 293	<i>circumcincta</i>	1859, 299 1860, 450 1859, 310
<i>argus</i>	1860, 450 1859, 302 1860, 450	<i>columellaris</i>	1859, 309 1859, 287 1860, 449
<i>arguta</i>	1859, 310 1859, 285 1860, 449	<i>columnaris</i>	1859, 308 1859, 309 1860, 449
<i>armillata</i>	1859, 300 1859, 306 1859, 300	<i>commaculata</i>	1859, 309 1859, 287 1860, 449
<i>aspera</i>	1860, 450 1859, 302 1860, 450	<i>concinna</i>	1859, 308 1859, 309 1860, 449
<i>babylonia</i>	1859, 310 1859, 285 1860, 449	<i>consobrina</i>	1859, 308 1859, 309 1860, 449
<i>bacillus</i>	1859, 300 1859, 306 1859, 300	<i>consors</i>	1859, 308 1859, 309 1860, 449
<i>badia</i>	1860, 450 1859, 293 1860, 450	<i>consersa</i>	1859, 306 1859, 286 1859, 300
<i>belcheri</i>	1859, 293 1860, 450 1859, 293	<i>continua</i>	1859, 313 1860, 450 1859, 306
<i>bermonti</i>	1859, 295 1860, 450 1859, 295	<i>copula</i>	1859, 300 1859, 313 1860, 450
<i>bernardui</i>		<i>corrugata</i>	
<i>bicincta</i>			

	Page
<i>Terebra cosentini</i>	{ 1859, 275 1860, 449
costata	{ 1859, 282 317
crassidula	1859, 282
crassula	1860, 449
crenifera	{ 1859, 298 1860, 450
crenulata	{ 1859, 276 1860, 449
crossii	{ 1859, 289 1860, 449
cumingii	1859, 311
cuspidata	1859, 285
decorata	{ 1859, 314 1860, 450
decussata	1859, 305
difficilis	1859, 304
dillwynii	1859, 279
dimidiata	{ 1859, 281 1860, 449
dislocata	1859, 295
dispar	1859, 284
dunkeri	1859, 285
duplicata	{ 1859, 292 1860, 449
dussumieri	1859, 292
eburnea	{ 1859, 280 1859, 285 1860, 449
elata	1859, 304
elegans	1859, 317
elongata	1859, 317
evoluta	1859, 292
exigua	1859, 301
eximia	1859, 314
fatua	{ 1859, 278 1860, 449
felina	1859, 317
fenestrata	1859, 311
festiva	{ 1859, 278 1860, 449
fictilis	1859, 306
fibriata	{ 1859, 276 1860, 449
	{ 1859, 280 1859, 309
flammea	{ 1859, 318 1860, 450
flava	1859, 301
flavescens	1859, 299
formosa	{ 1859, 180 1859, 307
fortunii	1859, 312
fulgurata	1859, 276
funiculata	{ 1859, 312 1860, 450
fusca	1859, 318

	Page
<i>Terebra fuscomaculata</i> ..	1859, 318
geminata	{ 1859, 296 1860, 450
gemmaulata	{ 1859, 294 1860, 449
	{ 1860, 450 1859, 281
glabra	{ 1860, 449 1859, 302
glauca	{ 1860, 450 1859, 278
gouldi	1859, 308
gracilis	{ 1859, 318 1859, 318
granulosa	1859, 318
hastata	{ 1859, 282 1860, 449
hindsii	1859, 295
histrio	{ 1860, 450 1859, 308
hopei	1859, 309
hupei	1860, 450
incolor	{ 1859, 283 1860, 449
incomparabilis ...	{ 1859, 307 1860, 450
inconstans	{ 1859, 291 1860, 449
insignis	{ 1859, 308 1860, 450
interlineata	1859, 277
intertincta	{ 1859, 303 1860, 450
	{ 1859, 290 1860, 449
jamaicensis	1859, 293
jukesii	1859, 294
kieneri	1859, 318
knorii	1859, 285
lactea	{ 1860, 449 1859, 310
laevigata	1859, 318
laevis	{ 1859, 292 1860, 449
lamarchii	1859, 283
lanceata	1859, 303
larviformis	1859, 290
laurina	{ 1860, 449 1859, 288
lepidula	1859, 308
ligata	1859, 312
lima	1859, 318
lineolata	{ 1859, 308 1860, 450
lingualis	1859, 294
longiscata	{ 1859, 313 1860, 450
loroisi	1859, 290
luctuosa	1860, 449

	Page		Page
<i>Terebra maculata</i>	1859, { 280 318	<i>Terebra pretiosa</i>	1859, 311
<i>marginata</i>	{ 1859, 296 1860, 450	<i>pulchella</i>	1859, 297
<i>marmorata</i>	1859, 279	<i>pulchra</i>	1859, 301
<i>matheroniana</i>	{ 1859, 287 1860, 449	<i>punctata</i>	1859, { 313 320
<i>mera</i>	{ 1859, 286 1860, 449	<i>punctatostriata</i>	1859, 320
<i>micans</i>	{ 1859, 291 1860, 449	<i>puncticulata</i>	{ 1859, 280 1860, 450
<i>modesta</i>	{ 1859, 288 1860, 449	<i>punctulata</i>	1859, 320
<i>monilis</i>	1859, 312	<i>pura</i>	1859, 281
<i>muscaria</i>	1859, 281	<i>pygmaea</i>	1859, 289
<i>myuros</i>	{ 1859, 309 1860, 450	<i>radula</i>	1859, 302
<i>nana</i>	1859, 291	<i>raphanula</i>	1859, 279
<i>nassoides</i>	1859, 306	<i>reevei</i>	{ 1859, 277 1860, 449
<i>nebulosa</i>	1859, { 298 313 319	<i>regina</i>	{ 1859, 311 1860, 450
<i>nimbosa</i>	1859, 289	<i>robusta</i>	{ 1859, 307 1860, 450
<i>nitida</i>	{ 1859, 288 1860, 449	<i>roseata</i>	1859, 300
<i>nodosoplicata</i>	{ 1859, 276 1860, 449	<i>rudis</i>	{ 1859, 302 1860, 450
<i>nodularis</i>	1859, 295	<i>rufocinerea</i>	{ 1859, 295 1860, 450
<i>nubeculata</i>	1859, 319	<i>rustica</i>	1859, 306
<i>obesa</i>	1859, 283	<i>salleana</i>	1859, 287
<i>obsoleta</i>	1859, 310	<i>scabrella</i>	{ 1859, 309 1860, 450
<i>oculata</i>	{ 1859, 307 1860, 450	<i>senegalensis</i>	{ 1859, 278 1860, 449
<i>ornata</i>	1859, 307	<i>serotina</i>	1859, 312
<i>pallida</i>	{ 1859, 311 1860, 450	<i>solida</i>	1859, 282
<i>patagonica</i>	{ 1859, 277 1860, 449	<i>souleyeti</i>	1859, 303
<i>peasii</i>	1859, 302	<i>sowerbyana</i>	1859, 277
<i>penicillata</i>	1859, 283	<i>speculata</i>	1859, 303
<i>pertusa</i>	{ 1859, 298 1860, 450	<i>speciosa</i>	{ 1859, 279 1860, 449
<i>petitii</i>	1859, { 295 319	<i>spectabilis</i>	{ 1859, 294 1860, 450
<i>petivermana</i>	{ 1859, 302 1860, 450	<i>splendens</i>	{ 1859, 281 1860, 449
<i>philippiana</i>	{ 1859, 289 1860, 305	<i>straminea</i>	{ 1859, 311 1860, 450
<i>picta</i>	{ 1860, 450 1859, 303	<i>striata</i>	{ 1859, 299 310 320
<i>plicata</i>	1859, 293	<i>striatula</i>	1859, 320
<i>plicatella</i>	{ 1860, 449 1859, 305	<i>strigata</i>	1859, 280
<i>plumbea</i>	{ 1860, 449 1859, 305	<i>strigulata</i>	{ 1859, 291 1860, 449
<i>polita</i>	1859, 319	<i>stylata</i>	{ 1859, 290 1860, 449
<i>polygyrata</i>	1859, 301	<i>subangulata</i>	1859, 300
<i>praelonga</i>	1859, 315	<i>subdivisa</i>	1859, 306
		<i>subnodosa</i>	{ 1859, 295 1860, 450
		<i>subulata</i>	1859, 307

	Page		Page
<i>Terebra succinea</i>	1859, 312	<i>Testacella maugei</i>	1854, 163
<i>swainsoni</i>	1859, 299	<i>Testudo denticulata</i>	1858, 166
<i>taniolata</i>	1859, { 310	<i>elephantopus</i>	1853, 12
<i>tahitensis</i>	1859, 320	<i>elongata</i>	1856, 181
<i>tenera</i>	1859, 289	<i>emys</i>	1849, 144
<i>tessellata</i>	{ 1859, 314	<i>erosa</i>	1858, 166
<i>textilis</i>	1860, 450	<i>gopher</i>	{ 1849, 17
<i>tiarella</i>	1859, 301	<i>græca</i>	{ 1856, 181
<i>tigrina</i>	1859, 276	<i>horsfieldi</i>	1856, 182
<i>tigrina</i>	1859, 281	<i>indica</i>	1853, 12
<i>torquata</i>	1859, 304	<i>mauritanica</i>	1848, 38
<i>traillii</i>	1859, 285	<i>planiceps</i>	1853, 12
<i>tricolor</i>	1859, 310	<i>radiata</i>	{ 1858, 166
<i>triseriata</i>	1859, 315	<i>radiata</i>	{ 1860, 371
<i>tristis</i>	1859, 306	<i>schoepfii</i>	1858, 166
<i>trochlea</i>	1859, 277	<i>senegalensis</i>	1858, 166
<i>tuberculosa</i>	1859, 303	<i>sulcata</i>	1858, 166
<i>tuberosa</i>	1859, 303	<i>tabulata</i>	{ 1848, 38
<i>undatella</i>	{ 1859, 300	<i>tabulata</i>	{ 1856, 181
<i>undulata</i>	1860, 450	<i>Tetrabothrium gerrardii</i> ..	1860, 448
<i>undulata</i>	{ 1859, 298	<i>Tetracerus iodes</i>	1850, 117
<i>ustulata</i>	1860, 450	<i>paccerois</i>	1850, 117
<i>varicosa</i>	1859, 294	<i>quadricornis</i>	{ 1850, 117
<i>variegata</i>	1850, 303	<i>quadricornis</i>	{ 1850, 170
<i>venosa</i>	{ 1859, 283	<i>subquadricornutus</i> ..	{ 1858, 522
<i>venosa</i>	1860, 449	<i>subquadricornutus</i> ..	1850, { 117
<i>verreauxi</i>	1859, 286	<i>subquadricornutus</i> ..	1850, { 170
<i>verreauxi</i>	1860, 449	<i>Tetragonops</i>	1857, 268
<i>violascens</i>	1859, 305	<i>Tetragonopterus senes</i> ..	1860, 319
<i>virginea</i>	1859, 310	<i>peruanus</i>	1859, 90
<i>virginea</i>	1860, 450	<i>rutilus</i>	1860, 234
<i>vittata</i>	1859, 321	<i>Tetrao coturnix</i>	1858, 504
<i>zebra</i>	{ 1859, 280	<i>francolinus</i>	1858, 502
<i>zebra</i>	1860, 449	<i>obscurus</i>	{ 1858, 1
<i>Terebratella australis</i> ..	1852, 76	<i>obscurus</i>	{ 1859, 236
<i>bouchardii</i>	1852, 77	<i>Tetraogallus himalay-</i>	1858, 501
<i>californiana</i>	1852, 76	<i>ensis</i>	{ 1859, 186
<i>cumingii</i>	1852, 78	<i>tibetanus</i>	1853, 47
<i>dorsata</i>	1852, 76	<i>Tetrarhynchus rugosus</i> ..	1853, 22
<i>evansii</i>	1852, 77	<i>strangulatus</i>	1853, 23
<i>grayii</i>	1852, 76	<i>Thais fuscus</i>	1851, 230
<i>rubicunda</i>	1852, 76	<i>hæmastoma</i>	1851, 230
<i>spitzbergensis</i>	1852, 78	<i>minuta</i>	1851, 230
<i>zealandica</i>	1852, 77	<i>patula</i>	1851, 230
<i>Terebratula capensis</i> ...	1852, 80	<i>persica</i>	1851, 230
<i>caput-serpentis</i> ...	1856, 368	<i>Thala roseata</i>	1854, 135
<i>depressa</i>	1852, 79	<i>Thalasseus torresii</i> ...	1858, 188
<i>neapolitana</i>	1852, 81	<i>Thalassidroma hornbyi</i> ..	1853, 62
<i>seminulum</i>	1852, 81	<i>neris</i>	{ 1859, 98
<i>Terebratulina cumingii</i> ..	1852, 79	<i>neris</i>	{ 1860, 390
<i>Teredo arenaria</i>	1858, 258	<i>ThalHELLa ornata</i>	1848, 44
<i>navalis</i>	1857, 245	<i>Thalotia australis</i>	1851, 172
<i>norvegica</i>	{ 1857, 245	<i>crenellifera</i>	1851, 173
<i>norvegica</i>	1857, 246	<i>elongata</i>	1851, 172
<i>Testacella haliotide</i> ...	1854, 163	<i>lehmanni</i>	1851, 172
		<i>obscura</i>	1851, 172

	Page		Page
<i>Thalotia picta</i>	1851, 172	<i>Thamnophilus capistratus</i>	1858, 218
<i>pulcherrima</i>	1851, 172	<i>capitalis</i>	1858, 65
<i>pyrgos</i>	1851, 172	214
<i>strigata</i>	1851, 172	<i>cinereus</i>	1858, 207
<i>suturalis</i>	1851, 173	<i>cinnamomeus</i>	1858, 209
<i>tringulata</i>	1851, 173	249
<i>zebrides</i>	1851, 173	<i>cirrhatu</i>	1858, 215
<i>zebuensis</i>	1851, 172	1855, 69
<i>Thalurania colombica</i> ..	1855, 141	<i>corvinus</i>	1858, 65
.....	1858, 460	1858, 210
<i>tschudii</i>	1860, 312	<i>cristatellus</i>	1858, 207
<i>verticeps</i>	1860, 95	<i>cristatus</i>	1858, 215
.....	1848, 13	1856, 141
<i>viridipectus</i>	1854, 111	1856, 295
.....	1857, 16	1858, 217
<i>Thalurina columbiana</i> ..	1852, 8	<i>doliatus</i>	1858, 457
<i>eriphile</i>	1852, 9	1859, 57
<i>furcata</i>	1852, 8	1859, 306
<i>glaucois</i>	1852, 9	1859, 383
<i>nigrofasciata</i>	1852, 8	<i>fasciatus</i>	1858, 220
<i>refulgens</i>	1852, 9	<i>ferrugineus</i>	1858, 213
<i>venusta</i>	1852, 9	<i>fuliginosus</i>	1858, 208
<i>verticeps</i>	1852, 9	222
<i>viridipectus</i>	1852, 9	<i>gigas</i>	1858, 207
<i>wagleri</i>	1852, 9	238
<i>watertoni</i>	1852, 9	<i>griseus</i>	1858, 239
<i>Thamnistes anabatinus</i> ..	1860, 299	288
.....	1854, 142	<i>gularis</i>	1858, 235
<i>Thamnobia fuscata</i> ..	1857, 94	<i>guttatus</i>	1858, 208
.....	1858, 491	249
<i>Thamnocenchris aurifer</i> ..	1860, 459	<i>hyperythrus</i>	1855, 70
<i>Thamnomanes caesus</i> ..	1858, 223	1858, 211
<i>glaucus</i>	1858, 223	1855, 143
.....	27	1858, 65
.....	65	<i>immaculatus</i>	1858, 211
<i>Thamnophilus aethiops</i> ..	1858, 212	1860, 89
.....	457	<i>jani</i>	1858, 288
<i>affinis</i>	1858, 288	<i>leachi</i>	1858, 207
<i>albicans</i>	1855, 148	1855, 18
<i>albicollis</i>	1858, 249	<i>leucauchen</i>	1858, 216
<i>albinuchalis</i>	1855, 18	<i>leuconotus</i>	1858, 246
.....	1858, 216	206
<i>albiventer</i>	1858, 209	<i>lineatus</i>	1858, 208
<i>amazonicus</i>	1858, 214	<i>luctuosus</i>	1858, 211
<i>ambiguus</i>	1858, 213	<i>lunulatus</i>	1858, 208
<i>aspersiventer</i>	1855, 148	<i>maculatus</i>	1858, 208
<i>aspersiventris</i>	1858, 217	213
<i>atricapillus</i>	1858, 215	65
<i>atropileus</i>	1858, 220	<i>maculipennis</i>	1858, 220
<i>axillaris</i>	1858, 288	<i>magnus</i>	1858, 209
<i>badius</i>	1858, 220	<i>major</i>	1858, 209
<i>bicolor</i>	1858, 209	1857, 133
<i>brevirostris</i>	1855, 148	<i>melanoceps</i>	1858, 65
.....	1856, 141	1858, 210
<i>bridgesi</i>	1858, 212	<i>melanocrissus</i>	1860, 252
<i>caerulescens</i>	1858, 213	1855, 19
<i>caesius</i>	1855, 19	<i>melanonotus</i>	1858, 216
.....	1858, 212		

	Page		Page
<i>Thamnophilus melano-</i>	1857, 133	<i>Thamnophilus tenuipunc-</i>	
<i>thorax</i>	1858, 210	<i>tatus</i>	1858, 219
	1855, 69	<i>torquatus</i>	1858, 220
	1855, 147		1855, 18
	1856, 142	<i>transandeanus</i> ...	1858, 210
	1857, 203		1860, 278
<i>melanurus</i>	1858, 65		1860, 294
	1858, 209	<i>undulatus</i>	1858, 207
	1859, 57	<i>ventralis</i>	1858, 213
	1859, 383	<i>vigorzi</i>	1858, 207
	1860, 252	<i>viridis</i>	1858, 208
<i>meleager</i>	1858, 208	<i>Thanasimus anthicoides</i> ..	1852, 43
<i>mentalis</i>	1858, 221	<i>capicola</i>	1852, 38
	1855, 148	<i>cursorius</i>	1852, 53
<i>multistriatus</i> ...	1858, 219	<i>irregularis</i>	1852, 38
	1855, 146	<i>sellatus</i>	1852, 42
<i>myiotherinus</i>	1858, 251	<i>subscutellaris</i>	1852, 44
	1855, 148	<i>Tharhaleus modularis</i> ..	1854, 118
	1858, 65	<i>Thaumalea picta</i>	1860, 183
<i>nævius</i>	1858, 213		1858, 358
	1860, 278	<i>Thaumatias candidus</i> ..	1859, 386
	1860, 294	<i>linnaei</i>	1855, 460
<i>niger</i>	1858, 208	<i>mulleri</i>	1857, 17
<i>nigricans</i>	1858, 213	<i>Thaumastura duponti</i> ..	1856, 288
	1855, 19	<i>Thaumasus gigas</i>	1856, 10
<i>nigrocinereus</i>	1858, 212	<i>Thaumatias ceruleiceps</i> ..	1860, 307
	1858, 288	<i>candidus</i>	1856, 287
<i>olivaceus</i>	1858, 541	<i>nitidifrons</i>	1860, 308
	1858, 208	<i>viridiceps</i>	1860, 307
<i>othello</i>	1858, 208	<i>Thecacera pennigera</i> ...	1859, 65
<i>pallhatus</i>	1858, 219	<i>leucurus</i>	1854, 109
<i>pectoralis</i>	1858, 220	<i>Therapsa solitaria</i>	1858, 172
	1858, 213	<i>Thlypopsis fulvescens</i> ..	1856, 112
<i>pileatus</i>	1858, 233	<i>fulviceps</i>	1856, 112
	1854, 112	<i>Thracia curta</i>	1856, 210
<i>quixensis</i>	1858, 66	<i>magnifica</i>	1849, 170
	1858, 241	<i>squamosa</i>	1855, 229
<i>radiatus</i>	1858, 218	<i>Thrasops flavigularis</i> ..	1858, 162
<i>rufater</i>	1858, 239	<i>Thraupis cana</i>	1856, 232
<i>ruficapillus</i>	1858, 220	<i>cyanoccephala</i>	1856, 236
<i>ruficeps</i>	1858, 207	<i>cyanoptera</i>	1856, 234
<i>ruficollis</i>	1858, 214	<i>episcopus</i>	1856, 232
	1854, 112	<i>glaucozona</i>	1856, 233
<i>rufiventris</i>	1858, 67	<i>olivascens</i>	1856, 234
	1858, 241	<i>ornata</i>	1856, 234
<i>rufus</i>	1858, 207	<i>sayaca</i>	1856, 234
<i>scalaris</i>	1858, 220	<i>vicarius</i>	1856, 235
	1855, 148	<i>Threnetes cervinicauda</i> ..	1854, 109
<i>schistaceus</i>	1858, 223		111
<i>severus</i>	1858, 208	<i>Threpterus maculosus</i> ..	1850, 70
<i>stagurus</i>	1858, 209	<i>Thryothorus albigpectus</i> ..	1860, 273
	1854, 112	<i>bewickii</i>	1859, 372
<i>stellaris</i>	1858, 220	<i>coraya</i>	1858, 64
	1858, 222	<i>euphrys</i>	1860, 74
<i>striatothorax</i>	1858, 221	<i>fasciatoventris</i> ..	1855, 143
<i>striatus</i>	1858, 250		1857, 4
	1858, 65	<i>felix</i>	1859, 371
<i>strigilatus</i>	1858, 215	<i>maculipectus</i>	1856, 290
<i>swainsoni</i>	1858, 208		

	Page		Page
<i>Thryothorus maculi-</i>	1859, { 363	<i>Tillus (Macrotelus) uni-</i>	
<i>pectus</i>	372	<i>formis</i>	1852, 37
<i>mexicanus</i>	1855, 66	(<i>Tillicerus</i>) <i>chaly-</i>	
<i>modulator</i>	1858, 63	<i>beus</i>	1852, 41
<i>mystacalis</i>	1860, { 64	<i>Timalia erythronota</i>	1854, 276
	74	<i>erythroptera</i>	1854, 276
<i>nigricapillus</i>	1860, { 84	<i>gnsea</i>	1854, 103
	291	<i>hyperythra</i>	1854, 103
<i>rufalbus</i>	{ 1855, 143	<i>hypoleuca</i>	{ 1854, 103
<i>rutilans</i>	{ 1856, 140		{ 1857, 94
<i>rutilus</i>	{ 1855, 143	<i>maculata</i>	{ 1858, 488
<i>stratulus</i>	{ 1855, 143	<i>malcolmu</i>	{ 1854, 276
<i>Thylacinus cynocephalus</i>	{ 1850, 89	<i>nigricollis</i>	{ 1854, 276
<i>lus</i>	{ 1855, 188	<i>pectoralis</i>	{ 1854, 276
<i>Thymallus vulgaris</i>	1848, 88	<i>pyrrhophæa</i>	{ 1854, 276
<i>Thynnus vulgaris</i>	1860, 205	<i>trichorros</i>	{ 1854, 275
<i>Tiara speciosa</i>	1853, 99	<i>Tinamus boucardi</i>	1859, 391
<i>Tiaris cruenta</i>	1860, 276	<i>canus</i>	1857, 20
	{ 151	<i>castaneus</i>	1857, 277
<i>elliotti</i>	{ 160	<i>julius</i>	{ 1855, 163
	167		{ 1858, 76
<i>olivaceus</i>	1856, 304	<i>major</i>	{ 1859, 63
<i>pusillus</i>	{ 1855, 159	<i>meserythrus</i>	{ 1859, 392
	{ 1856, 304	<i>parvirostris</i>	{ 1857, 277
<i>Tichodroma muraria</i> ..	{ 1858, 494	<i>robustus</i>	{ 1860, 253
	1859, 174	<i>sallæi</i>	1859, { 369
<i>Tiga amictus</i>	1859, 456	<i>tataupa</i>	1857, 277
<i>intermedia</i>	1859, 456		1850, 215
<i>tridactyla</i>	1859, { 150	<i>Tinnunculus alaudarius</i> ..	{ 1858, 473
	151	<i>cenchris</i>	1858, 473
<i>Tigris regalis</i> ..	1858, 513	<i>moluccensis</i>	1860, 343
	{ 1857, 268		{ 1856, 284
<i>Tigrisoma brasiliense</i> ..	{ 1859, 63		{ 1857, 125
	1860, 72		{ 1857, 231
<i>leucolophum</i>	1860, 371		{ 1858, 205
	{ 1849, 106		{ 1858, 357
	{ 1855, 163	<i>sparverius</i>	{ 1858, 554
	{ 1857, 268		{ 1859, 52
<i>tigrinum</i>	{ 1858, 359		{ 1859, 147
	{ 1858, 461		{ 1859, 236
	{ 1860, 253		{ 1859, 368
	{ 1860, 290		{ 1859, 390
	{ 114		{ 1860, 96
	{ 160		{ 1855, 77
	{ 167		{ 1855, 150
<i>Tilqua rufescens</i>	1860, { 169	<i>Tityra albitorques</i>	{ 1857, 71
	170		{ 1859, 56
	{ 171		{ 1859, 384
	{ 172	<i>atricapilla</i>	1857, 72
<i>schlegelii</i>	1860, { 153	<i>brasiliensis</i>	1857, 70
	160	<i>castanea</i>	1857, 79
<i>Tillicerus chalybeus</i>	1852, 41		{ 1855, 150
<i>Tillus afzelii</i>	1852, 38	<i>cayana</i>	{ 1857, 69
<i>dux</i>	1852, 46		{ 1857, 265
(<i>Macrotelus</i>) <i>subno-</i>			
<i>tatus</i>	1852, 37		

	Page		Page
<i>Tityra cinerea</i>	1857, 69	<i>Todirostrum grana-</i>	1855, 77
<i>habia</i>	1856, 78	<i>dense</i>	1855, 148
<i>inquisitrix</i>	1857, { 18	<i>gulare</i>	1857, 84
<i>leuconota</i>	1857, 72	<i>maculatum</i>	1855, 149
<i>marginata</i>	1854, 113	<i>margaritaceiventre</i>	1857, 83
<i>mexicana</i>	1856, 141	<i>multicolor</i>	1855, 84
<i>personata</i>	1856, 297	<i>nigriceps</i>	1855, 67
<i>pileata</i>	1857, 70	<i>palpebrosum</i>	1855, 77
<i>rufa</i>	1857, 70	<i>pectorale</i>	1855, 148
<i>semifasciata</i>	1859, 366	<i>picatum</i>	1857, 84
<i>surinama</i>	1859, 385	<i>pohiocephalum</i>	1857, 84
<i>vieillota</i>	1860, 295	<i>ruficeps</i>	1855, 67
<i>viridis</i>	1857, 72	<i>ruficeps</i>	1855, 77
<i>Tivela tripla</i>	1857, 72	<i>ruficeps</i>	1855, 148
<i>vulgaris</i>	1851, 232	<i>ruficeps</i>	1855, 149
<i>Toccus hartlaubi</i>	1851, 232	<i>ruficeps</i>	1857, 83
<i>Tockus erythrorhynchus</i>	1860, 380	<i>ruficeps</i>	1857, 84
<i>Todirhamphus collaris</i> ..	1850, 219	<i>ruficeps</i>	1859, 144
<i>diops</i>	1854, 269	<i>rufilatum</i>	1855, 67
<i>lazuhi</i>	1860, 346	<i>schistaceiceps</i>	1857, 84
<i>occipitalis</i>	1860, 346	<i>spiciferum</i>	1859, 384
<i>pectoralis</i>	1854, 269	<i>spiciferum</i>	1855, 67
<i>ruficeps</i>	1851, 52	<i>spiciferum</i>	1857, 84
<i>varius</i> ..	1851, 52	<i>spiciferum</i>	1858, 70
<i>Todirostrum auriculare</i> ..	1854, 268	<i>squamicristatum</i> ..	1855, 148
<i>calopteryx</i>	1857, 84	<i>squamicristatum</i> ..	1857, 84
<i>capitale</i>	1857, 82	<i>squamicristatum</i> ..	1858, 70
<i>chrysocrotaphum</i> ..	1857, 83	<i>striaticolle</i>	1859, 144
<i>cinereigulare</i>	1858, 70	<i>striaticolle</i>	1860, 283
<i>cinereum</i>	1855, 67	<i>striaticolle</i>	1860, 295
<i>exile</i>	1855, 67	<i>sylvia</i>	1855, 67
<i>flavifrons</i>	1855, 148	<i>sylvia</i>	1857, 84
<i>fumifrons</i>	1856, 141	<i>Todopsis bonapartii</i>	1857, 84
<i>furcatum</i>	1857, 82	<i>caeruleocephala</i>	1859, 156
<i>galeatum</i>	1857, 203	<i>cianocephala</i>	1858, 177
<i>gracilipes</i>	1858, 458	<i>cianocephala</i>	1859, 156
<i>granadense</i>	1860, 283	<i>Todus angustirostris</i> ...	1857, 233
		<i>cineus</i>	1855, 67
		<i>cineus</i>	1857, 83
		<i>cianocephalus</i> ...	1858, 177
		<i>dominicensis</i>	1859, 156
		<i>macrorhynchus</i>	1857, 233
		<i>marginatus</i>	1854, 267
		<i>melanocephalus</i>	1857, 77
		<i>melanocephalus</i>	1855, { 67
			148

	Page		Page
<i>Todus melanocephalus</i> ..	1857, 83	<i>Totanus griseopygius</i> ..	1860, 364
<i>nasutus</i>	1854, 267	<i>hypoleucus</i>	{ 1850, 221
<i>subulatus</i>	1857, 233	{ 1851, 146	
<i>Tolypeutes trinctus</i> ..	1851, 216	{ 1860, 364	
<i>Tomigerus principalis</i> ..	1849, 14	<i>macropterus</i>	1855, 163
<i>venezuelensis</i>	1856, 36	<i>ochropus</i>	1850, 189
<i>Tomodon dorsatus</i>	1860, 455	<i>pulverulentus</i>	1860, 364
<i>lineatus</i>	1860, 455	<i>solitarius</i>	{ 1856, 310
<i>strigatus</i>	1860, 455	{ 1853, 461	
<i>Tomopterna delalandii</i> ..	1860, 165	<i>vociferus</i>	{ 1855, 163
<i>strigata</i>	1860, 165	{ 1857, 215	
	170	(<i>Glottis</i>) <i>horsfieldi</i> ..	1860, 364
<i>Tomopterus onisciformis</i> ..	1853, 94	(<i>Tringoides</i>) <i>hypo-</i>	
<i>Toreumatia concava</i> ..	1855, 39	<i>leucus</i>	1860, 364
<i>granulosa</i>	1855, 39	<i>Toxicodryas blandingii</i> ..	1858, 159
<i>hardwickii</i>	1855, 39	<i>Toxostoma crissalis</i>	1859, 339
<i>reevesii</i>	1855, 39	<i>curvirostre</i>	{ 1857, 126
<i>Toria capellei</i>	1859, 464	{ 1857, 212	
<i>nipalensis</i>	1859, 464	{ 1859, 339	
<i>Tornatella bevaletii</i>	1854, 59	<i>lecontii</i>	{ 1857, 126
<i>concinna</i>	1854, 61	{ 1859, 339	
<i>coniformis</i>	1854, 9	<i>rediviva</i>	1859, 339
<i>fasciata</i>	1854, 59	<i>redivivum</i>	1857, 126
<i>flammea</i>	1854, 59	{ 1857, 20	
<i>glabra</i> ..	1854, 61	<i>vetula</i>	{ 1857, 126
<i>insculpta</i>	1854, 61	{ 1859, 339	
<i>nitidula</i>	1854, 61	<i>Trachinus vipera</i>	1860, 416
<i>oryza</i>	1854, 59		{ 161
<i>pedipes</i>	1854, 218	<i>Trachischium fuscum</i> ..	1860, 167
<i>pellucida</i>	1854, 59		{ 171
<i>punctostriata</i>	1854, 59		{ 172
<i>pusilla</i>	1854, 59	<i>obscurostriatum</i> ..	1860, 161
<i>senegalensis</i>	1854, 59		{ 167
<i>sieboldii</i>	1854, 59	<i>rugosum</i>	1860, 161
<i>solidula</i>	1854, 61	<i>Trachycomus ochroce-</i>	
<i>tessellata</i>	1854, 61	<i>phalus</i>	1854, 279
<i>venusta</i>	1854, 59	<i>Trachydosaurus rugosus</i> ..	1860, 243
<i>virgata</i>	1854, 59	<i>Trachyphonus cafer</i>	1859, 399
<i>Tornatellina achatinoides</i> ..	1852, 68	<i>margaritatus</i>	{ 1850, 219
<i>cumingiana</i>	1849, 134	{ 1859, 399	
<i>gouldi</i>	1856, 335	<i>purpuratus</i>	1859, 399
<i>kusteri</i>	1854, 295	<i>squamiceps</i>	1859, 399
<i>mauritiana</i>	1852, 150	<i>subsulfureus</i>	1859, 398
<i>newcombii</i>	1856, 335	<i>vallanti</i>	1859, 399
<i>nitida</i>	1860, 439	<i>Trachypterus falx</i>	1860, 248
<i>novoseelandica</i>	1852, 149	<i>gryphurus</i>	1850, 248
<i>perforata</i>	1856, 336	<i>iris</i>	1860, 248
<i>petitiana</i>	1855, 1	<i>vogmarus</i>	1851, 117
<i>Tornatina cerealis</i>	1856, 203		{ 1848, 89
<i>culcitella</i> ..	1856, 203	<i>Tragelaphus angasi</i> ..	{ 1850, 144
<i>gracilis</i>	1860, 19	{ 1850, 199	
<i>inculta</i> ..	1856, 203	<i>cari</i>	1850, 146
<i>sandwicensis</i>	1860, 19	<i>decula</i>	1850, 145
<i>Totanus calidris</i>	1858, 500	<i>euryceros</i>	1850, 144
<i>glottis</i>	{ 1851, 146	<i>hippelaphus</i>	1850, 146
{ 1858, 505		<i>scriptus</i>	1850, 145
<i>griseopygius</i>	1848, 39	<i>sylvaticus</i>	1850, 145

	Page		Page
<i>Tragocephala angolator</i> .	1856, 12	<i>Trichas marilandica</i>	1856, 202
<i>buquetiana</i>	1856, 14	<i>nigricristatus</i>	{ 1855, 143
<i>chevrolatii</i>	1856, 13		{ 1860, 74
<i>comitessa</i>	1856, 13	<i>personata</i>	1856, 202
<i>ducalis</i>	1856, 13	<i>Trichastoma abbottii</i> . .	1854, 70
<i>formosa</i>	1856, 12	<i>rostratum</i>	1854, 276
<i>galathea</i>	1856, 12	<i>Trichecus rosamarus</i> . . .	1853, 103
<i>gemmaia</i>	1856, 14	<i>Trichixos pyrrhopyga</i> . .	1854, 275
<i>guerini</i>	1856, 14	<i>Trichoglossus capistratus</i>	1858, 183
<i>lucia</i>	1856, 12		{ 1858, 183
<i>nobilis</i>	1856, 12	<i>coccineifrons</i>	{ 1860, 227
<i>picta</i>	1856, 14	<i>concinus</i>	1860, 371
<i>pulchella</i>	1856, 12	<i>cyanogrammus</i>	{ 1860, 226
<i>scemca</i>	1856, 14		{ 1857, 357
<i>tenuicornis</i>	1856, 14	<i>euteles</i>	1860, 226
<i>trifasciella</i>	1856, 12	<i>forsteni</i>	1860, 226
<i>variegata</i>	1856, 12	<i>hæmatodus</i>	{ 1860, 227
<i>Tragomma bennettii</i> . .	1850, 168		{ 1857, 357
<i>Tragopan hastingii</i> . . .	1858, 498	<i>iris</i>	1860, 226
<i>Tragops bennethi</i>	{ 1850, 116	<i>massena</i>	1860, 228
	{ 1858, 522		{ 1858, 183
<i>Tragus javanicus</i>	1859, 432	<i>nigrogularis</i>	{ 1859, 159
<i>Tragus dorcax</i>	1850, 137		{ 1860, 227
<i>Tralia angiosstoma</i>	1854, 11	<i>ornatus</i>	{ 1860, 226
<i>cingulata</i>	1854, 11		{ 1857, 417
<i>costata</i>	1854, 12	<i>placens</i>	1860, 226
<i>elongata</i>	1854, 11		{ 1857, 227
<i>exarata</i>	1854, 13	<i>placentis</i>	1860, 357
<i>exigua</i>	1854, 11	<i>rubritorquus</i>	1857, 27
<i>fasciata</i>	1854, 11	<i>swainsoni</i>	1860, 372
<i>floridiana</i>	1854, 11	<i>versicolor</i>	1857, 27
<i>globula</i>	1854, 11	<i>Tricholæma flavipunctata</i>	1859, 397
<i>granifera</i>	1854, 12	<i>hirsuta</i>	1859, 396
<i>infrequens</i>	1854, 11	<i>Trichomaplata vittata</i> . .	1849, 105
<i>kusterii</i>	1854, 11	<i>Trichophorus emerascens</i>	1858, 293
<i>maura</i>	1854, 11	<i>crispiceps</i>	1854, 279
<i>mitralis</i>	1854, 13	<i>flavicaudus</i>	1860, 351
<i>nitidula</i>	1854, 12	<i>flavicollis</i>	1858, 293
<i>olivula</i>	1854, 11	<i>sulphureus</i>	1860, 351
<i>panamensis</i>	1854, 10	<i>Trichothraupis albicollis</i>	1856, 118
<i>pellucida</i>	1854, 11		{ 1855, 156
<i>puchella</i>	1854, 11	<i>penicillata</i>	{ 1850, 118
<i>pusilla</i>	1854, 10	<i>quadricolor</i>	1856, 117
<i>Treron aromatica</i>	1860, 360	<i>Trichotropis bicarinatus</i> .	1853, 38
<i>bicincta</i>	1859, { 150	<i>borealis</i>	{ 1853, 38
	{ 151		{ 41
<i>ionogaster</i>	1860, 350	<i>gouldii</i>	1856, 360
<i>magnirostris</i>	1859, 464	<i>Trictenotoma ænea</i>	1856, 9
<i>nipalensis</i>	1859, 464	<i>childrenii</i>	1856, 9
<i>nudirostris</i>	1860, 112	<i>grayii</i>	1856, 9
	{ 1858, 497	<i>templetoni</i>	1856, 9
<i>phœnicoptera</i>	{ 1859, 188	<i>Trifons macandrewæ</i>	1856, 1
	{ 1859, 466	<i>Trigla hamata</i>	1859, 105
<i>vernans</i>	{ 1860, 360	<i>interpres</i>	1859, 166
<i>viridis</i>	1859, 151	<i>lyra</i>	1859, 104
<i>Tricus crinitus</i>	1857, 84	<i>pectoralis</i>	1859, 180
<i>Trichas delafeldi</i>	1856, 293	<i>Triglyphodon fuscum</i> . .	1858, 162
<i>luteoviridis</i>	1855, 143		

	Page		Page
<i>Triglyphodon fuscum</i> ..	1858, 164	<i>Trionyx labiatus</i>	1858, 167
<i>Trigona crassatelloides</i> ..	1856, 216	<i>mortoni</i>	1858, 167
<i>tantilla</i>	1856, 201	<i>Triphorus affinis</i>	1860, 434
<i>Trigonia jukesii</i>	1849, 159	<i>albidus</i>	1851, 278
<i>lamareckii</i>	1849, 159	<i>alternata</i>	1860, 434
<i>margaritacea</i>	1849, 159	<i>cingulatus</i>	1851, 279
<i>nobilis</i>	1853, 73	<i>cingulifera</i>	1860, 434
<i>pectinata</i>	1849, 159	<i>clavata</i>	1860, 434
<i>strangei</i>	1852, 91	<i>festivus</i>	1851, 278
<i>Trigonocephalus affinis</i> ..	1860, { 164	<i>flammulata</i>	1860, 434
		<i>fucata</i>	1860, 433
		<i>incisa</i>	1860, 434
<i>blomhoffii</i>	{ 1858, 378	<i>labiatus</i>	1851, 279
	{ 1860, 173	<i>nigrofuscus</i>	1851, 278
<i>halys</i>	{ 1858, 378	<i>pulchellus</i>	1851, 278
	{ 1860, 172	<i>scitulus</i>	1851, 278
<i>hypnalis</i>	1858, 383	<i>triticea</i> ..	1860, 433
<i>Trigonophorus delesserti</i> ..	1856, 15	<i>variegatus</i>	1851, 277
<i>hookeri</i>	1856, 14	<i>vestalis</i> ..	1851, 278
<i>Trilatitius blepotis</i> ...	1858, 121	<i>Tripsurus auritus</i>	1859, 457
<i>Trimesurus albolabris</i> ..	1860, 115	<i>Triptorhinus orthonyx</i> ..	1856, 142
<i>bicolor</i>	1860, { 164	<i>Triquetra contorta</i>	1858, 91
	{ 166	<i>lanceolata</i>	1858, 91
<i>elegans</i>	1860, { 164	<i>Tritia concinna</i>	1851, 112
	{ 160	<i>costellifera</i>	1851, 113
<i>maculatus</i>	1860, 164	<i>dealbata</i>	1851, 112
<i>Tringa bonapartii</i>	1860, 387	<i>gayii</i>	1851, 112
<i>cinerea</i>	1851, 146	<i>reticulata</i>	1851, 112
<i>helvetica</i>	1860, 363	<i>sulcata</i>	1851, 112
<i>hyperborea</i>	1858, 188	<i>trifasciata</i>	1851, 113
<i>hypoleuca</i>	1860, 364	<i>trivittata</i>	1851, 112
<i>interpres</i>	1860, 363	<i>Triton africanus</i>	1854, 312
<i>minuta</i> ..	1858, 506	<i>anomalus</i>	1851, 111
<i>pectoralis</i>	{ 1856, 310	<i>asper</i>	1858, 141
	{ 1858, 556	<i>hibronii</i>	1858, 143
<i>pugnax</i>	{ 1851, 146	<i>boltenianus</i>	1854, 311
	{ 1860, 258	<i>chemnitzii</i>	1856, 209
<i>pusilla</i>	1856, 311	<i>comptus</i>	1854, 312
<i>rufescens</i>	1860, 108	<i>crebristriatus</i>	1856, 165
<i>schinzii</i>	1860, 387		{ 1856, 346
<i>subarquata</i>	{ 1851, 146	<i>cristatus</i>	{ 1858, 143
	{ 1860, 365		{ 1860, 204
<i>urvilli</i>	1860, 386	<i>laevis</i>	1858, 141
<i>variabilis</i>	1851, 146	<i>marmoratus</i>	1858, 143
<i>wilsoni</i>	{ 1859, 237	<i>minor</i>	1858, 139
	{ 1860, 253	<i>obscurus</i>	1854, 312
<i>Tringoides hypoleuca</i> .	1859, 189	<i>perforatus</i>	1856, 209
	1860, 365	<i>punctatus</i>	1858, 141
	{ 1857, 215	<i>puncticulatus</i>	1858, 139
<i>macularius</i>	{ 1858, 450	<i>pusilla</i>	1860, 434
	{ 1858, 461	<i>pyriformis</i>	1854, 302
	{ 1860, 254	<i>subcristatus</i>	1858, 391
	{ 1860, 298	<i>vittatus</i>	1858, 140
<i>Triumphalia cumingii</i> ..	1849, 161	<i>Tritonella anomala</i>	1851, 111
<i>globosa</i>	1849, 160	<i>ascanius</i>	1851, 111
<i>pulcherrima</i>	1849, 161	<i>decussata</i>	1851, 111
<i>Trionyx aegyptiacus</i>	1858, 167	<i>dentifera</i>	1851, 111

	Page		Page
<i>Tritonella fasciata</i>	1851, 111	<i>Trochilus sabinæ</i>	1855, 140
<i>festiva</i>	1851, 111	<i>saucerotti</i>	1848, 14
<i>fuscata</i>	1851, 112	<i>spencei</i>	1848, 12
<i>multigrana</i>	1851, 112	<i>strophianthus</i>	1848, 12
<i>obliqueplicata</i>	1851, 112	<i>uropygialis</i>	1855, 140
<i>scabriuscula</i>	1851, 111	(<i>Selosphorus</i>) <i>scin-</i>	
<i>signata</i>	1851, 112	<i>tilla</i>	1850, 162
<i>tritoniiformis</i>	1851, 111	(<i>Thalurania</i>) <i>venusta</i>	1850, 163
<i>Tritonia hawaiiensis</i> ...	1860, 33	(<i>Thaumatias</i> ^p) <i>chi-</i>	
<i>varicosa</i>	1851, 111	<i>onura</i>	1850, 162
<i>Triumphus distorta</i>	1856, 41	<i>Trochiscus norrisii</i>	1856, 224
<i>Trochalopteron rufigulare</i>	1858, 488	<i>Trochita spirata</i>	1850, 271
<i>rufogulare</i>	1859, 182		152
<i>Trochatella excavata</i> ..	1855, 101		154
<i>Trochetia subviridis</i>	1850, 52		156
<i>Trochilus allardi</i>	1855, 140		163
<i>amabilis</i>	1851, 115		164
<i>amethysticollis</i>	1848, 12	<i>Trochus</i> —	1851, 165
<i>bonapartii</i>	1848, 11		166
<i>brachyrhynchus</i>	1855, 140		179
<i>brevirostris</i>	1850, 163		184
<i>?</i> <i>cæruleogularis</i> ..	1850, 163		185
<i>caligatus</i>	1848, 14		191
<i>?</i> <i>castaneoventris</i> ..	1850, 163	<i>acutangulus</i>	1851, 150
<i>cephalus</i>	1857, 227	<i>acutus</i>	1851, 151
<i>clausse</i>	1848, 12	<i>adansonii</i>	1851, 185
	{ 1856, 287	<i>adelaidæ</i>	1851, 186
<i>colubris</i>	{ 1857, 212	<i>ægyptiacus</i>	1851, 184
	{ 1859, 367	<i>agathensis</i>	1851, 185
	{ 1859, 386	<i>agrestis</i>	1851, 158
<i>coruscus</i>	1855, 140		180
<i>cupripennis</i>	1848, 12	<i>alabastrites</i>	1850, 271
<i>cuvieri</i>	1856, 140	<i>albidus</i>	1851, 163
<i>cyanicollis</i>	1853, 61	<i>annulatus</i>	1851, 164
<i>cyanurus</i>	1855, 140	<i>antoni</i>	1851, 165
<i>edwardi</i>	1850, 164	<i>anus</i>	1851, 159
<i>eos</i>	1848, 11	<i>argyrostomus</i>	1851, 180
<i>erythronotus</i>	{ 1848, 14	<i>armillatus</i>	1851, 164
	{ 1850, 164	<i>asper</i>	1851, 154
<i>exortus</i>	1855, 140	<i>asperulus</i>	1851, 150
<i>floriceps</i>	1853, 62	<i>ater</i>	1851, 180
	{ 1852, 8	<i>atratus</i>	1851, 178
<i>furcatus</i>	{ 1858, 460	<i>atropurpureus</i>	1851, 180
	{ 1860, 312	<i>attenuatus</i>	1851, 172
<i>goudotii</i>	1850, 163	<i>aureotinctus</i>	1856, 224
<i>guerini</i>	1848, 14	<i>australis</i>	1851, 171
<i>helanthea</i>	1848, 11		172
<i>lafresnayi</i>	1855, 140	<i>badius</i>	1851, 170
<i>latirostris</i>	1858, 297	<i>belcheri</i>	1854, 39
<i>leadbeateri</i>	1849, 96	<i>bellulus</i>	1851, 171
<i>lindenni</i>	1848, 14	<i>benzi</i>	1851, 188
<i>longirostris</i>	1850, 163	<i>biasoletti</i>	1851, 184
<i>mavors</i>	1848, 12	<i>bicanaliculatus</i>	1851, 181
<i>nigrofasciatus</i>	1848, 13	<i>bicingulatus</i>	1851, 166
<i>niveoventer</i>	1850, 164	<i>bicolor</i>	1851, 191
<i>pamela</i>	1848, 12	<i>brazilianus</i>	1851, 156
<i>parvirostris</i>	1855, 140	<i>byronianus</i>	1851, 156
<i>rufus</i>	1850, 162	<i>cærulescens</i>	1851, 161

	Page		Page
<i>Trochus callichrous</i>	1851, 166	<i>Trochus eximius</i>	1851, 165
<i>calliferus</i>	1851, 188	<i>fanulum</i>	1851, 184
<i>calyculus</i>	1851, 188	<i>fasciatus</i>	1851, 185
	1854, 39	<i>fastigiatus</i>	1851, 160
<i>canaliculatus</i>	1851, 185	<i>fenestratus</i>	1851, 161
<i>capensis</i>	1851, 185	<i>filosus</i>	1851, 165
<i>carinatus</i>	1851, 181		1856, 224
<i>carniferus</i>	1851, 152	<i>flammiger</i>	1856, 355
<i>carneus</i>	1851, 166	<i>flavidus</i>	1856, 354
	1850, 271	<i>formosus</i>	1851, 163
<i>castaneus</i>	1851, 165	<i>foveolatus</i>	1851, 151
	1856, 224	<i>fragilis</i>	1851, 103
<i>cateniferus</i>	1856, 224	<i>fulguratus</i>	1851, 179
<i>chlorostomus</i>	1851, 166	<i>fumosus</i>	1851, 186
<i>cicer</i>	1851, 181	<i>fuscatus</i>	1851, 184
<i>ciliaris</i>	1851, 165	<i>fuscescens</i>	1851, 157
<i>cinerarius</i>	1851, 184	<i>gabaldianus</i>	1851, 185
<i>cinereus</i>	1851, 156		1851, 182
<i>cingulatus</i>	1851, 178	<i>gallina</i>	1856, 224
<i>clanguloides</i>	1851, 158	<i>gemmosus</i>	1851, 165
<i>clangulus</i>	1851, 158	<i>gylus</i>	1851, 166
<i>clelandi</i>	1851, 166	<i>granatum</i>	1851, 164
<i>concameratus</i>	1851, 178	<i>granulatus</i>	1851, 163
<i>concauus</i>	1851, 152	<i>guanicus</i>	1851, 158
<i>concinuus</i>	1851, 154	<i>gunneensis</i>	1851, 158
<i>conicus</i>	1851, 165	<i>hanleyanus</i>	1851, 154
<i>conuloides</i>	1851, 163	<i>ignobilis</i>	1851, 155
<i>conulus</i>	1851, 165	<i>impervius</i>	1851, 182
<i>conus</i>	1851, 150	<i>inæqualis</i>	1851, 153
<i>corallinus</i>	1851, 153	<i>incarnatus</i>	1851, 155
	1851, 159	<i>incrassatus</i>	1851, 154
<i>corrugatus</i>	1854, 41	<i>indecorus</i>	1851, 179
<i>costalis</i>	1851, 190	<i>indistinctus</i>	1851, 164
<i>costatus</i>	1851, 153	<i>inflatus</i>	1851, 184
<i>crassus</i>	1851, 179	<i>interruptus</i>	1851, 164
<i>crenulatus</i>	1851, 164	<i>iridis</i>	1851, 169
<i>crinitus</i>	1851, 179	<i>iris</i>	1851, 169
<i>cruciatu</i>	1851, 156	<i>irisodontes</i>	1851, 171
<i>cumingii</i>	1851, 150	<i>javanicus</i>	1854, 40
<i>decoratus</i>	1851, 165	<i>jucundus</i>	1851, 185
<i>delicatulus</i>	1851, 152	<i>juyubinus</i>	1851, 165
<i>dentatus</i>	1851, 151	<i>kochii</i>	1851, 152
<i>depictus</i>	1851, 165	<i>laevigatus</i>	1851, 181
<i>depressus</i>	1851, 153		185, 181
<i>discrepans</i>	1851, 103	<i>levis</i>	1851, 181
<i>divaricatus</i>	1851, 184	<i>langieri</i>	1851, 164
	1851, 163		1851, 172
<i>doliarius</i>	1856, 224	<i>lehmanni</i>	1854, 41
<i>dubius</i>	1851, 165	<i>lenticularis</i>	1850, 203
<i>electissimus</i>	1851, 184	<i>leucostigma</i>	1851, 171
<i>elegantulus</i>	1851, 154		1851, 165
<i>elongatus</i>	1851, 172	<i>ligatus</i>	1856, 224
<i>erythroleucus</i>	1851, 165	<i>limbatus</i>	1851, 158
<i>euryomphalus</i>	1851, 181	<i>lineatus</i>	1851, 184
<i>euxinicus</i>	1851, 185	<i>lineolatus</i>	1851, 184
<i>exasperatus</i>	1851, 165	<i>listeri</i>	1851, 152
<i>excavatus</i>	1851, 156	<i>littoralis</i>	1851, 184
<i>exiguus</i>	1851, 165	<i>ludwigi</i>	1851, 159

	Page		Page
<i>Trochus lugubris</i>	1851, 181	<i>Trochus pellis-serpentis</i>	1851, 182
<i>luridus</i>	{ 1851, 186	<i>perforatus</i>	1851, 184
<i>lyonsii</i>	1851, 224	<i>personatus</i>	1851, 189
<i>maculatus</i>	{ 1856, 183	<i>perspectivus</i>	1851, 186
<i>magulus</i>	1851, 184	<i>pfeufferi</i>	1851, 181
<i>magus</i>	1851, 184	<i>pharaonis</i>	1851, 187
<i>marcidus</i>	1856, 204	<i>philberti</i>	1851, 185
<i>margaritus</i>	1851, 189	<i>picoides</i>	1856, 204
<i>marginatus</i>	1851, 181	<i>pictus</i>	1851, 172
<i>marmoratus</i>	1851, 150	<i>porcatus</i>	1851, 172
<i>martini</i>	1851, 186	<i>prasinus</i>	1851, 151
<i>matonii</i>	1851, 184	<i>preissianus</i>	1854, 40
<i>maugeri</i>	1851, 158	<i>preissii</i>	1851, 172
<i>mauritanus</i>	1851, 151	<i>pulcherrimus</i>	1851, 172
<i>maximus</i>	1851, 150	<i>pulligo</i>	1851, 182
<i>mediterraneus</i>	1851, 158	<i>punctatus</i>	1851, 164
<i>melaleucos</i>	1851, 156	<i>punctulatus</i>	1851, 179
<i>melanoloma</i>	1851, 179	<i>purpuratus</i>	1851, 169
<i>merula</i>	1851, 181	<i>pustulosus</i>	1851, 155
<i>metaformis</i>	1851, 186	<i>pyramidatus</i>	1851, 164
<i>microstomus</i>	1851, 181	<i>pyramis</i>	1851, 164
<i>milharis</i>	1851, 186	<i>pyrgos</i>	1851, 172
<i>millegrammus</i>	1851, 186	<i>quadratus</i>	1851, 184
<i>minatus</i>	1851, 186	<i>quadricarinatus</i>	1851, 156
<i>minutus</i>	1851, 186	<i>quadricostatus</i>	1851, 156
<i>modestus</i>	1851, 156	<i>racketti</i>	1851, 184
<i>modulus</i>	1850, 203	<i>radiatus</i>	1851, 152
<i>mcestus</i>	1851, 180	<i>radula</i>	1851, 178
<i>montagui</i>	1851, 184	<i>rarinineatus</i>	1851, 184
<i>multicolor</i>	1851, 185	<i>regius</i>	1851, 183
<i>nassaviensis</i>	1851, 185	<i>reticularis</i>	1851, 178
<i>neritoides</i>	1851, 189	<i>reticulatus</i>	1851, 184
<i>niger</i>	1854, 40	<i>richardi</i>	1851, 181
<i>nigerrimus</i>	{ 1851, 180	<i>rotelliformis</i>	1851, 186
<i>niloticus</i>	{ 1854, 40	<i>rubro-flammulatus</i>	1851, 156
<i>nitens</i>	1851, 150	<i>rusticus</i>	1851, 180
<i>nitidulus</i>	1851, 185	<i>saga</i>	1851, 162
<i>nitidulus</i>	1851, 189	<i>sagittiferus</i>	1851, 181
<i>nitilagineus</i>	1851, 190	<i>sartorii</i>	1851, 165
<i>noduliferus</i>	1851, 151	<i>sauciatus</i>	1851, 181
<i>notatus</i>	1851, 189	<i>scaber</i>	1851, 184
<i>nucleus</i>	1851, 188	<i>scabrosus</i>	1851, 169
<i>obeliscus</i>	1851, 151	<i>scalaris</i>	1851, 153
<i>obliquatus</i>	1851, 186	<i>sedgwicki</i>	1851, 183
<i>obliquerradiatus</i>	1851, 185	<i>selectus</i>	1851, 183
<i>obscurus</i>	1851, 172	<i>signatus</i>	1851, 172
<i>occidentalis</i>	1851, 183	<i>sinensis</i>	1851, 181
<i>occultus</i>	1851, 156	<i>sisyphinus</i>	1851, 183
<i>ochroleucos</i>	{ 1851, 154	<i>smithi</i>	1851, 158
<i>odontis</i>	1851, 182	<i>solandri</i>	1854, 41
<i>ornatus</i>	1851, 164	<i>spadiceus</i>	1851, 159
<i>pallidulus</i>	1856, 355	<i>spengleri</i>	1851, 154
<i>pallidus</i>	1856, 224	<i>spinosus</i>	1851, 150
<i>papillosus</i>	1851, 183	<i>stellatus</i>	1851, 153
<i>parvus</i>	1851, 165	<i>stenomphalus</i>	1851, 181
<i>patholatus</i>	1851, 185	<i>stratus</i>	1851, 184
		<i>strigillatus</i>	1851, 152
		<i>strigosus</i>	1851, 186

	Page		Page
<i>Trochus striolatus</i>	1851, 178	<i>Trochus (Monodonta)</i>	
<i>suavis</i>	1851, 182	<i>gallina</i>	1850, 271
<i>subucula</i>	1851, 158	(—) <i>pyriformis</i>	1856, 204
<i>subviridis</i>	1851, 154		
<i>sulcatus</i>	1851, 178	<i>Troglodytes aedon</i>	{ 1858, 298
<i>tabularis</i>	1851, 181		{ 1859, 363
<i>tæniatus</i>	1851, { 178	<i>æquinoctialis</i>	{ 1859, 372
<i>tamsii</i>	1851, 191	<i>brunneicollis</i>	{ 1855, 142
<i>tectum</i>	1850, 203		{ 1858, 297
<i>tentorium</i>	1851, 153	<i>europæus</i>	{ 1859, 372
<i>tenuis</i>	1851, 163		{ 1851, 145
<i>tergestinus</i>	1851, 179	<i>furyus</i>	{ 1859, 137
<i>tessellatus</i>	1851, 178		{ 1860, 273
<i>tiaratus</i>	1851, 154	<i>gladiator</i>	{ 1860, 291
<i>tigrinus</i>	1851, 180		{ 1855, 76
<i>torulosus</i>	1851, 156	<i>gonilla</i>	{ 1858, 243
<i>tranquebaricus</i>	1851, 164		{ 1848, 53
<i>tricolor</i>	1851, 164		{ 1848, 56
<i>tridens</i>	1851, 181	<i>hyemalis</i>	{ 1851, 263
<i>triserialis</i>	1851, 151		{ 1859, 1
<i>trochiformis</i>	1850, 271		{ 1856, 290
<i>tuberculatus</i>	1851, 184	<i>niger</i>	{ 1848, 27
<i>tumidus</i>	1851, 184		{ 1858, 30
<i>turbinoïdes</i>	1851, 185		{ 1859, 35
<i>turgidulus</i>	1851, 159	<i>nipalensis</i>	{ 1856, 53
<i>turris</i>	1851, 155		{ 1859, 489
<i>umbilicatus</i>	1851, 185	<i>palustris</i>	{ 1856, 185
<i>umbilicaris</i>	1851, 184		{ 1859, 290
<i>umbilicatus</i>	1851, 185	<i>platensis</i>	{ 1859, 95
<i>undulosus</i>	1850, 224	<i>rectirostris</i>	{ 1858, 243
<i>varians</i>	1851, 185		{ 1851, 27
<i>variegatus</i>	1851, 156	<i>savagei</i>	{ 1848, 53
<i>varius</i>	1851, 185		{ 1858, 550
<i>vermis</i>	1851, 154	<i>solstitialis</i>	{ 1860, 84
<i>vernalis</i>	1851, 154	<i>Trogon ambiguus</i>	{ 1859, 387
<i>verrucosus</i>	1851, 153	<i>antisiensis</i>	{ 1856, 137
<i>versicolor</i>	1851, 184		{ 107
<i>vestiarius</i>	1853, 187	<i>aurantiventris</i>	{ 1856, 139
<i>vinctus</i>	1851, 166		{ 285
<i>violaceus</i>	1851, 163		{ 1856, 286
<i>virgatus</i>	1851, 151	<i>caligatus</i>	{ 1859, 307
<i>virgineus</i>	1856, 224		{ 1859, 387
<i>viridescens</i>	1851, 154		{ 1860, 284
<i>viridis</i>	1851, 154		{ 1855, 137
<i>viridulus</i>	1851, 156	<i>collaris</i>	{ 1856, 368
<i>vittatus</i>	1851, 165		{ 1860, 69
<i>vulneratus</i>	1851, 185	<i>curucui</i>	{ 1855, 137
<i>zealandicus</i>	1851, 178	<i>diardi</i>	{ 1859, 460
<i>zebra</i>	1851, 178	<i>duvaucellii</i>	{ 1859, 459
<i>zebrinus</i>	1851, 179	<i>elegans</i>	{ 1858, 357
<i>ziziphinus</i>	{ 1850, 271	<i>eytoni</i>	{ 1856, 368
	{ 1851, 163	<i>fasciatus</i>	{ 1859, 460
(<i>Euchele</i>) <i>alabastrum</i>	1857, 209	<i>kasumba</i>	{ 1859, 460
(<i>Margarita</i>) <i>hilli</i>	1850, 272	<i>luzoniensis</i>	{ 1859, 395
(—) <i>purpuratus</i>	1850, 272		{ 1858, 96
(<i>Monodonta</i>) <i>aureo-</i>		<i>massenæ</i>	{ 1859, 53
<i>tinctus</i>	1850, 271		{ 1859, 387
		<i>melanocephalus</i>	{ 1857, 227

	Page		Page
<i>Trogon melanocephalus</i>	{ 1858, 367 1859, 53 1859, 367 1859, 387	<i>Tropidonotus stollatus</i>	{ 1858, 382 1860, 162 1860, 168 1860, 170
<i>melanopterus</i>	{ 1854, 110 1857, 201	<i>subminiatus</i>	{ 1860, 162 1860, 167 1860, 170 1860, 171
<i>melanurus</i>	{ 1860, 284 1860, 367 1860, 387	<i>tigrinus</i>	{ 1858, 383 1855, 181 1860, 162
<i>mexicanus</i>	{ 1859, 367 1855, 137 1858, 555	<i>umbratus</i>	{ 1855, 181 1860, 162
<i>personatus</i>	{ 1859, 144 1860, 93 1856, 107 1856, 286	<i>vibakari</i>	{ 1858, 375 1858, 383
<i>puella</i>	{ 1856, 286 1859, 307 1859, 387	<i>viperinus</i> ...	{ 1858, 378
<i>pulchellus</i>	{ 1855, 137 1856, 139	<i>Tropidorhynchus bou-</i>	
<i>resplendens</i>	{ 1857, 235 1859, 459	<i>roensis</i>	{ 1860, 349 1859, 155
<i>roseigaster</i>	{ 1859, 459 1856, 286	<i>chrysotis</i>	{ 1859, 161 1860, 349
<i>rutilus</i>	{ 1856, 286 1859, 460	<i>diemenensis</i> ...	{ 1859, 161 1860, 349
<i>sallæi</i>	{ 1857, 16 1858, 60	<i>gilolensis</i>	{ 1860, 349 1859, 161
<i>temminckii</i>	{ 1857, 16 1858, 60	<i>lessoni</i>	{ 1859, 161 1860, 349
<i>viridis</i>	{ 1858, 60 1856, 286	<i>moluccensis</i> ...	{ 1860, 349 1858, 174
<i>xalapensis</i>	{ 1856, 286 1859, 264	<i>novæ-guinææ</i>	{ 1858, 174 1859, 155
<i>Tropeæa mænas</i>	{ 1859, 264 1859, 261	<i>plumigenis</i>	{ 1858, 174 1860, 349
<i>selene</i>	{ 1859, 261 1859, 264	<i>subcornutus</i> ...	{ 1860, 349 1856, 337
<i>sinensis</i>	{ 1859, 264 1856, 356	<i>Truncatella barbadensis</i>	{ 1856, 337 1857, 111
<i>Trophon morrissi</i>	{ 1856, 356 1860, 454	<i>californica</i>	{ 1857, 111 1856, 336
<i>Tropidolepis torquatus</i>	{ 1860, 454 1858, 375	<i>ceylanica</i>	{ 1856, 336 1854, 217
<i>Tropidonotus ceraso-</i>	{ 1858, 375 1860, 162	<i>costulata</i>	{ 1854, 217 1856, 24
<i>gaster</i>	{ 1860, 162 1858, 383	<i>littorea</i>	{ 1856, 24 1856, 24
<i>chrysargos</i>	{ 1858, 383 1860, 162	<i>montagu</i>	{ 1856, 24 1856, 336
<i>chrysargus</i>	{ 1860, 162 1860, 456	<i>teres</i>	{ 1856, 336 1854, 217
<i>dekayi</i>	{ 1860, 456 1860, 162	<i>truncatula</i>	{ 1854, 217 1856, 21
<i>dipsas</i>	{ 1860, 162 1858, 375	<i>Truncatellina linearis</i>	{ 1854, 207 1854, 207
<i>fasciatus</i>	{ 1858, 375 1858, 375 1858, 378	<i>minutissima</i> ...	{ 1854, 207 1857, 205
<i>hydrus</i>	{ 1858, 375 1858, 378	<i>Trupialis guianensis</i>	{ 1857, 205 1859, 197
<i>natrix</i>	{ 1858, 375 1858, 378 1860, 174	<i>lina</i>	{ 1859, 197 1858, 297
<i>ordinatus</i>	{ 1858, 375 1860, 455	<i>Tryphæna heloisæ</i>	{ 1858, 297 1859, 367
<i>picturatus</i>	{ 1858, 384 1858, 375 1858, 383	<i>Tudicla armigera</i>	{ 1859, 367 1856, 221
<i>platyceps</i>	{ 1860, 167 1860, 171 1860, 172	<i>fusoides</i>	{ 1856, 221 1854, 135
<i>quincunciatus</i>	{ 1858, 375 1858, 383 1860, 114 1860, 162	<i>recurva</i>	{ 1854, 135 1854, 135
<i>sirtalis</i>	{ 1860, 168 1860, 170 1860, 455	<i>spirillus</i>	{ 1851, 231 1851, 89
		<i>Tugali carinata</i>	{ 1851, 89 1851, 89 1851, 88
		<i>cicatricosa</i>	{ 1851, 89 1851, 88 1851, 88
		<i>cinerea</i>	{ 1851, 89 1851, 89 1851, 89
		<i>decussata</i>	{ 1851, 89 1851, 89 1851, 89
		<i>elegans</i>	{ 1851, 89 1851, 89 1851, 89
		<i>intermedia</i>	{ 1851, 89 1851, 88 1851, 88
		<i>ossea</i>	{ 1851, 89 1851, 89 1851, 89
		<i>parmophoroidea</i> ..	{ 1851, 89 1851, 89 1851, 89
		<i>radiata</i>	{ 1851, 89 1851, 89 1851, 89
		<i>scutellaris</i>	{ 1851, 89 1860, 437
		<i>Tugala oblonga</i>	{ 1860, 437 1849, 107
		<i>Tupana ellioti</i>	{ 1849, 107 1849, 108

	Page		Page
<i>Tupaia ferruginea</i>	1849, { 107	<i>Turbo turcicus</i>	1848, 50
<i>javanica</i>	1849, 108	<i>Turbonilla decussata</i> ...	1860, 438
<i>tana</i>	1849, { 107	<i>Turcica coreensis</i>	1860, 189
<i>Turaccena truncatula</i> ..	1856, 136	<i>monilifera</i>	1854, 87
<i>Turbo acutus</i>	1853, 179	<i>Turdampelis lanioides</i> ..	1858, 542
<i>araucanus</i>	1854, 41	<i>rufococyx</i>	1858, 542
<i>argyrostomus</i> ...	1860, 16	<i>Turdinus macrodactylus</i> .	1854, 275
<i>articulatus</i>	1848, 51	<i>Turdirostris superciliosa</i>	
<i>carneus</i>	1851, 190	<i>ris</i>	1854, 275
<i>calychnum</i>	1854, 33	<i>Turdus alapi</i>	1858, 245
<i>cinerens</i>	1851, 190	<i>albicollis</i>	{ 1857, 203
<i>circularis</i>	1848, 51	{ 1850, 329	
<i>corallinus</i>	1848, 50	{ 1858, 451	
<i>costatus</i>	1853, 186	<i>albiventris</i>	{ 1859, 186
<i>declivis</i>	1851, 184	{ 1859, 328	
<i>elegantissimus</i>	1853, 179	{ 1860, 272	
<i>fluctuatus</i>	{ 1848, 52	<i>alicus</i>	1859, 326
{ 1855, 234		<i>amaurochalinus</i>	1859, 329
<i>francesiæ</i>	1856, { 20	<i>analus</i>	1854, 278
{ 23		<i>ardosiaceus</i>	1859, 337
<i>gemmatus</i>	1848, 50	<i>armillaris</i>	1860, 353
<i>helacinus</i>	1851, 189	<i>aisinoe</i>	1850, 217
<i>histrio</i>	1848, 52	{ 1857, 202	
<i>incarnatus</i>	1851, 190	{ 1859, 327	
<i>inflatus</i>	1851, 189	{ 1859, 362	
<i>japonicus</i>	1848, 51	{ 1859, 370	
<i>lacteus</i>	1853, 179	<i>atrogularis</i>	1858, 490
<i>laminiferus</i>	1848, 49	{ 1859, 196	
<i>lehmanni</i>	1854, 41	{ 1859, 333	
<i>lineatus</i>	1851, 179	{ 1860, 83	
<i>lugubris</i>	1848, 50	<i>atrothorax</i>	1858, 245
<i>lunaris</i>	1851, 178	<i>auranturostris</i>	1856, 294
<i>margarita</i>	1851, 189	<i>aurantus</i>	1859, 333
<i>militaris</i>	1848, 51	<i>auritus</i>	1853, 285
<i>murreus</i>	1848, 49	<i>bambula</i>	1855, 146
<i>natalensis</i>	1848, 49	{ 1855, 213	
{ 1851, 178		{ 1855, 214	
<i>nigerrimus</i>	1854, 41	{ 1859, 338	
{ 1850, 42		<i>brevicaudus</i>	1858, 278
<i>niveus</i>	1850, 42	<i>brunneus</i>	1858, 542
<i>nivosus</i>	1848, 51	<i>cantator</i>	1858, 250
<i>obscurus</i>	1851, 190	<i>capucinus</i>	1859, 327
<i>ovalis</i>	1854, 59	<i>carbonarius</i>	1859, 334
<i>pica</i>	1851, 179	<i>casius</i>	1859, 330
<i>porcatus</i>	1848, 51	<i>chalybeus</i>	1859, 445
<i>pulcher</i>	1854, 83	{ 1858, 450	
<i>pustulatus</i>	1848, 50	{ 1858, 451	
<i>pyropus</i>	1848, 50	{ 1858, 550	
<i>quoyi</i>	1854, 41	{ 1859, 333	
<i>sandwicensis</i>	1860, 436	<i>chochi</i>	1859, 332
<i>sanguineus</i>	1851, 184	<i>cinnamomeus</i>	1858, 249
<i>saxosus</i>	1848, 49	<i>cirrhatus</i>	1858, 215
<i>semicostatus</i>	1860, 435	<i>colma</i>	1858, 277
<i>separatista</i>	1850, 45	{ 1857, 203	
<i>similis</i>	1853, 179	{ 1859, 327	
<i>trochoides</i>	1848, 50	<i>densirostris</i>	1859, 336
<i>tumidulus</i>	1848, 51	<i>densus</i>	1859, 325
		<i>dominicus</i>	1859, 341

	Page		Page
<i>Turdus erythropterus</i> ..	1850, 217	<i>Turdus luridus</i>	1857, 274
<i>falklandicus</i>	{ 1859, 330	<i>macrourus</i>	{ 1854, 283
<i>felivox</i>	{ 1860, 384	<i>magellanicus</i>	{ 1859, 330
<i>ferrugineus</i>	{ 1859, 336	<i>melanotis</i>	{ 1860, 334
<i>flavipes</i>	{ 1859, 329	<i>melodius</i>	{ 1859, 337
<i>flavirostris</i>	{ 1858, 542	<i>melpomene</i>	{ 1859, 325
<i>flaviventris</i>	{ 1859, 334	<i>merula</i>	{ 1858, 97
<i>formicivorus</i>	{ 1859, 332	<i>merula</i>	{ 1851, 142
<i>fulviventris</i>	{ 1857, 273	<i>merula</i>	{ 1856, 294
<i>fulviventris</i>	{ 1858, 275	<i>migratorius</i>	{ 1857, 5
<i>fulviventris</i>	{ 1859, 331	<i>migratorius</i>	{ 1857, 126
<i>fumigatus</i>	{ 1855, 145	<i>migratorius</i>	{ 1858, 300
<i>fumigatus</i>	{ 1857, 274	<i>migratorius</i>	{ 1859, 285
<i>fumigatus</i>	{ 1859, 329	<i>migratorius</i>	{ 1859, 331
<i>fuscatus</i>	{ 332	<i>migratorius</i>	{ 1860, 362
<i>fuscatus</i>	{ 335	<i>mindanensis</i>	{ 1854, 282
<i>fuscescens</i>	{ 1859, 326	<i>mindanensis</i>	{ 1854, 111
<i>fuscescens</i>	{ 1855, 144	<i>mindanensis</i>	{ 1855, 145
<i>fuscescens</i>	{ 1858, 450	<i>minimus</i>	{ 1857, 212
<i>fuscescens</i>	{ 1858, 451	<i>minimus</i>	{ 1858, 64
<i>fuscescens</i>	{ 1858, 550	<i>minimus</i>	{ 1859, 326
<i>gigas</i>	{ 1859, 136	<i>minimus</i>	{ 1855, 145
<i>gigas</i>	{ 1859, 332	<i>minor</i>	{ 1857, 4
<i>gigas</i>	{ 1860, 63	<i>minor</i>	{ 1857, 212
<i>gigas</i>	{ 1860, 84	<i>minor</i>	{ 1859, 325
<i>gilvus</i>	{ 1859, 342	<i>minutus</i>	{ 1859, 161
<i>grallarius</i>	{ 1858, 280	<i>modestus</i>	{ 1854, 274
<i>grallarius</i>	{ 1856, 294	<i>montanus</i>	{ 1859, 336
<i>grallarius</i>	{ 1857, 274	<i>montanus</i>	{ 1851, 145
<i>grayii</i>	{ 1859, 330	<i>musicus</i>	{ 1855, 165
<i>grayii</i>	{ 1859, 362	<i>musicus</i>	{ 1857, 13
<i>grayii</i>	{ 1859, 370	<i>musicus</i>	{ 1860, 258
<i>griseus</i>	{ 1858, 238	<i>musicus</i>	{ 1856, 294
<i>guttatus</i>	{ 1859, 325	<i>mustelinus</i>	{ 1859, 55
<i>gymnophthalmus</i> ..	{ 1859, 329	<i>mustelinus</i>	{ 1859, 325
<i>gymnopus</i>	{ 1859, 329	<i>mustelinus</i>	{ 1859, 362
<i>helvolus</i>	{ 1856, 294	<i>mustelinus</i>	{ 1857, 4
<i>helvolus</i>	{ 1859, 330	<i>nævius</i>	{ 1858, 3
<i>herminieri</i>	{ 1859, 335	<i>nævius</i>	{ 1859, 331
<i>herminieri</i>	{ 1857, 273	<i>nævius</i>	{ 1857, 4
<i>ignobilis</i>	{ 1859, 328	<i>nævius</i>	{ 1859, 325
<i>iliacus</i>	{ 1851, 145	<i>nudigenys</i>	{ 1859, 329
<i>iliacus</i>	{ 1857, 18	<i>ochrocephalus</i>	{ 1854, 270
<i>infuscatus</i>	{ 334	<i>olivaceus</i>	{ 1857, 212
<i>infuscatus</i>	{ 362	<i>olivaceus</i>	{ 1859, 329
<i>infuscatus</i>	{ 370	<i>olivater</i>	{ 1859, 333
<i>jamaicensis</i>	{ 1859, 327	<i>orientalis</i>	{ 1854, 272
<i>javanicus</i>	{ 1854, 274	<i>orpheus</i>	{ 1859, 341
<i>lereboulletii</i>	{ 1859, 327	<i>orpheus</i>	{ 1858, 300
<i>leucauchen</i>	{ 1858, 447	<i>pallasi</i>	{ 1859, 325
<i>leucauchen</i>	{ 1859, 328	<i>pallasi</i>	{ 1859, 332
<i>leucogonyx</i>	{ 1858, 542	<i>palmarum</i>	{ 1856, 84
<i>leucogonyx</i>	{ 1859, 333	<i>pectoralis</i>	{ 1858, 273
<i>leucomelas</i>	{ 1859, 327	<i>phæopygos</i>	{ 1858, 64
<i>leucopterus</i>	{ 1858, 246	<i>phæopygos</i>	{ 1859, 327
<i>lineatus</i>	{ 1858, 246	<i>pilaris</i>	{ 1857, 13
<i>lividus</i>	{ 336	<i>pinicola</i>	{ 334
<i>lividus</i>	{ 342	<i>pinicola</i>	{ 362

	Page		Page
<i>Turdus pinicola</i>	1860, 250	<i>Turricula approximata</i> ..	1860, 146
<i>plumbeus</i>	1859, 337	<i>bella</i>	1860, 145
<i>polyglottus</i>	1859, 340	<i>layardii</i>	1854, 135
<i>rex</i>	1858, 280	<i>mirifica</i> ..	1854, 135
<i>rubripes</i>	1859, 336	<i>roseata</i>	1854, 135
<i>ruficollis</i>	1860, 108	<i>Turris monilifera</i>	1860, 398
<i>rufifrons</i>	1858, 212	<i>Turritella costulata</i>	1853, 180
<i>rufigula</i>	1858, 273	<i>elegantissima</i>	1853, 179
<i>rufitorques</i>	1859, 334	<i>fulvocincta</i>	1853, 179
<i>rufiventris</i>	1859, 332	<i>indistincta</i>	1853, 179
<i>rufopallatus</i>	1859, 332	<i>interrupta</i>	1853, 179
<i>rufulus</i>	1854, 274	<i>truncata</i>	1853, 180
<i>rufus</i>	1858, 212	<i>Turtur bitorquatus</i>	1860, 361
<i>sclastaceus</i>	1858, 490	<i>cambayensis</i>	1855, 34
<i>serranus</i>	1859, 330	<i>chinensis</i>	1859, 467
.....	1857, 212	1858, 497
<i>silens</i>	1858, 300	<i>humilis</i>	1859, 150
.....	1859, 325	1859, 151
.....	1857, 4	1859, 187
<i>solitarius</i>	1857, 212	<i>meena</i>	1859, 187
.....	1859, 325	1858, 498
<i>speciosus</i>	1854, 271	<i>orientalis</i>	1859, 187
<i>striga</i>	1859, 445	1849, 172
<i>strigatus</i>	1859, 445	<i>risorius</i>	1855, 34
<i>surinamensis</i>	1856, 115	1860, 371
.....	1857, 212	<i>senegalensis</i>	1858, 498
.....	1858, 300	1858, 498
<i>swainsoni</i>	1858, 450	<i>suratensis</i>	1859, 150
.....	1858, 451	1859, 151
.....	1859, 326	1860, 361
.....	1860, 84	<i>tigrina</i>	1860, 361
<i>thenca</i>	1859, 344	<i>tigrinus</i>	1859, 467
<i>tinniens</i>	1858, 281	<i>Tylodina atlantica</i>	1856, 46
<i>tintinnabulatus</i>	1858, 250	<i>citrina</i>	1856, 46
<i>torquatus</i>	1860, { 371	<i>punctulata</i>	1856, 45
.....	442	<i>rafinesquii</i>	1856, 45
<i>tricolor</i>	1854, 283	<i>Typhis fimbriatus</i>	1853, 70
.....	1856, 294	<i>grandis</i>	1854, 42
<i>tristis</i>	1859, 330	<i>tetrapterus</i>	1856, 41
<i>triurus</i> ..	1859, 341	<i>triangularis</i>	1855, 124
.....	1858, 490	<i>Typhlops diardii</i>	1860, 114
<i>unicolor</i>	1859, 181	<i>oxyrhynchus</i>	1858, 204
.....	1859, 326	<i>philippinus</i>	1858, 263
<i>ustulatus</i> ..	1859, 326	<i>tenuis</i>	1860, 454
<i>varius</i> ..	1860, 108	<i>Typhon robusta</i>	1860, 363
<i>viridis</i>	1854, 286	<i>temminckii</i>	1860, 363
.....	1857, 13	<i>Tyrannula affinis</i>	1859, 44
<i>viscivorus</i>	1858, 480	<i>ardesiaca</i>	1859, 144
.....	1859, 181	<i>ardosiaca</i>	1855, 149
.....	1859, 276	<i>barbirostris</i>	1859, 44
<i>vulpinus</i>	1855, 141	<i>cayennensis</i>	1856, 296
.....	1857, 4	<i>cinchoneti</i>	1856, 149
<i>wilsoni</i>	1859, 326	<i>cineracea</i> ..	1858, 457
<i>xanthopus</i>	1859, 161	<i>cinnamomea</i>	1855, 149
<i>xanthosceles</i>	1859, 334	<i>coopern</i>	1851, 51
(Monticola) ery-		<i>coronata</i>	1856, 296
thropterus	1860, 350	<i>crinita</i> ..	1851, 51
<i>Turnix pugnax</i>	1859, { 150	<i>diadema</i>	1855, 149
.....	151		

	Page		Page
<i>Tyrannula erythrura</i>	1855, 149		
<i>gossii</i>	1851, 51		
<i>icterophrys</i>	1855, 149	<i>Tyrannus melancholicus</i>	1858, 457
<i>mexicana</i>	1851, 51		1859, 55
<i>nigricans</i>	1855, 149		1859, 143
<i>obscura</i>	1857, 127		1859, 306
<i>ornata</i>	1859, 44		1860, 92
<i>pallida</i>	1855, 149		1860, 281
<i>phoenicura</i>	1859, 144	<i>niveigularis</i>	1860, 281
<i>ruficeps</i>	1857, 127	<i>rufescens</i>	1859, 41
<i>rufipectus</i>	1854, 113	<i>rufinus</i>	1855, 150
<i>rufula</i>	1858, 70	<i>rufiventris</i>	1855, 77
<i>setophagoides</i>	1855, 149	<i>thamnophiloides</i>	1859, 331
<i>stolida</i>	1858, 144	<i>vociferans</i>	1859, 41
<i>sulphureipygia</i>	1853, 296	<i>Tyrse argus</i>	1859, 333
	1858, 458	<i>niloticus</i>	1858, 167
<i>Tyrannulus chrysops</i>	1859, 144		
	1860, 93	<i>Uarus niloticus</i>	1858, 155
<i>cinereiceps</i>	1860, 69	<i>ocellatus</i>	1858, 155
<i>elatus</i>	1855, 150	<i>Ulula fasciata</i>	1858, 132
<i>flavidifrons</i>	1856, 141	<i>Umbellularia groenlandica</i>	1859, 440
<i>nigricans</i>	1860, 69	<i>Umbonum chalconotum</i>	1853, 188
<i>nigricapillus</i>	1856, 296	<i>conicum</i>	1853, 188
<i>rufipectus</i>	1855, 150	<i>costatum</i>	1853, 188
<i>semiflavus</i>	1860, 93	<i>depressum</i>	1853, 188
<i>Tyrannus atricapillus</i>	1858, 215	<i>elegans</i>	1853, 188
<i>atrifrons</i>	1857, 274	<i>excisum</i>	1851, 232
	1859, 43	<i>giganteum</i>	1853, 188
	1855, 150	<i>guamense</i>	1853, 180
<i>audax</i>	1856, 297	<i>javanicum</i>	1853, 188
	1859, 42	<i>moniliferum</i>	1853, 188
<i>boissonneaui</i>	1855, 150	<i>sagittatum</i>	1853, 188
<i>borealis</i>	1858, 554	<i>striolatum</i>	1853, 189
<i>borealis</i>	1858, 301	<i>suturale</i>	1853, 188
<i>cæsius</i>	1858, 223	<i>vestiarum</i>	1851, 232
<i>canadensis</i>	1858, 215	<i>zelandicum</i>	1853, 187
<i>cooperi</i>	1856, 207	<i>Umbrellacella granulata</i>	1853, 189
<i>curtipes</i>	1858, 301		1857, 280
<i>erythropygius</i>	1859, 43	<i>unibraculum</i>	1859, 482
<i>fumigatus</i>	1860, 92	<i>Umbrella mediterranea</i>	1856, 161
	1855, 150	<i>ovalis</i>	1856, 396
	1858, 554	<i>Uncia chiltoni</i>	1856, 395
	1857, 232	<i>irbis</i>	1850, 198
<i>intrepidus</i>	1858, 302	<i>Uno bengalensis</i>	1850, 349
	1859, 55	<i>eximius</i>	1860, 15
<i>matutinus</i>	1859, 383	<i>gravidus</i>	1860, 14
	1857, 232	<i>grayii</i>	1858, 91
	1855, 150	<i>hainesianus</i>	1860, 15
<i>melancholicus</i>	1856, 141	<i>housei</i>	1860, 14
	1858, 70	<i>humilis</i>	1860, 15
		<i>inornatus</i>	1860, 15
		<i>myersianus</i>	1860, 14
		<i>rusticus</i>	1860, 14
		<i>sagittarius</i>	1860, 15
		<i>scobinatus</i>	1860, 15

	Page		Page
<i>Unio tumidulus</i>	1860, 15	<i>Urubitinga zonura</i>	1860, 288
<i>tumidus</i>	1850, 244	<i>Urubitornis solitaria</i> ..	{ 1856, 145
<i>Upucerthia vulgaris</i>	1859, 95	{ 1858, 130
.....	{ 1851, 145	<i>Urva cancrivora</i>	1856, 397
.....	{ 1855, 27		
<i>Upupa epops</i>	{ 1857, 101	<i>Vacca marina</i>	1853, 113
.....	{ 1858, 474	<i>Valvaria alba</i>	1854, 36
.....	{ 1850, 174	<i>Valvata piscinalis</i>	{ 1853, 44
<i>nigripennis</i>	1850, 151	{ 1856, 186
<i>senegalensis</i>	1855, 40	<i>Vanellus bilobus</i>	1855, 80
<i>Urochoma hueti</i>	1857, 19	<i>cayennensis</i>	1855, 163
<i>Urochroa bougieri</i>	1860, 95	<i>cinctus</i>	1860, 386
<i>Urocissa flavirostris</i>	1850, { 172	<i>ciastatus</i>	{ 1851, 146
.....	{ 200	{ 1858, 505
<i>magnirostris</i>	1850, { 151	<i>goensis</i>	1855, 81
.....	{ 200	<i>melanogaster</i>	1860, 363
.....	{ 172	<i>ptiloscelis</i>	1858, 556
<i>occipitalis</i>	1850, { 200	<i>resplendens</i>	{ 1858, 556
.....	{ 200	{ 1860, 82
<i>sinensis</i>	1859, 200	<i>strigilatus</i>	1850, 221
<i>Urogalba amazonum</i> ..	1855, 14	<i>Vanga cristata</i>	1859, 446
.....	{ 1855, 14	<i>striata</i>	1858, 207
<i>paradisea</i>	{ 1857, 262	<i>Vanganella taylorii</i>	1851, 125
<i>Uroloncha molucca</i>	1850, 444	<i>Vanicoro quoyiana</i> . .	1853, 175
<i>punctularia</i>	1859, 443	{ 1853, 174
.....	{ 161	<i>Vanikoro imbricata</i>	1860, 435
<i>Uromastix griseus</i>	1860, { 107	<i>semiplicata</i>	1860, 435
.....	{ 170	<i>Varanus heraldicus</i>	1860, 160
.....	{ 1849, 95	<i>Varicella cordovana</i> ...	1856, 321
<i>spinipes</i>	{ 1850, 470	{ 1856, 335
.....	{ 1850, 475	<i>guadeloupensis</i> ..	1856, 320
.....	{ 1860, 192	<i>orzabæ</i>	1856, 321
<i>Uropeltis ceylonicus</i> ..	1858, 262	<i>speciosa</i>	1856, 321
.....	{ 1858, 262	<i>Vasum ceramicum</i>	1851, 231
<i>grandis</i>	1858, 262	<i>Velasia chilensis</i>	1851, 239
<i>pardalis</i>	1858, 263	<i>Velletia filosa</i>	1853, 82
<i>philippinus</i>	1858, 263	{ 1853, 89
<i>Urostacte benjamini</i>	1860, 95	<i>lacustris</i>	1853, 89
<i>Urota sinope</i>	1849, 60	<i>Velutina haliotideae</i>	1853, 38
<i>Urrua bengalensis</i>	1854, 45	{ 1851, 225
.....	{ 1850, 477	<i>Venerupis chinensis</i>	1853, 4
.....	{ 1860, 130	<i>cordieri</i>	1856, 214
<i>Ursus americanus</i>	{ 1860, 180	{ 1853, 4
.....	{ 1860, 417	<i>cumingii</i>	1853, 4
.....	{ 130	<i>digona</i>	1853, 3
<i>arctos</i>	1860, { 372	<i>derelicta</i>	1853, 4
.....	{ 105	<i>elegans</i>	1853, 5
<i>isabellinus</i>	{ 1858, 517	<i>insignis</i>	1853, 6
.....	{ 1850, 156	<i>mitis</i>	1853, 5
<i>labiatus</i>	{ 1857, 140	<i>obesa</i>	1853, 5
.....	{ 1858, 520	<i>paupercula</i>	1853, 5
<i>marinus</i>	1850, 102	<i>planicosta</i>	1853, 4
.....	{ 1858, 129	<i>pulcherrima</i>	1853, 4
<i>Urubitinga anthracina</i> .	1858, 295	<i>siliqua</i>	1853, 5
.....	{ 1859, 52	<i>Venilia callonota</i>	1860, 286
.....	{ 128	<i>melanogaster</i>	1859, 457
<i>schistacea</i>	1858, { 129	<i>mentalis</i>	1850, 456
.....	{ 1858, 150	<i>miniata</i>	1859, 456
<i>unicincta</i>	{ 1859, 147	<i>pumcea</i>	1859, 456
.....	{ 1858, 129	<i>Venus californiensis</i>	1856, 206
<i>zonura</i>	1858, 129	<i>casina</i>	1853, 3

	Page		Page
<i>Venus clathrata</i>	1853, 3	<i>Vespertilio daubentonii</i> ..	1858, 89
<i>consobrina</i>	1853, 3	{ 1848, 112	
<i>crispata</i>	1853, 2	{ 1857, 45	
<i>dispar</i>	1856, 215	<i>emarginatus</i> ..	{ 1858, 80
<i>excavata</i>	1856, 216	{ 1858, 336	
<i>lamellifera</i>	1856, 214	{ 1858, 368	
<i>leucodon</i>	1856, 216	<i>escholtzii</i>	1858, 12
<i>listeri</i>	1853, 3	<i>ferrugineus</i>	1857, 53
<i>nuttalli</i>	1856, 216	<i>formosa</i>	1857, 53
<i>scripta</i>	1853, 6	<i>formosus</i>	1858, { 82
<i>sculpta</i>	1853, 3	{ 368	
<i>sowerbyi</i>	1853, 2	<i>furnalis</i>	1858, 540
<i>straminea</i>	1856, 215	<i>hardwickii</i>	1858, 329
<i>tantilla</i>	1856, 201	<i>hasseltii</i>	1857, 54
<i>Vermetus lævis</i>	1860, 413	<i>hilairi</i>	1858, 89
<i>varians</i>	1856, 315	<i>imbricatus</i>	1858, 539
<i>Vernicella annulata</i> ..	1859, 87	<i>isidori</i>	1858, 89
<i>occipitalis</i>	1859, 87	<i>korivoula</i>	1858, 78
<i>Vermiculum incurvatum</i>	1858, 436	<i>lanosus</i>	1858, 331
<i>Verpa penis</i>	1851, 232	<i>lasius</i>	1857, 35
<i>Vertagus graniferus</i> ...	1860, 433	<i>lepturus</i>	1858, 547
<i>Vertigo nitens</i>	1860, 439	<i>leucippe</i>	1859, 72
<i>Vertumnus cranchii</i>	1850, 97	<i>macropus</i>	1857, 53
<i>Vespertilio abramus</i>	1858, { 538	<i>madagascariensis</i> ..	1858, 89
<i>akokomuli</i>	1858, { 539	<i>marginatus</i>	1858, 537
<i>albescens</i>	1860, 261	<i>maximus</i>	1857, 52
<i>alcythoe</i>	1859, 72	<i>miniopterus</i>	1858, 81
<i>amistippe</i>	{ 1858, 81	<i>monachus</i>	1857, 35
<i>bechsteini</i>	{ 1859, 72	<i>murinus</i>	1857, 52
<i>blepotis</i>	1858, 121	{ 1858, 89	
<i>blosseivillii</i>	1857, 35	<i>mystacinus</i>	{ 1858, 539
<i>blythii</i>	1857, 53	{ 1859, 73	
<i>brachypterus</i>	{ 1858, 538	<i>natalensis</i>	{ 1858, 118
{ 1858, 539		{ 1857, 53	
<i>caliginosus</i>	1859, 73	{ 1857, 140	
<i>cappacini</i>	1858, 81	<i>nattereri</i>	{ 1858, 27
<i>caroli</i>	1857, 54	{ 1858, 81	
<i>carolinensis</i>	1857, 45	{ 1859, 74	
{ 1858, 89		<i>nigricans</i>	{ 1858, 546
<i>chiloensis</i>	{ 1858, 546	{ 1860, 211	
{ 1860, 261		<i>noctivagans</i>	1857, 45
<i>chinensis</i>	1857, 52	<i>pachypus</i>	1858, { 538
<i>cinerens</i>	1857, 37	{ 539	
<i>circumdatus</i>	1858, 540	<i>pallidus</i>	{ 1857, 45
{ 1856, 394		{ 1858, 546	
<i>coromandelicus</i> ..	{ 1858, 539	{ 1856, 178	
<i>creeks</i>	1857, 45	<i>papillosus</i>	{ 1858, 35
<i>crepuscularis</i>	1857, 45	{ 1858, 327	
<i>cyclope</i>	1858, 108	<i>parvulus</i>	{ 1858, 89
<i>daxjelingensis</i>	1856, 394	{ 1859, 73	
<i>dasycnemus</i>	1857, 54	<i>pearsoni</i>	1858, { 87
<i>dasythrix</i>	1858, 117	{ 368	
<i>daubentonii</i>	1857, 54	<i>pellucidus</i>	1858, 329
		<i>picta</i>	1856, 175
		<i>pictus</i>	1858, { 78
			{ 325

	Page		Page
<i>Vespertilio pipistrellus</i> ..	1850, 156	<i>Vipera trimaculata</i>	1850, 83
<i>polythrax</i>	1858, 80	<i>V-nigrum</i>	1858, 163
<i>pruinosis</i>	1857, 37	<i>Vireo altiloquus</i>	1857, 231
<i>pulverulentus</i>	1857, 45		1859, 138
<i>rubellus</i>	1857, 35	<i>flavifrons</i>	1857, 227
<i>ruber</i>	1858, 89		1860, 251
<i>rufoniger</i>	1858, 82	<i>gilvus</i>	1858, 302
	83	<i>huttoni</i>	1858, 302
	79		1859, 137
<i>rufopictus</i>	1858, 85	<i>josephæ</i>	1860, 63
	368		1860, 85
<i>savii</i> ...	1859, 72	<i>modestus</i>	1860, 462
<i>schreibersii</i>	1858, 117		1857, 204
<i>scotinus</i>	1858, 127	<i>noveboracensis</i> .	1857, 228
<i>sericeus</i>	1859, 74		1859, 137
<i>siligorensis</i>	1856, 304		1860, 462
<i>speciosus</i>	1858, 108	<i>solitarius</i>	1859, 298
	1856, 180		1859, 363
	1856, 394		1859, 375
<i>suillus</i>	1857, 45	<i>versicolor</i>	1855, 150
	1858, 367		1857, 76
	1858, 370		1855, 151
<i>tasmanensis</i>	1857, 45	<i>Vireolanius icterophrys</i>	1857, 4
<i>tasmaniensis</i>	1858, 27		1857, 213
	1858, 539	<i>melitophrys</i>	1857, 213
<i>tenuis</i>	1859, 73		1859, 363
<i>tessellatus</i>	1857, 35		1859, 137
<i>tibialis</i>	1858, 126	<i>Vireosylva agilis</i>	1860, 64
<i>timoriensis</i>	1858, 30		1860, 273
<i>tralatitius</i>	1858, 538	<i>altiloqua</i> ..	1855, 84
	539	<i>cobanensis</i>	1860, 463
<i>trilatitius</i>	1858, 89		1856, 208
	1859, 73	<i>flavoviridis</i>	1859, 375
<i>tristis</i>	1858, 124		1855, 84
<i>tuberculatus</i>	1857, 135	<i>frenata</i>	1859, 138
<i>ursinii</i>	1858, 81		1856, 208
	117	<i>gilva</i>	1858, 302
	27		1855, 133
<i>velatus</i>	1858, 28	<i>olivacea</i>	1855, 151
	546		1859, 137
<i>villosissimus</i>	1857, 35		1859, 363
<i>vispistrellus</i>	1858, 81	<i>philadelphica</i>	1860, 463
	1859, 72		1855, 133
<i>vulpinus</i>	1856, 180	<i>virescons</i>	1855, 151
<i>Vauxia fusconigra</i>	1860, 141		1860, 64
<i>lineata</i>	1853, 73	<i>Virgularia australis</i> ...	1859, 483
<i>nigrofusca</i>	1860, 369	<i>Vison</i>	1848, 86
	1850, 218	<i>Vitrina abyssinica</i>	1848, 108
<i>Vidua paradisea</i>	1860, 442	<i>americana</i>	1852, 156
<i>principalis</i>	1850, 218	<i>aperta</i>	1848, 107
<i>Vinago capellei</i>	1859, 464	<i>aurea</i>	1854, 122
<i>giganteus</i>	1859, 464	<i>beckiana</i> ..	1848, 105
	1855, 191	<i>behni</i>	1854, 163
<i>Vipera berus</i>	1858, 374	<i>bensonii</i> ..	1848, 107
	1860, 174	<i>bicolor</i>	1848, 104
<i>hexacera</i>	1858, 163	<i>borneensis</i>	1856, 324
<i>nasicornis</i>	1858, 163	<i>castanea</i>	1852, 56
<i>psyche</i>	1859, 84	<i>celebensis</i>	1856, 325

	Page		Page
<i>Vitrina comorensis</i>	1856, 325	<i>Volatinia jacarina</i>	1859, 365
<i>crenularis</i>	1848, 106	<i>splendens</i>	1859, 140
<i>cumingi</i>	1848, 104	<i>splendens</i>	1860, 275
<i>darnaudi</i>	1856, 325	<i>Volsella arata</i>	1856, 361
<i>dimidiata</i>	1852, 56	<i>flavida</i>	1856, 364
<i>flemingi</i>	1856, 324	<i>fortunei</i>	1856, 361
<i>grandis</i>	1848, 108	<i>glaberrima</i>	1856, 363
<i>guimarasensis</i>	1848, 104	<i>gubernaculum</i>	1856, 361
<i>gutta</i>	1848, 105	<i>inconstans</i>	1856, 363
<i>heliciformis</i>	1854, 296	<i>japonica</i>	1856, 363
<i>hians</i>	1848, 107	<i>perfragilis</i>	1856, 362
<i>hyalina</i>	1854, 296	<i>setigera</i>	1856, 364
<i>ida</i>	1856, 325	<i>splendida</i>	1856, 365
<i>irradians</i>	1852, 156	<i>subpurpurea</i>	1856, 362
<i>keppellii</i>	1853, 60	<i>subsulcata</i>	1856, 364
<i>lamarckii</i>	1854, 163	<i>subtorta</i>	1856, 365
<i>leucospira</i>	1856, 326	<i>tristis</i>	1856, 362
<i>leytensis</i>	1848, 105	<i>undulata</i>	1856, 363
<i>luzonica</i>	1849, 132	<i>Voluta æthiopica</i>	1855, 54
<i>marcida</i>	1854, 164	<i>afrcana</i>	1856, 2
<i>margarita</i>	1848, 104	<i>alba</i>	1854, 36
<i>media</i>	1854, 164	<i>americana</i>	1856, 2
<i>milliganii</i>	1852, 56	<i>amphora</i>	1855, 54
<i>monticola</i>	1848, 107	<i>ancilla</i>	1855, 57
<i>mutida</i>	1854, 164	<i>angulata</i>	1855, 62
<i>papillata</i>	1848, 106	<i>anna</i>	1855, 61
<i>planospira</i>	1853, 60	<i>annulata</i>	1855, 41
<i>planta</i>	1856, 324	<i>arabica</i>	1855, 58
<i>planulata</i>	1848, 106	<i>arabica</i>	1855, 60
<i>politissima</i>	1848, 105	<i>armata</i>	1855, 54
<i>resiliens</i>	1848, 106	<i>auguria</i>	1855, 52
<i>rufescens</i>	1848, 106	<i>aulica</i>	1855, 56
<i>ruivensis</i>	1854, 163	<i>aurea-cati</i>	1853, 177
<i>ruppelliana</i>	1848, 107	<i>aurea-judæ</i>	1854, 7
<i>salomonia</i>	1853, 60	<i>aurea-midæ</i>	1854, 7
<i>sennaariensis</i>	1850, 325	<i>ballenta</i>	1853, 41
<i>siamensis</i>	1860, 7	<i>beckii</i>	1855, 58
<i>smaragdulus</i>	1848, 104	<i>bidentata</i>	1854, 36
<i>spuuloides</i>	1856, 169	<i>bifasciata</i>	1854, 50
<i>strangei</i>	1849, 132	<i>brasiliانا</i>	1855, 57
<i>teneriffæ</i>	1854, 163	<i>bullata</i>	1855, 62
<i>verreauxii</i>	1849, 132	<i>carneola</i>	1858, 49
<i>virens</i>	1848, 108	<i>catenata</i>	1849, 22
<i>Vitularia sandwicensis</i>	1860, 397	<i>cathartæ</i>	1856, 2
<i>Viverna civetta</i>	1859, 212	<i>ceramica</i>	1855, 57
<i>indica</i>	1860, 417	<i>chlorosma</i>	1855, 59
<i>malaccensis</i>	1850, 156	<i>chrysostoma</i>	1855, 57
<i>zebra</i>	1848, 77	<i>cithara</i>	1855, 54
<i>zibetha</i>	1850, 142	<i>coffa</i>	1854, 9
<i>zibetha</i>	1856, 396	<i>concinna</i>	1855, 58
<i>zibetha</i>	1860, 5	<i>corneolata</i>	1855, 59
<i>Viverricula indica</i>	1856, 396	<i>corona</i>	1855, 63
<i>malaccensis</i>	1860, 183	<i>costata</i>	1855, 61
<i>malaccensis</i>	1856, 396	<i>cruenta</i>	1853, 41
<i>Volatinia jacarina</i>	1855, 160	<i>cumingi</i>	1855, 62
<i>Volatinia jacarina</i>	1856, 304	<i>cylindricornis</i>	1855, 61

	Page		Page
<i>Voluta cymbiola</i>	1855, 63	<i>Voluta lyrata</i>	1855, 61
<i>cymbium</i>	1855, 52	<i>maculata</i>	1855, 64
<i>delessertiana</i>	1855, 61	} 1855, 49	
<i>denticulata</i>	{ 1854, 33	<i>magellanica</i>	1855, 57
} 1856, 22		<i>magnifica</i>	1855, 57
<i>deshayesi</i>	{ 1854, 73	<i>mamilla</i>	1855, 55
} 1855, 56		} 1859, 34	
<i>diadema</i>	1855, 54	<i>marmorata</i>	1855, 64
<i>dubia</i>	1855, 55	<i>megaspira</i>	1855, 58
<i>ducalis</i>	1855, { 54	<i>melo</i>	1855, 53
} 63		<i>micans</i>	1855, 57
<i>dufresui</i>	1855, 62	<i>minuta</i>	1854, 9
<i>ebrea</i>	1855, 59	<i>mitis</i>	1855, 56
<i>elongata</i>	1855, 58	<i>mitriformis</i>	1855, 60
<i>erythrostoma</i>	1858, 42	<i>modesta</i>	1855, 63
<i>fasciata</i>	1854, 11	<i>multicosta</i>	1855, 61
<i>ferussaci</i>	1855, 58	<i>musica</i>	1855, 59
} 1855, 58		<i>narisa</i>	1855, 62
<i>festiva</i>	{ 1855, 61	<i>nautica</i>	1855, 54
} 1856, 3		<i>navicula</i>	1855, 51
<i>flammea</i>	1854, 59	<i>neptuni</i>	1855, 52
<i>flammula</i>	1855, 63	<i>nifidula</i>	1858, 57
<i>flava</i>	1854, 9	<i>nivea</i>	1858, 54
<i>flavicans</i>	1855, 63	<i>nivosa</i>	1855, 56
<i>fluctuata</i>	1855, 64	<i>nobilis</i>	1855, 62
<i>fulgetrum</i>	1855, 63	<i>nodulosa</i>	1855, 59
<i>fulminata</i>	1855, 60	<i>norrisii</i>	1855, 56
<i>fulva</i>	1855, 59	<i>nucleus</i>	1855, 61
<i>fusiformis</i>	1855, 58	} 38	
<i>fusus</i>	1855, 58	<i>oliva</i>	1858, { 42
<i>gibbosa</i>	1858, 50	} 47	
<i>glans</i>	1855, 52	} 49	
<i>gracilis</i>	1855, { 57	<i>olla</i>	1855, 51
} 58		<i>oryza</i>	1858, 57
<i>gouldingii</i>	1855, 62	<i>pacifica</i>	{ 1855, 58
<i>guinæa</i>	1855, 59	} 1856, 2	
<i>harpa</i>	1855, 61	<i>pallida</i>	1855, 64
<i>hebræa</i>	1856, 3	<i>papillaris</i>	1855, 51
<i>hiatula</i>	1858, 52	<i>papillosa</i>	1855, 63
<i>impemalis</i>	1855, { 57	<i>pellis-serpentis</i> ..	1855, 56
} 62		<i>pepo</i>	1855, 52
<i>incrassata</i>	1858, 41	<i>perdicina</i>	1855, 61
<i>indica</i>	1855, { 53	<i>pinguis</i>	1858, 48
} 60		<i>piperita</i>	1855, 56
<i>insularis</i>	1855, 58	<i>plicata</i>	1855, 59
} 38		<i>polyzonalis</i>	1855, 59
<i>ispidula</i>	{ 41	<i>porcina</i>	1855, 52
} 50		<i>porphyria</i>	1858, { 38
} 57		} 41	
<i>jaspidea</i>	1858, 54	<i>præputium</i>	1855, 53
<i>junonia</i>	1855, 57	<i>proboscidalis</i>	1855, 52
<i>lævigata</i>	1855, 50	<i>pulchra</i>	1855, 56
<i>lapponica</i>	1855, 60	<i>punctata</i>	1855, 57
<i>lineata</i>	1855, 64	<i>pusilla</i>	1854, 10
<i>livida</i>	1854, 10	<i>pusio</i>	1855, 59
<i>luteostoma</i>	1855, 57	<i>reticulata</i>	1855, 64
<i>lyreiformis</i>	1855, { 58	<i>ringens</i>	{ 1854, 32
} 60		} 1858, 52	

	Page		Page
<i>Voluta rosiniana</i>	1859, 231	<i>Vulpes indicus</i>	1856, 397
<i>rubiginosa</i>	1855, 52	<i>leucopus</i>	1858, 516
<i>rudis</i>	1855, 58	<i>montanus</i>	{ 1855, 126
<i>rupestris</i>	1855, 60	<i>pusillus</i>	{ 1856, 397
<i>rubila</i>	1855, 56	<i>vulgaris</i>	{ 1858, 516
<i>scapha</i>	1855, { 52	<i>pusillus</i>	{ 1858, 516
<i>scrofa</i>	1855, { 62	<i>vulgaris</i>	{ 1860, 371
<i>serpentina</i>	1855, 63	<i>pusillus</i>	{ 1854, 1
<i>solidula</i>	1855, 56	<i>Vultur bengalensis</i> ..	{ 1854, 258
<i>sophia</i>	1854, 61	<i>changoun</i>	{ 1855, 128
<i>spectabilis</i>	1855, 63	<i>cinereus</i>	{ 1854, 258
<i>spiralis</i>	1855, 57	<i>cinereus</i>	{ 1855, 128
<i>stragulata</i>	1853, 177	<i>fulvus</i>	{ 1855, 128
<i>subnodosa</i>	1855, 64	<i>indicus</i>	{ 1854, 1
<i>sulcata</i>	1855, 57	<i>iota</i>	{ 1854, 258
<i>tenebrosa</i>	1855, 59	<i>leuconotus</i>	{ 1855, 128
<i>tessellata</i>	1858, 51	<i>occipitalis</i>	{ 1854, 258
<i>tiarella</i>	1855, 54	<i>papa</i>	{ 1850, 214
<i>tigrina</i>	1855, 59	<i>pondicerianus</i>	{ 1851, 53
<i>tomatilis</i>	1858, 49	<i>pondicerianus</i>	{ 1858, 469
<i>triplicata</i>	1854, 59	<i>ponticerianus</i>	{ 1854, 1
<i>tuberculata</i>	1854, 10	<i>tenuirostris</i>	{ 1855, 128
<i>turneri</i>	1855, { 57	<i>Vulture, The King</i>	{ 1851, 53
<i>undulata</i>	1855, { 58		
<i>utriculus</i>	1855, 64	<i>Warnea australis</i>	1858, 310
<i>ventricosa</i>	1855, 64	<i>vaginifera</i>	1858, 309
<i>vespertilio</i>	1858, { 50	<i>Wilkinsonæa abbotiana</i>	1857, { 168
<i>vexillum</i>	1855, { 57	<i>bensoniana</i>	{ 1857, 172
<i>virescens</i>	1855, 47	<i>dysoniana</i>	{ 1857, 168
<i>volva</i>	1855, { 56	<i>gouldiana</i>	{ 1857, 175
<i>volvacea</i>	1855, 60	<i>greenwoodiana</i>	{ 1857, 168
<i>zebra</i>	1855, 63	<i>hanleyana</i>	{ 1857, 173
<i>Volutella angulata</i> ..	1855, 64	<i>hanleyana</i>	{ 1857, 168
<i>cymbiola</i>	1855, 62	<i>hollandiana</i>	{ 1857, 175
<i>fulgetrum</i>	1855, 68	<i>jardiniana</i>	{ 1857, 168
<i>imperialis</i>	1855, 63	<i>laidlawiana</i>	{ 1857, 173
<i>papillosa</i>	1855, { 63	<i>moussoniana</i>	{ 1857, 168
<i>scapha</i>	1859, 231	<i>schomburgkiana</i> ..	{ 1857, 176
<i>sophia</i>	1855, 62	<i>tappaniana</i>	{ 1857, 168
<i>volvacea</i>	1855, 63	<i>wilkinsonæana</i>	{ 1857, 175
<i>Volutoides abyssicola</i>	1855, 65		
<i>Volutomitra cinnamomea</i>	1854, 134	<i>Xancus maculatus</i>	1851, 230
<i>corniculum</i>	1854, 135	<i>pyrum</i>	1851, 230
<i>digna</i>	1854, 135	<i>Xanthocephalus ictero-</i>	
<i>vineta</i>	1854, 134	<i>cephalus</i>	1859, 235
<i>Volva birostrata</i> ...	1854, 130	<i>Xantholæma indica</i>	{ 1859, 150
<i>rosea</i>	1854, 130		{ 1851, 151
<i>Volvatella fragilis</i>	1860, 20		
<i>Vulpes azaræ</i>	1859, 51		
<i>bengalensis</i>	{ 1856, 397		
<i>fermlatus</i>	{ 1858, 515		
<i>flavescens</i>	1858, 397		
	1858, 516		

	Page		Page
<i>Xanthopygia leucophrys</i> 1854,	283	<i>Zamenis atrovirens</i> 1858,	378
tricolor ... 1854,	283	caudolineatus 1858,	378
<i>Xanthornis affinis</i> 1850,	301	cliffordii 1858,	162
<i>Xanthoura peruviana</i> .. 1855,	153	dablii 1858,	378
<i>Xenodon macrophthal-</i> <i>mus</i>	1800,	hippocrepis 1858,	378
		mexicanus 1800,	310
		ventrimaculatus .. 1858,	375
			378
rhabdöcephalus 1800,	442	<i>Zanclostomus æneus</i> 1800,	112
severus 1850,	80	hardt 1850,	458
<i>Xenogenys azureus</i> 1860,	353	javanicus 1850,	458
<i>Xenopeltis unicolor</i> 1860,	114	sirkee 1850,	150
<i>Xenops ganibarbis</i>	1850,		151
		sumatranus 1850,	458
		<i>Zanthopygia leucophrys</i> . 1854,	283
		tricolor .. . 1854,	283
mexicanus 1850,	280	<i>Zelima paradoxa</i> 1850,	422
rutilans 1850,	382		1858,
	27		450
<i>Xenospongia patellifor-</i> <i>mis</i>	1858,	<i>Zenaida hypoleuca</i>	1858,
	230		556
<i>Xenurus antiquus</i> 1851,	215		1800,
nudicandis 1851,	215		97
uncinctus 1851,	215		1850,
<i>Xerophila armillata</i> 1854,	170		309
caperata... .. 1854,	169		1858,
<i>Xiphocolaptes albicollis</i> . 1857,	202		305
<i>promeropurhynchus</i> . 1850,	140		1850,
<i>Xiphorhynchus flavigas-</i> <i>ter</i> 1850,	289		308
grenadensis 1858,	63		1800,
procurrens 1854,	111		371
pucherani 1855,	142		1850,
pusillus 1860,	278		30
thoracicus 1860,	277		1850,
	293		309
<i>Xylobius albovarius</i> 1852,	40		1857,
dulcis 1852,	40		235
<i>Xylobucco scolopaceus</i> .. 1850,	307	<i>Zenaidura carolinensis</i> .	1858,
<i>Xylotretus chrysidens</i> .. 1852,	50		1850,
excavatus 1852,	46		391
			1859,
<i>Yetus cymbium</i> 1855,	52	<i>Zenatia cumingiana</i> ... 1854,	72
navicula 1855,	51	solenoides 1854,	72
neptuni 1855,	52	<i>Zeus conchifer</i> 1850,	247
			1850,
olla 1853,	36		247
			1850,
proboscidalis 1855,	51	<i>Zidona angulata</i> 1855,	62
		<i>Ziziphinus agrestis</i> 1851,	166
<i>Yoldia gloriosa</i> 1855,	226		1851,
lancoolata 1855,	226		163
lepidula 1856,	50		1851,
woodwardi 1860,	370		164
<i>Yphantis baltimorensis</i> . 1856,	142		224
<i>Yunx indica</i> 1840,	112		1851,
pectoralis 1849,	112		165
			1851,
torquilla 1850,	219		38
			1851,
			163
			164
			165
			167
			163
			165
			165
			168

	Page		Page
<i>Ziziphinus elegantulus</i>	1851, 167	<i>Zonites</i> ^P <i>coresia</i>	1849, 166
<i>euglyptus</i>	1854, 38	<i>crystallinus</i>	1854, 178
<i>eviguus</i>	1851, 165	<i>Zonenas mulleri</i>	1858, 186
<i>eximius</i>	1851, 105	<i>pinon</i>	1858, 186
<i>filosus</i>	1851, 165	<i>zoeca</i>	1858, 186
<i>genmosus</i>	1851, 165	<i>Zonotrichia aureigula</i>	1856, 86
<i>gilvus</i>	1851, 166	<i>bottem</i>	1857, 214
<i>granatum</i>	1851, 164	<i>cassini</i>	1857, 214
<i>granulatus</i>	1851, 163	<i>comata</i>	1857, 7
<i>indistinctus</i>	1851, 164	<i>gambelli</i>	1857, 7
<i>interruptus</i>	1851, 164	{ 1857, 127	
<i>japonicus</i>	1851, 167	{ 1859, 235	
<i>javanicus</i>	1854, 40	<i>leucophrys</i>	1857, 7
<i>jubinus</i>	1851, 165	<i>mortoni</i>	1857, 7
<i>laevigatus</i>	1851, 165	<i>mystacalis</i>	1856, 305
<i>langieri</i>	1851, 164	{ 1859, 379	
<i>luridus</i>	1851, 166	{ 1853, 160	
<i>metaformis</i>	1851, 166	{ 1857, 7	
<i>millegranus</i>	1851, 166	{ 1858, 450	
<i>mnatus</i>	1851, 166	{ 1858, 454	
<i>montagu</i>	1851, 164	<i>pileata</i>	1858, 552
<i>nebulosa</i>	1851, 168	{ 1859, 140	
<i>ornatus</i>	1851, 164	{ 1860, 63	
<i>perspectivus</i>	1851, 166	{ 1860, 76	
<i>picturatus</i>	1851, 168	<i>querula</i>	1857, 7
<i>polychroma</i>	1851, 168	<i>Zoothera cinclops</i>	1855, 214
<i>pyramidatus</i>	1851, 164	{ 1859, 338	
<i>pyramis</i>	1851, 164	<i>Zootoca deserti</i>	1859, 470
<i>rubropunctatus</i>	1851, 167	<i>vivipara</i>	1860, 174
<i>scutulus</i>	1854, 38	<i>Zopherosis georgii</i>	1859, 121
<i>selectus</i>	1851, 163	<i>Zosterops africeps</i>	1860, 350
<i>speciosus</i>	1854, 38	<i>chloris</i>	1860, 350
<i>spectabilis</i>	1854, 37	<i>citrinella</i>	1858, 175
<i>striatus</i>	1851, 165	<i>dorsalis</i>	1855, 164
<i>sturgosus</i>	1851, 166	<i>griseonota</i>	1859, 161
<i>ticaonicus</i>	1851, 167	<i>griseotincta</i>	1858, 175
<i>tigris</i>	1851, 163	<i>palpebrosus</i>	1858, 496
<i>tranquebaricus</i>	1851, 164	{ 1859, 183	
<i>unicinctus</i>	1851, 167	<i>strenuus</i>	1855, 165
<i>vulgaris</i>	1851, 163	{ 1855, 165	
<i>zonamestus</i>	1851, 166	<i>tephropleurus</i>	1855, 166
{ 1854, 40		<i>xanthochroa</i>	1859, 161
<i>Zoantharia cauliculata</i>	1857, 280	<i>Zua lubrica</i>	1854, 190
<i>Zoanthus bertholetii</i>	1858, 558	{ 1856, 186	
<i>couchii</i>	1858, 557	<i>maderensis</i>	1854, 199
{ 1859, 124		<i>Zurama pulchella</i>	1854, 176
<i>Zonites cellarius</i>	1854, 177		
<i>chiron</i>	1849, 166		

THE END OF INDEX

Indian Agricultural Research Institute (Pusa)
LIBRARY, NEW DELHI-110012

This book can be issued on or before

Return Date	Return Date